

DYNAMIC PLANET: EVENT SUPERVISOR KEY


1. A stream is fed by 16 individual streams that themselves have no tributaries. (4 points)

Maximum Strahler stream order: **5**

Minimum Strahler stream order: **2**

Maximum Shreve stream order: **16**

Minimum Shreve stream order: **16**




2.

Above is a cross-section of the topography in an area. Which of the following drainage patterns is LEAST likely to form here? (1 points)

- a. Dendritic
 - b. Radial
 - c. Rectangular**
 - d. Trellis
 - e. Centripetal
3. Consider a comparison between a tree and a stream system. The roots of the tree uptake water which is then carried through the plant to its other parts. In this model, the roots can be considered tributaries/distributaries and the branches can be considered tributaries/distributaries. (1 points)
- a. Tributaries, tributaries
 - b. Tributaries, distributaries**
 - c. Distributaries, tributaries
 - d. Distributaries, distributaries
4. Which of the following types of lakes can exhibit internal waves during the winter? (1 points)
- a. Amictic
 - b. Cold monomictic**

DYNAMIC PLANET: EVENT SUPERVISOR KEY

- c. Warm monomictic
 - d. **Dimictic**
5. Explain how algae blooms and extended periods of lake stratification can lead to similar conditions in a lake. (4 points)
- a. **Both can lead to a lack of nutrients in dissolved oxygen. (2) In stratification's case, the water stuck at the bottom of the lake is unable to be replenished by nutrients or oxygen from the surface (1). In algae blooms' case, the algae rapidly consume nutrients and oxygen depleting the water's supply (1).**
6. The stratosphere is a stratified body of fluid that increases in temperature as you gain altitude. In what season does a dimictic lake most resemble these conditions? (1 points)
- a. Winter
 - b. Spring
 - c. **Summer**
 - d. Fall
7. Observing a lake, you notice that there are parallel rows of plant matter and bubbles running north to south. What direction could the winds blowing over this lake be coming from? (2 points)
- a. **North OR south**
8. What is the name of the process that creates the effects described in the previous question? (2 points)
- a. **Langmuir circulation**
9. Four distinct layers of water are in a lake with each layer having a uniform temperature and salinity. Layer 1 is 4.02 degrees celsius with salinity 0.01%; layer 2 is 4.02 degrees celsius with salinity 0.02%; layer 3 is 3.98 degrees celsius with salinity 0.02%; layer 4 is 3.98 degrees celsius with salinity 0.03%. Order the layers from lowermost to uppermost in the lake. (ex: 1, 4, 3, 2) (3 points)
- a. **4, 3, 2, 1**
10. What is the term for the localized reduction in groundwater level caused by water extraction at a specific point, such as a well? (1 points)
- a. **Cone of Depression**



DYNAMIC PLANET: EVENT SUPERVISOR KEY

The above images show different trends of quantities with respect to distance from the stream mouth, i.e. the left side is CLOSER to the mouth. For the following quantities, select whether they are best represented by the left or right graph: (4 points)

Capacity: **Left**

Competence: **Left**

Stream velocity: **Left**

Stream discharge: **Left**

Stream gradient: **Right**

Sinuosity: **Left**

Channel roughness: **Right**

Channel width: **Left**

12. Can you draw drainage divides for drainage systems that include a bifurcation lake? Why? (2 points)
 - a. **No (1). It's somewhere in the middle of the lake but because water mixes fluidly in the lake, there is no clear divide (1).**
13. What is the name of the process in which two streams join together to form one stream? (1 points)
 - a. **Confluence**
14. What is the name of the process in which one stream splits into multiple streams? (1 points)
 - a. **Bifurcation**
15. A riffle pool sequence describes rhythmic changes in what property of a stream? (2 points)
 - a. Bank width
 - b. Water speed
 - c. Sinuosity
 - d. Stream roughness coefficient
 - e. **Stream depth**
16. Which of the following streams would most likely exhibit riffle-pool sequences? (1 points)
 - a. Straight with competence in the gravel ranges
 - b. Straight with competence in the silt ranges
 - c. **Meandering with competence in the gravel ranges**
 - d. Meandering with competence in the silt ranges
17. Which of the following would NOT result in the creation of a knickpoint? (1 points)
 - a. **A stream's substrate suddenly changing from limestone to granite**
 - b. A stream's substrate suddenly changing from granite to limestone
 - c. A stream flowing over a normal fault from the footwall side to the hanging wall side

DYNAMIC PLANET: EVENT SUPERVISOR KEY

- d. A stream flowing over a reverse fault from hanging wall side to footwall side
- e. A glacier forming a hanging valley and then melting



18.

Using what you know about rock types, which of the following is most likely the rock that these potholes are formed from? (1 points)


- a. Granite
 - b. Gabbro
 - c. Schist
 - d. Limestone**
19. What are the units of drainage density? (1 points)
- a. length
 - b. 1/length**
 - c. $\text{length}^2/\text{mass}$
 - d. $\text{length}/\text{mass}$
20. Suppose the time of concentration for watershed A is 2 hours while for watershed B it is 1 hour. Which watershed would have higher peak discharge at the outlet after the exact same rainstorm occurs over each watershed? Which watershed would have a sharper rising limb on a hydrograph? Which watershed would return to its base flow level faster? (Assume that all rain enters the watershed evenly.) (1 points)
- a. A, A, A
 - b. B, A, B
 - c. A, A, B
 - d. B, B, B**
21. A sample of water from a nearby aquifer is compared to one taken of fossil water from another aquifer. This fossil water infiltrated the ground back during the Carboniferous period which was dominated by the presence of trees. Which would you expect to have the higher dissolved oxygen? Why? (3 points)
- a. The fossil water (1). It was exposed to the atmosphere during the Carboniferous, which had the highest concentration of atmospheric oxygen in history (1) due to**

DYNAMIC PLANET: EVENT SUPERVISOR KEY

the large number of trees (1).

22. Which of the following is NOT a major direct contributor to freshwater acidification? (1 points)
- a. Leaching of soil and rock
 - b. Dissolution of carbon dioxide into water
 - c. Reduction of sulfur oxides and nitrogen oxides
 - d. Acid rain**
23. An example of a negative feedback loop is in the production of CO₂, increasing strength of the greenhouse effect, and dissolution of CO₂ in freshwater. Due to this, would you expect the solubility of CO₂ in water to increase or decrease given a decreased temperature? (0.5 points)
- a. Increase
 - b. Decrease**
24. 3 water drop penetration time tests are done on 3 different soils to measure the hydrophobicity of the samples. They ended up finding that none of the samples were particularly hydrophobic, but they did learn about the soil's composition. In sample 1, the soil was a vast majority clay, in sample 2, the soil was mostly sand, and in sample 3, the soil was mostly loam. The times measured are 15 seconds, 10 seconds, and 5 seconds. What sample did each measurement come from? The 15-second measurement came from sample __, the 10-second measurement came from sample __, and the 5-second sample came from __. (3 points)
- 15 seconds: **1**
- 10 seconds: **3**
- 5 seconds: **2**
25. The hyporheic zone and the riparian zone are very similar in that they are both interfaces between a stream and are important for regulating chemicals and nutrients that are present in a stream. The hyporheic zone is the boundary zone between a stream and __, while the riparian zone is the boundary zone between a stream and __. (2 points)
- a. Groundwater (1), land (1) (accept banks, land around it, etc)**
26. Which of the following freshwater systems are lotic? (1 points; +.5 for each correct, -.5 for each incorrect)
- a. Lakes
 - b. Swamps
 - c. Streams**
 - d. Mires
 - e. Hyporheic zone**
27. When considering all freshwater on Earth, do lentic or lotic systems store more water? (0.5 points)
- a. Lentic**
 - b. Lotic

DYNAMIC PLANET: EVENT SUPERVISOR KEY



28.

What is the name of the process shown in the diagram above? (1 points)

a. **Frost wedging**

29. What type of weathering does the process in the diagram above show? (1 points)

a. Biological

b. Chemical

c. **Mechanical**

30. It turns out that yazoo streams were named after an actual stream/river that exhibits what we now know as yazoo behavior. What major river did the original Yazoo River branch off from? (1 points)

a. **Mississippi**

b. Nile

c. Yangtze

d. Mekong

31. Identify the structure shown in the image below. (1 points)



Pingo

32. Artesian wells form when what “surface”, the line to which groundwater rises under hydrostatic pressure, is located above ground level? (1 points)

a. **Piezometric/potentiometric surface**

33. The Amazon river discharges about 4.381 million cubic feet per second. Suppose an average first-order stream discharges 10 cubic meters per second. Assuming no water

DYNAMIC PLANET: EVENT SUPERVISOR KEY

evaporates while flowing, what would be the Shreve order of the Amazon river? (1 meter = 3.28 feet) (2 points)

a. **12415; 4.381 million ft³/(10(3.28 ft)³)**



34.

This is a picture of a stream at Umstead State Park in Raleigh, North Carolina. What is the name for the feature labeled "A" where sediment is being deposited? (2 points)

a. **Point bar**

35. Is the stream pictured in the previous question generally low or high energy? Provide two pieces of evidence that support your conclusion. (3 points)

a. **Low energy (1). Accept any two of the following (1 each), as well as other reasonable answers: The water in the stream is not moving very fast. The flow is laminar as evidenced by the smooth water surface. The point bar doesn't have any large sediment, something characteristic of higher energy streams.**

DYNAMIC PLANET: EVENT SUPERVISOR KEY



36. This is some nice frozen dirt (also from Umstead in North Carolina!). The dirt is most definitely frozen. I can confirm having poked it. Even though this is frozen ground, why is it not considered permafrost? (your “why” answer should include at least 1 number) (2 points)
- a. **It’s not frozen for at least 2 years straight (2; 1 for discussing time frozen). It melts in the summer.**

DYNAMIC PLANET: EVENT SUPERVISOR KEY



A

B

C

The next 3 questions refer to this photo, pictures of shirts at Uniqlo. Suppose that the seams are cross sections of river valleys. (Note the extra triangular seams in picture A.)

37. Which of the following types of rivers would be found in a river valley that looks like shirt A? (1 points)
- a. Youthful river
 - b. Mature river
 - c. Rejuvenated river**
38. Which of the following types of rivers would be found in a river valley that looks like shirt B? (1 points)
- a. Youthful river**
 - b. Mature river
 - c. Rejuvenated river
39. Which of the following types of rivers would be found in a river valley that looks like shirt C? (1 points)
- a. Youthful river
 - b. Mature river**
 - c. Rejuvenated river


Suppose you are the god of rain (and other precipitation). Answer the following questions on your (scientifically accurate) powers:

40. In order for clouds (the all-important things that give you power) to form, small particles need to be present in the air. What term describes these particles? (1 points)
- a. Condensation nuclei**
41. Which of the following could be a source for these small particles? (2 points)

DYNAMIC PLANET: EVENT SUPERVISOR KEY

- a. **Volcanic outgassing**
- b. Evaporation of seawater
- c. Cellular respiration
- d. Transpiration in plants

42. When the previously mentioned small particles are present in the air, water condenses onto them forming ice crystals. What is the name of this process? (1 points)



43. This photo shows the different types of precipitation based on the temperature of the air it falls through. Label the types of precipitation from A-D. (4 points)

A: **Rain**

B: **Freezing rain**

C: **Sleet**

D: **Snow**

44. You now decide to send forth rain from your holy cloud castle. What shape do the raindrops make as they fall? (1 points)

a. **Spheres**

45. On its way to the ground, your raindrop may react with what molecule, which can create a weak acid? (1 points)

a. **Carbon dioxide**


46. How many oxygen atoms are involved in the reaction in the previous question? (1 points)

a. **3**

47. Your raindrop landed in Florida which has bedrock mainly formed from what group of rocks? (1 points)

a. **Carbonates**

DYNAMIC PLANET: EVENT SUPERVISOR KEY



The image above shows a profile of a hypothetical stream. The bottom of the image represents sea level.

48. What type of point is point A? (1 points)
- Critical point
 - Divide
 - Nickpoint**
 - Saddle point
49. Suppose the stream is not constant, but only occasionally flows upstream of A. What feature would be formed at A? (1 points)
- Alluvial fan**
 - Cataract
 - Delta
 - Playa
50. Notice how the stream slowly approaches the black line. What does this line represent? (1 points)
- Base level**
51. T/F: The stream can never go below the black line. (0.5 points)
- True**
 - False
52. Briefly explain why the black line is not at sea level. What does this indicate about the stream? (2 points)
- The stream doesn't empty into the ocean, but rather into a lake or other body of water**
53. What does the white line represent? (1 points)
- Water table**
54. T/F: The white and black lines converge at the mouth of the stream. (0.5 points)
- True**
 - False
55. T/F: The white line can never go below the black line. (0.5 points)
- True**

DYNAMIC PLANET: EVENT SUPERVISOR KEY

b. False

56. Estimate the maximum stream gradient outside of A in ft/ft. (1 mi = 5280 ft) (2 points)
a. About 70 ft/21000 ft = 1/300 ft/ft = 0.003 ft/ft
57. Estimate the maximum hydraulic gradient of the groundwater beneath the stream in ft/ft. (2 points)
a. About 0.007 ft/ft


A month ago, California was hit by a series of large atmospheric rivers. These resulted in massive storms and flooding.

58. The storms produced a large amount of precipitation in a very short time. Considering California's drought conditions, would this downpour be better for the drought than the same amount of rain occurring over a long period of time? Why or why not? (3 points)
a. No (1), rain spaced out over a long period of time would be better. When sudden downpours occur, the ground eventually becomes saturated and all other precipitation is unable to infiltrate into the ground (1). The major indicator of drought is soil moisture and once it becomes saturated, it can't become moister. Essentially, all the other precipitation goes to waste. This is not the case with more spaced-out rain, as water is consistently able to infiltrate and replenish soil moisture (1).
59. Now considering similar conditions as the previous question, would precipitation over the Sierra Nevada mountains or over California's Central Valley be more beneficial to the drought conditions there? Why? (Hint: These storms occurred in winter.) (3 points)
a. Precipitation over the mountains would be better (1). Mountain precipitation would result in snow (1). The snow can pack and stay frozen until long after the precipitation event occurs before melting and running down the mountains to other areas (1). This delayed release of water would allow for more water to be absorbed by the ground and the aquifers.
60. Because of these storms, the ground has become saturated. Which of the following statements are true regarding a new hydrograph for storms of the same size, before and after major rainfall events? (2 points; 0.5 for each correct)
a. Steeper rising limb
b. More gradual rising limb
c. Longer lag time
d. Shorter lag time
e. Lower peak
f. Higher peak
g. Higher baseflow
h. Lower baseflow
61. Which of the following WOULD increase the severity of flooding? (2 points; +2/3 for each correct, -2/3 for each incorrect)

DYNAMIC PLANET: EVENT SUPERVISOR KEY

- a. **Deforestation**
 - b. Plugging up crevasse splays
 - c. **Urbanization**
 - d. Creation of percolation trenches
 - e. **Degradation of riparian zone**
62. Which of the following freshwater features typically occurs at the water table? (2 points; +2/3 for each correct, -2/3 for each incorrect)
- a. **Base level of a stream well above sea level**
 - b. **Boundary between the acrotelm and catotelm of an undisturbed peat bog**
 - c. **Stream surface level of a gaining stream**
 - d. Hyporheic zone of a stream
 - e. Zone of dispersion during saltwater intrusion
63. Order the following layers of water in terms of increasing average thickness: 1) pellicular/bound water; 2) Capillary fringe; 3) Epilimnion. (2 points)
- a. **1, 2, 3**

Use the diagram below to answer the following questions.




64. Identify the structures present at each of the labeled points: (4 points, 1 each)
- A: **Dissolved Joint**
 - B: **Limestone Column**
 - C: **Sinking Stream**
 - D: **Karst Spring**

65. What kind of rock is most commonly found in regions with karst topography? What is the chemical formula of its dominant mineral? (2 points)

a. **Limestone, CaCO_3**



66.  

Compare Lake Baikal and Crater Lake in the images above. Which of these lakes has a higher shoreline development index? (0.5 points)

a. Lake Baikal

b. Crater Lake

67. Which of these lakes likely has the most nutrients? (0.5 points)

a. Lake Baikal

b. Crater Lake

68. Which of these lakes likely has a higher rate of evaporation? (0.5 points)

a. Lake Baikal

b. Crater Lake

69. Describe how each of these lakes likely formed based on their shape and other clues in the map. (4 points, 2 each)

Lake Baikal: **Formed inside a tectonic rift (1)** as it filled with water. Tectonic activity commonly creates long, thin lakes (1), as we see in Lake Baikal.

Crater Lake: Filling of a volcanic crater/caldera (1). This is the most common formation method of nearly circular lakes, and we can tell the lake is surrounded by a mountain based on the radial drainage pattern around it (1).