

Name :- Tenzing Namgyal Bhutia

Registration no. :- 201900295

## Code of all your components

app.component.html

```
<div class="form">
  <h2><span class="multicolortext">Simple calculator</span></h2>
  <div class="button">
    <button (click)="addnum()">Add</button>
    <button (click)="subnum()">Subtract</button><br>
    <button (click)="multinum()">Multiply</button>
    <button (click)="divnum()">Divide</button><br>
    <button (click)="factnum1()">Factorial of num 1</button>
    <button (click)="factnum2()">Factorial of num 2</button><br>
    <button (click)="primenum1()">Prime checker for num 1</button>
    <button (click)="primenum2()">Prime checker for num 2</button>
  </div>

  <p class="num1">First number is : {{a}}</p>
  <p class="num1">Second number is : {{b}}</p>

  <p class="num2">Note :- <br>(i) Result shown below after reloading the page is incorrect. So press the button for correct answer.<br>(ii)Don't press Factorial button twice.</p>

  <p class="num3">The sum of 2 numbers --- {{c1}} <br> The difference of 2 numbers --- {{c2}} <br> The product of 2 numbers --
- {{c3}} <br> The quotient of 2 numbers --- {{c4}}</p>
  <p class="num3">Factorial of {{a}} --- {{fac1}} <br> Factorial of {{b}} --- {{fac2}}</p>
  <p *ngIf="count1 == 0 ;else not_prime1" class="num3">{{a}} is a prime number.</p>
  <p *ngIf="count2 == 0 ;else not_prime2" class="num3">{{b}} is a prime number.</p>
  <ng-template #not_prime1><p class="num3">{{a}} is not a prime number</p></ng-template>
  <ng-template #not_prime2><p class="num3">{{b}} is not a prime number</p></ng-template>
</div>
```

## app.component.css

```
.form
{
    padding: 10px 100px 10px 100px;
    background-color: black;
    overflow: auto;
}

.multicolortext
{
    padding-left: 450px;
    padding-right: 400px;
    font-size: 50px;
    background-image: linear-
gradient(to left, rgb(247, 90, 247), rgb(86, 3, 146), rgb(0, 150, 0), rgb(23, 23, 255), rgb(255, 255, 35), rgb(255, 167, 4), rgb(255,
5, 5));
    -webkit-background-clip: text;
    -moz-background-clip: text;
    background-clip: text;
    color: transparent;
}

.num1
{
    color: chartreuse;
    font-size: 20px;
}

.num2
{
    color: red;
    font-size: 20px;
}

.num3
{
    color: chartreuse;
    font-size: 20px;
}
```

```

button
{
    width: 150px;
    height: 90px;
    padding: 5px;
    margin: 10px;
    transition-duration: 0.5s;
    font-size: 20px;
    font-weight: bold;
}
button:hover
{
    background-color: #ffee00;
    color: #000000;
}
.button
{
    border: 5px solid gold;
    padding: 5px;
    width: 340px;
    height: auto;
    float: right;
}

```

## app.component.ts

```

import { Component } from '@angular/core';

@Component({
    selector: 'app-root',
    templateUrl: './app.component.html',
    styleUrls: ['./app.component.css']
})
export class AppComponent {

```

```
title = 'My App Component';
a = 19;
b = 12;
c1 = {};
c2 = {};
c3 = {};
c4 = {};
fac1 = 1;
fac2 = 1;
count1 = 0;
count2 = 0;
addnum()
{
  this.c1 = this.a + this.b;
}
subnum()
{
  this.c2 = this.a - this.b;
}
multinum()
{
  this.c3 = this.a * this.b;
}
divnum()
{
  this.c4 = this.a / this.b
}
factnum1()
{
  for(let i = 1; i <= this.a; i++)
  {
    this.fac1 = this.fac1 * i;
  }
}
factnum2()
{
```

```
    for(let i = 1; i <= this.b; i++)
    {
        this.fac2 = this.fac2 * i;
    }
}
primenum1()
{
    for(let i = 2; i<= (this.a)/2; i++)
    {
        if (this.a % i == 0)
        {
            this.count1 = 1;
            break;
        }
    }
}

primenum2()
{
    for(let i = 2; i<= (this.b)/2; i++)
    {
        if (this.b % i == 0)
        {
            this.count2 = 1;
            break;
        }
    }
}
}
```

## app-routing.module.ts

```
import { NgModule } from '@angular/core';
import { RouterModule, Routes } from '@angular/router';

const routes: Routes = [];

@NgModule({
  imports: [RouterModule.forRoot(routes)],
  exports: [RouterModule]
})
export class AppRoutingModule { }
```

## app.component.spec.ts

```
import { TestBed } from '@angular/core/testing';
import { RouterTestingModule } from '@angular/router/testing';
import { AppComponent } from './app.component';

describe('AppComponent', () => {
  beforeEach(async () => {
    await TestBed.configureTestingModule({
      imports: [
        RouterTestingModule
      ],
      declarations: [
        AppComponent
      ],
    }).compileComponents();
  });

  it('should create the app', () => {
    const fixture = TestBed.createComponent(AppComponent);
    const app = fixture.componentInstance;
    expect(app).toBeTruthy();
  });
});
```

```

});

it(`should have as title 'my-first-app`, () => {
  const fixture = TestBed.createComponent(AppComponent);
  const app = fixture.componentInstance;
  expect(app.title).toEqual('my-first-app');
});

it('should render title', () => {
  const fixture = TestBed.createComponent(AppComponent);
  fixture.detectChanges();
  const compiled = fixture.nativeElement as HTMLElement;
  expect(compiled.querySelector('.content span')?.textContent).toContain('my-first-app app is running!');
});
});

```

## app.module.ts

```

import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';

import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';

@NgModule({
  declarations: [
    AppComponent
  ],
  imports: [
    BrowserModule,
    AppRoutingModule
  ],
  providers: [],
  bootstrap: [AppComponent]
})
export class AppModule { }

```

# Screenshot of app

