

Nam Tùr

# **TRANSCRIPTOMIC ANALYSIS OF APOPTOSIS AND MITOCHONDRIAL RESPIRATORY COMPLEXES IN GLIOBLASTOMA**

Bachelor's Thesis  
Engineering and Natural Sciences  
September 2026

# ABSTRACT

Nam Tùr

Transcriptomic Analysis of Apoptosis and Mitochondrial Respiratory Complexes in  
Glioblastoma

Tampere University

Science and Engineering

Bachelor's Thesis

September 2026

---

The abstract is a concise, self-containing one-page description of the work: what was the problem, what was done, and what are the results. Do not include charts or tables in the abstract. Put the abstract in the primary language of your thesis first and then the translation when that is needed. International students do not need to include an abstract in Finnish.

**Keywords:** glioblastoma, apoptosis, mitochondria, respiratory complex, transcriptomics

The originality of this thesis has been checked using the Turnitin Originality service.

# PREFACE

*“DNA neither cares or knows. DNA just is. And we dance to its music.”*

— Richard Dawkins

This thesis was written as part of Tampere University’s Bachelor’s Programme in Science and Engineering and was begun in early May 2026. The work was supervised by Dr. Meenakshisundaram Kandhavelu, who inspired my interest in bioinformatics and provided me the opportunity to develop it further in his Molecular Signaling Lab.

This work also marks an important milestone not only for myself but also for my family.

I would like to thank my friends from various parts of the world for their encouragement, insight, and support throughout the writing process — both online and in-person. Finally, I express my deepest gratitude to my parents, V. and K., whose support made this achievement possible. The completion of this thesis — and the degree as a whole — would not have been possible without any of them.

In Tampere on 4. September 2026,  
Nam Tūr

# CONTENTS

|          |                                                                          |           |
|----------|--------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>INTRODUCTION.....</b>                                                 | <b>1</b>  |
| <b>2</b> | <b>THEORETICAL BACKGROUND.....</b>                                       | <b>3</b>  |
| 2.1      | GLIOBLASTOMA.....                                                        | 3         |
| 2.2      | MOLECULAR MECHANISMS OF GLIOBLASTOMA.....                                | 3         |
| 2.2.1    | MOLECULAR HETEROGENEITY AND SUBTYPES.....                                | 3         |
| 2.2.2    | MAJOR MOLECULAR PATHWAYS ALTERED IN GBM.....                             | 4         |
| 2.3      | APOPTOSIS IN GLIOBLASTOMA.....                                           | 5         |
| 2.4      | MITOCHONDRIAL FUNCTION AND RESPIRATORY COMPLEXES.....                    | 6         |
| 2.4.1    | GENERAL MITOCHONDRIAL FUNCTION.....                                      | 6         |
| 2.4.2    | OXIDATIVE PHOSPHORYLATION AND THE RESPIRATORY CHAIN...                   | 7         |
| 2.4.3    | MITOCHONDRIAL RESPIRATORY CHAIN-APOPTOSIS<br>RELATIONSHIP IN GBM.....    | 7         |
| 2.5      | TRANSCRIPTOMICS AND COMPUTATIONAL ANALYSIS.....                          | 8         |
| 2.5.1    | FROM CONVENTIONAL MOLECULAR ANALYSIS TO<br>COMPUTATIONAL APPROACHES..... | 8         |
| 2.5.2    | TRANSCRIPTOMICS AND DIFFERENTIAL EXPRESSION ANALYSIS..                   | 8         |
| 2.5.3    | FUNCTIONAL ANALYSIS AND NETWORK ANALYSIS.....                            | 9         |
| <b>3</b> | <b>MATERIALS AND METHODS.....</b>                                        | <b>11</b> |
| 3.1      | DATA SOURCE.....                                                         | 11        |
| 3.2      | DATA INSPECTION AND QUALITY CONTROL.....                                 | 11        |
| 3.3      | DIFFERENTIAL EXPRESSION ANALYSIS.....                                    | 12        |
| 3.4      | GENE ONTOLOGY ENRICHMENT ANALYSIS.....                                   | 14        |

---

|       |                                                                               |    |
|-------|-------------------------------------------------------------------------------|----|
| 3.5   | STRING INTERACTION NETWORK ANALYSIS.....                                      | 14 |
| 3.6   | STATISTICAL ANALYSIS.....                                                     | 14 |
| 4     | RESULTS.....                                                                  | 15 |
| 4.1   | DIFFERENTIALLY EXPRESSED GENES IN GBM.....                                    | 15 |
| 4.2   | FUNCTIONAL ENRICHMENT OF DIFFERENTIALLY EXPRESSED GENES. .                    | 15 |
| 4.3   | ASSOCIATION BETWEEN APOPTOSIS AND MITOCHONDRIAL<br>RESPIRATORY COMPLEXES..... | 15 |
| 5     | DISCUSSION.....                                                               | 16 |
| 6     | CONCLUSIONS.....                                                              | 17 |
| 7     | INTRODUCTION.....                                                             | 18 |
| 8     | WRITING PRACTICES.....                                                        | 19 |
| 8.1   | TEXT.....                                                                     | 19 |
| 8.2   | IMAGES.....                                                                   | 19 |
| 8.2.1 | IMAGES IN TYPST.....                                                          | 20 |
| 8.2.2 | ACCESSIBILITY OF IMAGES.....                                                  | 21 |
| 8.3   | TABLES.....                                                                   | 21 |
| 8.3.1 | TABLES IN TYPST.....                                                          | 22 |
| 8.3.2 | ACCESSIBILITY OF TABLES.....                                                  | 23 |
| 8.4   | MATHEMATICAL NOTATIONS AND EQUATIONS.....                                     | 23 |
| 8.4.1 | MATHEMATICS IN TYPST.....                                                     | 24 |
| 8.4.2 | ACCESSIBILITY OF MATHEMATICS.....                                             | 26 |
| 8.5   | PROGRAMS AND ALGORITHMS.....                                                  | 27 |
| 8.6   | THEOREM BLOCKS.....                                                           | 29 |
| 8.7   | ACCESSIBILITY CONSIDERATIONS.....                                             | 31 |

---

|       |                                                                             |           |
|-------|-----------------------------------------------------------------------------|-----------|
| 8.7.1 | ADD ALTERNATIVE TEXTS OR OTHER STRUCTURE TO YOUR EQUATIONS.....             | 32        |
| 8.7.2 | CONVERT YOUR FINAL SUBMISSION TO PDF/UA-1 FORMAT.....                       | 33        |
| 8.7.3 | COMPILATION DISSERTATIONS AND PDF ATTACHMENTS.....                          | 34        |
| 9     | REFERENCES.....                                                             | 35        |
| 9.1   | IN-TEXT CITATIONS.....                                                      | 35        |
| 9.2   | THE BIBLIOGRAPHY FILE.....                                                  | 36        |
| 9.3   | INSERTING PHD PUBLICATIONS INTO YOUR THESIS.....                            | 38        |
| 9.4   | ATTACHING TYPST-BASED PHD PUBLICATIONS.....                                 | 38        |
| 10    | CONCLUSIONS.....                                                            | 40        |
| 11    | TEST.....                                                                   | 41        |
|       | <b>BIBLIOGRAPHY.....</b>                                                    | <b>42</b> |
|       | <b>APPENDIX A: SUBTYPE-SPECIFIC GO ENRICHMENT BIOLOGICAL PROCESSES.....</b> | <b>49</b> |
| A.1   | CLASSICAL.....                                                              | 49        |
| A.2   | MESENCHYMAL.....                                                            | 51        |
| A.3   | PRONEURAL.....                                                              | 54        |
|       | <b>APPENDIX B: TESTS RELATED TO CROSS-REFERENCING.....</b>                  | <b>58</b> |
| B.1   | FIGURE TESTS.....                                                           | 58        |
| B.2   | SECTION TESTS.....                                                          | 59        |
| B.3   | EQUATION TESTS.....                                                         | 59        |
| B.4   | CITATION TESTS.....                                                         | 59        |
| B.5   | THEOREM TESTS.....                                                          | 59        |
| B.6   | SUBFIGURE TESTS.....                                                        | 59        |

---

|                                                                                                                          |    |
|--------------------------------------------------------------------------------------------------------------------------|----|
| <b>APPENDIX C:</b> TEST APPENDIX WITH MATHEMATICS IN ITS HEADING: $\mathbf{f} =$<br>$m\mathbf{a}$ . ALSO SOME code ..... | 61 |
| <b>C.1</b> A LEVEL 2 HEADING WITH MATHEMATICS: $\int_{\{x\}} f(x) dx$ .....                                              | 61 |
| <b>C.1.1</b> A LEVEL 3 HEADING WITH MATHEMATICS: $\int_{\{x\}} f(x) dx$ .....                                            | 61 |
| <b>C.2</b> ANOTHER LEVEL 2 HEADING WITH MATHEMATICS: $\nabla \cdot \mathbf{j} = 0$<br>more code .....                    | 61 |
| <b>C.2.1</b> ANOTHER LEVEL 3 HEADING WITH MATHEMATICS: $\nabla \cdot \mathbf{j} = 0$ .....                               | 62 |
| <b>C.3</b> A HEADING WITH code .....                                                                                     | 62 |
| <b>C.3.1</b> A HEADING WITH more code .....                                                                              | 62 |
| <b>C.3.2</b> A HEADING WITH even more code .....                                                                         | 62 |

# GLOSSARY

|                   |                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------|
| <i>EGFR</i>       | Italic words denote genes                                                                                             |
| <b>GBM</b>        | Glioblastoma multiforme                                                                                               |
| <b>M</b>          | Upright bold capital letters denote matrices.                                                                         |
| <b>Multionics</b> | Research that combines biotechnology ending with the “-omics” suffix such transcriptomics, proteomics, genomics, etc. |
| <b>TUNI</b>       | Tampere University                                                                                                    |
| <b>TUT</b>        | Tampere University of Technology                                                                                      |
| <b>v</b>          | Bold upright lower-case letters denote vectors.                                                                       |



## USE OF ARTIFICIAL INTELLIGENCE IN THIS WORK

Artificial intelligence (AI) has been used in generating this work:

☒ Yes

☐ No

I hereby declare, that the AI-based applications used in generating this work are as follows:

| Application | Version |
|-------------|---------|
| ChatGPT     | GPT-5.5 |

## PURPOSE OF THE USE OF AI

Explain here *in detail*, for which purpose and how AI was utilized in writing this thesis.

ChatGPT was used mainly for debugging code during analysis of multiomics.

## PARTS OF THIS WORK, WHERE AI WAS USED

List here all chapters, sections, subsections, tables, figures and so forth, that were generated by an AI, or that an AI had a hand in generating.

## ACKNOWLEDGEMENT OF RISKS

I hereby acknowledge, that as the author of this work, I am fully responsible for the contents presented in this thesis. This includes the parts that were generated by an AI, in part or in their entirety. I therefore also acknowledge my responsibility in the case, where use of AI has resulted in ethical guidelines being breached.

# 1 INTRODUCTION

Glioblastoma multiforme (GBM) is the most aggressive primary brain tumour in adults and remains associated with poor patient survival despite advances in treatment [1]. A major challenge in understanding and treating GBM is its substantial molecular heterogeneity. Molecular analyses have identified distinct GBM subtypes characterised by different transcriptional profiles and biological properties, which can influence tumour progression, treatment response, and patient prognosis [2]. Understanding these molecular differences is therefore important for characterising the biological mechanisms underlying GBM.

Advances in high-throughput transcriptomic technologies have enabled comprehensive characterisation of gene expression patterns in cancer. Transcriptomic data can be used to identify genes whose expression differs between tumour and healthy tissue and to investigate the biological processes associated with these changes [3]. However, lists of differentially expressed genes alone provide limited information about the biological mechanisms underlying the observed changes. Functional enrichment analysis can therefore be used to identify biological processes that are disproportionately represented among differentially expressed genes, providing a biological context for transcriptomic alterations [4].

Cell death is an important biological process in cancer, and dysregulation of cell death mechanisms can contribute to tumour development and progression [5], [6]. Among these mechanisms, apoptosis is a highly regulated form of cell death that plays an important role in maintaining cellular homeostasis and eliminating damaged cells; its intrinsic pathway is closely associated with mitochondrial function, linking apoptosis to mitochondrial processes such as oxidative phosphorylation and the activity of mitochondrial respiratory complexes [5]. Disruption of apoptotic signalling can contribute to uncontrolled cell survival.

This thesis investigates transcriptomic alterations in glioblastoma using data from the CPTAC GBM Discovery Study. Differential expression analysis is performed to identify genes whose expression differs between GBM and healthy brain tissue. Gene Ontology enrichment analysis is then used to characterise the biological processes associated with the significant genes, with particular attention given to cell-death-related processes. As apoptosis represents a prominent category among the identified cell-death-related processes, apoptosis-associated genes are subsequently investigated in relation to the mitochondrial respiratory complexes. Protein–protein interaction network analysis using STRING is used to examine the interactions between apoptosis-associated proteins and proteins belonging to the mitochondrial respiratory complexes.

---

The aim of this thesis is therefore to characterise transcriptomic alterations in glioblastoma and investigate the relationship between apoptosis and mitochondrial respiratory complexes through functional enrichment and protein–protein interaction network analysis.

Chapter 2 presents the relevant knowledge regarding the thesis’s topic including glioblastoma and multiomics of glioblastoma. Chapter 3 shows the processing of expression data, enrichment of the resulting significant gene set, and integration of cell death pathway-related genes. In-depth results and discussion are presented in Chapter 4.

## 2 THEORETICAL BACKGROUND

### 2.1 GLIOBLASTOMA

Glioblastoma multiforme (GBM) is one of the most aggressive and most common form of gliomas, with an extremely poor prognosis of a median survival period of 12-15 months [1], [7]. To date, GBM has no clear carcinogenetic cause, with high exposure to ionizing radiation being the only confirmed risk. Common carcinogenetic causes of other cancers such as smoking, diet, pesticide exposure, etc. have not been shown to cause GBM [1].

The World Health Organization classifies gliomas into grades I to IV, with grade I being relatively unproliferative and can be eliminated via surgery, and grade IV being the most invasive and highly malignant – GBM is classified under grade IV [1]. Additionally, GBM possesses an extreme heterogeneity in its structure which results in its resistance to conventional therapies and high recurrence rate [8].

### 2.2 MOLECULAR MECHANISMS OF GLIOBLASTOMA

#### 2.2.1 MOLECULAR HETEROGENEITY AND SUBTYPES

GBM possesses an incredible molecular heterogeneity. Defining transcriptomic mutations of GBM include [8], [9]:

- **TP53 mutations:** Appear in 31-38% of all GBM patients, play a role in disrupting cell cycle regulation and apoptosis.
- **PTEN mutations:** Appears in 24-37% of GBM patients, activate tumor-survival-enducing pathways.
- **EGFR amplification and mutations:** Appears in 36-60% of GBM patients, enhances cell growth.
- **and many others.**

The expression levels of the genes listed vary vastly on a per-sample basis [1], [2]. This shows that GBM is not a single uniform disease, and different molecular profiles can correspond to different biological characteristics of the same disease.

A major analysis done by Verhaak et al. [2] of GBM samples from The Cancer Genome Atlas (TCGA), often cited by other papers, categorizes GBM into 4 major subtypes according to their expression of signature genes: Proneural, Neural, Mesenchymal, and Classical.

The Proneural subtype is characterized by major alteration of the PDGFRA gene and point mutation of *IDH1*, and it also had the most *TP53* mutations in the TCGA dataset; functional analysis points to developmental neuron-related processes. Neural subtype can be identified by expression of neural markers such as *NEFL*, *GABRA1*, *SYT1* and

*SLC12A5* similarly to that of normal neurons, functional analysis of the genes show high involvement in neuron projection and synaptic activities. Mesenchymal subtype has genes in the tumor necrosis factor super family such as *NF1* highly expressed, reflecting its tendency to have higher overall necrosis compared to other subtypes [2], [8].

According to Verhaak et al. [2], while *EGFR* are likely important across all subtypes, analysis shows that it has an even more impactful role in the Classical subtype where high-level *EGFR* amplification was observed to occur in 97% of the samples and infrequently occurring in other subtypes. Alongside that, there is a distinct lack of *TP53* mutation in the Classical subtype even though it is the most frequently mutated gene in GBM as a whole. Homozygous deletion of chromosome 9p21.3 also occurred in 94% of the samples, affecting *CDKN2A*. This shows that the Classical subtype is characterized by a distinct molecular profile with alterations in regulatory pathways involving receptor signalling, cell-cycle regulation, and tumor suppression, justifying further investigation of this specific subtype [8]. The functional consequences of these alterations are discussed in the following section.

### 2.2.2 MAJOR MOLECULAR PATHWAYS ALTERED IN GBM

Molecular alterations in GBM described above significantly affect pathways governing fundamental biological cellular processes, and the dysregulation of these processes promotes growth, invasion, and resistance to therapy in GBM [8].

A few of the most common pathways dysregulated (out of the several dozens) are [8], [9], [10]:

- **RTK/EGFR Signaling:** *EGFR* is a receptor tyrosine kinase whose activation stimulates downstream signalling pathways including *PI3K/AKT/mTOR*. Amplification or other activating alterations of *EGFR* can therefore result in persistent signalling that promotes tumour proliferation and survival.
- **PI3K/AKT/mTOR:** A central pathway influencing cell survival and proliferation with *EGFR* as a major upstream activator, the activation of which promotes tumor growth and treatment resistance. The tumor-suppressing gene *PTEN* negatively affects the pathway, meaning the loss of it exacerbates GBM's aggressiveness.
- **p53:** *TP53* being a major component, the pathway governs cell cycle and apoptosis. Dysregulation leads to uncontrolled proliferation and impaired cell death.

Collectively, these alterations have the tendency to disrupt signalling pathways involved in cell proliferation, cell-cycle regulation, and cellular survival. Particularly, alterations affecting survival pathways allow abnormal genes to continue multiplying despite cellular damage or other signals that would otherwise signal their death, contributing to GBM's invasiveness [5]. As such, the dysregulation of cellular survival and death mechanisms are an important aspect to be inspected further. Among these mechanisms, apoptosis

is particularly relevant because it is among one of the most common forms of regulated cell death [5].


## 2.3 APOPTOSIS IN GLIOBLASTOMA

Apoptosis, when functioning normally, is essential for normal development and tissue homeostasis, while its dysregulation has been implicated in various diseases, including cancer. In cancer, impaired apoptotic signalling can allow cells carrying genomic abnormalities to evade elimination and continue proliferating, thereby contributing to tumour development and progression. Consequently, the ability of cancer cells to evade apoptosis is considered an important characteristic of tumorigenesis [5], [10].

Apoptosis has 2 main pathways depending on the molecular interactions involved: (1) **intrinsic or mitochondrial pathway**, triggered by a variety of both extra- and intra-cellular stress, and (2) **extrinsic or death receptor pathway**, activated when extracellular ligands attach to certain extracellular receptors and resulting in the formation of death-inducing signalling complexes [5], [11]. More specifically, the cascades of interactions leading to apoptosis are [11]:

- **Intrinsic pathway:** stress induces the production of proteins in the Bcl-2 family which when inserted into the mitochondrial membrane, releasing cytochrome c. Cytochrome c combines with Apaf-1 and procaspase-9, producing the apoptosome complex that triggers the activation of caspase-9,
- **Extrinsic pathway:** extracellular ligands include TNF (tumor necrosis factor), Fas-L (Fas ligand), and TRAIL (TNF-related apoptosis-inducing ligand), when attached to their respective extracellular portion of transmembrane receptors, forms a death-inducing signalling complex (DISC) and leads to the activation of caspase-8,

with both ultimately converging on the activation of executioner caspases which start the main process of apoptosis, better visualized in Figure 2.1. The main process involves loss of inner mitochondrial membrane potential, hyperproduction of superoxide ions, outflow of matrix calcium glutathione, and release of membrane proteins, rendering the cell “dead” [11].



**Figure 2.1.** Pathways of Apoptosis [11]

The major molecular pathways affected in GBM discussed in the previous section, in one way or another, lead to the alteration of the apoptosis process described above. Altered apoptotic signalling can contribute to GBM's survival and resistance against multiple forms of therapy.

The intrinsic apoptotic pathway is closely associated with mitochondrial function. Mitochondrial outer membrane permeabilization and the subsequent release of cytochrome c represent key events in this pathway. At the same time, mitochondria are responsible for essential metabolic processes, including oxidative phosphorylation through the mitochondrial respiratory chain [5], [11]. This connection between mitochondrial function and apoptosis provides a basis for examining the relationship between apoptosis-associated genes and mitochondrial respiratory complexes, which is discussed further in the next section.

## 2.4 MITOCHONDRIAL FUNCTION AND RESPIRATORY COMPLEXES

### 2.4.1 GENERAL MITOCHONDRIAL FUNCTION

The mitochondria is the primary site of cellular function, and it has fundamental roles in processes such as ATP production, ROS generation, and the execution of cell death pathways [11], [12]. Carbohydrates, fatty acids, and amino acids can be metabolised into substrates, which enters the tricarboxylic acid (TCA) cycle. The TCA cycle generates reducing equivalents, primarily NADH and FADH<sub>2</sub>, which subsequently donate electrons to the mitochondrial respiratory chain to drive oxidative phosphorylation and ATP production [12].

### 2.4.2 OXIDATIVE PHOSPHORYLATION AND THE RESPIRATORY CHAIN

Mitochondrial oxidative phosphorylation (OXPHOS) is a key mechanism of energy production in eukaryotic cells. It is comprised of 5 inner mitochondrial protein complexes I-V (also referred to as CI, CII, etc.) and 2 mobile electron carriers forming the electron transport chain (ETC) [13].

The ETC **oxidizes** reducing equivalents in NADH and succinate, inducing the reduction of molecular oxygen to water and the pumping of protons across the inner mitochondrial membrane (IMM) via Complex I, III, and IV, each using their own pumping mechanism, to drive ATP synthesis [13]. The ETC also uses energy from the reducing equivalents to generate a proton gradient across the IMM, which is used by ATP synthase (Complex V) to **phosphorylate** ADP to ATP, the universal energy currency of cells. The specific roles of each complex are as follows [13]:

- **Complex I:** Transfers electrons from NADH to ubiquinone and pumps protons.
- **Complex II:** Does not pump protons but contributes to reduction of ubiquinone.
- **Complex III:** Reduces ubiquinone and cytochrome c, in turn shuttles to Complex IV.
- **Complex IV:** Donates electron for final reduction of oxygen.
- **Complex V:** Uses proton gradient and the reduction of oxygen to synthesize ATP.

The activity of the respiratory chain is therefore essential for maintaining mitochondrial energy production and cellular function.

### 2.4.3 MITOCHONDRIAL RESPIRATORY CHAIN-APOPTOSIS RELATIONSHIP IN GBM

The mitochondrial respiratory chain and (intrinsic) apoptosis can be seen to be inherently closely connected to each other. While the respiratory chain is essential for maintaining mitochondrial energy production and homeostasis, intrinsic apoptosis depends on the mitochondria for the regulation of apoptotic signalling. Therefore, disruption of respiratory-chain function and mitochondrial homeostasis can influence apoptotic signalling [14].

This relationship is particularly relevant in GBM, where alterations in mitochondrial metabolism and oxidative phosphorylation have been implicated in tumour-cell survival and progression in specific subtypes [14], [15]. Changes in respiratory-chain activity may therefore influence the susceptibility of GBM cells to apoptosis. More specifically, improper functioning of the mitochondria may result in improper apoptosis, resulting in promoted tumor cell survivability.



## **2.5 TRANSCRIPTOMICS AND COMPUTATIONAL ANALYSIS**

### **2.5.1 FROM CONVENTIONAL MOLECULAR ANALYSIS TO COMPUTATIONAL APPROACHES**

Having established the relevance of apoptosis and mitochondrial respiratory-chain function in GBM, investigating alterations in the genes involved in these processes requires methods capable of measuring gene activity across large numbers of genes simultaneously.

Understanding complex biological systems requires integration of both experimental and computational approaches [16]. Kitano [17] argues that although studying individual components of an organism can provide valuable insights, such approaches alone are insufficient to understand the behaviour of the system as a whole. In molecular pathology, diseases are rarely attributable to a single gene, but instead arise from complex interactions between multiple molecular components and biological processes [18].

Although systems-level approaches to biology had already gained considerable interest, their application was historically constrained by limitations in experimental technologies and the availability of quantitative molecular data [17]. Recent advancements has made high-throughput and high quality profiling of biological systems possible, bringing forth a new set of challenges and opportunities in computationally analyzing and interpreting the new massive amount of deposited data, particularly with DNA microarrays and Mass Spectrometry (MS)-based proteomics [19], [20]. Among these approaches, transcriptomic technologies provide a means of measuring genome-wide changes in gene expression, which can subsequently be analysed computationally to identify molecular alterations associated with disease. For example, transcriptomic profiling has enabled the identification of distinct molecular subtypes of GBM, presenting more specific areas of deeper research into the disease [2].

### **2.5.2 TRANSCRIPTOMICS AND DIFFERENTIAL EXPRESSION ANALYSIS**

Transcriptomics technologies provide information on gene expression by measuring the RNA transcripts produced from an organism's genome [3]. According to Lowe et al. [3], two major approaches for measuring transcript abundance are microarrays, which quantify predetermined sequences, and RNA sequencing (RNA-seq), which uses high-throughput sequencing to measure transcript sequences without requiring them to be predetermined.

Large-scale efforts have been made to profile the transcriptomes of cancers, including GBM. Public resources such as the Gene Expression Omnibus (GEO) and The Cancer Genome Atlas (TCGA) provide access to extensive molecular profiling datasets from numerous cancer types, including glioblastoma [21], [22]. The Clinical Proteomic Tumor

Analysis Consortium (CPTAC) has further generated and integrated transcriptomic and proteomic data from cancer studies, including GBM [23]. These resources provide opportunities for researchers to computationally reanalyse previously generated data and investigate molecular characteristics of cancer. The next challenge is therefore to extract meaningful biological information from these large-scale quantitative datasets.

Comparative profiling involves comparing molecular measurements between predefined biological conditions to identify differences associated with a particular phenotype or state [24]. In transcriptomics, differential expression analysis is commonly used to compare gene expression between conditions, such as diseased and healthy tissue. Its main objective is to identify genes whose expression differs between the conditions, providing insight into potential molecular mechanisms underlying the observed phenotype. The resulting differential expression statistics can describe both the magnitude and direction of an expression difference, commonly represented by the log<sub>2</sub> fold change (log<sub>2</sub>FC), and its statistical significance, represented by a p-value. Thresholds can subsequently be applied to identify genes considered differentially expressed, with the choice of thresholds depending on the experimental context and research objectives [25].

### 2.5.3 FUNCTIONAL ANALYSIS AND NETWORK ANALYSIS

Interpreting differentially expressed genes (DEGs) individually may provide limited insight into the broader biological processes underlying the observed changes [17]. Functional enrichment analysis can instead identify biological pathways or functions that are over-represented among the identified DEGs. [26]

The Gene Ontology (GO) database provides structured and standardized representation of biological activities according to gene products, organized into three main aspects: (1) Molecular Functions (MF), (2) Cellular Components (CC), and (3) Biological Processes (BP) [27]. GO enrichment analysis evaluates whether particular GO terms are statistically overrepresented among a set of genes compared with an appropriate background gene set [26], [28]. This allows groups of DEGs to be interpreted in terms of shared biological functions and processes rather than as individual genes.

Still, the identified overrepresented biological processes do not show how the individual genes are interacting with one another. Therefore, a network-based approach can complement the identified BPs by representing the genes as nodes and their interactions as edges, allowing for the inspection at the systems-level [18].

Network-based approaches can reveal highly connected components, clusters of interacting molecules, and relationships between biological processes that may not be apparent when genes are considered individually. This can provide additional context for interpreting molecular alterations and identifying potential interactions between genes involved in related biological processes [18].

---

Together, functional enrichment and network analysis therefore enable differentially expressed genes to be interpreted at a systems level, providing both information on the biological processes associated with gene-expression changes and the molecular relationships connecting the genes involved.

## 3 MATERIALS AND METHODS

### 3.1 DATA SOURCE

The transcriptomic data were retrieved from the National Cancer Institute's publicly available Clinical Proteomic Tumor Analysis Consortium Glioblastoma Multiforme (CPTAC-GBM) cohort through the NCI's Genomic Data Commons (GDC) Data Portal. The GDC dataset contained RNA-seq data from over 200 GBM samples in the form of raw counts of each gene. CPTAC-GBM Discovery Study metadata were then used to identify the molecular subtypes of the corresponding cases. Among the CPTAC cases, 99 samples with the Proneural, Mesenchymal, and Classical molecular subtypes were identified and used for the transcriptomic analysis [29], [30].

Additionally, the CPTAC-GBM Discovery Study used 10 normal frontal cortex samples from the Genotype-Tissue Expression (GTEx) project as controls. Of these 10 GTEx controls, transcriptomic data for 7 were accessible and were therefore used as controls in this thesis [30]. The same GTEx controls were selected to maintain consistency with the original CPTAC-GBM study and to facilitate potential future comparisons between transcriptomic and proteomic data. Differences in sequencing depth and library size between the controls and GBM samples will be resolved later in the process with the DEseq2 library.

### 3.2 DATA INSPECTION AND QUALITY CONTROL

As suggested by Harvard Chan Bioinformatics Core [31], with raw gene counts, a number of plots can be done to inspect the general landscape of the data and its quality, mainly through hierarchical clustering methods.

[31], [32]

Before performing analysis, data needs to be normalized and preprocess to make the data consistent and as noiseless as possible [25].

The transcriptomic data obtained from CPTAC GBM Discovery Study dataset, given as already-cleaned-and-normalized (but not yet  $\log_2$ -transformed) expression values according to their originating gene. The steps for this section were performed twice: once for the transcriptome data, another for the proteome data.

Transcriptomic and proteomic expression values typically span several orders of magnitude and exhibit right-skewed distributions [33]. Therefore, a common practice when working with expression matrices, which has been done to the current data, is to apply a  $\log_2$ -transformation to each of the value [33], [34]. An example expression value matrix

ready for calculation is given in Table 3.1. From this point onwards, “log<sub>2</sub> expression” is now referred to as “expression”.

**Table 3.1.** Example expression matrix

| Gene  | Sample 1 | Sample 2 | Sample 3 | ... |
|-------|----------|----------|----------|-----|
| A1BG  | 18.833   | 18.647   | 18.958   | ... |
| SPC25 | 13.475   | 13.469   | 13.786   | ... |
| ...   | ...      | ...      | ...      | ... |

### 3.3 DIFFERENTIAL EXPRESSION ANALYSIS

In the CPTAC Discovery Study, healthy brain tissue samples are provided as the baseline for comparison for the remaining tumor samples. Comparing the gene expressions of the tumors against healthy samples can give insights (or, at least, a base for further comparative computations) into what is different.

The samples were split into three major subtypes according to the metadata: classical, proneural, mesenchymal. For each subtype, the log<sub>2</sub>-fold-change (log<sub>2</sub>FC) for a specific gene is the difference between the mean expression of a gene in the subtype and the mean expression of the same gene in the control:

$$\log_2 FC = \frac{\sum(\text{expression in subtype})}{n_{\text{subtype}}} - \frac{\sum(\text{expression in control})}{n_{\text{control}}} \quad (3.1)$$


At the same time, the Welch’s t-test for independence is applied to obtain the statistical significance of the difference between the expression of the tumors and healthy samples for a specific gene in the form of the obtained p-value [35]. The Welch’s t-test was chosen over the standard Student’s t-test due to the high chance of the variances to be different [35]. The analysis was implemented in Python using SciPy’s `ttest_ind` function with `equal_var=False`.

To account for inflated false-positive count resulting from multiple testings, the p-values are corrected with the Benjamini-Hochberg method for False Discovery Rate (FDR) [36]. This is achieved in Python with the `statsmodels` library using the `multipletests` function and `method=fdr_bh` parameter.

With the obtained p-value and log<sub>2</sub>FC obtained for each gene, the genes are classified whether they are considered statistically and quantitatively significant with a chosen threshold for p-value and absolute value of log<sub>2</sub>FC, which are 0.05 and 1 respectively for this thesis. Consequently, genes with  $p\text{-value} < 0.05$  and  $\log_2 FC > 1$  are categorized as “Significantly Upregulated”, and genes with  $p\text{-value} < 0.05$  and  $\log_2 FC < -1$  are “Significantly Downregulated”. From this point onwards, the categories are simply referred to as “upregulated” and “downregulated”.


This step concludes the preparation for a “solid base” of results for further comparative computations, which should include: (1) gene name and its corresponding (2) transcriptome log2FC, (3) transcriptome adjusted p-value, (4) proteome log2FC, (5) proteome adjusted p-value.

With the results, we can plot a variety of plots to give insight into the overall structure of the expressions. For instance, the volcano plot: log2FC for the x-axis,  $-\log_{10}(p\text{-value})$  for the y-axis. Additionally, the thresholds can be added to the plot to show the categorically significant portion of the distribution. For example, the volcano plots for the expression values of both transcriptome and proteome for the proneural subtype are shown side-by-side in Figure 3.1.



**Figure 3.1.** Example volcano plots. Left: Proneural Transcriptome. Right: Proneural Proteome.

Another possible plot to see the structure of the data include plotting log2FC of the transcriptome against that of the proteome, with this we can calculate the correlation between the two. Additionally, the distribution of log2FC values can be inspected in a density plot. Example for both, produced from the processed CPTAC expression data, are shown in Figure 3.2.



**Figure 3.2.** Example log2FC comparison plots. Left: Transcriptomic Log2FC plotted against proteomic Log2FC. Right: Distribution of transcriptomic and proteomic Log2FC.

Because the result of these calculations are *particularly important* because all other analyses onwards rely on it, the computed correlations between the two log2FC's for each subtype are shown and discussed regarding reliability in section 4.1.

### 3.4 GENE ONTOLOGY ENRICHMENT ANALYSIS

From the set of significant genes for individual subtypes, gene set enrichment analysis was applied to identify significant changes in cellular aspects that would otherwise go unnoticed if examination was done on an individual gene basis [37]. This was achieved by using the `GSEAPy` library, and using the library's predefined gene set Gene Ontology (GO) libraries `GO_Biological_Process_2023`, `GO_Cellular_Component_2023`, and `GO_Molecular_Function_2023` to identify biological processes, cellular components, and molecular functions significantly affected by the genes. One can choose the gene set fed into `GSEAPy` to include only upregulated genes, downregulated genes, or both. For exploratory purposes, all three options can be done. For this thesis, however, including both was chosen to capture as much of the underlying interactions as possible for further analysis. Results are presented in section 4.2.


### 3.5 STRING INTERACTION NETWORK ANALYSIS

### 3.6 STATISTICAL ANALYSIS

## 4 RESULTS

### 4.1 DIFFERENTIALLY EXPRESSED GENES IN GBM

Presented in Figure 4.1 are plots plotting the transcriptomic log2FC against proteomic log2FC.



**Figure 4.1.** Log2FC comparison of transcriptome and proteome for classical (left), mesenchymal (middle), proneural (right) subtypes.

For classical, mesenchymal, and proneural subtypes respectively, the calculated squared-Pearson correlation values  $R^2$  are 0.436, 0.472, and 0.463. The results line up quite closely with a previous major study conducted by Vogel and Marcotte [38], stating that only about 40% of the variation of one can be explained by the other.

### 4.2 FUNCTIONAL ENRICHMENT OF DIFFERENTIALLY EXPRESSED GENES

### 4.3 ASSOCIATION BETWEEN APOPTOSIS AND MITOCHONDRIAL RESPIRATORY COMPLEXES



## 5 DISCUSSION

## **6 CONCLUSIONS**

## 7 INTRODUCTION

This document template conforms to the Guide to Writing a Thesis in Tampere University [39], [40]. A thesis typically includes at least the following parts:

- Title page
- Abstract in English (and in Finnish)
- Preface
- List of abbreviations and symbols
- (Lists of figures and tables)
- Contents
- Introduction
- Theoretical background
- Research methodology and material
- Results and analysis (possibly in separate chapters)
- Conclusions
- References
- (Appendices)

Each of these is written as a new chapter, in the files in the folders `frontmatter/`, `mainmatter/` and `appendices`, which are then included into the `index.typ` files in said folders using the Typst directive `#include`. Read this document template and its comments carefully. The titles of Chapters from 1 to 10 are provided as examples only. You should use more descriptive ones. The title page and abstract headers are created by inserting the relevant information into the file `metadata.typ`. The table of contents lists all the numbered headings after it, but not the preceding ones.

Introduction outlines the purpose and objectives of the presented research. The background information, utilized methods and source material are presented next at a level that is necessary to understand the rest of the text. Then comes the discussion regarding the achieved results, their significance, error sources, deviations from the expected results, and the reliability of your research. The conclusions form the most important chapter. It does not repeat the details already presented, but summarizes them and analyzes their consequences. A list of references enables your reader to find the cited sources.

An introduction ends in a paragraph, that describes what each following chapter contains. This document is structured as follows: Chapter 8 discusses briefly the basics of writing and presentation style regarding the text, figures, tables and mathematical notations. Chapter 9 summarizes the referencing basics. Chapter 10 presents a discussion on the discoveries made during this study.

## 8 WRITING PRACTICES

Effective written communication requires both sound content and clear style. Keep the layout of your thesis neat and pay attention to your writing style.

### 8.1 TEXT

Do not worry about the layout of the text, this template takes care of it already. Brief basics of writing style:

- Always think of your reader when you are writing and proceed logically from general to specific.
- Highlight your key points, for example, by discussing them in a separate section or subsection, or presenting them in a table or figure. Use *italics* (`_text_`) for emphasis, but don't overdo it.
- Avoid long sentences and complicated statements. A full stop is the best way to end a sentence.
- Use active verbs to make a dynamic impression but avoid the first person pronoun I, except in your preface.
- Avoid jargon and wordiness. Use established terminology and neutral language.
- The minimum length of sections and subsections is two paragraphs, and you need to consider the balance of chapters. Paragraphs must always consist of more than one sentence.
- Do not use more than three levels of numbered headings, such as 4.4.2. However, keep in mind that 3 different levels of sections is already a bit much.
- Do not use too many abbreviations. Use capital and small letters consistently. You might wish to define new commands in the `preamble.typ` file, for words you do not wish to misspell. For example, the `preamble.typ` file defines the command `#eeg`, which is typeset as electroencephalography.

Your text will also look better if you do not extensively rely on lists such as the above one. Ideally, a list should not end a section either, which is why this paragraph is here.

### 8.2 IMAGES

You must refer to all the images in the body text. The reference should preferably appear on the same page as the actual image or before it. Images and tables must be numbered consistently and primarily placed at the top of the page, but you are free to decide where they fit best.

### 8.2.1 IMAGES IN TYPST

Typst takes care of the numbering, if you specify a unique label `<label-name>` right after the a image or a table. Cross-referencing is done by prefixing the identifier inside the angle brackets with a `@` symbol: `@label-name`. For example, the code


```
1 #figure(
2   image(
3     "../images/tau-logo-fin-eng.svg",
4     alt: "Tampere University logo with a human face formed from
5         geometric shapes on the left and the university name on the
6         right.",
7     width: 80%
8   ),
9   caption: [Tampere University logo.],
10 ) <tau-logo>
```

is rendered as seen in Figure 8.1.



**Figure 8.1.** Tampere University logo. [41]

To showcase how figures with subfigures are generated, Figure 8.2 displays a few different gradient or color progression shapes. Other colormaps than the `rainbow` seen here are also available. The subfigures are generated by calling the function `tauthesis.subfigure` inside of a figure of type `image`.



**Figure 8.2.** A display of a few different color gradient shapes available in Typst. These include the linear gradient in Figure 8.2.a, the radial gradient in Figure 8.2.b and the conic gradient in Figure 8.2.c.

Never start or end a chapter with a image, table, equation or list. The caption is placed under an image. The contents of all images must be explained in the text body, so that the readers know what they are supposed to notice. Images generated by analysis software usually need further editing. The figures should be in the same language as other text. The recommended font size is the same as that of the body text, 11 pt. All images must be readable, even if your thesis is printed in greyscale. Whenever possible, use images in vector formats such as `.svg`, as they can be scaled without loss of quality. Also note that as of Typst version 0.14.0, including PDF files as images should work natively. However, see the below accessibility considerations for why this might not work for your thesis.

## 8.2.2 ACCESSIBILITY OF IMAGES

All images produced via the `image` [42] function (or otherwise) *must* contain so-called *alternative texts* [43], provided via the named argument `alt`. These **must** be provided for your thesis to remain accessible. Even if an `image` is inside of a captioned `figure` [44], an alternative text is still needed. The alternative text also needs to be more descriptive than the figure caption, because an alternative text is the only indication of what goes on in an image for people relying on assistive technologies. You can see an example of these principles being applied in Figure 8.1.

Also note that since most PDF files produced programmatically do not contain tags, and Typst has no way of automatically deducing what the tags should have been like, including PDF images does not work with the accessible PDF standards such as PDF/UA-1, PDF/A-3a and others. You should therefore prefer SVG images when inserting vector graphics into your thesis.

## 8.3 TABLES

Tables are convenient for presenting information in a concise way, especially numerical data. Tables have numbered captions, see Table 8.1 for an example. The caption is placed on the same page but above the table, unlike the captions that accompany images. You must refer to all the tables in the body text. In addition, you must discuss the content of any tables in the body text to ensure that readers understand their relevance.

Mark the titles of the columns and units clearly. You can use underscores `_emph_` to highlight the titles, if necessary. The order of the columns and rows must be carefully considered. Ideally, all cells should *not* be surrounded with a border, as it may make your table harder to read. The numbers should be aligned at the decimal point for easy comparison. You should preferably use SI units, established prefixes and rewrite large numbers so that the power of ten should be placed in the title of the column instead of each row, if possible. More suggestions can be found in [45].

### 8.3.1 TABLES IN TYPST

To actually draw a table that can be referenced, we issue a `#figure` call with a `table` as its argument:

```

1 #import table: cell, header, hline, vline
2 #[
3     #show table.cell.where(y: 0): strong
4     #figure(
5         table(
6             columns: 5,
7             stroke: none,
8             align: center + horizon,
9             table.header(
10                [Substance],
11                table.vline(),
12                [Pressure (#unit(pascal))],
13                table.vline(),
14                [Pressure (#unit(bar))],
15                table.vline(),
16                [Pressure (#unit(mmHg))],
17                table.vline(),
18                [Temprature (#celsius)]
19            ),
20            table.hline(),
21            [Mercury],
22            num(1.0),
23            num(0.0001),
24            num(0.0075),
25            num(41.85),
26            [Tungsten],
27            num(1.0),
28            num(0.0001),
29            num(0.0075),
30            num(3203),
31        ),
32        caption: [Vapour pressures of two metals. @wikipedia-
33            vapor-pressure],
34    ) <tab-evaporation-conditions>

```

The added `#[...]` around the whole figure restricts the scope of the show rule that boldens the header to this table. This results in Table 8.1 being displayed.

**Table 8.1.** Vapour pressures of two metals. [46]

| Substance | Pressure (Pa) | Pressure (bar) | Pressure (mmHg) | Temprature (°C) |
|-----------|---------------|----------------|-----------------|-----------------|
| Mercury   | 1             | 0.000 1        | 0.007 5         | 41.85           |
| Tungsten  | 1             | 0.000 1        | 0.007 5         | 3 203           |

A table should not end a section. That is why after every table we state some observations about the table. Here we notice that mercury and tungsten have identical vapour pressures, but at very different temperatures.

### 8.3.2 ACCESSIBILITY OF TABLES

Tables do not need alternative texts, not even if you export your document using the PDF/UA-1 standard. Screen readers will read the table in the order in which your table cells were given in Typst source code. It is also important to properly use the `table.header` and `table.footer` for accessibility tags to be applied properly.

The example table shows how to typeset a table in the usual *row-major* order, where the displayed order in the code is the same as it is in the final PDF file. There are situations, such as when a table takes too much space horizontally, where you might wish to *transpose* a table in the PDF output, so the output is in *column-major* order. Typst does not currently support this in tables that aim to be semantically correct, as table headers and footers constructed with `table.{header, footer}` are always typeset horizontally, and `table.cell` show rules currently (as of 2025-10-09) do not have access to the `x` and `y` positions of each cell.

Also note that accessible tables should be *regular* [47]: every row of a table should contain an equal number of columns or cells. In other words, table cells spanning multiple columns or rows are heavily discouraged. For the more mathematically oriented, it could be said that tables should only be used to represent *relations*. Table 8.1 is an example of such a regular table.

If your table is getting very wide, consider simply scaling it to the page width using the `scale` function. Note however that this will make the table contents tiny, and less accessible to people who do not see well, but still do not rely on screen readers. Rotating tables by 90° using the `rotate` function is also possible.

## 8.4 MATHEMATICAL NOTATIONS AND EQUATIONS

Numbers are generally written using numerals for the sake of clarity, for example “6 stages” rather than “six stages”, which is nevertheless strongly preferred to “a couple of stages”. You should also use a thousand separator, i.e. instead of 55700125 write 55 700 125. Never omit the leading zero in decimals. A comma is used as a decimal separator in the Finnish language and a period in the English language. You might wish to use the Typst library `zero` for typesetting numbers, even if the file `preamble.typ` does provide a rudimentary function `num` for grouping number digits.

Like numbers, it is advisable to abbreviate units of measurement. There is a space between the number and the unit, but you must keep them on the same line. The space is somewhat shorter than a word space, see 1 μm and 1 μm for comparison. It is better



to compile a table or graph than include a great deal of numerical values in the body text. Use precise language and put numbers on a scale (small, fast, expensive).

Use generally known and well defined concepts and standard conventions and symbols for representing them. New concepts should be defined when they appear in the text for the first time. Upper case and lower case letters mean different things in symbols and units of measurement. Do not use the same symbol to mean different things, but note that different styles applied over the same symbol are accepted: if  $\mathbf{x}$  is a position vector, then the scalar  $x = \|\mathbf{x}\|$  could be used to denote its norm. If the position is a random variable, then one could use yet another style such as fraktur form  $\mathfrak{x}$  of  $\mathbf{x}$  to accentuate this fact.

### 8.4.1 MATHEMATICS IN TYPST

Strings of mathematical symbols such as  $\Theta(n^2)$  are typeset in Typst using the math mode, between dollar signs: `$math$` for inline mathematics or

```
1 $
2   math
3 $
```

with whitespace surrounding the contents for display math. Simple formulas may be displayed within the body of the text without numbering. As an example of a highlighted formula, the Fundamental theorem of calculus can be written in the following way:

$$\int_{[a,b]} f(x) dx = F(b) - F(a). \quad (8.1)$$

Here  $f$  is the *integrand*,  $F$  its *anti-derivative* and  $[a, b]$  the integration interval. Please note that all the variables must be defined at the point of their first appearance. The formulae are shown in a different typeface on purpose and the symbols are almost always italicised. Vectors can be written in slanted or upright boldface, or with arrows:

$$\begin{aligned} \mathbf{v} &= \frac{d\mathbf{x}}{dt} \\ \mathbf{v} &= \frac{d\mathbf{x}}{dt} \\ \vec{v} &= \frac{d\vec{x}}{dt} \end{aligned} \quad (8.2)$$

The most important thing is to be consistent throughout your thesis. Do not mix and match notations, as it will confuse the reader. See the file `preamble.typ` for an example of how you might define a `#vector` command for typesetting vectors consistently.

Defining a command also allows you to easily switch notations globally, if you are not satisfied with your current choice.

Units are written in an upright font with a normal weight, to distinguish them from variables:

$$\|\mathbf{f}\| = m\|\mathbf{a}\| = 10\text{ kg} \cdot 9.81 \frac{\text{m}}{\text{s}^2} = 98.1\text{ N}. \quad (8.3)$$

Here  $\mathbf{f}$  is a force vector,  $m$  is the mass of the object experiencing the force, and  $\mathbf{a}$  is its acceleration vector. Again, see the `preamble.typ` file for how you might define commands for units.

Mathematical formulae are numbered, if they are written on separate lines and referred to in the main body of the text. The number is usually put in parenthesis and right aligned, see (8.1) for an example. If you wish to leave out the number from a highlighted equation, wrap it into the function `math.equation` with the named arguments `numbering: none` and `block: true`:

```
1 #math.equation(
2   numbering: none,
3   block: true,
4   alt: "force = mass acceleration .",
5   $force = mass acceleration thin .$
6 )
```

This results in the unnumbered block-level equation

$$\mathbf{f} = m\mathbf{a}.$$

Include any punctuation (commas, periods, ...) surrounding an equation in the equations themselves, as is again shown in (8.1). The command `thin`, which in mathematics mode is a shorthand for `sym.space.thin`, can be used to insert just a little extra space between elements such as the math itself and punctuation, which is a good readability-increasing practice. The added visual space is not relevant for the alternative text of the equation, though, so `thin` should be removed from it, as is shown above.

Do not start a sentence with a mathematical symbol but add some word, such as the name or type of the symbol in front of it. Variables, such as  $x$  and  $y$ , are generally presented in italics, whereas elementary functions, special functions and multi-letter operators are not:

$$\sin(2x + y) \text{ or } \lim_{x \rightarrow -1} \frac{x^2 - 1}{x + 1} = -2. \quad (8.4)$$

As a rule of thumb, it is best to rely on the automated formatting of an equation editor, such as the one provided by Typst.

Vectors and matrices are written with the `vec` and `mat` functions:

$$\mathbf{A}\mathbf{x} = \begin{bmatrix} \mathbf{A}_{1,1} & \mathbf{A}_{1,2} \\ \mathbf{A}_{2,1} & \mathbf{A}_{2,2} \end{bmatrix} \begin{bmatrix} \mathbf{x}_1 \\ \mathbf{x}_2 \end{bmatrix} = \begin{bmatrix} \mathbf{b}_1 \\ \mathbf{b}_2 \end{bmatrix} = \mathbf{b}. \quad (8.5)$$

See the Typst documentation on mathematics [48] for examples of how different symbols are written.

## 8.4.2 ACCESSIBILITY OF MATHEMATICS

If you have been reading the source code of the PDF file of this example template, you might have noticed that in addition to the math mode dollar signs `$math$` and

```
1 $
2   math
3 $
```

the template has explicitly been using the Typst function `math.equation` [49] to include mathematics into a document. This is because the function allows one to provide an *alternative text* for each equation, as is required by the PDF accessibility standards. This is done via the alternative text argument `alt` of the function:

```
1 #math.equation(
2   alt: "Alternative text here",
3   $equation here$
4 )
```

You might have noticed that the alternative texts in the example mainly use the Typst source code as the alternative text representation. **Note that this is only acceptable, if your equation source code carries the semantics of the displayed equation with it.** Note the difference between the *completely unacceptable*

```
1 #math.equation(
2   alt: "f = m a",
3   $vector(f) = m vector(a)$
4 )
```

the slightly better option

```
1 #math.equation(
2   alt: "vector(f) = m vector(a)",
3   $vector(f) = m vector(a)$
4 )
```

and finally the most descriptive one, where the commands `force`, `mass` and `acceleration` have been defined in the file `preamble.typ`:

```
1 #math.equation(
2     alt: "force = mass acceleration",
3     $force = mass acceleration$
4 )
```

Remember that in equation (8.3) the text styles (bold versus normal weight) were used to differentiate between scalars and vectors. Force and acceleration are implicitly vectors, and mass is implicitly a scalar. Having the alternative text mention what the actual quantities are instead of using just letters makes the intention clearer. It also allows you to copy and paste the source code into the alternative text without any modifications.

You might also wish to use the function `altTextFn` provided in `preamble.typ` to clean up extra whitespace from your alt texts, if you wish to write them on multiple lines. Indentation and added space are not automatically trimmed from alt texts by Typst.

## 8.5 PROGRAMS AND ALGORITHMS

Codes and algorithms are written using a monospaced font. If the length of the code or algorithm is less than 10 lines and you do not refer to it later on in the text, you can present it similarly to formulas. If the code is longer but shorter than a page, you present like a figure titled “Listing” or “Algorithm”. In Typst, code blocks are presented in backticks:

```
1 ```typst
2 #figure(
3     raw(
4         read("../code/square.jl"),
5         lang: "julia",
6         block : true
7     ),
8     caption: [
9         The square of
10        #math.equation(
11            alt: "x in real numbers",
12            $x$ in  $\mathbb{R}$ 
13        )
14        and
15        #math.equation(
16            alt: "x in complex numbers",
17            $x$ in  $\mathbb{C}$ 
18        ),
19        written in Julia @Bezanson2017Julia.
20    ],
21 ) <program-example>
22 ```
```

The above results in what is seen in Listing 8.1.

```

1 #figure(
2     raw(
3         read("../code/square.jl"),
4         lang: "julia",
5         block : true
6     ),
7     caption: [
8         The square of
9         #math.equation(
10             alt: "x in real numbers",
11             $x in bb(R)$
12         )
13         and
14         #math.equation(
15             alt: "x in complex numbers",
16             $x in bb(C)$
17         ),
18         written in Julia @Bezanson2017Julia.
19     ],
20 ) <program-example>

```

**Listing 8.1.** A code block.

Removing the backticks would actually load code from the file `code/square.jl` to be displayed in the numbered Listing 8.2. The listing demonstrates how multiple dispatch allows you to define methods for functions with different argument types in the Julia programming language.

```

1 """
2     out = square(x::Real)
3
4 Computes the square of an  $x \in \mathbb{R}$ .
5 """
6 function square(x::Real)
7     x * x
8 end
9
10 """
11     out = square(x::Complex)
12
13 Computes the square of an  $x \in \mathbb{C}$ .
14 """
15 function square(x::Complex)
16     conj(x) * x
17 end

```

**Listing 8.2.** The square of  $x \in \mathbb{R}$  and  $x \in \mathbb{C}$ , written in Julia [50].

Again, listings should not end sections. You should always describe what is going on in the displayed code after presenting a listing.

## 8.6 THEOREM BLOCKS

Example 8.1 and Esimerkki 8.2 show examples of theorem blocks:

**Example 8.1 (Pythagorean theorem).** For sides  $a$ ,  $b$  and  $c$  of a right triangle, where  $c$  is the *hypotenuse*, the following equality holds:  $a^2 + b^2 = c^2$ .

*Proof.* Proof goes here. ■

**Esimerkki 8.2 (Pythagoraan lause).** Suorakulmaisen kolmion sivut  $a$ ,  $b$  ja  $c$ , missä  $c$  on *hypotenuusa*, toteuttavat yhtälön  $a^2 + b^2 = c^2$ .

*Todistus.* Todistus tulee tähän. ■

As one can see, these follow the same counter. The theorem box has been typeset with the command seen in Listing 8.3.

```

1 #tauthesis.example(
2     title: [Pythagorean theorem],
3 )[
4     For sides
5     #math.equation(
6         alt: "a",
7         $a$
8     ),
9     #math.equation(
10        alt: "b",
11        $b$
12    )
13    and
14    #math.equation(
15        alt: "c",
16        $c$
17    ),
18    where
19    #math.equation(
20        alt: "c",
21        $c$
22    )
23    is the _hypotenuse_, the following equality holds:
24    #math.equation(
25        alt: altTextFn("
26            a^2 + b^2 = c^2 .
27        "),
28        $
29            a^2 + b^2 = c^2 \text{ thin } .
30        $
31    )
32 ] <pythagorean-theorem>

```

**Listing 8.3.** Example code for displaying a theorem block.

The reference label is placed after the call to `tauthesis.example` via the `<pythagorean-theorem>` syntax. The module `tauthesis` defines the following theorem box functions:

- `definition`,
- `theorem`,
- `lemma`,
- `corollary` and
- `example`.

Their Finnish equivalents

- `määritelmä`,
- `lause`,
- `apulause`,

- `seurauslause` and
- `esimerkki`

are also defined. These all follow the same counter, and can all be referenced by suffixing the equivalent function call with a tag.

Try not to overuse these, however. Academic theses should *not* be written in the *Landau style*, where the entire text consists of definitions after definitions and theorems after theorems. There should always be a full paragraph between two theorems or other objects, such as figures and tables.

## 8.7 ACCESSIBILITY CONSIDERATIONS

In accordance with the European Union directive 2016/2102 [51], Finnish law [52] requires that all electronic publications of public sector bodies be made *accessible*, as long as doing so would not require an infeasible amount of work. This also applies to academic theses published by universities, including yours [53]. For this reason you should be aware of the requirements related to accessible electronic documents. Some of these considerations are described below. These are also discussed in the Typst accessibility guide [43].

**Use of language:** Use simple and descriptive language. Avoid overtly long sentences. Any truly essential information should be delivered in words and not by visual means.

**Figures:** As per the point above, any figures in the document should have some kind of a textual alternative available. Ideally so called *alternative texts* [54], [55], [56] (which are not the same thing as figure captions) should be included into a document. However, if this is not feasible due to current technological limitations, one should at least try to describe what is happening in each image or table in the body text as well as they can. The Typst functions `image` [42] and `figure` [44] accept the named argument `alt`, which allows you to provide an alternative text for an included image.

**Document metadata:** This should be as complete as possible. However, the most essential metadata fields are the *title* of the work, and the *main language* the work was written in. This is relevant from the point of view of assistive software like screen readers, that visually impaired consumers of a document might be relying on. Also, resources such as the fonts intended to be used with a document should be embedded into the document itself.

**Mathematics:** As professor Antti Valmari previously of Tampere University of Technology fame once said in a conversation with one of the maintainers of this template, “Mathematicians have an inexplicable urge to put things on top of each other.”. From the point of view of accessibility of PDF files, this is a terrible practice, so long as the document format does not include either structural information related to the semantics of the



visual presentation within it, or alternative texts that screen reader software can access. This is because classically PDF is a format where graphical elements are essentially drawn on a canvas with  $x$ - and  $y$ -coordinates, which becomes apparent if one tries to copy and paste the following fractions from the output PDF file of this template:

$$a \div b, \quad a/b, \quad \frac{a}{b} \quad \text{and} \quad ab^{-1}. \quad (8.6)$$

Depending on your PDF reader implementation, it might be that with the vertically stacked fraction  $\frac{a}{b}$ , the numerator  $a$  ends up on the previous line, since it is vertically above the line where the fraction itself resides, and reading order is based on the coordinates (elements higher and more to the left come first). Alternatively, it might be that the stacked fraction is handled as a whole, but since the horizontal fraction line separating the numerator  $a$  and denominator  $b$  is implemented as a graphical element, which does not have a textual representation in the PDF model, the line will be lost, and you get something like  $a b$  as the output. This is semantically the complete opposite (or inverse) of the intended meaning of the fraction denominator!

The denominator  $1 \div b$  expressed with a negative exponent  $b^{-1}$  is just as problematic, since upper and lower indices also don't generally have a proper textual representation in Unicode. When copying and pasting such an expression, you might end up with something like  $ab - 1$  in the textual output. This also completely changes the semantics of the output expression.

As of October 2025, neither Typst or LaTeX currently support automated creation of so-called *well-tagged PDF files* [57], which are documents carrying structural information similar to HTML tags. Typst will start introducing support for automatically producing tagged PDF files starting from version 0.14.0 [58], [59]. LaTeX has some experimental support for producing tagged PDFs starting from TeX Live 2024 [60], but it requires intervention from the user of the language, such as manually inserting LaTeX commands to generate said tags. Another issue with well-tagged PDFs is that many PDF readers still do not support the standard. While we wait for the related technology such as the embedding of MathML [57], [61] into PDF files to catch up, there are some simple things you can do to make your thesis more accessible.

### 8.7.1 ADD ALTERNATIVE TEXTS OR OTHER STRUCTURE TO YOUR EQUATIONS

The importance of this was explained in Section 8.4.2. Typst version 0.14.0 supports adding alternative texts to equations through the function `math.equation` [49] named argument `alt`. In future versions on Typst, it is also intended to support the PDF/UA-2 standard, which would allow automatically embedding structural information in the form of MathML into a PDF document. This would remove the need for alternative texts in the case of equations.

Another means of keeping text accessible is to keep the flow of the text as horizontal as possible, which might allow text extraction programs such as `pdftotext` [62], which also operate on the coordinate system basis, to extract the text in a correct reading order. Paul Dirac did a similar thing with his bra–ket notation for linear algebra products. This enabled him to write mathematics with a normal chevron-equipped typewriter, without access to special symbols such as greek letters, upper and lower indices and integrals. Especially, it simplified writing long subindex labels related to linear operators such as integrals [63]:

$$\langle i | j \rangle := \int \varphi_i * \psi_j dx. \quad (8.7)$$

Here  $\varphi$  and  $\psi$  denote wave functions, and the left-associative unary operator  $a *$  denotes the complex conjugate of its argument  $a$ . However, inventing your own notations should be done sparingly, since this is against the guideline of sticking to well-established notations. Inventing custom notations also carries with it the burden of having to explain yourself more.

### 8.7.2 CONVERT YOUR FINAL SUBMISSION TO PDF/UA-1 FORMAT

If you are using Typst version  $\geq 0.14.0$  locally via a command line, it is possible to produce a thesis into a tagged PDF/UA-1 format via the command

```
1 typst compile --pdf-standard ua-1 main.typ
```

If the file was generated correctly according to the PDF/UA-1 standard, it should contain accessibility tags. There are not many free tools that can actually visualize these tags for non-visually-impaired people, but the friendly people of the LaTeX Project have an online tool [showtags](#) [64] that you might use for this purpose. For the Microsoft Windows® platform, there also exists the tool [PAC](#) [65] or *PDF Accessibility Checker*. The PDF Association has also published a list of other tools that might be used to check PDF files for accessibility [66]. Before using either of these, run your thesis through the PDF validator [veraPDF](#) [67].

The standard also allows you to embed arbitrary files into your PDF file, using Typst’s PDF module function `pdf.attach` [68], and adds accessibility tags to the document. As discussed below, Typst compilers before version 0.14.0 cannot yet produce truly accessible documents, so including the source code of your thesis chapters as plain text provides an alternative means of accessing your thesis. This template has tried to demonstrate how this can be performed at the beginning of each front- and main matter file, and in the example appendices. If you are using the Typst Web application, simply choose PDF/UA-1 as the output format in the file export menu.

**Note:** if you are unable to produce an accessible version of your thesis according to these PDF accessibility checkers, you should attach the source code of the thesis in a sensible reading order to the Trepo submission! This template shows examples of embedding the source code into the PDF file itself, but note that a separate [ZIP archive](#) is the best format for the source code submission. Visually impaired people might not be able to extract the attachments from a PDF file, but a separate ZIP archive can be opened easily on any system.

### 8.7.3 COMPILATION DISSERTATIONS AND PDF ATTACHMENTS

If you are writing an accessible compilation dissertation and wish to include scientific articles as attachments to your document<sup>1</sup>, you might need to do it in post production. Typst can include PDF files via the `image` function, but most publishers at this point do not care about accessibility that much, and therefore the PDFs downloaded from their websites often do not contain accessibility tags.

The PDF renderer in the Typst compiler cannot handle this lack of accessibility tags automatically, as there is practically no means of automatically deducing what the tag structure should have been in such a document. Therefore Typst does not support exporting documents in accessible PDF formats, if you attempt to import PDF images into your thesis. However, see Section 9.3 for how you might still do this, to at least preview what your final product might look like.

Note that if you published your work via *open access publishing channels* [69] with a permissive license [70], you can create a *derivative work* of your publication, such as an accessible Typst version of it, and attach that to your dissertation instead. However, also note that you should still refer to the peer-reviewed versions of your publications in the bibliography and on the attached publication title pages, such as is done in this template for the attached example publications (if the selected thesis type is “high” enough.)

---

<sup>1</sup>Including publications is not actually required for compilation PhD dissertations. Only referring to the publications via full bibliographic information is actually required.

## 9 REFERENCES

Different referencing styles determine how you create in-text citations and the bibliography (list of references). Two common referencing styles are presented in this chapter:

- Numeric referencing (Vancouver system), such as [1], [2], ...
- Name-year (Harvard) system, such as (Weber 2001), (Kaunisto 2003), ...

A numeric reference is inserted in square brackets, whereas the last name of the author and the year of publication are given in parentheses. Both styles are acceptable, but the conventions for referencing vary between disciplines. You must pick one and use it consistently throughout your thesis. The list of possible styles can be found on the Typst documentation page [71].

The most commonly used tool for creating bibliographies in Typst is the Hayagriva [72] YAML [73] format, but Typst also supports BibLaTeX [74]. The former is what this thesis template uses by default. Both Hayagriva and BibLaTeX are based on gathering bibliographic information from the sources to a bibliography file using a specialised syntax. Typst reads both this file and the document being written, and then forms the references and the bibliography based on this information. A citation style can be chosen by setting it in the `metadata.typ` file, in the variable `citationStyle`.

### 9.1 IN-TEXT CITATIONS

In-text citations are placed within the body of the text as close to the actual claim that the citation supports as possible. The citation is generally placed within the sentence before the next period:

- Weber argues that... [1].
- Cattaneo et al. introduce in their study [2] a new...
- The result isldots [1, p. 23]. One must also note... [1, pp. 33–36]
- In accordance with the presented theory... (Weber 2001).
- It must especially be noted... (Cattaneo et al. 2004).
- Weber (2001, p. 230) has stated ...
- Based on literature in the field [1, 3, 5] ...
- Based on literature in the field [1][3][5] ...
- The topic has been widely studied [6–18] ...
- ... existing literature (Weber 2001; Kaunisto 2003; Cattaneo et al. 2004) has ...

You *can* also place a citation after a period, in which case it refers to the entire preceding paragraph. However, this is generally not recommended, as it might make it unclear which claim the citation supports, if there are many within the preceding paragraph.

## 9.2 THE BIBLIOGRAPHY FILE

Typst works similarly to LaTeX when it comes to citations and the bibliography:

1. A user collects a database of references into a bibliography file, where each reference has a *unique* identifier string that can be referenced, such as `mainauthor-etal-topic-year`.
2. The file is imported into a project using the `bibliography` function [71] of Typst. This is done in the file `main.typ` in the case of this template.
3. To cite a bibliography file entry with the identifier `id`, one writes `@id` within the text of their Typst project. As an example of what this might look like, placing `@Bezanson2017Julia` in a paragraph results in the following citation: [50].

The bibliography file formats that Typst supports are *Hayagriva* [72] and *BibLaTeX* [74]. This template contains mostly equivalent examples of both respective formats in the form of the files `bibliography.yaml` and `bibliography.bib`.

The preferred format for this template is Hayagriva, the reason for which will be explained in Section 9.3. If you have an existing bibliography file in the form of BibLaTeX, Hayagriva can also be installed as a command line program [72, Installation], and the BibLaTeX file converted to Hayagriva format using the command

```
1 hayagriva bibliography.bib > bibliography.yaml
```

There are different kinds of citation types such as articles or web pages, which should be typeset differently in the bibliography. In the case of Hayagriva, an article reference metadata is given in Listing 9.1, whereas an equivalent BibLaTeX entry is shown in Listing 9.2.

```

1 Bezanson2017Julia:
2   type: article
3   title: >-
4     Julia: A fresh approach to numerical computing
5   author:
6     - Bezanson, Jeff
7     - Edelman, Alan
8     - Karpinski, Stefan
9     - Shah, Viral B
10  date: 2017
11  page-range: 65-98
12  serial-number:
13    doi: 10.1137/141000671
14  url:
15    value: https://doi.org/10.1137/141000671
16    date: 2025-10-10
17  parent:
18    type: periodical
19    title: SIAM review
20    publisher: SIAM
21    issue: 1
22    volume: 59

```

**Listing 9.1.** An example of a Hayagriva article entry.

```

1 @article{
2   Bezanson2017Julia,
3   title={{Julia: A fresh approach to numerical computing}},
4   author={Bezanson, Jeff and Edelman, Alan and Karpinski, Stefan
5     and Shah, Viral B},
6   journal={SIAM review},
7   volume={59},
8   number={1},
9   pages={65--98},
10  year={2017},
11  publisher={SIAM},
12  url={https://doi.org/10.1137/141000671}
13 }

```

**Listing 9.2.** An example of a BibLaTeX article entry.

It is often preferable to order the list of references alphabetically by the first author's last name. This template however uses the `ieee` style by default, meaning that citations are listed in the bibliography in the order of appearance. Change the value of the variable `citationStyle` in the file `metadata.typ` to change this.

## 9.3 INSERTING PHD PUBLICATIONS INTO YOUR THESIS

As was mentioned in Section 8.7.3, the PDF format has some limitations regarding attaching PDF files into other PDF files, if one wishes for the final product to remain standard-conforming. Regardless, this template provides support for inserting PhD publications at the end of this document<sup>2</sup> using the bibliography file `bibliography.yaml`, if the export format is not one of the tagged variants such as PDF/A-3a or PDF/UA-1. You can therefore test how the PDF attachments would look like if you just compile your document without accessibility tags:

```
1 typst compile template/main.typ
```

To tell the template which of your references in `bibliography.yaml` should be considered as compilation dissertation attachments, you should add additional fields to the Hayagriva file `bibliography.yaml` entries, that correspond to your PhD publications. These are of the following form:

```
1 path: publications/publication.pdf  
2 license: null or the name of the license  
3 n-of-pages: the number of pages in the document  
4 tauthesis-publication: true or false  
5 author-contribution: >  
6   A short description of how you contributed to this work.  
7   This can extend on multiple lines, as long as the lines  
8   are indented.
```

The `path` field should be in relation to the `main.typ` file. It might be a good idea to utilize the readily provided `publications/` folder in the template directory, where the example publications already reside.

## 9.4 ATTACHING TYPST-BASED PHD PUBLICATIONS

If you are in the lucky position of being allowed to use Typst source code to enter your dissertation publications into your thesis<sup>3</sup>, it should be entirely possible to make your entire dissertation accessible. To aid with this, targeting *Open Access publishing channels* [69] and preferring licenses such as CC BY 4.0 [75] in your publications allows you to create a *derivative work* from the publication. A derivative work can be a Typst version of the publication.

The Typst source simply needs to adhere to related accessibility standard requirements [43], [53]. Simply point the `path` field of a Hayagriva bibliography entry to a valid Typst root file of your publication, and this template will `#include` it.

---

<sup>2</sup>Which is not compulsory for it to be accepted.

<sup>3</sup>Which you again do not *need* to do. It is just a bonus if you can.

---

**Note 1:** Any included Typst files should *not* set their own page size or margins in a way which overwrites the ones of this template, as the page sizes need to match. Remove any

```
1 #set page(...)
```

invocations from the start of the publication file, and let this template handle the page settings for you. Otherwise you are allowed to customize the appearance of the publications using `set` and `show` rules of Typst, unless you wish to use the style of this template. Any utilized fonts should be accessible, though, so keep that in mind.

**Note 2:** Typst does not support multiple bibliographies in version 0.14.0 natively, but it is a planned feature of version 0.15.0. In the meanwhile, you might wish to utilize a package such as `alexandria` or `pergamon` to typeset the bibliography of an attached Typst-based PhD publication and keep it separate from the bibliography of the main dissertation.



## 10 CONCLUSIONS

This template and the writing guidelines should help achieving consistently formatted and clear documents. Every writing and presentation must have a conclusion. This fact is here emphasized by having this short and rather artificial summary also in this template. The purpose of this chapter is to discuss how the things we set out to do in the introduction succeeded, and compare our results to other literature on the same topic.

As a last reminder, remember to make sure that your document is *accessible* [43] before submitting it to the Tampere University archive Trepo. See the university library guidelines [76] regarding this. Use veraPDF [67], showtags [64], PAC [65] (if you have access to Windows®) or some other software listed by the PDF Association [66] to verify the thesis PDF document accessibility, before your thesis submission.

If your thesis PDF file is not accessible and you have no way of making it so, you should attach both the unaccessible PDF file at least in PDF/A-2b format, and your *thesis source code* as a ZIP file to the Trepo submission. Be sure to clean up any personal comments from the source code before doing so. Also make sure that the final submitted source code works, meaning a PDF file can be compiled from it.

Note that you are allowed to attach the source code and a permissive license such as CC BY 4.0 [75] to your thesis, even if it is accessible. This is *the* ideal way of publishing your thesis, unless you are restricted from doing so by a company or other entity tied to your thesis process, that might require secrecy from you. The authors of this template and the Tampere University Library recommend CC-licensing as the ideal licensing option [70], in the name of promoting open science.

## 11 TEST

## BIBLIOGRAPHY

- [1] F. Hanif, K. Muzaffar, K. Perveen, S. M. Malhi, and S. U. Simjee, "Glioblastoma Multiforme: A Review of its Epidemiology and Pathogenesis through Clinical Presentation and Treatment," *Asian Pacific Journal of Cancer Prevention*, vol. 18, no. 1, pp. 3–9, 2017, doi: [10.22034/APJCP.2017.18.1.3](https://doi.org/10.22034/APJCP.2017.18.1.3).
- [2] R. G. W. Verhaak *et al.*, "Integrated Genomic Analysis Identifies Clinically Relevant Subtypes of Glioblastoma Characterized by Abnormalities in PDGFRA, IDH1, EGFR, and NF1," *Cancer Cell*, vol. 17, no. 1, pp. 98–110, 2010, doi: [10.1016/j.ccr.2009.12.020](https://doi.org/10.1016/j.ccr.2009.12.020).
- [3] R. Lowe, N. Shirley, M. Bleackley, S. Dolan, and T. Shafee, "Transcriptomics technologies," *PLoS Computational Biology*, vol. 13, no. 5, p. e1005457, May 2017, doi: [10.1371/journal.pcbi.1005457](https://doi.org/10.1371/journal.pcbi.1005457).
- [4] A. Emmons, "Pathways and Gene Sets: What Is Functional Enrichment Analysis?." Accessed: Aug. 19, 2026. [Online]. Available: <https://bioinformatics.ccr.cancer.gov/btep/pathways-and-gene-sets-what-is-functional-enrichment-analysis/>
- [5] E. Lee, C.-H. Song, S.-J. Bae, K.-T. Ha, and R. Karki, "Regulated Cell Death Pathways and Their Roles in Homeostasis, Infection, Inflammation, and Tumorigenesis," *Experimental & Molecular Medicine*, vol. 55, no. 8, pp. 1632–1643, 2023, doi: [10.1038/s12276-023-01069-y](https://doi.org/10.1038/s12276-023-01069-y).
- [6] Nature Education, "Cell Division and Cancer." Accessed: Aug. 19, 2026. [Online]. Available: <https://www.nature.com/scitable/topicpage/cell-division-and-cancer-14046590/>
- [7] J. Lemée *et al.*, "Integration of transcriptome and proteome profiles in glioblastoma: looking for the missing link," *Proteome Science*, vol. 16, no. 1, pp. 1–13, 2018, doi: [10.1186/s12867-018-0115-7](https://doi.org/10.1186/s12867-018-0115-7).
- [8] S. Singh *et al.*, "Glioblastoma at the crossroads: current understanding and future therapeutic horizons," *Signal Transduction and Targeted Therapy*, vol. 7, no. 1, pp. 1–23, 2022, Accessed: May 12, 2026. [Online]. Available: <https://www.nature.com/articles/s41392-021-00861-0>
- [9] J. Tang, N. Karbhari, and J. L. Campian, "Therapeutic Targets in Glioblastoma: Molecular Pathways, Emerging Strategies, and Future Directions," *Cells*, vol. 14, no. 7, p. 494, Mar. 2025, doi: [10.3390/cells14070494](https://doi.org/10.3390/cells14070494).

- 
- [10] I. Gomes, R. J. d. S. Oliveira, and A. P. Girol, "Signaling Pathways in Glioblastoma," *Critical Reviews in Oncology/Hematology*, vol. 209, p. 104647, 2025, doi: [10.1016/j.critrevonc.2025.104647](https://doi.org/10.1016/j.critrevonc.2025.104647).
- [11] R. Jan and G.-E.-S. Chaudhry, "Understanding Apoptosis and Apoptotic Pathways Targeted Cancer Therapeutics," *Advanced Pharmaceutical Bulletin*, vol. 9, no. 2, pp. 205–218, 2019, doi: [10.15171/apb.2019.024](https://doi.org/10.15171/apb.2019.024).
- [12] Z. Liang, S. Zhao, Y. Liu, and C. Cheng, "The Promise of Mitochondria in the Treatment of Glioblastoma: A Brief Review," *Discover Oncology*, vol. 16, no. 1, pp. 1–13, Feb. 2025, doi: [10.1007/s12672-025-01891-y](https://doi.org/10.1007/s12672-025-01891-y).
- [13] I. Vercellino and L. A. Sazanov, "The Assembly, Regulation and Function of the Mitochondrial Respiratory Chain," *Nature Reviews Molecular Cell Biology*, vol. 23, no. 3, pp. 141–161, 2022, doi: [10.1038/s41580-021-00415-0](https://doi.org/10.1038/s41580-021-00415-0).
- [14] A. Nagy, K. Eder, M. A. Selak, and B. Kalman, "Mitochondrial Energy Metabolism and Apoptosis Regulation in Glioblastoma," *Brain Research*, vol. 1595, pp. 127–142, Jan. 2015, doi: [10.1016/j.brainres.2014.10.062](https://doi.org/10.1016/j.brainres.2014.10.062).
- [15] L. Garofano et al., "Pathway-Based Classification of Glioblastoma Uncovers a Mitochondrial Subtype with Therapeutic Vulnerabilities," *Nature Cancer*, vol. 2, no. 2, pp. 141–156, 2021, doi: [10.1038/s43018-020-00159-4](https://doi.org/10.1038/s43018-020-00159-4).
- [16] H. Kitano, "Computational Systems Biology," *Nature*, vol. 420, no. 6912, pp. 206–210, Nov. 2002, doi: [10.1038/nature01254](https://doi.org/10.1038/nature01254).
- [17] H. Kitano, "Systems Biology: A Brief Overview," *Science*, vol. 295, no. 5560, pp. 1662–1664, Mar. 2002, doi: [10.1126/science.1069492](https://doi.org/10.1126/science.1069492).
- [18] A.-L. Barabási, N. Gulbahce, and J. Loscalzo, "Network Medicine: A Network-Based Approach to Human Disease," *Nature Reviews Genetics*, vol. 12, no. 1, pp. 56–68, 2011, doi: [10.1038/nrg2918](https://doi.org/10.1038/nrg2918).
- [19] C. S. Greene, J. Tan, M. Ung, J. H. Moore, and C. Cheng, "Big Data Bioinformatics," *Journal of Cellular Physiology*, vol. 229, no. 12, pp. 1896–1900, Dec. 2014, doi: [10.1002/jcp.24662](https://doi.org/10.1002/jcp.24662).
- [20] T. R. Elvitigala et al., "High-Throughput Biological Data Analysis: A Step Toward Understanding Cellular Regulation," *IEEE Control Systems*, vol. 30, no. 6, pp. 81–100, Dec. 2010, doi: [10.1109/MCS.2010.938100](https://doi.org/10.1109/MCS.2010.938100).
- [21] T. Barrett et al., "NCBI GEO: Archive for Functional Genomics Data Sets—Update," *Nucleic Acids Research*, vol. 41, no. Database issue, pp. D991–D995, 2013, doi: [10.1093/nar/gks1193](https://doi.org/10.1093/nar/gks1193).

- 
- [22] National Cancer Institute and National Human Genome Research Institute, "The Cancer Genome Atlas Program (TCGA)." Accessed: Aug. 27, 2026. [Online]. Available: <https://www.cancer.gov/ccg/research/genome-sequencing/tcga>
- [23] National Cancer Institute, "Clinical Proteomic Tumor Analysis Consortium (CPTAC)." Accessed: Aug. 27, 2026. [Online]. Available: <https://gdc.cancer.gov/about-gdc/contributed-genomic-data-cancer-research/clinical-proteomic-tumor-analysis-consortium-cptac>
- [24] A. Altelaar, J. Munoz, and A. Heck, "Next-generation proteomics: towards an integrative view of proteome dynamics," *Nature Reviews Genetics*, vol. 14, pp. 35–48, 2013, doi: [10.1038/nrg3356](https://doi.org/10.1038/nrg3356).
- [25] D. Rosati et al., "Differential Gene Expression Analysis Pipelines and Bioinformatic Tools for the Identification of Specific Biomarkers: A Review," *Computational and Structural Biotechnology Journal*, vol. 23, pp. 1154–1168, Mar. 2024, doi: [10.1016/j.csbj.2024.02.018](https://doi.org/10.1016/j.csbj.2024.02.018).
- [26] G. Yu, L.-G. Wang, Y. Han, and Q.-Y. He, "clusterProfiler: An R Package for Comparing Biological Themes Among Gene Clusters," *OMICS*, vol. 16, no. 5, pp. 284–287, 2012, doi: [10.1089/omi.2011.0118](https://doi.org/10.1089/omi.2011.0118).
- [27] Gene Ontology Consortium, "Gene Ontology Overview." Accessed: July 15, 2026. [Online]. Available: <https://geneontology.org/docs/ontology-documentation/>
- [28] M. Ashburner et al., "Gene Ontology: Tool for the Unification of Biology," *Nature Genetics*, vol. 25, no. 1, pp. 25–29, 2000, doi: [10.1038/75556](https://doi.org/10.1038/75556).
- [29] National Cancer Institute, "CPTAC-3." Accessed: Sept. 03, 2026. [Online]. Available: <https://portal.gdc.cancer.gov/projects/CPTAC-3>
- [30] National Cancer Institute, "CPTAC GBM Discovery Study - Proteome." Accessed: Sept. 03, 2026. [Online]. Available: <https://pdc.cancer.gov/pdc/study/PDC000204>
- [31] Harvard Chan Bioinformatics Core, "QC Methods for DE Analysis Using DESeq2." Accessed: Sept. 03, 2026. [Online]. Available: [https://hbctraining.github.io/Intro-to-DGE/lessons/03\\_DGE\\_QC\\_analysis.html](https://hbctraining.github.io/Intro-to-DGE/lessons/03_DGE_QC_analysis.html)
- [32] Harvard Chan Bioinformatics Core, "Gene-level differential expression analysis with DESeq2." Accessed: Sept. 03, 2026. [Online]. Available: [https://hbctraining.github.io/DGE\\_workshop/lessons/05\\_DGE\\_DESeq2\\_analysis2.html](https://hbctraining.github.io/DGE_workshop/lessons/05_DGE_DESeq2_analysis2.html)
- [33] C. W. Law, Y. Chen, W. Shi, and G. K. Smyth, "voom: Precision Weights Unlock Linear Model Analysis Tools for RNA-seq Read Counts," *Genome Biology*, vol. 15, no. 2, p. R29, 2014, doi: [10.1186/gb-2014-15-2-r29](https://doi.org/10.1186/gb-2014-15-2-r29).

- 
- [34] J. Cox, M. Y. Hein, C. A. Luber, I. Paron, N. Nagaraj, and M. Mann, "Accurate Proteome-wide Label-free Quantification by Delayed Normalization and Maximal Peptide Ratio Extraction, Termed MaxLFQ," *Molecular & Cellular Proteomics*, vol. 13, no. 9, pp. 2513–2526, 2014, doi: [10.1074/mcp.M113.031591](https://doi.org/10.1074/mcp.M113.031591).
- [35] H.-Y. Kim, "Statistical Notes for Clinical Researchers: The Independent Samples t-Test," *Restorative Dentistry & Endodontics*, vol. 44, no. 3, p. e26, 2019, doi: [10.5395/rde.2019.44.e26](https://doi.org/10.5395/rde.2019.44.e26).
- [36] M. Jafari and N. Ansari-Pour, "Why, When and How to Adjust Your P Values?," *Cell Journal*, vol. 20, no. 4, pp. 604–607, 2019, doi: [10.22074/cellj.2019.5992](https://doi.org/10.22074/cellj.2019.5992).
- [37] J. H. Joly, W. E. Lowry, and N. A. Graham, "Differential Gene Set Enrichment Analysis: A Statistical Approach to Quantify the Relative Enrichment of Two Gene Sets," *Bioinformatics*, vol. 36, no. 21, pp. 5247–5254, 2021, doi: [10.1093/bioinformatics/btaa658](https://doi.org/10.1093/bioinformatics/btaa658).
- [38] C. Vogel and E. Marcotte, "Insights into the regulation of protein abundance from proteomic and transcriptomic analyses," *Nature Review Genetics*, vol. 13, pp. 227–232, 2012, doi: [10.1038/nrg3185](https://doi.org/10.1038/nrg3185).
- [39] "Tampereen yliopiston tekniikan alan opinnäytteiden kirjoitusohje." Tampere, 2019. Accessed: Nov. 18, 2023. [Online]. Available: [https://content-webapi.tuni.fi/proxy/public/2019-10/tau\\_tekniikan\\_alan\\_opinnaytetyoohje\\_2019\\_versio3.pdf](https://content-webapi.tuni.fi/proxy/public/2019-10/tau_tekniikan_alan_opinnaytetyoohje_2019_versio3.pdf)
- [40] "Guide to writing a thesis in technical fields." Tampere, 2019. Accessed: Nov. 18, 2023. [Online]. Available: [https://content-webapi.tuni.fi/proxy/public/2019-10/tau\\_thesis\\_guide\\_for\\_technical\\_fields\\_2019\\_version-3-1.pdf](https://content-webapi.tuni.fi/proxy/public/2019-10/tau_thesis_guide_for_technical_fields_2019_version-3-1.pdf)
- [41] Tampere University, "Tampere University logo." Accessed: Nov. 25, 2023. [Online]. Available: <https://mediapankki.tuni.fi/main/thumbnailview/fc=50%3A731>
- [42] Typst, "image." Accessed: May 23, 2025. [Online]. Available: <https://typst.app/docs/reference/visualize/image/>
- [43] Typst, "Accessibility Guide." Accessed: Oct. 13, 2025. [Online]. Available: <https://typst.app/docs/guides/accessibility>
- [44] Typst, "figure." Accessed: Oct. 09, 2025. [Online]. Available: <https://typst.app/docs/reference/model/figure/>
- [45] E. Salminen, "Practical advice for writing publications." Tampere, 2012. [Online]. Available: [http://www.cs.tut.fi/~ege/Misc/salminen\\_figures\\_styles\\_v14.pdf](http://www.cs.tut.fi/~ege/Misc/salminen_figures_styles_v14.pdf)
- [46] Wikipedia, "Vapor pressure." Accessed: Nov. 25, 2023. [Online]. Available: [https://en.wikipedia.org/wiki/Vapor\\_pressure](https://en.wikipedia.org/wiki/Vapor_pressure)

- 
- [47] Saavutettavasti.fi, "Saavutettavat asiakirjat: PDF." Accessed: Oct. 23, 2025. [Online]. Available: <https://www.saavutettavasti.fi/saavutettavat-asiakirjat/pdf/>
- [48] Typst, "Math." Accessed: Nov. 24, 2023. [Online]. Available: <https://typst.app/docs/reference/math/>
- [49] Typst, "equation." Accessed: Oct. 09, 2025. [Online]. Available: <https://typst.app/docs/reference/math/equation/>
- [50] J. Bezanson, A. Edelman, S. Karpinski, and V. B. Shah, "Julia: A fresh approach to numerical computing," *SIAM review*, vol. 59, no. 1, pp. 65–98, 2017, doi: [10.1137/141000671](https://doi.org/10.1137/141000671).
- [51] European Parliament, "DIRECTIVE (EU) 2016/2102 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL - of 26 October 2016 - on the accessibility of the websites and mobile applications of public sector bodies." Accessed: May 01, 2025. [Online]. Available: <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32016L2102>
- [52] Finlex, "Act on the Provision of Digital Services." Accessed: Oct. 21, 2025. [Online]. Available: <https://www.finlex.fi/en/legislation/translations/2019/eng/306>
- [53] Tampere University Library, "Opinnäytteen jättäminen arvioitavaksi ja julkaiseminen: Hyvä tietää ennen opinnäytteen jättämistä arvioitavaksi." Accessed: Oct. 24, 2025. [Online]. Available: <https://libguides.tuni.fi/opinnaytteet/hyva-tietaa>
- [54] City of Helsinki, "Alt text." Accessed: May 26, 2025. [Online]. Available: <https://saavutettavuusmalli.hel.fi/en/guidelines/alt-tekstin-pikaohje/>
- [55] Saavutettavasti.fi, "Kuvien vaihtoehtoiset tekstit." Accessed: May 26, 2025. [Online]. Available: <https://www.saavutettavasti.fi/kuva-ja-aani/kuvat/>
- [56] Tampere University, "Accessible images and infographics." Accessed: May 26, 2025. [Online]. Available: <https://intra.tuni.fi/en/communications-and-marketing/web-accessibility/accessible-images-and-infographics>
- [57] PDF Association, "Well-Tagged PDF (WTPDF)." Accessed: May 01, 2025. [Online]. Available: <https://pdfa.org/wtpdf/>
- [58] Typst, "Typst Roadmap." Accessed: May 01, 2025. [Online]. Available: <https://typst.app/docs/roadmap/>
- [59] J. Ellis, "PDF Accessibility (tags, alt text, ...)." Accessed: May 01, 2025. [Online]. Available: <https://github.com/typst/typst/issues/133>
- [60] D. Carlisle, "WTPDF / PDF/UA-2 Examples by the LaTeX Project." Accessed: May 01, 2025. [Online]. Available: <https://github.com/latex3/tagging-project/discussions/72>

- 
- [61] Mozilla Developer Network, "MathML." Accessed: May 05, 2025. [Online]. Available: <https://developer.mozilla.org/en-US/docs/Web/MathML>
- [62] "pdftotext - Portable Document Format (PDF) to text converter (version 3.03)." Accessed: Oct. 09, 2025. [Online]. Available: <https://manpages.debian.org/stretch/poppler-utils/pdftotext.1.en.html>
- [63] P. A. M. Dirac, "A new notation for quantum mechanics," *Mathematical Proceedings of the Cambridge Philosophical Society*, vol. 35, no. 3, pp. 416–418, 1939, doi: [10.1017/S0305004100021162](https://doi.org/10.1017/S0305004100021162).
- [64] LaTeX Project, "showtags." Accessed: Oct. 09, 2025. [Online]. Available: <https://texlive.net/showtags>
- [65] axes4, "PAC." Accessed: Oct. 17, 2025. [Online]. Available: <https://pac.pdf-accessibility.org/en>
- [66] PDF Association, "Tools for Accessible PDF: Exposing the relationship between content and tags." Accessed: Oct. 23, 2025. [Online]. Available: <https://pdfa.org/tools-for-accessible-pdf>
- [67] veraPDF, "Industry-Supported PDF/A validation." Accessed: Oct. 17, 2025. [Online]. Available: <https://verapdf.org/home/>
- [68] Typst, "attach." Accessed: Oct. 15, 2025. [Online]. Available: <https://typst.app/docs/reference/pdf/attach/>
- [69] Tampere University Library, "Researcher's guide to responsible and open science." Accessed: Oct. 14, 2025. [Online]. Available: <https://libguides.tuni.fi/researchers-guide/publishing>
- [70] Tampere University Library, "Opinnäytteen jättäminen arvioitavaksi ja julkaiseminen: Tekijänoikeudet ja lisensointi." Accessed: Oct. 18, 2025. [Online]. Available: <https://libguides.tuni.fi/opinnaytteet/tekijanoikeudet-ja-cc-lisensointi>
- [71] Typst, "Bibliography." Accessed: Mar. 02, 2025. [Online]. Available: <https://typst.app/docs/reference/model/bibliography/>
- [72] Typst, "Hayagriva." Accessed: Oct. 10, 2025. [Online]. Available: <https://github.com/typst/hayagriva>
- [73] The YAML Project, "The Official YAML Web Site." Accessed: Oct. 11, 2025. [Online]. Available: <https://yaml.org/>
- [74] The LaTeX Project, "BibLaTeX – Sophisticated Bibliographies in LaTeX." Accessed: Oct. 10, 2025. [Online]. Available: <https://ctan.org/pkg/biblatex>



- 
- [75] Creative Commons, "Attribution 4.0 International." Accessed: Oct. 14, 2025. [Online]. Available: <https://creativecommons.org/licenses/by/4.0/>
- [76] Tampere University Library, "Opinnäytteen jättäminen arvioitavaksi ja julkaiseminen: PDF/A-ohjeet." Accessed: Oct. 18, 2025. [Online]. Available: <https://libguides.tuni.fi/opinnaytteet/pdfa>

# APPENDIX A: SUBTYPE-SPECIFIC GO ENRICHMENT BIOLOGICAL PROCESSES

## A.1 CLASSICAL

Keywords used:

```
1 classical_keywords = [
2     "cell cycle",
3     "cell division",
4     "mitotic",
5     "DNA replication",
6     "DNA repair",
7     "chromosome",
8     "proliferation",
9     "checkpoint",
10    "EGFR",
11    "growth factor",
12    "MAPK",
13    "ERK",
14    "cell migration",
15    "cell motility"
16 ]
```

Output:

| Rank | Term                                                              | Adjusted P-value |
|------|-------------------------------------------------------------------|------------------|
| 3    | Regulation Of Cell Migration (GO:0030334)                         | 3.995484e-13     |
| 22   | Positive Regulation Of Cell Migration (GO:0030335)                | 1.108954e-07     |
| 36   | Regulation Of ERK1 And ERK2 Cascade (GO:0070372)                  | 3.583929e-06     |
| 52   | Positive Regulation Of Cell Motility (GO:2000147)                 | 1.361010e-05     |
| 63   | Negative Regulation Of Cell Migration (GO:0030336)                | 2.530444e-05     |
| 68   | Positive Regulation Of Cell Population Proliferation (GO:0008284) | 3.776415e-05     |
| 75   | Cellular Response To Growth Factor Stimulus (GO:0071363)          | 4.698021e-05     |
| 77   | Negative Regulation Of Cell Motility (GO:2000146)                 | 5.145454e-05     |
| 85   | Positive Regulation Of Epithelial Cell Migration (GO:0010634)     | 7.747226e-05     |
| 111  | Regulation Of Endothelial Cell Migration (GO:0010594)             | 1.786491e-04     |
| 114  | Positive Regulation Of Endothelial Cell Migration (GO:0010595)    | 2.037032e-04     |
| 131  | DNA-templated DNA Replication (GO:0006261)                        | 2.792774e-04     |
| 161  | Positive Regulation Of Epithelial Cell Proliferation (GO:0050679) | 5.232011e-04     |
| 168  | Regulation Of Cell Population Proliferation (GO:0042127)          | 5.502765e-04     |
| 173  | Positive Regulation Of ERK1 And ERK2 Cascade (GO:0070374)         | 5.849589e-04     |
| 180  | Negative Regulation Of Smooth Muscle Cell Migration (GO:0014912)  | 7.361593e-04     |
| 204  | Positive Regulation Of MAPK Cascade (GO:0043410)                  | 1.070676e-03     |
| 207  | Mitotic DNA Replication (GO:1902969)                              | 1.181616e-03     |
| 219  | G2/M Transition Of Mitotic Cell Cycle (GO:0000086)                | 1.358285e-03     |

| Rank | Term                                                                                                       | Adjusted P-value |
|------|------------------------------------------------------------------------------------------------------------|------------------|
| 237  | Positive Regulation Of Chromosome Segregation (GO:0051984)                                                 | 1.882370e-03     |
| 268  | Cell Cycle G2/M Phase Transition (GO:0044839)                                                              | 2.549435e-03     |
| 274  | Regulation Of Smooth Muscle Cell Proliferation (GO:0048660)                                                | 2.871201e-03     |
| 281  | Regulation Of Smooth Muscle Cell Migration (GO:0014910)                                                    | 3.141319e-03     |
| 291  | Regulation Of Mononuclear Cell Migration (GO:0071675)                                                      | 3.306056e-03     |
| 294  | Regulation Of Cell Motility (GO:2000145)                                                                   | 3.391214e-03     |
| 298  | Cellular Response To Transforming Growth Factor Beta Stimulus (GO:0071560)                                 | 3.717364e-03     |
| 318  | Positive Regulation Of Neural Precursor Cell Proliferation (GO:2000179)                                    | 4.826338e-03     |
| 323  | DNA Unwinding Involved In DNA Replication (GO:0006268)                                                     | 5.024437e-03     |
| 332  | DNA Strand Elongation Involved In DNA Replication (GO:0006271)                                             | 5.639352e-03     |
| 339  | Negative Regulation Of Cell Population Proliferation (GO:0008285)                                          | 6.208020e-03     |
| 344  | Mitotic Sister Chromatid Segregation (GO:0000070)                                                          | 6.240460e-03     |
| 348  | Regulation Of Blood Vessel Endothelial Cell Migration (GO:0043535)                                         | 6.746236e-03     |
| 352  | Endothelial Cell Migration (GO:0043542)                                                                    | 6.765134e-03     |
| 358  | Positive Regulation Of Smooth Muscle Cell Proliferation (GO:0048661)                                       | 6.817300e-03     |
| 362  | DNA Replication (GO:0006260)                                                                               | 7.343744e-03     |
| 365  | Positive Regulation Of Neuroblast Proliferation (GO:0002052)                                               | 7.497843e-03     |
| 368  | Negative Regulation Of Smooth Muscle Cell Proliferation (GO:0048662)                                       | 7.497843e-03     |
| 371  | Positive Regulation Of Endothelial Cell Proliferation (GO:0001938)                                         | 7.539944e-03     |
| 385  | Regulation Of Mitotic Cell Cycle Phase Transition (GO:1901990)                                             | 9.620599e-03     |
| 403  | Mitotic Cell Cycle Phase Transition (GO:0044772)                                                           | 1.129297e-02     |
| 410  | Regulation Of Fibroblast Growth Factor Receptor Signaling Pathway (GO:0040036)                             | 1.179074e-02     |
| 420  | Positive Regulation Of Blood Vessel Endothelial Cell Migration (GO:0043536)                                | 1.276006e-02     |
| 424  | Negative Regulation Of Lymphocyte Proliferation (GO:0050672)                                               | 1.303175e-02     |
| 437  | Neural Crest Cell Migration (GO:0001755)                                                                   | 1.483222e-02     |
| 442  | Negative Regulation Of MAPK Cascade (GO:0043409)                                                           | 1.510820e-02     |
| 446  | Regulation Of Endothelial Cell Proliferation (GO:0001936)                                                  | 1.533544e-02     |
| 456  | Establishment Of Chromosome Localization (GO:0051303)                                                      | 1.736457e-02     |
| 465  | MAPK Cascade (GO:0000165)                                                                                  | 1.761472e-02     |
| 469  | Positive Regulation Of Alpha-Beta T Cell Proliferation (GO:0046641)                                        | 1.763428e-02     |
| 481  | Negative Regulation Of ERK1 And ERK2 Cascade (GO:0070373)                                                  | 1.972286e-02     |
| 505  | Regulation Of Neuroblast Proliferation (GO:1902692)                                                        | 2.281059e-02     |
| 514  | Response To Transforming Growth Factor Beta (GO:0071559)                                                   | 2.412420e-02     |
| 524  | DNA Replication Initiation (GO:0006270)                                                                    | 2.422485e-02     |
| 534  | Regulation Of Cell Cycle Process (GO:0010564)                                                              | 2.478471e-02     |
| 539  | Regulation Of Chromosome Separation (GO:1905818)                                                           | 2.525723e-02     |
| 541  | Stress-Activated MAPK Cascade (GO:0051403)                                                                 | 2.527638e-02     |
| 547  | Regulation Of Cell Cycle G2/M Phase Transition (GO:1902749)                                                | 2.527638e-02     |
| 560  | Positive Regulation Of Fibroblast Proliferation (GO:0048146)                                               | 2.619130e-02     |
| 562  | Mitotic Spindle Organization (GO:0007052)                                                                  | 2.619130e-02     |
| 569  | Regulation Of Epidermal Growth Factor Receptor Signaling Pathway (GO:0042058)                              | 2.645629e-02     |
| 570  | Regulation Of G1/S Transition Of Mitotic Cell Cycle (GO:2000045)                                           | 2.805140e-02     |
| 576  | Mesenchymal Cell Migration (GO:0090497)                                                                    | 2.994402e-02     |
| 577  | Regulation Of Metaphase/Anaphase Transition Of Cell Cycle (GO:1902099)                                     | 2.994402e-02     |
| 583  | Positive Regulation Of Cell Migration By Vascular Endothelial Growth Factor Signaling Pathway (GO:0038089) | 2.994402e-02     |
| 584  | Positive Regulation Of Chromosome Condensation (GO:1905821)                                                | 2.994402e-02     |
| 590  | Regulation Of Chromosome Condensation (GO:0060623)                                                         | 2.994402e-02     |
| 601  | Blood Vessel Endothelial Cell Migration (GO:0043534)                                                       | 3.228637e-02     |

| Rank | Term                                                                    | Adjusted P-value |
|------|-------------------------------------------------------------------------|------------------|
| 612  | Mitotic Cytokinesis (GO:0000281)                                        | 3.547076e-02     |
| 632  | Nuclear Chromosome Segregation (GO:0098813)                             | 3.754081e-02     |
| 635  | Positive Regulation Of Smooth Muscle Cell Migration (GO:0014911)        | 3.754081e-02     |
| 641  | Mitotic Spindle Assembly Checkpoint Signaling (GO:0007094)              | 3.810509e-02     |
| 642  | Mitotic Spindle Checkpoint Signaling (GO:0071174)                       | 3.810509e-02     |
| 643  | Spindle Assembly Checkpoint Signaling (GO:0071173)                      | 3.810509e-02     |
| 648  | Positive Regulation Of Chromosome Separation (GO:1905820)               | 3.810509e-02     |
| 668  | Positive Regulation Of Osteoblast Proliferation (GO:0033690)            | 3.972481e-02     |
| 678  | Transforming Growth Factor Beta Receptor Signaling Pathway (GO:0007179) | 3.973461e-02     |
| 689  | Mitotic Nuclear Division (GO:0140014)                                   | 4.421790e-02     |

## A.2 MESENCHYMAL

Keywords used:

```

1 mesenchymal_keywords = [
2     "immune",
3     "inflamm",
4     "cytok",
5     "interleukin",
6     "interferon",
7     "leukocyte",
8     "lymphocyte",
9     "macrophage",
10    "chemokine",
11    "chemotaxis",
12    "extracellular",
13    "matrix",
14    "collagen",
15    "cell adhesion",
16    "wound",
17    "angiogenesis",
18    "vasculature",
19    "fibroblast",
20    "epithelial",
21    "mesenchymal"
22 ]

```

Output:

| Rank | Term                                                                                      | Adjusted P-value |
|------|-------------------------------------------------------------------------------------------|------------------|
| 11   | Regulation Of Cell Adhesion (GO:0030155)                                                  | 2.191577e-09     |
| 16   | Positive Regulation Of Cytokine Production (GO:0001819)                                   | 1.765843e-08     |
| 19   | Response To Cytokine (GO:0034097)                                                         | 4.534666e-08     |
| 24   | Cell-Matrix Adhesion (GO:0007160)                                                         | 1.016677e-07     |
| 25   | Positive Regulation Of Tumor Necrosis Factor Superfamily Cytokine Production (GO:1903557) | 1.016677e-07     |
| 42   | Collagen Fibril Organization (GO:0030199)                                                 | 6.110994e-07     |

| Rank | Term                                                                             | Adjusted P-value |
|------|----------------------------------------------------------------------------------|------------------|
| 44   | Positive Regulation Of Inflammatory Response (GO:0050729)                        | 1.086884e-06     |
| 49   | Inflammatory Response (GO:0006954)                                               | 1.586640e-06     |
| 54   | Regulation Of Interleukin-6 Production (GO:0032675)                              | 3.193197e-06     |
| 55   | Wound Healing, Spreading Of Cells (GO:0044319)                                   | 3.475930e-06     |
| 76   | Extracellular Matrix Organization (GO:0030198)                                   | 1.677365e-05     |
| 79   | Cellular Response To Cytokine Stimulus (GO:0071345)                              | 2.179767e-05     |
| 90   | Regulation Of Inflammatory Response (GO:0050727)                                 | 4.293276e-05     |
| 100  | Cell-Cell Adhesion Via Plasma-Membrane Adhesion Molecules (GO:0098742)           | 6.317949e-05     |
| 103  | Positive Regulation Of Interleukin-6 Production (GO:0032755)                     | 6.676476e-05     |
| 107  | Response To Type II Interferon (GO:0034341)                                      | 8.561360e-05     |
| 108  | Macrophage Activation (GO:0042116)                                               | 8.781421e-05     |
| 117  | Regulation Of Interleukin-1 Beta Production (GO:0032651)                         | 1.010323e-04     |
| 119  | Regulation Of Interleukin-8 Production (GO:0032677)                              | 1.091639e-04     |
| 120  | Regulation Of Angiogenesis (GO:0045765)                                          | 1.099990e-04     |
| 136  | Leukocyte Cell-Cell Adhesion (GO:0007159)                                        | 1.679717e-04     |
| 152  | Positive Regulation Of Interleukin-8 Production (GO:0032757)                     | 2.064958e-04     |
| 155  | Heterotypic Cell-Cell Adhesion (GO:0034113)                                      | 2.281749e-04     |
| 161  | Positive Regulation Of Cell Adhesion (GO:0045785)                                | 2.660581e-04     |
| 162  | Regulation Of Cell-Matrix Adhesion (GO:0001952)                                  | 2.660581e-04     |
| 171  | Negative Regulation Of Leukocyte Activation (GO:0002695)                         | 3.229880e-04     |
| 173  | Positive Regulation Of Cytokine-Mediated Signaling Pathway (GO:0001961)          | 3.253548e-04     |
| 176  | Cellular Response To Type II Interferon (GO:0071346)                             | 3.469532e-04     |
| 183  | Regulation Of Macrophage Derived Foam Cell Differentiation (GO:0010743)          | 3.636784e-04     |
| 191  | Negative Regulation Of Lymphocyte Proliferation (GO:0050672)                     | 4.550607e-04     |
| 217  | Homotypic Cell-Cell Adhesion (GO:0034109)                                        | 6.356537e-04     |
| 221  | Regulation Of Cytokine-Mediated Signaling Pathway (GO:0001959)                   | 6.364527e-04     |
| 224  | Negative Regulation Of Cell Adhesion (GO:0007162)                                | 6.938003e-04     |
| 226  | Positive Regulation Of Chemokine Production (GO:0032722)                         | 8.308837e-04     |
| 227  | Positive Regulation Of Lymphocyte Migration (GO:2000403)                         | 8.571335e-04     |
| 229  | Positive Regulation Of Epithelial To Mesenchymal Transition (GO:0010718)         | 9.156479e-04     |
| 230  | Positive Regulation Of Leukocyte Cell-Cell Adhesion (GO:1903039)                 | 9.387090e-04     |
| 234  | Cytokine-Mediated Signaling Pathway (GO:0019221)                                 | 1.064162e-03     |
| 239  | Positive Regulation Of Interleukin-1 Production (GO:0032732)                     | 1.225762e-03     |
| 245  | Regulation Of Cell Adhesion Mediated By Integrin (GO:0033628)                    | 1.403743e-03     |
| 259  | Positive Regulation Of Macrophage Derived Foam Cell Differentiation (GO:0010744) | 1.735484e-03     |
| 262  | Negative Regulation Of Leukocyte Degranulation (GO:0043301)                      | 1.823332e-03     |
| 266  | Regulation Of Epithelial To Mesenchymal Transition (GO:0010717)                  | 1.977209e-03     |
| 267  | Positive Regulation Of Angiogenesis (GO:0045766)                                 | 2.005749e-03     |
| 281  | Epiboly Involved In Wound Healing (GO:0090505)                                   | 2.358125e-03     |
| 284  | Regulation Of Immune Response (GO:0050776)                                       | 2.410616e-03     |
| 287  | Positive Regulation Of Epithelial Cell Migration (GO:0010634)                    | 2.596269e-03     |
| 289  | Positive Regulation Of Interleukin-1 Beta Production (GO:0032731)                | 2.667769e-03     |
| 291  | Regulation Of Chemokine Production (GO:0032642)                                  | 2.796806e-03     |
| 313  | Regulation Of Macrophage Cytokine Production (GO:0010935)                        | 3.076783e-03     |
| 331  | Negative Regulation Of Immune Response (GO:0050777)                              | 4.581672e-03     |
| 338  | Positive Regulation Of Cell-Matrix Adhesion (GO:0001954)                         | 5.043811e-03     |
| 341  | Negative Regulation Of Myeloid Leukocyte Mediated Immunity (GO:0002887)          | 5.043811e-03     |
| 351  | Regulation Of Inflammatory Response To Wounding (GO:0106014)                     | 5.043811e-03     |

| Rank | Term                                                                                                      | Adjusted P-value |
|------|-----------------------------------------------------------------------------------------------------------|------------------|
| 352  | Wound Healing, Spreading Of Epidermal Cells (GO:0035313)                                                  | 5.043811e-03     |
| 354  | Interleukin-1-Mediated Signaling Pathway (GO:0070498)                                                     | 5.161696e-03     |
| 356  | Positive Regulation Of Myeloid Leukocyte Differentiation (GO:0002763)                                     | 5.350819e-03     |
| 357  | Cellular Response To Interleukin-1 (GO:0071347)                                                           | 5.422992e-03     |
| 358  | Homophilic Cell Adhesion Via Plasma Membrane Adhesion Molecules (GO:0007156)                              | 5.478076e-03     |
| 364  | Negative Regulation Of Inflammatory Response To Wounding (GO:0106015)                                     | 5.602314e-03     |
| 365  | Negative Regulation Of Leukocyte Proliferation (GO:0070664)                                               | 5.602314e-03     |
| 366  | Positive Regulation Of Cardiac Epithelial To Mesenchymal Transition (GO:0062043)                          | 5.602314e-03     |
| 367  | Positive Regulation Of Fibroblast Migration (GO:0010763)                                                  | 5.602314e-03     |
| 370  | Regulation Of Epithelial To Mesenchymal Transition Involved In Endocardial Cushion Formation (GO:1905005) | 5.602314e-03     |
| 376  | Negative Regulation Of Response To Wounding (GO:1903035)                                                  | 5.858995e-03     |
| 385  | Positive Regulation Of Type I Interferon Production (GO:0032481)                                          | 5.959048e-03     |
| 386  | Positive Regulation Of Vasculature Development (GO:1904018)                                               | 6.370565e-03     |
| 389  | Positive Regulation Of Chemotaxis (GO:0050921)                                                            | 6.456837e-03     |
| 400  | Regulation Of Fibroblast Migration (GO:0010762)                                                           | 8.209142e-03     |
| 401  | Positive Regulation Of Neuroinflammatory Response (GO:0150078)                                            | 8.209142e-03     |
| 408  | Regulation Of Extracellular Matrix Organization (GO:1903053)                                              | 8.689382e-03     |
| 427  | Epithelial Cell Migration (GO:0010631)                                                                    | 1.133202e-02     |
| 433  | Positive Regulation Of Epithelial Cell Proliferation (GO:0050679)                                         | 1.184297e-02     |
| 434  | Regulation Of Innate Immune Response (GO:0045088)                                                         | 1.211593e-02     |
| 439  | Regulation Of Vasculature Development (GO:1901342)                                                        | 1.235661e-02     |
| 440  | Myeloid Leukocyte Differentiation (GO:0002573)                                                            | 1.270481e-02     |
| 448  | Regulation Of Cytokine Production (GO:0001817)                                                            | 1.301922e-02     |
| 449  | Regulation Of Interferon-Beta Production (GO:0032648)                                                     | 1.302270e-02     |
| 464  | Immune Response-Regulating Cell Surface Receptor Signaling Pathway (GO:0002768)                           | 1.520886e-02     |
| 468  | Negative Regulation Of Immune System Process (GO:0002683)                                                 | 1.602853e-02     |
| 471  | Negative Regulation Of Cell-Matrix Adhesion (GO:0001953)                                                  | 1.705836e-02     |
| 481  | Positive Regulation Of Homotypic Cell-Cell Adhesion (GO:0034112)                                          | 1.732944e-02     |
| 482  | Positive Regulation Of Myeloid Leukocyte Cytokine Production Involved In Immune Response (GO:0061081)     | 1.732944e-02     |
| 495  | Glomerular Epithelial Cell Development (GO:0072310)                                                       | 1.761170e-02     |
| 505  | Leukocyte Adhesion To Vascular Endothelial Cell (GO:0061756)                                              | 1.804215e-02     |
| 532  | Epithelial Cell-Cell Adhesion (GO:0090136)                                                                | 2.044802e-02     |
| 533  | Macrophage Activation Involved In Immune Response (GO:0002281)                                            | 2.044802e-02     |
| 538  | Neutrophil Activation Involved In Immune Response (GO:0002283)                                            | 2.044802e-02     |
| 566  | Negative Regulation Of Leukocyte Mediated Cytotoxicity (GO:0001911)                                       | 2.380586e-02     |
| 569  | Positive Regulation Of Endothelial Cell Chemotaxis (GO:2001028)                                           | 2.380586e-02     |
| 570  | Regulation Of Endothelial Cell Chemotaxis (GO:2001026)                                                    | 2.380586e-02     |
| 581  | Positive Regulation Of Interferon-Beta Production (GO:0032728)                                            | 2.516337e-02     |
| 583  | Leukocyte Tethering Or Rolling (GO:0050901)                                                               | 2.516337e-02     |
| 584  | Myeloid Cell Activation Involved In Immune Response (GO:0002275)                                          | 2.516337e-02     |
| 586  | Positive Regulation Of Macrophage Activation (GO:0043032)                                                 | 2.516337e-02     |
| 591  | Regulation Of Interleukin-12 Production (GO:0032655)                                                      | 2.617121e-02     |
| 597  | Positive Regulation Of Interleukin-12 Production (GO:0032735)                                             | 2.760463e-02     |
| 598  | Regulation Of Type I Interferon-Mediated Signaling Pathway (GO:0060338)                                   | 2.760463e-02     |
| 603  | Positive Regulation Of Leukocyte Apoptotic Process (GO:2000108)                                           | 2.797329e-02     |
| 611  | Establishment Or Maintenance Of Epithelial Cell Apical/Basal Polarity (GO:0045197)                        | 2.892257e-02     |
| 614  | Wound Healing (GO:0042060)                                                                                | 2.892257e-02     |
| 615  | Regulation Of Interleukin-2 Production (GO:0032663)                                                       | 2.900581e-02     |

| Rank | Term                                                                                       | Adjusted P-value |
|------|--------------------------------------------------------------------------------------------|------------------|
| 617  | Negative Regulation Of Inflammatory Response (GO:0050728)                                  | 2.944249e-02     |
| 618  | Immunoglobulin Mediated Immune Response (GO:0016064)                                       | 2.962474e-02     |
| 619  | Innate Immune Response Activating Cell Surface Receptor Signaling Pathway (GO:0002220)     | 2.962474e-02     |
| 624  | Granulocyte Chemotaxis (GO:0071621)                                                        | 3.171126e-02     |
| 627  | Positive Regulation Of Immune Effector Process (GO:0002699)                                | 3.211490e-02     |
| 643  | Positive Regulation Of Myeloid Leukocyte Mediated Immunity (GO:0002888)                    | 3.383088e-02     |
| 646  | Regulation Of Leukocyte Adhesion To Vascular Endothelial Cell (GO:1904994)                 | 3.383088e-02     |
| 652  | Response To Interleukin-1 (GO:0070555)                                                     | 3.419055e-02     |
| 657  | Neutrophil Chemotaxis (GO:0030593)                                                         | 3.516418e-02     |
| 668  | Mitotic Cytokinesis (GO:0000281)                                                           | 3.549577e-02     |
| 680  | Positive Regulation Of Macrophage Migration (GO:1905523)                                   | 3.555303e-02     |
| 685  | Extracellular Structure Organization (GO:0043062)                                          | 3.623234e-02     |
| 687  | Negative Regulation Of Cytokine Production (GO:0001818)                                    | 3.643416e-02     |
| 689  | Leukocyte Aggregation (GO:0070486)                                                         | 3.643416e-02     |
| 699  | Regulation Of Leukocyte Degranulation (GO:0043300)                                         | 3.643416e-02     |
| 700  | Regulation Of Lymphocyte Apoptotic Process (GO:0070228)                                    | 3.643416e-02     |
| 701  | Regulation Of Positive Chemotaxis (GO:0050926)                                             | 3.643416e-02     |
| 705  | Negative Chemotaxis (GO:0050919)                                                           | 3.651408e-02     |
| 716  | Negative Regulation Of Wound Healing (GO:0061045)                                          | 4.041233e-02     |
| 727  | Regulation Of Neutrophil Chemotaxis (GO:0090022)                                           | 4.419582e-02     |
| 760  | Humoral Immune Response Mediated By Circulating Immunoglobulin (GO:0002455)                | 4.671813e-02     |
| 761  | Interleukin-27-Mediated Signaling Pathway (GO:0070106)                                     | 4.671813e-02     |
| 779  | Immunoglobulin Production Involved In Immunoglobulin-Mediated Immune Response (GO:0002381) | 4.800033e-02     |
| 783  | Regulation Of Fibroblast Growth Factor Receptor Signaling Pathway (GO:0040036)             | 4.800033e-02     |
| 784  | Regulation Of Granulocyte Chemotaxis (GO:0071622)                                          | 4.800033e-02     |
| 786  | Regulation Of Neuroinflammatory Response (GO:0150077)                                      | 4.800033e-02     |
| 793  | Positive Regulation Of Leukocyte Degranulation (GO:0043302)                                | 4.887885e-02     |
| 796  | Regulation Of Leukocyte Migration (GO:0002685)                                             | 4.887885e-02     |
| 800  | Negative Regulation Of Cytokine Production Involved In Immune Response (GO:0002719)        | 4.887885e-02     |
| 801  | Negative Regulation Of Inflammatory Response To Antigenic Stimulus (GO:0002862)            | 4.887885e-02     |
| 803  | Positive Regulation Of Positive Chemotaxis (GO:0050927)                                    | 4.887885e-02     |

## A.3 PRONEURAL

Keywords used:

```

1 proneural_keywords = [
2     "neuro",
3     "neuron",
4     "synap",
5     "axon",
6     "dendrite",
7     "gliogenesis",
8     "glial",
9     "oligodendro",
10    "myelin",
11    "nervous system",
12    "brain",

```

```

13     "projection",
14     "neurotransmitter",
15     "differentiation",
16     "development",
17     "stem cell",
18     "cell fate",
19     "forebrain",
20     "cerebral",
21     "central nervous system"
22 ]

```

## Output:

| Rank | Term                                                                  | Adjusted<br>P-value |
|------|-----------------------------------------------------------------------|---------------------|
| 1    | Axonogenesis (GO:0007409)                                             | 8.463008e-13        |
| 2    | Modulation Of Chemical Synaptic Transmission (GO:0050804)             | 1.186011e-12        |
| 3    | Chemical Synaptic Transmission (GO:0007268)                           | 3.091247e-12        |
| 4    | Synapse Organization (GO:0050808)                                     | 3.619502e-10        |
| 5    | Regulation Of Neuron Projection Development (GO:0010975)              | 3.619502e-10        |
| 6    | Nervous System Development (GO:0007399)                               | 1.096961e-09        |
| 7    | Neurotransmitter Secretion (GO:0007269)                               | 1.916698e-09        |
| 10   | Neuron Projection Morphogenesis (GO:0048812)                          | 2.940480e-09        |
| 11   | Positive Regulation Of Synaptic Transmission (GO:0050806)             | 6.395368e-09        |
| 12   | Signal Release From Synapse (GO:0099643)                              | 1.329384e-08        |
| 14   | Regulation Of Neurotransmitter Receptor Activity (GO:0099601)         | 3.477924e-08        |
| 16   | Neuron Projection Guidance (GO:0097485)                               | 6.537164e-08        |
| 18   | Regulation Of Synaptic Transmission, Glutamatergic (GO:0051966)       | 8.219629e-08        |
| 21   | Neuron Projection Development (GO:0031175)                            | 1.433888e-07        |
| 24   | Positive Regulation Of Cell Projection Organization (GO:0031346)      | 2.335599e-07        |
| 25   | Axon Guidance (GO:0007411)                                            | 3.319791e-07        |
| 26   | Central Nervous System Development (GO:0007417)                       | 3.542255e-07        |
| 27   | Neuron Development (GO:0048666)                                       | 4.082145e-07        |
| 30   | Positive Regulation Of Neuron Projection Development (GO:0010976)     | 4.447000e-07        |
| 34   | Regulation Of Neuronal Synaptic Plasticity (GO:0048168)               | 9.820382e-07        |
| 35   | Anterograde Trans-Synaptic Signaling (GO:0098916)                     | 1.289307e-06        |
| 40   | Synaptic Vesicle Exocytosis (GO:0016079)                              | 2.148965e-06        |
| 45   | Axon Development (GO:0061564)                                         | 3.689468e-06        |
| 54   | Cell Morphogenesis Involved In Neuron Differentiation (GO:0048667)    | 9.019468e-06        |
| 58   | Positive Regulation Of Excitatory Postsynaptic Potential (GO:2000463) | 1.287225e-05        |
| 67   | Modulation Of Excitatory Postsynaptic Potential (GO:0098815)          | 2.295859e-05        |
| 69   | Synaptic Vesicle Endocytosis (GO:0048488)                             | 2.383906e-05        |
| 71   | Synapse Assembly (GO:0007416)                                         | 3.752276e-05        |
| 75   | Brain Development (GO:0007420)                                        | 4.293145e-05        |
| 77   | Regulation Of Synapse Assembly (GO:0051963)                           | 4.368148e-05        |
| 84   | Regulation Of Dendritic Cell Differentiation (GO:2001198)             | 6.074960e-05        |
| 85   | Neurotransmitter Transport (GO:0006836)                               | 6.161246e-05        |
| 94   | Regulation Of Postsynapse Organization (GO:0099175)                   | 9.067362e-05        |
| 101  | Microglial Cell Activation (GO:0001774)                               | 1.173739e-04        |
| 102  | Synaptic Vesicle Recycling (GO:0036465)                               | 1.225951e-04        |
| 109  | Positive Regulation Of Synapse Assembly (GO:0051965)                  | 1.601976e-04        |
| 115  | Vesicle-Mediated Transport In Synapse (GO:0099003)                    | 1.731215e-04        |



| Rank | Term                                                                                | Adjusted P-value |
|------|-------------------------------------------------------------------------------------|------------------|
| 116  | Plasma Membrane Bounded Cell Projection Organization (GO:0120036)                   | 1.734956e-04     |
| 133  | Positive Regulation Of Developmental Growth (GO:0048639)                            | 2.901806e-04     |
| 137  | Synaptic Vesicle Cycle (GO:0099504)                                                 | 3.385978e-04     |
| 141  | Synaptic Transmission, GABAergic (GO:0051932)                                       | 3.716225e-04     |
| 144  | Positive Regulation Of Synaptic Transmission, Glutamatergic (GO:0051968)            | 3.716225e-04     |
| 147  | Regulation Of Neuron Death (GO:1901214)                                             | 3.716225e-04     |
| 149  | Presynaptic Endocytosis (GO:0140238)                                                | 3.716225e-04     |
| 150  | Regulation Of Long-Term Synaptic Potentiation (GO:1900271)                          | 3.716225e-04     |
| 157  | Positive Regulation Of Dendrite Extension (GO:1903861)                              | 5.001363e-04     |
| 165  | Endothelial Cell Development (GO:0001885)                                           | 5.761456e-04     |
| 167  | Long-Term Synaptic Potentiation (GO:0060291)                                        | 5.761456e-04     |
| 168  | Regulation Of Neuron Migration (GO:2001222)                                         | 6.046363e-04     |
| 179  | Synapse Pruning (GO:0098883)                                                        | 7.880849e-04     |
| 182  | Regulation Of Dendrite Extension (GO:1903859)                                       | 9.281525e-04     |
| 183  | Response To Axon Injury (GO:0048678)                                                | 9.281525e-04     |
| 187  | Positive Regulation Of Cell Differentiation (GO:0045597)                            | 1.076656e-03     |
| 200  | Negative Regulation Of Cell Differentiation (GO:0045596)                            | 1.374952e-03     |
| 202  | Endodermal Cell Differentiation (GO:0035987)                                        | 1.382432e-03     |
| 209  | Positive Regulation Of Neurogenesis (GO:0050769)                                    | 1.502638e-03     |
| 235  | Plasma Membrane Bounded Cell Projection Morphogenesis (GO:0120039)                  | 2.190213e-03     |
| 237  | Calcium Ion-Regulated Exocytosis Of Neurotransmitter (GO:0048791)                   | 2.198101e-03     |
| 269  | Anterograde Axonal Protein Transport (GO:0099641)                                   | 2.649976e-03     |
| 273  | Protein Localization To Presynapse (GO:1905383)                                     | 2.649976e-03     |
| 276  | Regulation Of Macrophage Derived Foam Cell Differentiation (GO:0010743)             | 2.919435e-03     |
| 303  | Positive Regulation Of Axonogenesis (GO:0050772)                                    | 4.063491e-03     |
| 304  | Regulation Of Neurotransmitter Secretion (GO:0046928)                               | 4.063491e-03     |
| 309  | Regulation Of Axonogenesis (GO:0050770)                                             | 4.576400e-03     |
| 313  | Regulation Of Plasma Membrane Bounded Cell Projection Organization (GO:0120035)     | 4.676086e-03     |
| 316  | Dendrite Morphogenesis (GO:0048813)                                                 | 4.790770e-03     |
| 320  | Regulation Of Long-Term Neuronal Synaptic Plasticity (GO:0048169)                   | 4.793170e-03     |
| 322  | Regulation Of Synapse Organization (GO:0050807)                                     | 5.302495e-03     |
| 329  | Inhibitory Synapse Assembly (GO:1904862)                                            | 6.067183e-03     |
| 331  | Regulation Of Short-Term Neuronal Synaptic Plasticity (GO:0048172)                  | 6.067183e-03     |
| 332  | Positive Regulation Of Vasculature Development (GO:1904018)                         | 6.214021e-03     |
| 340  | Regulation Of Trans-Synaptic Signaling (GO:0099177)                                 | 6.471681e-03     |
| 346  | Myeloid Leukocyte Differentiation (GO:0002573)                                      | 6.723355e-03     |
| 381  | Cell Projection Organization (GO:0030030)                                           | 9.167989e-03     |
| 397  | Neurotransmitter Receptor Transport, Postsynaptic Endosome To Lysosome (GO:0098943) | 9.207130e-03     |
| 398  | Regulation Of Microglial Cell Migration (GO:1904139)                                | 9.207130e-03     |
| 401  | Positive Regulation Of Nervous System Development (GO:0051962)                      | 9.492635e-03     |
| 405  | Positive Regulation Of Macrophage Derived Foam Cell Differentiation (GO:0010744)    | 9.581355e-03     |
| 407  | Positive Regulation Of Neuron Death (GO:1901216)                                    | 9.581355e-03     |
| 420  | Central Nervous System Neuron Differentiation (GO:0021953)                          | 1.140119e-02     |
| 425  | Regulation Of Dendrite Morphogenesis (GO:0048814)                                   | 1.140119e-02     |
| 427  | T Cell Differentiation (GO:0030217)                                                 | 1.140119e-02     |
| 430  | Mononuclear Cell Differentiation (GO:1903131)                                       | 1.140119e-02     |
| 439  | Anterograde Axonal Transport (GO:0008089)                                           | 1.352378e-02     |
| 447  | Excitatory Synapse Assembly (GO:1904861)                                            | 1.404620e-02     |
| 451  | Regulation Of Granulocyte Differentiation (GO:0030852)                              | 1.404620e-02     |
| 453  | Regulation Of Postsynaptic Neurotransmitter Receptor Activity (GO:0098962)          | 1.404620e-02     |

| Rank | Term                                                                                                          | Adjusted P-value |
|------|---------------------------------------------------------------------------------------------------------------|------------------|
| 466  | Regulation Of Nervous System Process (GO:0031644)                                                             | 1.422257e-02     |
| 473  | Axonal Fasciculation (GO:0007413)                                                                             | 1.541468e-02     |
| 474  | Cell Projection Assembly (GO:0030031)                                                                         | 1.541468e-02     |
| 479  | Regulation Of Osteoblast Differentiation (GO:0045667)                                                         | 1.573248e-02     |
| 480  | Skin Development (GO:0043588)                                                                                 | 1.579054e-02     |
| 482  | Positive Regulation Of Myeloid Leukocyte Differentiation (GO:0002763)                                         | 1.670331e-02     |
| 485  | Generation Of Neurons (GO:0048699)                                                                            | 1.736230e-02     |
| 495  | Ventricular Septum Development (GO:0003281)                                                                   | 2.086318e-02     |
| 501  | Regulation Of B Cell Differentiation (GO:0045577)                                                             | 2.112966e-02     |
| 502  | Regulation Of Megakaryocyte Differentiation (GO:0045652)                                                      | 2.112966e-02     |
| 515  | Neurotransmitter Receptor Diffusion Trapping (GO:0099628)                                                     | 2.112966e-02     |
| 518  | Postsynaptic Neurotransmitter Receptor Diffusion Trapping (GO:0098970)                                        | 2.112966e-02     |
| 536  | Axon Extension (GO:0048675)                                                                                   | 2.460512e-02     |
| 550  | Neuron Projection Fasciculation (GO:0106030)                                                                  | 2.460512e-02     |
| 559  | Negative Regulation Of Cell Projection Organization (GO:0031345)                                              | 2.475368e-02     |
| 575  | Myeloid Cell Development (GO:0061515)                                                                         | 2.695387e-02     |
| 589  | Regulation Of Axon Extension (GO:0030516)                                                                     | 2.970775e-02     |
| 594  | Negative Regulation Of Neuron Migration (GO:2001223)                                                          | 2.970775e-02     |
| 595  | Positive Regulation Of CD4-positive, CD25-positive, Alpha-Beta Regulatory T Cell Differentiation (GO:0032831) | 2.970775e-02     |
| 597  | Positive Regulation Of Granulocyte Differentiation (GO:0030854)                                               | 2.970775e-02     |
| 598  | Positive Regulation Of Microglial Cell Migration (GO:1904141)                                                 | 2.970775e-02     |
| 609  | Neuron Projection Extension (GO:1990138)                                                                      | 2.990366e-02     |
| 616  | Central Nervous System Neuron Development (GO:0021954)                                                        | 3.210567e-02     |
| 622  | Circulatory System Development (GO:0072359)                                                                   | 3.274801e-02     |
| 633  | Regulation Of Neuron Apoptotic Process (GO:0043523)                                                           | 3.579084e-02     |
| 638  | Heart Development (GO:0007507)                                                                                | 3.579084e-02     |
| 648  | Synaptic Vesicle Membrane Organization (GO:0048499)                                                           | 3.579084e-02     |
| 650  | Positive Regulation Of Osteoblast Differentiation (GO:0045669)                                                | 3.592668e-02     |
| 662  | Negative Regulation Of Biomineral Tissue Development (GO:0070168)                                             | 3.690473e-02     |
| 663  | Negative Regulation Of Osteoclast Differentiation (GO:0045671)                                                | 3.690473e-02     |
| 666  | Regulation Of Neurotransmitter Transport (GO:0051588)                                                         | 3.690473e-02     |
| 670  | Negative Regulation Of Long-Term Synaptic Potentiation (GO:1900272)                                           | 3.720601e-02     |
| 674  | Positive Regulation Of Megakaryocyte Differentiation (GO:0045654)                                             | 3.720601e-02     |
| 694  | Neuron Differentiation (GO:0030182)                                                                           | 4.150973e-02     |
| 702  | Regulation Of Dendrite Development (GO:0050773)                                                               | 4.297896e-02     |
| 706  | Positive Regulation Of Neuroblast Proliferation (GO:0002052)                                                  | 4.297896e-02     |
| 719  | Negative Regulation Of Neuron Projection Development (GO:0010977)                                             | 4.689814e-02     |
| 728  | Positive Regulation Of Fat Cell Differentiation (GO:0045600)                                                  | 4.878617e-02     |

## APPENDIX B: TESTS RELATED TO CROSS-REFERENCING

This attachment is here just to make sure that cross-references work as intended. Towards this end, Figure B.1 is here just to make testing within the same chapter possible.



**Figure B.1.** A test image with a very long caption: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aeque doleamus animo.

Also, here is an equation for similar purposes:

$$\mathbf{Lx} \approx \mathbf{y}. \quad (\text{B.1})$$

Also, why not add a theorem to the mix.

**Theorem B.1 (Pythagorean theorem).** For sides  $a$ ,  $b$  and  $c$  of a right triangle, where  $c$  is the *hypotenuse*, the following equality holds:  $a^2 + b^2 = c^2$ .

### B.1 FIGURE TESTS

B.1 with an empty supplement as the first inline element of this paragraph, to make sure that there is no funny whitespace introduced before figure references.

Here is a reference to a figure in a previous chapter: Figure 8.1. Notice the period after the reference, meaning the spacing around the reference works as intended.

Here is a reference to the same figure but with an alternative supplement: Kuvassa 8.1.

Table reference: Table 8.1.

Table reference with an alternative supplement: Taulukossa 8.1.

Table reference with an empty supplement: 8.1.

## B.2 SECTION TESTS

A chapter reference: 1.

A chapter reference with an alternative supplement: Luvussa 1.

1 as the first element of this paragraph to test that there is no unnecessary whitespace before heading references.

## B.3 EQUATION TESTS

Here is an equation reference: (B.1).

Reference equation in previous chapter: (8.1).

Check that supplements are ignored in the case of equation references: (B.1).

(B.1) as the first element of this paragraph. Again, no preceding whitespace should be generated.

## B.4 CITATION TESTS

A citation test: [50].

A citation test with page numbers: [50, s. 1–2]

[50]: no preceding whitespace at the start of a paragraph.

## B.5 THEOREM TESTS


Referencing a theorem in this section: Theorem B.1.

Referencing a theorem box in another section: Example 8.1


Referencing a theorem box in another section in Finnish: Esimerkki 8.2

## B.6 SUBFIGURE TESTS


Here we test referencing subfigures in a different section. These are the linear gradient in Figure 8.2.a, the radial gradient in Figure 8.2.b and the conic gradient in Figure 8.2.c.




(a)



(b)



(c)



(d)

**Shapes B.1.** A few different kinds of shapes. Shapes B.1.a contains a square, Shapes B.1.b a rectangle, Shapes B.1.c a circle and Shapes B.1.d an ellipse.

Shapes B.1 is here for testing subfigures inside of figures of arbitrary kinds.

## APPENDIX C: TEST APPENDIX WITH MATHEMATICS IN ITS HEADING: $f = ma$ . ALSO SOME `code`.

This test appendix is here to test how the text sizes in the lists of figures and such behave.



**Figure C.1.** A test figure with mathematics in the caption:  $\int_{\{x\}} f(x) dx$ .

The text sizes should be sensible, and mathematics should also scale to the surrounding text size.

### C.1 A LEVEL 2 HEADING WITH MATHEMATICS: $\int_{\{x\}} f(x) dx$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri.

#### C.1.1 A LEVEL 3 HEADING WITH MATHEMATICS: $\int_{\{x\}} f(x) dx$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri.

### C.2 ANOTHER LEVEL 2 HEADING WITH MATHEMATICS: $\nabla$ .

#### $j = 0$ `more code`

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri.

---

### C.2.1 ANOTHER LEVEL 3 HEADING WITH MATHEMATICS: $\nabla \cdot \mathbf{j} = 0$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequi doleamus animo, cum corpore dolemus, fieri.

## C.3 A HEADING WITH code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequi doleamus animo, cum corpore dolemus, fieri.

### C.3.1 A HEADING WITH more code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequi doleamus animo, cum corpore dolemus, fieri.

### C.3.2 A HEADING WITH even more code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequi doleamus animo, cum corpore dolemus, fieri.