Exercise 5 Same Game Artificial Intelligence for Games

Hubert Obrzut

December 30, 2020

CodinGame handle: nanOS_

1 Project Proposal

Project proposal was already sent by me on SKOS - I am in group with Szymon Kosakowski and Kacper Szufnarowski.

2 SameGame Easy

In order to get at least 6500 points from the SameGame puzzle I have just written random agent - pick any legal action and perform it.

3 SameGame Medium

In order to get at least 30000 points from the SameGame puzzle I have written BeamSearch algorithm with no additional enhancements - 50ms for every round (including the first one despite 20s limit, search did not use any state). To be more exact, I got something around 30500 points. I have used beam width equal to 100.

4 Zobrist Hashing

With state hashing I have achieved score of about 38000 (37900 to be exact) - every state was hashed depending on the position of individual tiles. Better score is understandable as with the SameGame, we can get to one state with a different sequence of moves - especially on some levels and especially at the beginning, which could lead to duplicate states in our search, which will lead to worse search effectiveness.

5 Selective Policy

With color taboo policy I have managed to achieved score about 50700 - I have just added punishment to the current score, if I have decided to press on the most frequent color. This improved the score by aggregating the most frequent color into larger blocks and pressing on then only at the end.

6 Nested Monte Carlo Search

Nested Monte Carlo Search is very costly, but it has proved to be able to find very good solutions. After a few experiments I have decided to run NMCS with depth equal to 2. I have written NMCS to run in the time constrained manner - I have used 20s limit in the first round and 50ms in the rest of

the rounds (running NMCS for 50ms improved just a little bit, 20s in the first round was the main part). With pure NMCS I have managed to get the score around 66000. When I have added color taboo policy I got 109000 points - when calculating possible moves, I did not consider moves removing the most frequent color as long as a had other moves to do. As we can see this had a major impact on the efficiency of the algorithm. I wanted to deepen the search to 3, but unfortunately 20s was too little time to find meaningful solutions - although better solutions were found, which was not the case with Beam Search - extending time limit did not have such significant impact on the quality of solutions. I have also tried to run multiple NMCS instances in the first round - e.g. run 4 times with 5s each instead of 1 time for 20s but it did not improve nor worsen the solution.

7 Single-Player Monte Carlo Tree Search

With pure SP MCTS I have managed to achieve a score of about 60000 points. Similarly like in previous algorithms I have used all the given time to perform computations. After a little bit of parameter tweaking I have chosen C=0.1 and D=500000 - I did not map SameGame results into [0, 1] interval. After adding color taboo policy (in the same manner like in NMCS for example) score on CodinGame increased to around 96000. It seems that SP MCTS is pretty good choice for SameGame, but still it loses against NMCS.

8 Nested Rollout Policy Adaptation