

SAUCEDEMO

BUSINESS REQUIREMENTS DOCUMENT

Manual Quality Assurance Testing Portfolio Project

Document ID	Version	Prepared By	Application
QA-BRD-001	1.0	Nancy McKenzie	SauceDemo
Document Type	Business Requirements	Status	Baseline for QA Portfolio
Testing Focus	Manual Functional QA	Related Test Plan	QA-TP-001

Portfolio-derived requirements based on the public SauceDemo application and the approved QA Test Plan.

Table of Contents

1. 1. Document Control
2. 2. Purpose and Background
3. 3. Business Context and Objectives
4. 4. Scope
5. 5. Stakeholders and User Perspective
6. 6. Business Rules
7. 7. Functional Business Requirements
8. 8. Non-Functional and Quality Requirements
9. 9. Requirement Prioritization
10. 10. Acceptance and Validation Criteria
11. 11. Assumptions, Dependencies, and Constraints
12. 12. Requirements Traceability Framework
13. 13. Change Control
14. 14. Approval and Baseline

1. Document Control

Field	Value
Document Title	SauceDemo Business Requirements Document
Document ID	QA-BRD-001
Version	1.0
Prepared By	Nancy McKenzie
Project	SauceDemo Web Application Quality Assurance Testing
Related Test Plan	QA-TP-001
Application Type	E-Commerce Online Retail Store
Purpose	Define the portfolio project requirements that will drive test scenarios, test cases, execution, defects, and traceability.

1.1 Revision History

Version	Change	Owner	Status
1.0	Initial baseline business requirements for QA portfolio project	Nancy McKenzie	Approved for testing baseline

2. Purpose and Background

This document defines the business and functional requirements used as the testing baseline for the SauceDemo manual QA portfolio project. The requirements are intentionally written in clear, testable language so each requirement can be mapped to test scenarios, detailed test cases, execution results, defects, and the Requirements Traceability Matrix (RTM).

These are portfolio-derived requirements, not an official requirements specification published by Sauce Labs. They are based on the observable behavior and customer workflows of the public SauceDemo demonstration application and are aligned with the approved project Test Plan.

3. Business Context and Objectives

The application represents a simplified online retail experience. The primary customer journey is to authenticate, browse merchandise, manage a shopping cart, provide checkout information, review an order, and complete the purchase.

Objective ID	Business Objective	Success Intent
BO-01	Provide controlled access to the shopping experience.	Authorized demo users can enter the application and invalid access is rejected with useful feedback.
BO-02	Allow customers to discover and evaluate products.	Inventory information is visible, understandable, and sortable.
BO-03	Allow customers to build and manage a purchase.	Cart actions accurately reflect customer selections.
BO-04	Support a complete checkout workflow.	Required customer information is validated and the customer can review the order before completion.
BO-05	Provide clear completion and navigation behavior.	Customers receive confirmation after checkout and can navigate or end the

Objective ID	Business Objective	Success Intent
BO-06	Protect business confidence through functional accuracy.	session predictably. Critical customer workflows behave consistently enough to support a release recommendation.

4. Scope

4.1 In Scope

- Authentication and login validation
- Inventory/product listing
- Product sorting
- Product detail navigation
- Add-to-cart and remove-from-cart behavior
- Cart contents and item counts
- Checkout customer information validation
- Checkout overview and totals
- Order completion and confirmation
- Application menu/navigation
- Logout and session behavior
- Functional error messages and basic UI validation

4.2 Out of Scope

- Performance, load, and stress testing
- Penetration/security testing
- API testing
- Database validation
- Formal accessibility certification
- Native mobile application testing
- Broad cross-browser certification
- Production payment processing, shipping, taxation, or external integrations

5. Stakeholders and User Perspective

Role	Interest in Requirements
Customer / End User	Complete a purchase journey with understandable navigation and accurate cart/checkout behavior.
QA Analyst	Convert each requirement into test coverage, execute tests, document defects, and assess release risk.
Development / Implementation Team	Understand expected behavior and reproduce/correct defects against an agreed baseline.
Product / Business Stakeholder	Confirm that critical retail workflows satisfy the intended customer outcome.

6. Business Rules

Rule ID	Business Rule
BRULE-01	Only recognized application users should be able to access the inventory experience.
BRULE-02	A locked-out user must be prevented from logging in and receive a clear error message.
BRULE-03	A cart badge should represent the number of items currently selected for purchase.
BRULE-04	Removing an item should update the cart state and badge consistently.
BRULE-05	Checkout should not advance when required customer information is missing.
BRULE-06	The customer must be able to review order details before final completion.
BRULE-07	Order completion must provide a clear success confirmation.
BRULE-08	Logout must end the authenticated application session and return the user to login.

7. Functional Business Requirements

ID	Area	Requirement	Priority	Acceptance Summary
REQ-001	Authentication	The system shall allow a recognized, non-locked user to log in with a valid username and password.	Critical	User is taken to the inventory page after successful authentication.
REQ-002	Authentication	The system shall reject login when the username is invalid, the password is invalid, or required credentials are missing.	Critical	Access is denied and a meaningful error message is displayed.
REQ-003	Authentication	The system shall prevent a locked-out user from accessing the application.	Critical	Locked-out credentials do not open inventory and an explanatory error is displayed.
REQ-004	Inventory	The system shall display the available product inventory after successful login.	Critical	Product cards are visible with sufficient identifying information for shopping.
REQ-005	Inventory	The system shall display product name, image, description, and price for each listed product.	High	Required product information is present and readable on inventory/product views.
REQ-006	Sorting	The system shall allow the user to sort inventory by the	High	Displayed product order changes consistently with the

ID	Area	Requirement	Priority	Acceptance Summary
		available sort options.		selected option.
REQ-007	Product Details	The system shall allow the user to open a product detail view from the inventory listing.	Medium	Selected product detail information is displayed and navigation back is available.
REQ-008	Cart	The system shall allow the user to add one or more products to the shopping cart.	Critical	Selected items are reflected in cart state and cart badge count.
REQ-009	Cart	The system shall allow the user to remove products from the cart or product selection state.	Critical	Removed items no longer appear as selected and the badge updates.
REQ-010	Cart	The shopping cart shall display the products currently selected by the user.	Critical	Cart item names, prices, quantities, and controls correspond to current selections.
REQ-011	Cart	The system shall allow the user to continue shopping from the cart.	Medium	User can return to inventory without losing valid cart selections.
REQ-012	Checkout	The system shall allow a user with cart items to begin checkout.	Critical	Checkout customer-information page is accessible from the cart.
REQ-013	Checkout	The system shall require first name, last name, and postal code before continuing checkout.	Critical	Missing required information blocks progress and produces a clear validation message.
REQ-014	Checkout	The system shall present an order overview before the purchase is finalized.	Critical	Overview displays selected items and order-related pricing information before Finish.
REQ-015	Checkout	The system shall calculate and display order subtotal, tax, and total consistently on the overview page.	Critical	Displayed monetary values are internally consistent for the selected cart.
REQ-016	Order Completion	The system shall allow the user to finish a valid checkout and display an order-completion confirmation.	Critical	A successful completion message is displayed after Finish.
REQ-017	Navigation	The application menu shall provide expected navigation actions, including access to inventory/reset options and logout	High	Selected menu actions navigate or update the application as expected.

ID	Area	Requirement	Priority	Acceptance Summary
		where available.		
REQ-018	Session	The system shall allow an authenticated user to log out and return to the login page.	High	Authenticated session is ended and inventory is no longer directly available through normal navigation.

8. Non-Functional and Quality Requirements

ID	Quality Area	Requirement	Priority
NFR-001	Usability	Primary shopping actions and labels should be understandable without special training.	High
NFR-002	Consistency	Navigation, buttons, cart state, and validation behavior should remain consistent across the tested workflow.	High
NFR-003	Error Handling	Functional errors should provide visible, understandable feedback that helps the user correct the issue.	High
NFR-004	Data Presentation	Product and checkout information should remain readable and correctly associated with the selected product/order.	High
NFR-005	Browser Compatibility	The defined manual test baseline shall execute in the project's primary supported browser configuration.	Medium
NFR-006	Session Integrity	Logout and normal navigation should not produce an unintended authenticated state during the defined test flow.	High

9. Requirement Prioritization

Priorities are risk-based. Critical requirements protect the end-to-end purchase path; High requirements materially affect customer confidence or navigation; Medium requirements improve completeness and usability but do not independently define purchase success.

Priority	Meaning	Examples
Critical	Failure can prevent login, cart use, checkout, or successful order completion.	REQ-001, REQ-008, REQ-013, REQ-016
High	Failure materially damages usability,	REQ-005, REQ-006, REQ-017, REQ-018

Priority	Meaning	Examples
	data confidence, or navigation.	
Medium	Failure affects a supporting workflow but does not necessarily block the core purchase path.	REQ-007, REQ-011

10. Acceptance and Validation Criteria

A requirement is considered testable and covered when:

- A unique requirement ID is assigned.
- At least one test scenario or test case maps to the requirement.
- Expected behavior is stated clearly enough to determine PASS or FAIL.
- Positive and negative coverage is added where the requirement contains validation or error behavior.
- Critical requirements receive end-to-end or regression coverage as appropriate.
- Execution results and related defect IDs can be traced back to the requirement.
- Any known limitation or intentional SauceDemo demo behavior is documented rather than silently classified as a defect.

11. Assumptions, Dependencies, and Constraints

Type	Statement
Assumption	The public SauceDemo environment is available during planned manual testing.
Assumption	Demo credentials and user profiles are controlled by the application provider and may intentionally demonstrate different behaviors.
Dependency	Test execution depends on internet access and availability of the public application.
Dependency	Detailed test cases and RTM will use the requirement IDs defined in this document.
Constraint	The QA portfolio does not have access to internal Sauce Labs product requirements, source code, database, or production telemetry.
Constraint	Requirements in this document are portfolio-derived and should not be represented as official Sauce Labs specifications.
Constraint	Observed behavior of special demo users must be interpreted in context before a defect is logged.

12. Requirements Traceability Framework

REQ and NFR identifiers in this document are the authoritative IDs for the portfolio project. The same IDs will be reused in Test Scenarios, Test Cases, the Requirements Traceability Matrix, Defect Log where applicable, and the Test Summary Report.

Artifact	Traceability Use
Business Requirements	Defines REQ-001 through REQ-018 and NFR-001 through NFR-006.
Test Scenarios	Maps high-level coverage to one or more requirement IDs.
Test Cases	Maps executable steps and expected results to requirement IDs.
Test Execution	Records status for the mapped test cases.
Defect Log	References failed test cases and impacted requirement IDs when applicable.
RTM	Provides the consolidated requirement-to-test-to-defect coverage view.
Test Summary	Reports final coverage, execution outcomes, open risk, and release recommendation.

13. Change Control

Changes to a baseline requirement should preserve traceability. A material change requires updating the requirement text or priority, recording the revision, reviewing affected test scenarios and test cases, and re-evaluating regression coverage. Requirement IDs should not be reused for unrelated behavior.

14. Approval and Baseline

Role	Name	Decision / Status
Prepared By / QA Analyst	Nancy McKenzie	Baseline created for portfolio testing
Business/Product Review	Portfolio Simulation	Requirements considered sufficient to begin detailed test design
QA Baseline	QA-BRD-001 Version 1.0	Approved for use in Test Scenarios, Test Cases, and RTM

This document establishes the requirements baseline for the SauceDemo Manual QA portfolio project. Final execution results, actual defect counts, and release recommendations will be documented in later project artifacts rather than invented in advance.