

Porensky, L.M., K.J. Vaughn and T.P. Young. Can intraspecific spatial aggregation increase multi-year coexistence by creating temporal priority? *Ecological Applications* MS #11-0818.

APPENDIX A. Information on species and seeding rates.

Species	Life history and life form	Stature	Dispersal mode	Seeding rate, kg/ha	Live seeds/g	Live seeds/plot	Live seeds/m ²
<i>Calandrinia ciliata</i> (Ruiz & Pav.) DC	annual forb	low	gravity	0.09	1780	1769	100
<i>Elymus glaucus</i> Buckl.*	perennial bunchgrass	tall	gravity	0.73	209	1662	94
<i>Grindelia camporum</i> Greene	perennial forb	tall	wind	0.09	460	457	26
<i>Leymus triticoides</i> (Buckl.) Pilg.	perennial rhizomatous grass	tall	gravity	0.55	242	1443	82
<i>Melica californica</i> Scribn.	perennial bunchgrass	medium	gravity	0.73	418	3324	188
<i>Nassella pulchra</i> (Hitchc.) Barkworth	perennial bunchgrass	medium	gravity	1.82	110	2187	124
<i>Trifolium bifidum</i> A. Gray	annual forb	low	gravity	0.36	697	2773	157
<i>Trifolium willdenovii</i> (Spreng.)	annual forb	low	gravity	0.36	356	1417	80