KALI COMMANDS

1. The shell



- 2. Pwd
- 3. cd
- 4. ls

```
Cati@ hail)=[=]
Specific property of position |
Cati@ hail)=[=]
Cati@ hail)=[-]
Cati@ hail]=[-]
Cati@ hail]=[-
```

- 5. Touch
- 6. Cat
- 7. file

```
C_(kali@ kaii)-[~/Desktop]
$ touch newfile.txt


C_(kali@ kaii)-[~/Desktop]
$ file banas.ineg
banana.jpeg: DPEG image data, JFIF standard 1.01, aspect ratio, density 1*1, segment length 16, baseline, precision 8, 224*224, components 3

C_(kali@ kaii)-[~/Desktop]
$ cat newfile.txt
```


8. Less



9. History



- 10. Cp
- 11. Mv
- 12. Mkdir
- 13. rm



```
(kali@kali)-[~/Desktop]
$ touch a.txt

[(kali@kali)-[~/Desktop]
$ nano a.txt
               li⊕ kali)-[~/Desktop]
nd -hello <u>a.txt</u>
'~hello': No such file or directory
               ii⊝ kali)-[~]
id -hello a.txt
'-hello': No such file or directory
'a.txt': No such file or directory
```

15. Help

```
___(kali⊕ kali)-[~]
newfile.txt

(kali⊕ kali)-[~]
```

- 16. Man
- 17. whatis

- 18. Alias
- 19. exit

```
<mark>(kali® kali</mark>)-[~]
$ alias foobar='ls -la'
__(kali⊛ kali)-[~]

_$ exit
```