


Mobile Security Framework (MobSF)

Objective: *To perform a mobile application (APK/IPA) using the and interpret the results.*

Target application - demo.apk



Installation & Setup

Command used:

Git clone <https://github.com/MobSF/Mobile-Security-Framework-MobSF.git>

```
(mobsf-ong2ihc3-py3.13)-(kali@kali)-[~/Mobile-Security-Framework-MobSF]
$ ls
docker Dockerfile LICENSE LICENSES manage.py mobsf poetry.lock pyproject.toml README.md run.bat run.sh run.shy scripts setup.bat setup.sh tox.ini
(mobsf-ong2ihc3-py3.13)-(kali@kali)-[~/Mobile-Security-Framework-MobSF]
$ ls mobsf
DynamicAnalyzer __init__.py install __main__.py MalwareAnalyzer MobSF signatures static StaticAnalyzer templates
```

Starting the server on the local host: 127.0.0.1:8000

```
(mobsf-ong2ihc3-py3.13)-(kali@kali)-[~/Mobile-Security-Framework-MobSF]
$ gunicorn mobsf.MobSF.wsgi:application --bind 127.0.0.1:8000 --workers 3

[2025-10-31 07:04:11 -0400] [12010] [INFO] Starting gunicorn 23.0.0
[2025-10-31 07:04:11 -0400] [12010] [INFO] Listening at: http://127.0.0.1:8000 (12010)
[2025-10-31 07:04:11 -0400] [12010] [INFO] Using worker: sync
[2025-10-31 07:04:11 -0400] [12011] [INFO] Booting worker with pid: 12011
[2025-10-31 07:04:11 -0400] [12012] [INFO] Booting worker with pid: 12012
[2025-10-31 07:04:11 -0400] [12013] [INFO] Booting worker with pid: 12013
[INFO] 31/Oct/2025 07:04:11 - Loading User config from: /home/kali/.MobSF/config.py
[INFO] 31/Oct/2025 07:04:11 - Loading User config from: /home/kali/.MobSF/config.py
[INFO] 31/Oct/2025 07:04:11 - Loading User config from: /home/kali/.MobSF/config.py
[INFO] 31/Oct/2025 11:04:21 -

  MobSF v4.4.3


[INFO] 31/Oct/2025 11:04:21 - Author: Ajin Abraham | opensecurity.in
[INFO] 31/Oct/2025 11:04:21 - Mobile Security Framework v4.4.3
REST API Key: dfe0d18580cf68bcc3f7b0dce6d01ee334dd1d921d45e75bb583be20c4bf08a8
Default Credentials: mobsf/mobsf
[INFO] 31/Oct/2025 11:04:21 - OS Environment: Linux (kali 2025.3 kali-rolling) Linux-6.16.8+kali-amd64-x86_64-with-glibc2.41
[INFO] 31/Oct/2025 11:04:21 - Python Version: 3.13.7
[INFO] 31/Oct/2025 11:04:21 - CPU Cores: 4, Threads: 4, RAM: 1.92 GB
[INFO] 31/Oct/2025 11:04:21 - MobSF Basic Environment Check
[WARNING] 31/Oct/2025 11:04:21 - Dynamic Analysis related functions will not work.
Make sure a Genuymotion Android VM/Android Studio Emulator is running before performing Dynamic Analysis.
[INFO] 31/Oct/2025 11:04:22 - Checking for Update.
[INFO] 31/Oct/2025 11:04:23 - No updates available.
[INFO] 31/Oct/2025 11:04:23 -
```

Created a superuser from CLI

```
[INFO] 31/Oct/2025 07:27:49 - Loading User config from: /home/kali/.MobSF/config.py
[INFO] 31/Oct/2025 11:27:50 -
MobSF
[INFO] 31/Oct/2025 11:27:50 - Author: Ajin Abraham | opensecurity.in
[INFO] 31/Oct/2025 11:27:50 - Mobile Security Framework v4.4.3
REST API Key: dfe0d18580cf68bcc3f7b0dce6d01ee334dd1d921d45e75bb583be20c4bf08a8
Default Credentials: mobsf/mobsf
[INFO] 31/Oct/2025 11:27:50 - OS Environment: Linux (kali 2025.3 kali-rolling) Linux-6.16.8+kali-amd64-x86_64-with-glibc2.41
[INFO] 31/Oct/2025 11:27:50 - Python Version: 3.13.7
[INFO] 31/Oct/2025 11:27:50 - CPU Cores: 4, Threads: 4, RAM: 1.92 GB
[INFO] 31/Oct/2025 11:27:50 - MobSF Basic Environment Check
[WARNING] 31/Oct/2025 11:27:50 - Dynamic Analysis related functions will not work.
Make sure a Genymotion Android VM/Android Studio Emulator is running before performing Dynamic Analysis.
Username: [INFO] 31/Oct/2025 11:27:51 - Checking for Update.
[INFO] 31/Oct/2025 11:27:51 - No updates available.

Error: This field cannot be blank.
Username: kali
Error: That username is already taken.
Username: mobsf
Email address:
Password:
Password (again):
The password is too similar to the username.
This password is too short. It must contain at least 6 characters.
Bypass password validation and create user anyway? [y/N]: y
Superuser created successfully.
```


Login screen of MobSF:




The image shows the login interface of MobSF. At the top, it says "Sign in to access". Below this is the "MobSF" logo. A message states: "Please enter a correct username and password. Note that both fields may be case-sensitive." There are two input fields: the first is for the username, containing "kali", and the second is for the password, represented by dots. A blue "Sign In" button is at the bottom.

username: *kali*
password: *mobsf*


After logging we can see the dashboard for uploading the APK file from the system. I have uploaded the demo.apk file from the local system



After the upload, the tool began to analyse the file



We have completed the analysis and got the final report, we can see all the details from the dashboard



Observations:

APP SCORES

Security Score **48/100**
Trackers Detection **1/432**

FILE INFORMATION
File Name demo.apk
Size 5.73MB
MD5 33f72817972aae3609ec7c3a6cdc2891
SHA1 98c682b912d5987eccd96300168a951b1484dacf
SHA256 b3b9db310f1db27a4314857561a41c19c9e85b84c3a14c146505a6cbf7eb5b3c

APP INFORMATION
App Name Rotation
Package Name com.pranavpandey.rotation
Main Activity com.pranavpandey.rotation.activity.SplashActivity
Target SDK 36 Min SDK 21 Max SDK
Android Version Name 29.0.2 Android Version Code 361

PLAYSTORE INFORMATION
Title Rotation | Orientation Manager
Score 3.7623763 Installs 1,000,000+ Price 0 Android Version Support Category Tools Play Store URL [com.pranavpandey.rotation](https://play.google.com/store/apps/details?id=com.pranavpandey.rotation)
Developer Pranav Pandey, Developer ID 6608630615059087491
Developer Address None
Developer Website <https://pranavpandey.com>
Developer Email support@pranavpandey.com
Release Date Jul 20, 2014 Privacy Policy [Privacy link](#)
Description

App Scores

- Security Score: 48/100
- Trackers Detection: 1/432

File Information

- File Name: demo.apk
- Size: 5.73MB
- MD5: 33f72817972aae3609ec7c3a6cdc2891
- SHA1: 9806826912d5987eccd96300168a951b1484dacf
- SHA256: b3b9db310f1db27a4314857561a41c19c9e85b84c3a14c146505a6cbf7eb5b3c

App Information

- App Name: Rotation
- Package Name: com.pranavpandey.rotation
- Main Activity: com.pranavpandey.rotation.activity.SplashActivity
- Target SDK: 36
- Min SDK: 21
- Android Version Name: 29.0.2

Playstore Information

- Title: Rotation Orientation Manager
- Installs: 1,000,000+
- Developer: Pranav Pandey

- Developer Website: <https://pranavpandey.com>
- Developer Email: support@pranavpandey.com

Exported Components

- Exported Activities: 4/21
- Exported Services: 4/10
- Exported Receivers: 10/18
- Exported Providers: 0/3

Signer Certificate

- **Signature:** The binary is signed with v1, v2, and v3 signatures
- **Subject:** CN=Pranav Pandey
- **Validity:** Valid from 2013-07-16 to 2040-12-01
- **Hash Algorithm:** sha256
- **Key Bit Size:** 2048

Application Permissions

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_AD_SERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_AD_SERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_AD_SERVICES_TOPICS	normal	allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.FOREGROUND_SERVICE_SPECIAL_USE	normal	enables special-use foreground services.	Allows a regular application to use Service.startForeground with the type "specialUse".

This section lists permissions requested by the app.

- **android.permission.GET_TASKS (dangerous):** Allows retrieving information about currently running tasks.
- **android.permission.POST_NOTIFICATIONS (dangerous):** Allows an app to post notifications.
- **android.permission.PACKAGE_USAGE_STATS (signature):** Allows modifying component usage statistics, which is not for common applications.
- **Normal Permissions:** Includes android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, and android.permission.FOREGROUND_SERVICE

Android Api

API
Base64 Encode
Content Provider
Crypto
Dynamic Class and Dexloading
Get Installed Applications
Get Running App Processes
Get SIM Provider Details
Get System Service

This section lists specific Android APIs used in the code.

- **Crypto:** The application utilizes cryptographic functions.
- **Base64:** The app uses Base64 encoding and decoding.
- **Dynamic Class and Dexloading:** The app has the capability to load code dynamically.
- **Runtime Information:** The app uses APIs to "Get Installed Applications" and "Get Running App Processes".

Browsable Activities

BROWSABLE ACTIVITIES	
Search:	
ACTIVITY	INTENT
com.pranavpandey.rotation.activity.SplashActivity	Schemes: file://, content://, http://, https://, Hosts: *, theme.pranavpandey.com, Mime Types: text/plain, image/*, application/zip, application/octet-stream, application/vnd.dynamic.theme, application/vnd.rotation.backup, Path Prefixes: /share,

- **com.pranavpandey.rotation.activity.SplashActivity:** This activity is browsable and can be triggered by file://, content://, http://, and https:// schemes, as well as the host theme.pranavpandey.com.

Network Security

- No specific network security issues (like hardcoded IPs or domains) were found in this section.

Certificate Analysis

CERTIFICATE ANALYSIS		
HIGH 0	WARNING 1	INFO 1
Search:		
TITLE	SEVERITY	DESCRIPTION
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Signed Application	info	Application is signed with a code signing certificate

- **Warning (1):** The application is vulnerable to the Janus Vulnerability because it is signed with the v1 signature scheme. This affects Android 5.0-8.0.
- **Info (1):** The application is signed with a code signing certificate.

Manifest Analysis

This section details 1 high-severity, 22 warning, and 1 info-level issue found in the AndroidManifest.xml file.

Q MANIFEST ANALYSIS

HIGH 1		WARNING 22		INFO 0		SUPPRESSED 0	
Search:							
NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS			
1	App can be installed on a vulnerable unpatched Android version Android 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.				
2	Application Data can be Backed up [android:allowBackup] flag is missing.	warning	The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.				
3	Activity (com.pranavpandey.rotation.activity.ShortcutsActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.				
4	TaskAffinity is set for activity (com.pranavpandey.rotation.activity.ExtensionActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.				
5	Activity (com.pranavpandey.rotation.activity.ExtensionActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.				

- **High (Issue 1):** The app can be installed on a vulnerable, unpatched Android version (minSdk=21, which is Android 5.0).
- **Warning (Issue 2):** Application data can be backed up because the android:allowBackup flag is missing, defaulting to true.
- **Warning (Issue 3, 5, 7, 9):** Several activities (e.g., ShortcutsActivity, ExtensionActivity, ActionActivity) are not protected and are exported (android:exported=true), making them accessible to any other app.
- **Warning (Issue 4, 6, 8):** TaskAffinity is set for multiple activities, which could allow other applications to read Intents sent to them.
- **Warning (Issue 10):** The com.pranavpandey.rotation.service.RotationService is exported and protected by the android.permission.BIND_ACCESSIBILITY_SERVICE permission, whose protection level should be verified.

Code Analysis

</> CODE ANALYSIS					
HIGH 0		WARNING 5		INFO 2	
SECURE 0		SUPPRESSED 0		Search:	
NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3		
2	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6		
3	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	f1/d.java	
4	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	i9/e.java	

This section details 5 warnings and 2 info-level issues found in the decompiled code.

- **Warning (Issue 2):** The app uses an insecure Random Number Generator (CWE-330).
- **Warning (Issue 3):** The app creates a temporary file, which could be insecure for sensitive data (M2: Insecure Data Storage).
- **Warning (Issue 5):** The app uses an SQLite Database and executes raw SQL queries, which can lead to SQL Injection (CWE-89) if input is untrusted.
- **Warning (Issue 6):** MD5, a weak hash algorithm known for collisions, is used (CWE-327).
- **Warning (Issue 7):** Files may contain hardcoded sensitive information like keys or passwords (CWE-312).
- **Info (Issue 1):** The app logs information, which should not include sensitive data (CWE-532).
- **Info (Issue 4):** The app copies data to the clipboard, making it accessible to other applications.

Shared Library Binary Analysis

- No Shared Objects (.so files) were found in the application.

APKID Analysis

DEX	DETECTIONS						
classes.dex	Search: <table><tr><th>FINDINGS</th><th>DETAILS</th></tr><tr><td>Anti-VM Code</td><td>Build.FINGERPRINT check Build.MANUFACTURER check Build.HARDWARE check SIM operator check</td></tr><tr><td>Compiler</td><td>r8</td></tr></table> Showing 1 to 2 of 2 entries Previous 1 Next	FINDINGS	DETAILS	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.HARDWARE check SIM operator check	Compiler	r8
FINDINGS	DETAILS						
Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.HARDWARE check SIM operator check						
Compiler	r8						

- **Anti-VM Code:** The application includes checks for Build.FINGERPRINT, Build.MANUFACTURER, Build.HARDWARE, and the SIM operator. This is often used to detect emulators or analysis environments.
- **Compiler:** The code was compiled with r8

Behaviour Analysis

BEHAVIOUR ANALYSIS			
Search:			
RULE ID	BEHAVIOUR	LABEL	FILES
00003	Put the compressed bitmap data into JSON object	camera	u3/f.java
00004	Get filename and put it to JSON object	file collection	i2/f.java
00009	Put data in cursor to JSON object	file	a2/x.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	z1/d0.java
00013	Read file and put it into a stream	file	
00022	Open a file from given absolute path of the file	file	a2/s.java f1/d.java
00036	Get resource file from res/raw directory	reflection	
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	g3/c.java i2/f.java la/c.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	
00075	Get location of the device	collection location	f/x.java

This section lists potential behaviors inferred from the code.

- **Data Collection:** Behaviors related to "Query data from URI (SMS, CALLLOGS)" and "Get location of the device" were identified.
- **File Access:** Behaviors include "Get filename and put it to JSON object" and "Open a file from given absolute path".

Abused Permissions

Top Malware Permissions	10/25 Other Common Permissions
android.permission.SYSTEM_ALERT_WINDOW, android.permission.WRITE_SETTINGS, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.GET_TASKS, android.permission.READ_PHONE_STATE, android.permission.WAKE_LOCK	android.permission.FOREGROUND_SERVICE, android.permission.PACKAGE_USAGE_STATS, com.google.android.gms.permission.AD_ID

This section identifies permissions that are commonly abused by malware.

- **Top Malware Permissions Found:** android.permission.SYSTEM_ALERT_WINDOW, android.permission.WRITE_SETTINGS, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.GET_TASKS, android.permission.READ_PHONE_STATE.
- **Other Common Permissions Found:** android.permission.FOREGROUND_SERVICE, android.permission.PACKAGE_USAGE_STATS.

Emails

- support@pranavpandey.com
- translate@pranavpandey.com

Trackers

- **Google AdMob:** One tracker related to "Advertisement" was identified.

Urls

URL	FILE
http://play.google.com/store/account/subscriptions?package=%1\$s http://play.google.com/store/account/subscriptions?sku=%1\$s&package=%2\$s	a7/k.java
http://play.google.com/store/account/subscriptions?package=%1\$s https://play.google.com/store/account/orderhistory	com/pranavpandey/android/dynamic/billing/activity/DynamicBillingActivity.java
http://schemas.android.com/apk/res/android	v1/o.java
http://schemas.android.com/apk/res/android	v1/a.java
http://schemas.android.com/apk/res/android	e0/b.java
https://apps.samsung.com/appquery/appdetail.as?appid= http://play.google.com/store/apps/details?id=	la/c.java
https://apps.samsung.com/appquery/appdetail.as?appid=%2\$s https://appgallery.cloud.huawei.com/appdetail?pkgname=%2\$s https://translate.pranavpandey.com https://play.google.com/store/apps/dev?id=6608630615059087491 https://apps.samsung.com/appquery/sellerproductlist.as?sellerid=000000160572 http://play.google.com/store/apps/details?id=%2\$s https://pranavpandey.com https://theme.pranavpandey.com/extension https://privacy.pranavpandey.com/rotation#terms-of-use https://github.com/pranavpandey/dynamic-theme https://privacy.pranavpandey.com/rotation https://theme.pranavpandey.com	Android String Resource
https://developer.android.com/training/articles/direct-boot	j2/d.java

- This section lists specific URLs found in the application code.
- **Examples:** <http://play.google.com/store/account/subscriptions...>, <https://apps.samsung.com/appquery/appdetail.as?appid=...>, [https://appgallery.cloud.huawei.com/appdetail?pkgname=%2\\$s](https://appgallery.cloud.huawei.com/appdetail?pkgname=%2$s), and <https://github.com/pranavpandey/dynamic-theme>.

Component Lists

- **Activities:**

```
▼ Showing all 21 activities
com.pranavpandey.rotation.activity.SplashActivity
com.pranavpandey.rotation.activity.PermissionsActivity
com.pranavpandey.rotation.activity.PreviewActivity
com.pranavpandey.rotation.activity.TutorialActivity
com.pranavpandey.rotation.activity.HomeActivity
com.pranavpandey.rotation.activity.SetupActivity
com.pranavpandey.rotation.activity.ThemeActivity
com.pranavpandey.rotation.activity.EditActivity
com.pranavpandey.rotation.activity.ShortcutsActivity
com.pranavpandey.rotation.activity.ExtensionActivity
com.pranavpandey.rotation.activity.ActionActivity
com.pranavpandey.rotation.activity.WidgetActivity
com.pranavpandey.android.dynamic.billing.activity.DynamicBillingActivity
com.pranavpandey.android.dynamic.support.preview.activity.DynamicPreviewActivity
com.pranavpandey.android.dynamic.support.permission.activity.DynamicPermissionsActivity
com.google.android.gms.ads.AdActivity
com.google.android.gms.ads.OutOfContextTestingActivity
com.google.android.gms.ads.NotificationHandlerActivity
com.android.billingclient.api.ProxyBillingActivity
com.android.billingclient.api.ProxyBillingActivityV2
com.google.android.gms.common.api.GoogleApiActivity
```

Lists all 21 activities, including *com.pranavpandey.rotation.activity.SplashActivity*, *com.pranavpandey.rotation.activity.HomeActivity*, and *com.google.android.gms.ads.AdActivity*.

- **Services:**

```
com.pranavpandey.rotation.service.RotationService
com.pranavpandey.rotation.service.RotationTileService
com.pranavpandey.rotation.service.RotationTileOrientation
com.google.android.gms.ads.AdService
androidx.work.impl.background.systemalarm.SystemAlarmService
androidx.work.impl.background.systemjob.SystemJobService
androidx.work.impl.foreground.SystemForegroundService
androidx.room.MultiInstanceInvalidationService
```

Lists all 10 services, including *com.pranavpandey.rotation.service.RotationService* and *com.google.android.gms.ads.AdService*.

- **Receivers:**

▼ Showing all 18 receivers

[com.pranavpandey.rotation.receiver.ThemeReceiver](#)
[com.pranavpandey.rotation.receiver.BootReceiver](#)
[com.pranavpandey.rotation.receiver.UpdateReceiver](#)
[com.pranavpandey.rotation.receiver.ActionReceiver](#)
[com.pranavpandey.rotation.provider.ServiceWidgetProvider](#)
[com.pranavpandey.rotation.provider.TogglesWidgetProvider](#)
[com.pranavpandey.android.dynamic.support.theme.receiver.DynamicColorsReceiver](#)
[com.pranavpandey.android.dynamic.engine.receiver.DynamicStateReceiver](#)
[androidx.work.impl.utils.ForceStopRunnable\\$BroadcastReceiver](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$BatteryChargingProxy](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$BatteryNotLowProxy](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$StorageNotLowProxy](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$NetworkStateProxy](#)
[androidx.work.impl.background.systemalarm.RescheduleReceiver](#)
[androidx.work.impl.background.systemalarm.ConstraintProxyUpdateReceiver](#)
[androidx.work.impl.diagnostics.DiagnosticsReceiver](#)
[androidx.profileinstaller.ProfileInstallReceiver](#)
[com.google.android.datatransport.runtime.scheduling.jobscheduling.AlarmManagerSchedulerBroadcastReceiver](#)

Lists all 18 receivers, including *com.pranavpandey.rotation.receiver.BootReceiver* and *com.pranavpandey.rotation.receiver.UpdateReceiver*.

- **Providers:**

▼ Showing all 3 providers

[androidx.core.content.FileProvider](#)
[androidx.startup.InitializationProvider](#)
[com.google.android.gms.ads.MobileAdsInitProvider](#)

Lists all 3 providers: *androidx.core.content.FileProvider*, *androidx.startup.InitializationProvider*, and *com.google.android.gms.ads.MobileAdsInitProvider*.

- **Libraries:**

▼ Showing all 3 libraries

[org.apache.http.legacy](#)
[androidx.window.extensions](#)
[androidx.window.sidecar](#)

Lists 3 libraries: *org.apache.http.legacy*, *androidx.window.extensions*, and *androidx.window.sidecar*.

- **SBOM (Software Bill of Materials):**

▼ Showing all **63** Versioned Packages

- androidx.activity:activity-ktx@1.8.1
- androidx.activity:activity@1.8.1
- androidx.annotation:annotation-experimental@1.4.1
- androidx.appcompat:appcompat-resources@1.7.1
- androidx.appcompat:appcompat@1.7.1
- androidx.arch.core:core-runtime@dynamic
- androidx.cardview:cardview@1.0.0
- androidx.constraintlayout:constraintlayout@2.2.1
- androidx.coordinatorlayout:coordinatorlayout@1.1.0
- androidx.core:core-ktx@1.16.0
- androidx.core:core-viewtree@1.0.0
- androidx.core:core@1.16.0
- androidx.cursoradapter:cursoradapter@1.0.0
- androidx.customview:customview@1.1.0
- androidx.documentfile:documentfile@1.0.0
- androidx.drawerlayout:drawerlayout@1.1.1
- androidx.dynamicanimation:dynamicanimation@1.1.0
- androidx.emoji2:emoji2-views-helper@1.3.0
- androidx.emoji2:emoji2@1.3.0
- androidx.fragment:fragment-ktx@1.8.8
- androidx.fragment:fragment@1.8.8
- androidx.graphics:graphics-shapes@1.0.1
- androidx.interpolator:interpolator@1.0.0
- androidx.legacy:legacy-support-core-utils@1.0.0
- androidx.lifecycle:lifecycle-livedata-core-ktx@dynamic

Lists 63 versioned packages, such as *androidx.activity:activity-ktx@1.8.1* and *com.google.android.material:material@1.14.0-alpha05*.