

letterloom v3.0.0

Meet letterloom, a highly customizable and user-friendly template designed to streamline the creation of professional correspondence. Whether you are drafting a formal business proposal or a personal note, letterloom ensures your letters are consistently polished, elegant, and tailored to your exact preferences.

Key Features

- **Multiple Signatures:** Seamlessly support single or multiple signatures, complete with optional titles and affiliations.
- **Custom Letterheads:** Easily integrate branded letterheads with flexible layout and positioning options.
- **Smart Enclosures:** List attached documents within the letter, and optionally embed them as appended pages.
- **Customizable Labels:** Fully adapt labels and text to suit your needs.
- **Configurable Fields:** Gain complete control over your document structure—every required field can be toggled as optional.

How It Works

Out of the box, letterloom adheres to the strict conventions of formal English business correspondence, intelligently structuring the sender address, date, recipient, subject, body, closing, and signatures. However, it also grants you ultimate control over typography, alignment, and optional elements.

The template handles all vertical spacing, page geometry, and letterhead placement automatically. This ensures a flawless, consistent layout regardless of your content's length or the paper size used.

Requirements

This package requires Typst 0.14.0 or higher.

Usage

Every parameter is documented below, detailing its accepted data type, default value, and practical application.

Getting Started

To initialize a new letterloom project locally, run the following command in your terminal:

```
typst init @preview/letterloom:3.0.0
```

Alternatively, you can create a new project directly in the [Typst Web App](#).

For a complete, full-featured demonstration, please refer to the [Comprehensive Example](#) section.

Required Parameters

By default, all fields listed below are mandatory. To override this behavior and omit specific fields, please refer to the [required-fields](#) parameter.

from-name `str` or `content`

The sender's name.

Examples:

```
// String
from-name: "The Dimbleby Family"
```

The Dimbleby Family

```
// Content block
from-name: text(weight: "bold")[The Dimbleby Family]
```

The Dimbleby Family

from-address `str` or `content`

The sender's address.

Examples:

```
// String
from-address: "The Dimbleby Estate"
```

The Dimbleby Estate

```
// Content block
from-address: [
  The Dimbleby Estate \
  Cheswick Village \
  Middle Upton \
  Bristol BS16 1GU
]
```

The Dimbleby Estate
Cheswick Village
Middle Upton
Bristol BS16 1GU

Note: By default, the sender's name and address are right-aligned. You may change this using the `from-alignment` parameter.

to-name `str` or `content`

The recipient's name.

Examples:

```
// String  
to-name: "Evergreen Tree Surgeons"
```

Evergreen Tree Surgeons

```
// Content block  
to-name: text(weight: "bold")[Evergreen Tree Surgeons]
```

Evergreen Tree Surgeons

to-address `str` or `content`

The recipient's address.

Examples:

```
// String  
to-address: "Midtown Lane"
```

Midtown Lane

```
// Content block  
to-address: [  
  Midtown Lane \  
  Cheswick Village \  
  Stoke Gifford \  
]
```

```
Bristol BS16 1GU  
]
```

Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

date `str` or `content`

The letter's date.

Examples:

```
// Simple string format  
date: "01 January 1970"
```

01 January 1970

```
// Dynamic date using Typst's datetime functions  
date: datetime.today().display("[day padding:zero] [month repr:long] [year  
repr:full]")
```

03 May 2026

Note: By default, the letter's date is right-aligned. You may change this using the [date-alignment](#) parameter.

For custom formatting options, refer to [Typst's datetime formatting documentation](#).

salutation `str` or `content`

The opening greeting.

Examples:

```
// Standard business greeting  
salutation: "Dear Mr Hawthorne,"
```

Dear Mr Hawthorne,

```
// Styled salutation with formatting
salutation: text(weight: "bold")[Dear Mr Hawthorne,]
```

Dear Mr Hawthorne,

subject `str` or `content`

The subject line.

Examples:

```
// Simple subject
subject: "Pruning of Heritage Oak Trees in the Dimbleby Estate"
```

Pruning of Heritage Oak Trees in the Dimbleby Estate

```
// Styled subject with formatting
subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the
Dimbleby Estate")]
```

PRUNING OF HERITAGE OAK TREES IN THE DIMBLEBY ESTATE

closing `str` or `content`

The closing phrase.

Examples:

```
// Formal business closing phrase
closing: "Yours sincerely,"
```

Yours sincerely,

```
// Styled closing with formatting
closing: text(weight: "bold")[Yours sincerely,]
```

Yours sincerely,


signatures `array`

Specifies a list of signatures as an array of dictionaries, where each dictionary has the following keys:

name	<code>str</code> or <code>content</code>	The signatory's name.
signature	<code>content</code> <i>optional</i>	A <code>Typst image(...)</code> call pointing to the signature image file. When omitted, a blank space is reserved for a physical signature.
affiliation	<code>str</code> or <code>content</code> <i>optional</i>	The signatory's title, role, and/or affiliation.

Examples:

```
// Single signature with name and signature image
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png"),
  ),
)
```



Lord Albus Dimbleby

Note: For a single signature, use `signature-alignment` to control placement; ignored when multiple signatures are given.

```
// Multiple signatures with names and signature images
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png"),
  ),
  (
    name: "Lady Abigail Dimbleby",
    signature: image("images/abigail-sig.png"),
  ),
  (
    name: "Sir Austin Dimbleby",
    signature: image("images/austin-sig.png"),
  ),
)
```



Lord Albus Dimbleby



Lady Abigail Dimbleby



Sir Austin Dimbleby

For full details and examples, see the [Signature Handling](#) section.

Optional Parameters

The following parameters allow you to further customize your letter by adding features such as a letterhead, an attention line, CC recipients, enclosures, or a footer.

Letterhead dictionary

Places the provided letterhead on the first page of the letter.

file	bytes	Typst read function specifying the path to the file and encoding.
width	length or ratio or relative <i>optional</i>	Width of the image. Defaults to the full available width.
height	length <i>optional</i>	Height of the image. Scales proportionally with width when omitted.
image-inset	length or dictionary <i>optional</i>	Inset applied to the letterhead. Defaults to 0mm on all sides.
image-alignment	alignment <i>optional</i>	Horizontal alignment of the letterhead. Defaults to center. Ignored when sender-position is set.
sender-position	alignment <i>optional</i>	Places the sender address alongside or centered below the letterhead.
bottom-gap	length <i>optional</i>	Space between the sender address and the letter content below when sender-position is center. Defaults to par-spacing .
sender-valign	alignment <i>optional</i>	Vertical alignment of the sender address relative to the image when sender-position is left or right. Accepts top, horizon, or bottom. Defaults to horizon (vertically centred). Has no effect when sender-position is center or omitted.

Default: none

Examples:

```
// Full-width letterhead with no margins (default behavior)
letterhead: (
  file: read("images/letterhead.png", encoding: none),
)
```

```
// Partial-width letterhead centered with spacing around it
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 60%,
  image-inset: (top: 5mm, bottom: 3mm, rest: 8mm),
  image-alignment: center,
)

// Fixed-width letterhead with uniform inset
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 120mm,
  image-inset: 5mm,
  image-alignment: right,
)
```



Full-width



Partial-width



Fixed-width

For working examples of each sender-position variant and additional notes on usage, see the [Letterhead Layout](#) section.

attn-name `str` or `content`

The attention line recipient's name.

Default: `none`

Example:

```
attn-name: "Mr Basil Hawthorne"
```

Attn: Mr Basil Hawthorne

attn-label `str` or `content`

The label printed before the attention line name.

Default: "Attn: "

Example:

```
attn-label: "À l'attention de"
```

À l'attention de M. Basil Hawthorne

attn-position `str`

Whether to place the attention line above or below the recipient's address.

Default: "above"

Example:

```
// Placed above the recipient's address (default)
attn-position: "above"
```

Attn: Mr Basil Hawthorne
Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

```
attn-position: "below" // Placed below the recipient's address
```

Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU
Attn: Mr Basil Hawthorne

cc `str` or `content` or `array`

Lists carbon copy (cc) recipients as a single string or content block, or an array of them.

Default: `none`

Examples:

```
// Single cc recipient
cc: "Mr Jethro Tull"
```

```
cc:
    Mr Jethro Tull
```

```
// Multiple cc recipients
cc: (
    "Mr Jethro Tull",
    "Ms Sarah Green",
    "Dr Robert Brown",
)
```

```
cc:
    Mr Jethro Tull
    Ms Sarah Green
    Dr Robert Brown
```

Note: The list of cc recipients is placed after the signature(s) but before the list of enclosures.

cc-label `str` or `content`

The label printed before the list of cc recipients.

Default: "cc:"

Examples:

```
// String
cc-label: "Cc:"
```

```
Cc:
    Mr Jethro Tull
    Ms Sarah Green
    Dr Robert Brown
```

```
// Content block
cc-label: text(weight: "bold")[cc:]
```

```
cc:
    Mr Jethro Tull
    Ms Sarah Green
    Dr Robert Brown
```

enclosures `array`

A list of enclosures defined as an array of dictionaries.

description	<code>str</code> or <code>content</code>	Label shown in the enclosures list.
file	<code>bytes</code> <i>optional</i>	Typst read function specifying the path to the file and encoding. When omitted, only the description is rendered.
pages	<code>int</code> <i>optional</i>	Number of pages to render starting from page 1. Defaults to 1 which will only render the first page.
page-inset	<code>length</code> or <code>dictionary</code> <i>optional</i>	Page margin for the embedded file. Defaults to 0mm on all sides when omitted.

Default: `none`

Examples:

```
// Single enclosure (description only)
enclosures: (description: "Provenance of the Oak trees on the Dimbleby Estate.")
```

```
encl:
  Provenance of the Oak trees on the Dimbleby Estate.
```

```
// Multiple enclosures (descriptions only)
enclosures: (
  (description: "Provenance of the Oak trees on the Dimbleby Estate."),
  (description: "Photographs of storm damaged Oak trees."),
  (description: "Insurance claim form."),
)
```

```
encl:
  1. Provenance of the Oak trees on the Dimbleby Estate.
  2. Photographs of storm damaged Oak trees.
  3. Insurance claim form.
```

Note: Enclosures are listed after the letter closing or after a list of cc recipients if specified.

For embedding files directly into the letter, see the [Enclosures with Embedded Documents](#) section.

enclosures-label `str` or `content`

The label printed before the enclosures list.

Default: `"encl:"`

Examples:

```
// String
enclosures-label: "enclosures:"
```

enclosures:

1. Provenance of the Oak trees on the Dimbleby Estate.
2. Photographs of storm damaged Oak trees.
3. Insurance claim form.

```
// Content block
enclosures-label: text(weight: "bold")[encl:]
```

encl:

1. Provenance of the Oak trees on the Dimbleby Estate.
2. Photographs of storm damaged Oak trees.
3. Insurance claim form.

footer array

An array of footer elements — URLs, email addresses, or plain text.

footer-text	str or content	The footer text.
footer-type	str <i>optional</i>	The type of footer element: "url", "email" or "string". When set to "url" or "email", the text is rendered as a clickable hyperlink. When omitted or set to "string", the text is rendered as plain text.

Default: none

Example:

```
footer: (
  (
    // Displayed as is
    footer-text: "+44-117-555-5555",
  ),
  (
    // Displayed as a mailto: link
    footer-text: "dimblebyfamily@dimbleby.org",
    footer-type: "email",
  ),
  (
    // Displayed as a web link
    footer-text: "https://dimbleby.org",
```

```
    footer-type: "url",  
  )  
)
```

+44-117-555-5555 dimblebyfamily@dimbleby.org <https://dimbleby.org>

Note: The footer is placed at the bottom of the letter above the page number if enabled and is center-aligned.

required-fields array

Controls which of the default mandatory fields are active. Any field omitted from this array is silently suppressed and occupies no layout space.

Valid values:

- "from-name"
- "from-address"
- "to-name"
- "to-address"
- "date"
- "salutation"
- "subject"
- "closing"
- "signatures"

Default: ("from-name", "from-address", "to-name", "to-address", "date", "salutation", "subject", "closing", "signatures")

Examples:

```
// Omit the subject line  
required-fields: (  
  "from-name", "from-address",  
  "to-name", "to-address",  
  "date", "salutation", "closing", "signatures",  
)  
  
// Minimal letter – no salutation, subject, or closing  
required-fields: (  
  "from-name", "from-address",  
  "to-name", "to-address",  
  "date", "signatures",  
)  
  
// Date and sender omitted (e.g. reply with sender details in letterhead)  
required-fields: (  
  "to-name", "to-address",  
  "salutation", "subject", "closing", "signatures",  
)
```

Note: Fields included in the array must be given a value, or validation will fail.

Document Settings

These parameters control the foundational layout of your letter, allowing you to configure paper size, margins, spacing, and page numbering.

paper-size `str`

The paper size.

Default: "a4"

Examples:

```
paper-size: "a4" // A4 (210 × 297 mm)
paper-size: "us-letter" // US Letter (8.5 × 11 in)
paper-size: "legal" // Legal (8.5 × 14 in)
```

For more information, see [Typst's documentation on paper sizes](#).

margins `auto` or `relative` or `dictionary`

The page margins.

Default: `auto`

Examples:

```
// Automatic margins (default)
margins: auto

// Uniform margins
margins: 20mm

// Custom margins
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm)

// Asymmetric margins
margins: (top: 25mm, left: 30mm, bottom: 25mm, right: 30mm)
```

Note: The default setting of `auto` results in a 25 mm margin for A4 paper.

Refer to [Typst's margin documentation](#) for more information.

par-leading `length`

Line spacing within paragraphs.

Default: 0.8em

Examples:

```
par-leading: 0.8em // Tight spacing
par-leading: 1.0em // Normal spacing
par-leading: 1.2em // Loose spacing
```

We are writing to request you to visit the estate to assess the Heritage Oak Trees that have stood the test of time.

Tight spacing: 0.8em (default)

We are writing to request you to visit the estate to assess the Heritage Oak Trees that have stood the test of time.

Normal spacing: 1.0em

We are writing to request you to visit the estate to assess the Heritage Oak Trees that have stood the test of time.

Loose spacing: 1.2em

Note: The right value depends on your font, size, and personal taste. Refer to [Typst's par documentation](#) for details.

par-spacing `length`

Spacing between paragraphs.

Default: 1.8em

Examples:

```
par-spacing: 1.5em // Compact paragraphs
par-spacing: 1.8em // Standard spacing (default)
par-spacing: 2.0em // Relaxed spacing
```

We are writing to request you to visit the estate.
Your task would be to render the grove safe.
Kindly contact Mr Jethro Tull to arrange a visit.

Compact paragraphs: 1.5em

We are writing to request you to visit the estate.
Your task would be to render the grove safe.
Kindly contact Mr Jethro Tull to arrange a visit.

Standard spacing: 1.8em (default)

We are writing to request you to visit the estate.
Your task would be to render the grove safe.
Kindly contact Mr Jethro Tull to arrange a visit.

Relaxed spacing: 2.0em

Note: The right value depends on your font, size, and personal taste. Refer to [Typst's par documentation](#) for details.

number-pages `bool`

Enable page numbering from the second page onwards.

Default: false

Examples:

```
number-pages: true // Page numbers from the second page onwards
```

+44-117-555-5555 dumblebyfamily@dumbleby.org https://dumbleby.org

Note: Page numbers are centered at the bottom of the page below the footer if one is specified.

Typographical Settings

These parameters govern the visual presentation of your text, allowing you to define custom font families, base sizes, and other stylistic elements used throughout the document.

main-font str

Sets the font used for the main body of the letter.

Default: "Libertinus Serif"

Examples:

```
main-font: "Libertinus Serif" // Default serif font
main-font: "Noto Serif" // Google's Noto Serif
main-font: "Times New Roman" // Classic serif
main-font: "Arial" // Sans-serif option
```

main-font-size length

Sets the font size for the main body.

Default: 11pt

Examples:

```
main-font-size: 10pt // Smaller text
main-font-size: 11pt // Standard size
main-font-size: 12pt // Larger text
```

footnote-font str

Sets the font used for footnotes.

Default: "Libertinus Serif"

Examples:

```
footnote-font: "Libertinus Serif" // Match main font
footnote-font: "Noto Serif" // Alternative serif
footnote-font: "DejaVu Sans" // Sans-serif option
```

footnote-font-size length

Sets the font size for footnotes.

Default: 7pt

Examples:

```
footnote-font-size: 6pt // Very small
footnote-font-size: 7pt // Standard size
footnote-font-size: 8pt // Larger footnotes
```

footer-font str

Sets the font used for the footer.

Default: "DejaVu Sans Mono"

Examples:

```
footer-font: "DejaVu Sans Mono" // Monospace default
footer-font: "Fira Mono" // Modern monospace
footer-font: "Courier New" // Classic monospace
footer-font: "Arial" // Sans-serif option
```

footer-font-size length

Sets the font size for the footer.

Default: 9pt

Examples:

```
footer-font-size: 8pt // Smaller footer
footer-font-size: 9pt // Standard size
footer-font-size: 10pt // Larger footer
```

Layout Settings

Controls alignment of letter elements and hyperlink color.

date-alignment alignment

Sets the alignment of the letter's date.

Default: right

Examples:

```
date-alignment: right // Right-aligned date (default)
date-alignment: center // Center-aligned date
date-alignment: left // Left-aligned date
```

01 January 1970

Right-aligned date (default)

01 January 1970

Center-aligned date

01 January 1970

Left-aligned date

Note: When `date-alignment` matches `from-alignment` and a sender is present in the normal flow, the date block is width-matched to the sender block so their edges align. When `letterhead.sender-`

position is set, the sender moves into the letterhead and the date aligns independently of the sender.

from-alignment `alignment`

Sets the alignment of the sender's name and address.

Default: right

Examples:

```
from-alignment: right // Right-aligned sender (default)
from-alignment: center // Center-aligned sender
from-alignment: left // Left-aligned sender
```

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

Right-aligned sender (default)

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

Center-aligned sender

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

Left-aligned sender

Note: When `letterhead.sender-position` is set, this parameter is overridden. See the [Letterhead Layout](#) section for full details.

footnote-alignment `alignment`

Specifies the alignment of the footnote separator and footnotes.

Default: left

Examples:

```
footnote-alignment: left // Left-aligned footnotes (default)
footnote-alignment: right // Right-aligned footnotes
footnote-alignment: center // Center-aligned footnotes
```

¹ The Dimbleby Estate, Cheswick Village, Bristol
BS16 1GU.

Left-aligned footnote (default)

¹ The Dimbleby Estate, Cheswick Village, Bristol
BS16 1GU.

Center-aligned footnote

¹ The Dimbleby Estate, Cheswick Village, Bristol
BS16 1GU.

Right-aligned footnote


signature-alignment `alignment`

Specifies the alignment of the signature if only one signature is specified.


Default: left

Examples:


```
signature-alignment: left // Left-aligned signature (default)
signature-alignment: right // Right-aligned signature
signature-alignment: center // Center-aligned signature
```



Left-aligned signature (default)



Center-aligned signature



Right-aligned signature


link-color

Determines the color of hyperlinks in the letter.


Default: blue

Examples:


```
link-color: blue // Typst's blue #0074d9 (default)
link-color: maroon // Typst's maroon #85144b
link-color: rgb(46, 111, 64) // Custom SVG color Forest Green
```



Typst's blue: #0074d9 (default)



Typst's maroon: #85144b



Custom SVG color: Forest Green

Refer to [Typst's documentation on colors](#) for additional details.

Signature Handling

Multiple Signatures

Signatures are organized in rows with a maximum of three signatures each, filling from left to right. When the available width is exceeded, the signatures wrap to a new row. There is no limit to the total number of signatories.

- **Baseline Alignment:** Within each row, name baselines are always aligned, regardless of whether a signature image or affiliation is present.
- **Parameter Behavior:** The [signature-alignment](#) parameter is automatically ignored whenever more than one signature is present.

Example:

```
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png"),
  ),
  (
    name: "Lady Abigail Dimbleby",
    signature: image("images/abigail-sig.png"),
  ),
  (
    name: "Sir Austin Dimbleby",
    signature: image("images/austin-sig.png"),
  )
)
```

),
)

ALBUS DIMBLEBY

Lord Albus Dimbleby

Abigail Dimbleby

Lady Abigail Dimbleby

Austin Dimbleby

Sir Austin Dimbleby

Managing Long Affiliations

When an affiliation exceeds the standard length, the signature block automatically expands vertically to accommodate the text.

- **Dynamic Row Height:** To maintain consistent alignment, all signature blocks within a single row will scale to match the height of the tallest entry. This ensures that the name baselines remain perfectly level across the entire row.
- **Manual Line Breaks:** You can explicitly define line breaks within an affiliation by using the backslash (`\`) character. The letterloom template will respect these linebreaks, automatically calculating the necessary width and adjusting the arrangement of subsequent signatures to maintain the specified order.

Example:

```
signatures: (  
  (  
    name: "Lord Albus Dimbleby",  
    signature: image("albus-sig.png", width: 40mm),  
    affiliation: [  
      Earl of Cheswick \  
      Chairman of the Dimbleby Family Charitable Trust \  
      President of the Royal Horticultural Society \  
    ],  
  ),  
  (  
    name: "Lady Abigail Dimbleby",  
    signature: image("abigail-sig.png", width: 40mm),  
    affiliation: [  
      Countess of Cheswick  
    ],  
    // shorter affiliation - block expands to match Lord Albus's height  
  ),  
  (  
    name: "Sir Austin Dimbleby",  
    signature: image("austin-sig.png", width: 40mm),  
    affiliation: [  
      Knight Commander of the Order of the British Empire \  
      Chairman of the Dimbleby Estate \  
      Secretary of the Dimbleby Family Charitable Trust \  
      Senior Fellow of the Royal Geographical Society \  
    ],  
  ),  
)
```

```
// wide affiliation forces this onto its own row
),
)
```



Lord Albus Dimbleby
Earl of Cheswick
Chairman of the Dimbleby Family Charitable Trust
President of the Royal Horticultural Society



Lady Abigail Dimbleby
Countess of Cheswick



Sir Austin Dimbleby
Knight Commander of the Order of the British Empire
Chairman of the Dimbleby Estate
Secretary of the Dimbleby Family Charitable Trust
Senior Fellow of the Royal Geographical Society

Letterhead Layout

The letterloom template offers four distinct letterhead layouts. The default full-width layout is applied when the sender-position parameter is omitted, while the other three are controlled by specifying sender-position as left, right, or center.

All layouts support adding spacing to the letterhead using the image-inset parameter.

Full-Width

The full-width letterhead image is placed flush with the physical edges of the page. This is the default when the sender-position is omitted.

Example:

```
// Full-width letterhead with sender lines in default position
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  image-alignment: center,
)
```



Sender Alongside: Right

The letterhead image is placed flush to the left edge of the page. The sender address fills the remaining column to the right, vertically centred relative to the image by default.

Example:

```
// Letterhead with sender alongside on the right, vertically centred (default)
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 65mm, // required in practice – sets the column split
  sender-position: right,
  sender-valign: horizon, // top, horizon (default), or bottom
)
```



- image-alignment is ignored.
- Specify width; omitting it defaults to full content width, leaving no room for the sender.
- sender-valign controls the vertical position of the sender relative to the image: top, horizon (default), or bottom.

Sender Alongside: Left

The letterhead image is placed flush to the right edge of the page. The sender address fills the remaining column to the left, vertically centred relative to the image by default.

Example:

```
// Letterhead with sender alongside on the left, vertically centred (default)
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 65mm,
  sender-position: left,
  sender-valign: horizon, // top, horizon (default), or bottom
)
```



- image-alignment is ignored.
- sender-valign controls the vertical position of the sender relative to the image: top, horizon (default), or bottom.

Sender Centered Below

The letterhead image is placed flush and centered. The sender address is placed absolutely below it, also centered, forming a single decorative header block. The letter content (date, recipient, body) starts below both.

Example:

```
// Letterhead with sender centered below
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 120mm,
  sender-position: center,
  bottom-gap: 8mm, // space between sender and content; defaults to par-spacing
)
```



- `image-alignment` is ignored; the image is always centered.
- `bottom-gap` controls the space between the sender address and the letter content below; it has no effect on the other three layouts.
- The date is decoupled from the sender — `date-alignment` and `from-alignment` do not interact.

Notes and Caveats

- **Use `read()`, not `image()`:** The `file` key expects raw bytes loaded via `read("path", encoding: none)`. Passing a Typst `image()` call will produce a type error.
- **Aspect ratio:** Setting both width and height may distort the image. If the values do not match the image's natural aspect ratio, the image will be stretched or compressed. Omit height to let it scale proportionally with width.
- **Percentage widths:** Percentage widths are relative to the available width. A width of 100% fills the page width minus the letterhead's left and right `image-inset`, not the full physical page width. To span the full page width with no inset, omit width entirely or set `image-inset` to 0mm.
- **Auto page margins:** When the `margins` parameter is left at its default of `auto`, letterloom derives the page margin using Typst's formula: 2.5/21 of the page's shorter dimension. If you set custom page margins, the letterhead placement adjusts automatically.
- **Custom inset with asymmetric sides:** When using a dictionary for `image-inset` (e.g., `(top: 5mm, rest: 8mm)`), the `rest` key sets the fallback for any sides not explicitly listed.
- **Image format support:** PNG, JPEG, SVG, and GIF are supported. Passing a file in an unsupported format will result in a Typst compile error.

Embedding Enclosures

When a `file` key is provided, the document is embedded on a dedicated page appended to the letter. The sections below detail the available options for file-embedded enclosures.

Embedding Files

To append the actual document to your letter, load the file as bytes using `read("path", encoding: none)`. The file will be rendered on a new page following the letter body.

Example:

```
// Enclosures with embedded files
enclosures: (
  (
    description: "Photograph of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
  ),
)
```

Multi-Page PDFs

By default, only the first page of an embedded PDF is rendered. Use the `pages` key to specify how many pages to include.

Example:

```
// Enclosure with multiple pages from a PDF file
enclosures: (
  (
    description: "Heritage Oak provenance statement.",
    file: read("enclosures/heritage-oak-provenance-statement.pdf", encoding: none),
    pages: 3, // renders pages 1-3
  ),
)
```

Terminal Tip: To quickly find the page count of a PDF, you can use the `pdftinfo` command from the [Poppler](#) library: `pdftinfo document.pdf | grep Pages`.

Page Insets

You can customize the margins for each embedded enclosure using `page-inset`. This accepts either a uniform length or a dictionary to target specific sides (valid keys: `top`, `bottom`, `left`, `right`, `x`, `y`, `rest`).

Example:

```
// Enclosure with custom page insets
enclosures: (
  (
    description: "Photograph of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    page-inset: 15mm, // uniform on all sides
  ),
)
```

Mixed List

You can freely mix description-only line items and embedded files within the same list.

Example:

```
// Mixed list of enclosures with descriptions and embedded files
enclosures: (
  (description: "Insurance claim form (complete and return)."),
  (
    description: "Photographs of storm-damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    page-inset: (top: 20mm),
  ),
  (
    description: "Heritage Oak provenance statement.",
    file: read("enclosures/heritage-oak-provenance-statement.pdf", encoding:
none),
    pages: 2,
  ),
)
)
```

A fully working demonstration of enclosures can be found in the [Comprehensive Example](#) section.

Comprehensive Example

The example below demonstrates the core capabilities of the letterloom template in action.

Note: This is not intended as a ready-to-use template for everyday correspondence. Instead, it serves as a technical showcase, illustrating how various parameters interact to produce a complex, richly formatted letter.

```
#import "@preview/letterloom:3.0.0": *

#show: letterloom.with(
  // Sender's contact information (name and address)
  from-name: "The Dimbleby Family",
  from-address: [
    The Dimbleby Estate \
    Cheswick Village \
    Middle Upton \
    Bristol BS16 1GU
  ],

  // Recipient's contact information (name and address)
  to-name: "Evergreen Tree Surgeons",
  to-address: [
    Midtown Lane \
    Cheswick Village \
    Stoke Gifford \
    Bristol BS16 1GU
  ],

  // Attention line for specific recipient (optional)
  attn-name: "Mr Basil Hawthorne",

  // Letter date (automatically set to today's date)
  date: datetime.today().display("[day padding:zero] [month repr:long] [year
repr:full]"),
```

```

// Opening greeting
salutation: "Dear Mr Hawthorne,",

// Letter subject line
subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the
Dimbleby Estate")],

// Closing phrase
closing: "Sincerely yours,",

// List of signatures with their name, optional signature image and affiliation
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png", width: 50mm),
  ),
  (
    name: "Lady Abigail Dimbleby",
    signature: image("images/abigail-sig.png", width: 50mm),
  ),
  (
    name: "Sir Austin Dimbleby",
    signature: image("images/austin-sig.png", width: 50mm),
  ),
),

// Letterhead (optional)
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  image-inset: (bottom: 2mm, rest: 5mm),
),

// List of cc recipients (optional)
cc: "Mr Jethro Tull",

// List of enclosures (optional)
enclosures: (
  (
    description: "Photograph of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    page-inset: 20mm,
  ),
  (
    description: "Provenance of the Oak trees on the Dimbleby Estate.",
    file: read("enclosures/oak-tree-provenance.pdf", encoding: none),
    pages: 3,
  ),
),

// Custom footer information (optional)
footer: (
  (
    footer-text: "+44-117-555-5555",
  ),
),

```

```
(
  footer-text: "dimplebyfamily@dimpleby.org",
  footer-type: "email",
),
(
  footer-text: "https://dimpleby.org",
  footer-type: "url",
),
),

// Paper size (default: "a4")
paper-size: "a4",

// Page margins (default: auto)
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm),

// Enable page numbering (default: false)
number-pages: false,

// Main font (default: "Libertinus Serif")
main-font: "Libertinus Serif",

// Main font size (default: 11pt)
main-font-size: 11pt,

// Footnote font (default: "Libertinus Serif")
footnote-font: "Libertinus Serif",

// Footnote font size (default: 7pt)
footnote-font-size: 7pt,

// Footer font (default: "DejaVu Sans Mono")
footer-font: "DejaVu Sans Mono",

// Footer font size (default: 9pt)
footer-font-size: 9pt,

// Footnote alignment (default: left)
footnote-alignment: right,

// Link color (default: blue)
link-color: maroon,
)
```

We are writing to request you to visit The Dimpleby Estate in Cheswick Village to assess a stand of lordly Heritage Oak Trees that have stood the test of time, but whose strength might have been compromised by the wild squall that ripped through the region last week. We are keen to avoid any danger to passers by from weakened roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the same time minimizing the residual damage to the trees. You would, of course, also undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimpleby family, the signatures of all

three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.

THE DIMBLEBY ESTATE



The Dimbleby Family
The Dimbleby Estate
Cheswick Village
Middle Upton
Bristol BS16 1GU

03 May 2026

Attn: Mr Basil Hawthorne
Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

Dear Mr Hawthorne,

PRUNING OF HERITAGE OAK TREES IN THE DIMBLEBY ESTATE

We are writing to request you to visit The Dimbleby Estate in Cheswick Village to assess a stand of lordly Heritage Oak Trees that have stood the test of time, but whose strength might have been compromised by the wild squall that ripped through the region last week. We are keen to avoid any danger to passers by from weakened roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the same time minimizing the residual damage to the trees. You would, of course, also undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimbleby family, the signatures of all three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.

Sincerely yours,

ALBUS DIMBLEBY

Lord Albus Dimbleby

Abigail Dimbleby

Lady Abigail Dimbleby

Austin Dimbleby

Sir Austin Dimbleby

cc:

Mr Jethro Tull

encl:

1. Photograph of storm damaged Oak trees.
2. Heritage Oak Provenance Statement.



Disclaimer: This document and its references are entirely fictitious, created solely to demonstrate the letterloom package. Any resemblance to real persons, places, or events is purely coincidental. This content is for illustrative purposes only and contains no factual information.

Heritage Oak Provenance Statement

Reference: DEPS-2026-OAK-001

Date: 14 March 2026

Site: Dimpleby Estate, Middle Upton, Bristol BS16 1GU

Prepared for: The Dimpleby Family

Species: English Oak (*Quercus robur*)

Specimens: OT-01 to OT-06 (six trees)

Introduction

This statement establishes the provenance of six English Oak (*Quercus robur*) specimens growing on the eastern boundary of the Dimpleby Estate, Middle Upton, Bristol. It has been prepared at the request of the Dimpleby family in connection with a proposed programme of arboricultural works and provides a formal record of the trees' origin, lineage, and historical continuity for the purposes of heritage assessment and legal documentation.

The trees are assessed as being of native English provenance, locally sourced, and in continuous presence on the estate for a minimum of three centuries. This conclusion is supported by converging lines of documentary, cartographic, morphological, and dendrochronological evidence, each described in the sections that follow.

Methodology

Provenance was established through four complementary lines of enquiry:

- Archival research.** The Dimpleby family archive was examined in full, with attention to estate ledgers, correspondence, and land management records from the 17th century onwards. The Upton Vale County Archive and the Middle Upton Heritage Environment Register were also consulted for independent corroboration.
- Cartographic analysis.** Cheswick County Survey maps, tithe maps, and privately commissioned estate surveys spanning the period 1720 to 1980 were examined to establish the continuous presence and stable position of the woodland stand.
- Morphological assessment.** Each specimen was examined in the field in February 2026. Leaf morphology, acorn and cupule characteristics, bark texture, and growth habit were assessed against published taxonomic descriptions of native *Quercus robur* populations in south-west England.
- Dendrochronological estimation.** Girth measurements at 1.5 m above ground level were used in conjunction with published growth rate data for native oak in comparable woodland conditions to estimate the age of each specimen. No core sampling was undertaken, as the trees are of recognised heritage significance.

Historical Provenance

Estate records held in the Dimpleby family archive provide a continuous documentary chain from the late 17th century to the present. The earliest relevant entry appears in a land management ledger dated 1678, during the tenure of Sir Edmund Dimpleby, which records the planting of "great oaks along the southern

ride and the western paddock boundary.” A subsequent entry from 1694 documents the collection of acorns from “the ancient wood at Cheswick Common” for propagation at the estate nursery, directly indicating a local seed source within the Cheswick Village catchment.

An estate survey map prepared circa 1720 depicts a continuous belt of young woodland along the eastern boundary, consistent in position and extent with the six specimens under consideration. This map, held at the Upton Vale County Archive, constitutes independent corroboration of the estate ledger entries and confirms that planting was well established within a generation of the 1678 record.

The tithe apportionment map of 1841, also held at the Upton Vale County Archive, records “mature oak timber” in the same location, indicating that by the mid-19th century the trees had reached full maturity and were recognised as a significant estate feature. A photographic survey commissioned by the Dimbleby family in 1923 provides visual confirmation, showing specimens of girth and form directly comparable to those measured in February 2026.

Taken together, these sources establish an unbroken record of native oak presence on this site spanning approximately 348 years. The consistency of the documentary chain, supported by independent archival sources, provides high confidence in the trees’ native, locally sourced origin.

Morphological Assessment and Age Estimation

Each of the six specimens was assessed in the field against the taxonomic criteria for native *Quercus robur*. All trees display sessile acorns borne on elongated peduncles of 3–7 cm, deeply lobed leaves with pronounced auriculate bases, and furrowed grey-brown bark of a texture consistent with advanced age in native stands. No characteristics indicative of non-native provenance, hybrid origin, or cultivar selection were observed. Leaf morphology, acorn characteristics, and growth habit are uniform across all six specimens, consistent with a single-origin, locally sourced population.

Tree Ref	Girth at 1.5 m (cm)	Estimated Age (years)	Provenance Confidence
OT-01	312	290-320	High
OT-02	287	270-300	High
OT-03	341	310-350	High
OT-04	298	280-310	High
OT-05	265	250-280	High
OT-06	319	290-330	High

Table 1: Field measurements and dendrochronological age estimates, February 2026.

Age estimates are derived from girth measurements using a mean annual radial increment of 2.5 mm, consistent with published growth rate data for native *Quercus robur* grown in open woodland conditions in south-west England (White, 1998). All six specimens fall within the age range consistent with establishment from the 1678-1694 planting records, providing morphological corroboration of the documentary evidence.

Documentary Evidence Summary

Source	Date	Type	Repository
Dimbleby estate land management ledger	1678	Primary manuscript	Dimbleby Family Archive
Dimbleby estate nursery record	1694	Primary manuscript	Dimbleby Family Archive
Dimbleby estate survey map	c. 1720	Cartographic	Upton Vale County Archive

Source	Date	Type	Repository
Tithe apportionment map, Middle Upton	1841	Cartographic	Upton Vale County Archive
Dimbleby Estate photographic survey	1923	Photographic	Dimbleby Family Archive
MUHER record	2019	Heritage register	MUHER

Table 2: Primary sources consulted in the preparation of this statement.

Declaration

I confirm that the information contained in this statement has been compiled from direct field observation, primary archival sources, and published reference data, and that it represents an accurate and impartial assessment of the provenance of the six oak specimens at the Dimbleby Estate to the best of my professional knowledge and judgement.

Prepared by: Mr Sebastian Oakley, MA, Dip. WP, FSWPC
Position: Woodland Historian and Provenance Consultant
Qualifications: MA History of the Landscape (Upton Vale); Diploma in Woodland Provenance Studies (BWhA); Fellow of the Society of Woodland Provenance Consultants
For: The Dimbleby Estate
Date: 14 March 2026
Signature:



References

Hartwell, G. (1998). *Estimating the Age of Large and Veteran Trees in Britain*. Woodland Research Institute Technical Note 12. Bristol: Woodland Research Institute.

Ashbourne, R. S. (ed.) (1991). *British Plant Communities, Volume 1: Woodlands and Scrub*. Upton Vale: Ridgeway Academic Press.

Fernshaw, C. (2019). *New Flora of the British Isles* (4th ed.). Barleycorn Press.

Oakfield Timber Research Association (2002). *Identifying Native Hardwoods: A Field Guide*. Cheswick: OTRA.

Middle Upton Heritage Environment Register (2019). *HER Record for Cheswick Common Ancient Woodland*. Middle Upton District Council.