

letterloom v3.0.0

Meet letterloom, a highly customizable and user-friendly template designed to streamline the creation of professional correspondence. Whether you are drafting a formal business proposal or a personal note, letterloom ensures your letters are consistently polished, elegant, and tailored to your exact preferences.

Key Features

- **Multiple Signatures:** Seamlessly support single or multiple signatures, complete with optional titles and affiliations.
- **Custom Letterheads:** Easily integrate branded letterheads with flexible layout and positioning options.
- **Smart Enclosures:** List attached documents within the letter, and optionally embed them as appended pages.
- **Customizable Labels:** Fully adapt labels and text to suit your needs.
- **Configurable Fields:** Gain complete control over your document structure—every required field can be toggled as optional.

How It Works

Out of the box, letterloom adheres to the strict conventions of formal English business correspondence, intelligently structuring the sender address, date, recipient, subject, body, closing, and signatures. However, it also grants you ultimate control over typography, alignment, and optional elements.

The package handles all vertical spacing, page geometry, and letterhead placement automatically. This ensures a flawless, consistent layout regardless of your content's length or the paper size used.

Requirements

Typst 0.14.0 or higher is required to use this package.

Usage

Each parameter is documented below with its type, default value, and usage.

Getting Started

To create a new letterloom project run the following command in your terminal:

```
typst init @preview/letterloom:3.0.0
```

Alternatively, you may create a new project directly in the [Typst webapp](#).

For a full-featured example see the [Comprehensive Example](#) section.

Required Parameters

All the fields below are required by default. To omit any of them, see the [required-fields](#) parameter.

from-name `str` or `content`

The sender's name.

Examples:

```
// String
from-name: "The Dimbleby Family"
```

The Dimbleby Family

```
// Content block
from-name: text(weight: "bold")[The Dimbleby Family]
```

The Dimbleby Family

from-address `str` or `content`

The sender's address.

Examples:

```
// String
from-address: "The Dimbleby Estate"
```

The Dimbleby Estate

```
// Content block
from-address: [
  The Dimbleby Estate \
  Cheswick Village \
  Middle Upton \
  Bristol BS16 1GU
]
```

The Dimbleby Estate
Cheswick Village
Middle Upton
Bristol BS16 1GU

Note: By default, the sender's name and address are right-aligned. You may change this using the `from-alignment` parameter.

to-name `str` or `content`

The recipient's name.

Examples:

```
// String  
to-name: "Evergreen Tree Surgeons"
```

Evergreen Tree Surgeons

```
// Content block  
to-name: text(weight: "bold")[Evergreen Tree Surgeons]
```

Evergreen Tree Surgeons

to-address `str` or `content`

The recipient's address.

Examples:

```
// String  
to-address: "Midtown Lane"
```

Midtown Lane

```
// Content block  
to-address: [  
  Midtown Lane \  
  Cheswick Village \  
  Stoke Gifford \  
]
```

```
Bristol BS16 1GU  
]
```

Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

date `str` or `content`

The letter's date.

Examples:

```
// Simple string format  
date: "01 January 1970"
```

01 January 1970

```
// Dynamic date using Typst's datetime functions  
date: datetime.today().display("[day padding:zero] [month repr:long] [year  
repr:full]")
```

01 May 2026

Note: By default, the letter's date is right-aligned. You may change this using the [date-alignment](#) parameter.

For custom formatting options, refer to [Typst's datetime formatting documentation](#).

salutation `str` or `content`

The opening greeting.

Examples:

```
// Standard business greeting  
salutation: "Dear Mr Hawthorne,"
```

Dear Mr Hawthorne,

```
// Styled salutation with formatting
salutation: text(weight: "bold")[Dear Mr Hawthorne,]
```

Dear Mr Hawthorne,

subject `str` or `content`

The subject line.

Examples:

```
// Simple subject
subject: "Pruning of Heritage Oak Trees in the Dimbleby Estate"
```

Pruning of Heritage Oak Trees in the Dimbleby Estate

```
// Styled subject with formatting
subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the
Dimbleby Estate")]
```

PRUNING OF HERITAGE OAK TREES IN THE DIMBLEBY ESTATE

closing `str` or `content`

The closing phrase.

Examples:

```
// Formal business closing phrase
closing: "Yours sincerely,"
```

Yours sincerely,

```
// Styled closing with formatting
closing: text(weight: "bold")[Yours sincerely,]
```

Yours sincerely,


signatures `array`

Specifies a list of signatures as an array of dictionaries, where each dictionary has the following keys:

name	<code>str</code> or <code>content</code>	The signatory's name.
signature	<code>content</code> <i>optional</i>	A <code>Typst image(...)</code> call pointing to the signature image file. When omitted, a blank space is reserved for a physical signature.
affiliation	<code>str</code> or <code>content</code> <i>optional</i>	The signatory's title, role, and/or affiliation.

Example:

```
// Single signature with name and signature image
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png"),
  ),
)
```

A handwritten signature in black ink that reads "ALBUS DIMBLEBY". The letters are in all caps and have a slightly cursive, hand-drawn feel. A small flourish is visible under the "y" in "Dimbleby".

Lord Albus Dimbleby

Note: For a single signature, use `signature-alignment` to control placement; ignored when multiple signatures are given.

```
// Multiple signatures with names and signature images
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png"),
  ),
  (
    name: "Lady Abigail Dimbleby",
    signature: image("images/abigail-sig.png"),
  ),
  (
    name: "Sir Austin Dimbleby",
    signature: image("images/austin-sig.png"),
  ),
)
```

A handwritten signature in black ink that reads "ALBUS DIMBLEBY". The letters are in all caps and have a slightly cursive, hand-drawn feel. A small flourish is visible under the "y" in "Dimbleby".

Lord Albus Dimbleby

A handwritten signature in black ink that reads "Abigail Dimbleby". The first letter "A" is capitalized and the rest are in lowercase. The script is elegant and cursive.

Lady Abigail Dimbleby

A handwritten signature in black ink that reads "Austin Dimbleby". The first letter "A" is capitalized and the rest are in lowercase. The script is elegant and cursive.

Sir Austin Dimbleby

See the [Signature Handling](#) section for the full reference and examples.

Optional Parameters

The following optional parameters enable you to add additional fields like a letterhead image, an attention line, a list of cc recipients, a list of enclosures, and a footer to your letter if desired.

Letterhead dictionary

Places a letterhead image flush with the edges of the physical page.

file	bytes	Typst read function specifying the path to the file and encoding.
width	length or ratio or relative <i>optional</i>	Width of the image. Defaults to the full available width.
height	length <i>optional</i>	Height of the image. Scales proportionally with width when omitted.
image-inset	length or dictionary <i>optional</i>	Inset applied to the letterhead. Defaults to 0mm on all sides.
image-alignment	alignment <i>optional</i>	Horizontal alignment of the letterhead. Defaults to center. Ignored when sender-position is set.
sender-position	alignment <i>optional</i>	Places the sender address alongside or centered below the letterhead.
bottom-gap	length <i>optional</i>	Space between the sender address and the letter content below when sender-position is center. Defaults to par-spacing .

Default: none

Examples:

```
// Full-width letterhead with no margins (default behavior)
letterhead: (
  file: read("images/letterhead.png", encoding: none),
)

// Partial-width letterhead centered with spacing around it
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 60%,
  image-inset: (top: 5mm, bottom: 3mm, rest: 8mm),
  image-alignment: center,
)

// Fixed-width letterhead with uniform inset
letterhead: (
```

```
file: read("images/letterhead.png", encoding: none),
width: 120mm,
image-inset: 5mm,
image-alignment: right,
)
```



Full width, flush



60%, centered



Right-aligned

Note: The letterhead is rendered only on the first page.

For working examples of each sender-position variant and notes on usage, see the [Letterhead Layout](#) section.

attn-name `str` or `content`

The attention line recipient's name.

Default: `none`

Example:

```
attn-name: "Mr Basil Hawthorne"
```

Attn: Mr Basil Hawthorne

attn-label `str` or `content`

The label printed before the attention line name.

Default: "Attn: "

Example:

```
attn-label: "À l'attention de"
```

À l'attention de M. Basil Hawthorne

attn-position `str`

Whether to place the attention line above or below the recipient's address.

Default: "above"

Example:

```
attn-position: "below"
```

Attn: Mr Basil Hawthorne
Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

above (default)

Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU
Attn: Mr Basil Hawthorne

below

cc `str` or `content` or `array`

Lists carbon copy (cc) recipients as a single string or content block, or an array of them.

Default: `none`

Examples:

```
// Single cc recipient
cc: "Mr Jethro Tull"

// Multiple cc recipients
cc: (
  "Mr Jethro Tull",
  "Ms Sarah Green",
  "Dr Robert Brown",
)
```

cc:
1. Mr Jethro Tull
2. Ms Sarah Green
3. Dr Robert Brown

Note: The list of cc recipients is placed after the signature(s) but before the list of enclosures.

cc-label `str` or `content`

The label printed before the cc list.

Default: "cc: "

Examples:

```
// String
cc-label: "Cc:"

// Content block
cc-label: text(weight: "bold")[cc:]
```

Cc:



enclosures array

A list of enclosures an array of dictionaries with the following keys:

description	str or content	Label shown in the enclosures list.
file	bytes <i>optional</i>	Typst read function specifying the path to the file and encoding. When omitted, only the description is rendered.
pages	int <i>optional</i>	Number of pages to render starting from page 1. Defaults to 1 which will only render the first page.
page-inset	length or dictionary <i>optional</i>	Page margin for the embedded file. Defaults to 0mm on all sides when omitted.

Default: none

Examples:

```
// Single enclosure (description only)
enclosures: (description: "Provenance of the Oak trees on the Dimbleby Estate.")

// Multiple enclosures (descriptions only)
enclosures: (
  (description: "Provenance of the Oak trees on the Dimbleby Estate."),
  (description: "Photographs of storm damaged Oak trees."),
  (description: "Insurance claim form."),
)

// With embedded files (read bytes so paths resolve in your document)
enclosures: (
  (
    description: "Provenance of the Oak trees on the Dimbleby Estate.",
    file: read("enclosures/oak-tree-provenance.pdf", encoding: none),
    pages: 3,
  ),
  (
    description: "Photographs of storm damaged Oak trees.",
```

```

    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    page-inset: (top: 20mm),
  ),
)

```

encl:

1. Provenance of the Oak trees on the Dimbleby Estate.
2. Photographs of storm damaged Oak trees.
3. Insurance claim form.

Note: Enclosures are listed after the letter closing or after a list of cc recipients if specified.

For embedding files directly into the letter, see the [Enclosures with Embedded Documents](#) section.

enclosures-label `str` or `content`

The label printed before the enclosures list.

Default: "encl:"

Examples:

```

// String
enclosures-label: "enclosures:"

// Content block
enclosures-label: text(weight: "bold")[encl:]

```

enclosures:



footer `array`

An array of footer elements — URLs, email addresses, or plain text.

footer-text	<code>str</code> or <code>content</code>	The footer text.
footer-type	<code>str</code> <i>optional</i>	The type of footer element: "url", "email" or "string". When set to "url" or "email", the text is rendered as a clickable hyperlink. When omitted or set to "string", the text is rendered as plain text.

Default: `none`

Example:

```

footer: (
  (
    // Displayed as is
    footer-text: "+44-117-555-5555",
  ),
  (
    // Displayed as a mailto: link
    footer-text: "dimplebyfamily@dimpleby.org",
    footer-type: "email",
  ),
  (
    // Displayed as a web link
    footer-text: "https://dimpleby.org",
    footer-type: "url",
  )
)

```

+44-117-555-5555 dimplebyfamily@dimpleby.org <https://dimpleby.org>

Note: The footer is placed at the bottom of the letter above the page number if enabled and is center-aligned.

required-fields array

An array of field name strings controlling which fields are active. Fields absent from the array are silently suppressed with no space left in the layout.

Valid values:

- "from-name"
- "from-address"
- "to-name"
- "to-address"
- "date"
- "salutation"
- "subject"
- "closing"
- "signatures"

Default: ("from-name", "from-address", "to-name", "to-address", "date", "salutation", "subject", "closing", "signatures")

Examples:

```

// Omit the subject line
required-fields: (
  "from-name", "from-address",
  "to-name", "to-address",
  "date", "salutation", "closing", "signatures",
),

```

```
// Minimal letter – no salutation, subject, or closing
required-fields: (
  "from-name", "from-address",
  "to-name", "to-address",
  "date", "signatures",
),

// Date and sender omitted (e.g. reply with sender details in letterhead)
required-fields: (
  "to-name", "to-address",
  "salutation", "subject", "closing", "signatures",
),
```

Note: Fields included in the array must be given a value, or validation will fail.

Document Settings

Controls paper size, margins, spacing, and page numbering.

paper-size `str`

The paper size.

Default: "a4"

Examples:

```
paper-size: "a4" // A4 (210 × 297 mm)
paper-size: "us-letter" // US Letter (8.5 × 11 in)
paper-size: "legal" // Legal (8.5 × 14 in)
```

For more information, see [Typst's documentation on paper sizes](#).

margins `auto` or `relative` or `dictionary`

The page margins.

Default: `auto`

Examples:

```
// Automatic margins (default)
margins: auto

// Uniform margins
margins: 20mm

// Custom margins
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm)

// Asymmetric margins
margins: (top: 25mm, left: 30mm, bottom: 25mm, right: 30mm)
```

Note: The default setting of `auto` results in a 25 mm margin for A4 paper.

Refer to [Typst's margin documentation](#) for more information.

par-leading `length`

Line spacing within paragraphs.

Default: `0.8em`

Examples:

```
par-leading: 0.8em // Tight spacing
par-leading: 1.0em // Normal spacing
par-leading: 1.2em // Loose spacing
```

We are writing to request you to visit the estate to assess the Heritage Oak Trees that have stood the test of time.

`0.8em` (default)

We are writing to request you to visit the estate to assess the Heritage Oak Trees that have stood the test of time.

`1.0em`

We are writing to request you to visit the estate to assess the Heritage Oak Trees that have stood the test of time.

`1.2em`

Note: Adjust this value to complement the chosen font and font size.

par-spacing `length`

Spacing between paragraphs.

Default: `1.8em`

Examples:

```
par-spacing: 1.5em // Compact paragraphs
par-spacing: 1.8em // Standard spacing
par-spacing: 2.0em // Relaxed spacing
```

We are writing to request you to visit the estate.
Your task would be to render the grove safe.

`1.5em` (compact)

We are writing to request you to visit the estate.
Your task would be to render the grove safe.

`1.8em` (default)

We are writing to request you to visit the estate.
Your task would be to render the grove safe.

`2.0em` (relaxed)

Note: Modify this value to match the font and font size for optimal readability.


number-pages `bool`

Enable page numbering from the second page onwards.

Default: `false`

Examples:

```
number-pages: true // Page numbers from the second page onwards
```



+44-117-555-5555 dimblebyfamily@dimbleby.org <https://dimbleby.org>

2

Note: Page numbers are centered at the bottom of the page below the footer if one is specified.

Typographical Settings

Controls the fonts and font sizes used throughout the letter.

main-font `str`

Sets the font used for the main body of the letter.

Default: "Libertinus Serif"

Examples:

```
main-font: "Libertinus Serif" // Default serif font
main-font: "Noto Serif" // Google's Noto Serif
main-font: "Times New Roman" // Classic serif
main-font: "Arial" // Sans-serif option
```

main-font-size `length`

Sets the font size for the main body.

Default: 11pt

Examples:

```
main-font-size: 10pt // Smaller text
main-font-size: 11pt // Standard size
main-font-size: 12pt // Larger text
```

footnote-font `str`

Sets the font used for footnotes.

Default: "Libertinus Serif"

Examples:

```
footnote-font: "Libertinus Serif" // Match main font
footnote-font: "Noto Serif" // Alternative serif
footnote-font: "DejaVu Sans" // Sans-serif option
```

footnote-font-size `length`

Sets the font size for footnotes.

Default: 7pt

Examples:

```
footnote-font-size: 6pt // Very small
footnote-font-size: 7pt // Standard size
footnote-font-size: 8pt // Larger footnotes
```

footer-font `str`

Sets the font used for the footer.

Default: "DejaVu Sans Mono"

Examples:

```
footer-font: "DejaVu Sans Mono" // Monospace default
footer-font: "Fira Mono" // Modern monospace
footer-font: "Courier New" // Classic monospace
footer-font: "Arial" // Sans-serif option
```

footer-font-size `length`

Sets the font size for the footer.

Default: 9pt

Examples:

```
footer-font-size: 8pt // Smaller footer
footer-font-size: 9pt // Standard size
footer-font-size: 10pt // Larger footer
```

Layout Settings

Controls alignment of letter elements and hyperlink color.

date-alignment `alignment`

Sets the alignment of the letter's date.

Default: right

Examples:


```
date-alignment: left // Left-aligned date
date-alignment: right // Right-aligned date (default)
date-alignment: center // Center-aligned date
```

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

01 January 1970

left

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

01 January 1970

center

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

01 January 1970

right (default)

Note: When `date-alignment` matches `from-alignment` and a sender is present in the normal flow, the date block is width-matched to the sender block so their edges align.

This coupling does not apply when `letterhead.sender-position: center`, where the sender is part of the letterhead and the date aligns independently.

from-alignment alignment

Sets the alignment of the sender's name and address.

Default: right

Examples:

```
from-alignment: left // Left-aligned sender
from-alignment: right // Right-aligned sender (default)
from-alignment: center // Center-aligned sender
```

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

01 January 1970

left

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

01 January 1970

center

The Dimbleby Family
The Dimbleby Estate
Bristol BS16 1GU

01 January 1970

right (default)

Note: When `letterhead.sender-position` is set, this parameter is overridden. See the [Letterhead Layout](#) section for full details.


footnote-alignment alignment

Specifies the alignment of the footnote separator and footnotes.


Default: left

Examples:


```
footnote-alignment: left // Left-aligned footnotes (default)
footnote-alignment: right // Right-aligned footnotes
footnote-alignment: center // Center-aligned footnotes
```



left (default)



center



right


signature-alignment alignment

Specifies the alignment of the signature if only one signature is specified.


Default: left

Examples:


```
signature-alignment: left // Left-aligned signature (default)
signature-alignment: right // Right-aligned signature
signature-alignment: center // Center-aligned signature
```



left (default)



center



right

link-color color

Determines the color of hyperlinks in the letter.

Default: blue

Examples:

```
link-color: blue // Typst's blue #0074d9 (default)
link-color: maroon // Typst's maroon #85144b
link-color: rgb(46, 111, 64) // Forest Green
```



blue (default)



maroon



Forest Green

Refer to [Typst's documentation on colors](#) for additional details.

Signature Handling

Multiple Signatures

Signatures are arranged in rows of up to three, filled left-to-right. A signature that would overflow the available width starts a new row; there is no hard limit on the number of signatories. Name baselines are aligned within each row regardless of whether a signature image or affiliation is present. [signature-alignment](#) is ignored when more than one signature is given.

```
signatures: (  
  (  
    name: "Lord Albus Dimbleby",  
    signature: image("images/albus-sig.png"),  
  ),  
  (  
    name: "Lady Abigail Dimbleby",  
    signature: image("images/abigail-sig.png"),  
  ),  
  (  
    name: "Sir Austin Dimbleby",  
    signature: image("images/austin-sig.png"),  
  ),  
)
```



Lord Albus Dimbleby



Lady Abigail Dimbleby



Sir Austin Dimbleby


Long Affiliations

When an affiliation is long it expands the signature block vertically. All blocks in the same row grow to match the tallest entry so name baselines stay aligned. Use \ to break affiliation text onto separate lines:

```
signatures: (  
  (  
    name: "Sir Austin Dimbleby",  
    affiliation: [  
      Knight Commander of the British Empire \  
      Chairman, Dimbleby Estate \  
      General Secretary, Dimbleby Family Trust \  
      Senior Fellow, Royal Institute of Horticulture \  
    ],  
    // no signature provided so empty space is reserved  
  ),  
  (  

```

```
name: "Lord Albus Dimbleby",  
// short affiliation – block expands to match Sir Austin Dimbleby's height  
affiliation: [  
  Chairman, Dimbleby Family Trust  
],  
)  
)
```



Sir Austin Dimbleby
Knight Commander of the British Empire
Chairman, Dimbleby Estate
General Secretary, Dimbleby Family Trust
Senior Fellow, Royal Institute of Horticulture




Lord Albus Dimbleby
Chairman, Dimbleby Family Trust

Letterhead Layout

The letterhead parameter supports four distinct layouts. The first is the default when sender-position is omitted. The other three are controlled by the sender-position key.




Default



sender-position: right



sender-position: left



sender-position: center

Default

The full-width letterhead image is placed flush with the physical page edges. This is the default when the `sender-position` is omitted.

```
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  image-inset: (top: 5mm, rest: 8mm),    // optional inset from page edges
  image-alignment: center,                // left, center (default), or right
)
```

Sender Alongside: right

The letterhead image is placed flush to the left page edge. The sender address fills the remaining column to the right at the same vertical position.

```
letterhead: (
  file: read("images/letterhead.png", encoding: none),
  width: 65mm,                          // required in practice – sets the column split
  sender-position: right,
)
```

- `image-alignment` is ignored.
- Specify `width`; omitting it defaults to full content width, leaving no room for the sender.

Sender Alongside: left

The letterhead image is placed flush to the right page edge. The sender address fills the remaining column to the left.

```
letterhead: (  
  file: read("images/letterhead.png", encoding: none),  
  width: 65mm,  
  sender-position: left,  
)
```

- `image-alignment` is ignored.

Sender Centered Below: center

The letterhead image is placed flush and centered. The sender address is placed absolutely below it, also centered, forming a single decorative header block. The letter content (date, recipient, body) starts below both.

```
letterhead: (  
  file: read("images/letterhead.png", encoding: none),  
  width: 120mm,  
  sender-position: center,  
  bottom-gap: 8mm,           // space between sender and content; defaults to par-  
spacing  
)
```

- `image-alignment` is ignored; the image is always centered.
- `bottom-gap` is specific to this layout; it has no effect on the other three.
- The date is decoupled from the sender — `date-alignment` and `from-alignment` do not interact.

Notes and Caveats

- Use `read()`, not `image()`. The `file` key expects raw bytes loaded via `read("path", encoding: none)`. Passing a Typst `image()` call will produce a type error.
- Setting both `width` and `height` may distort the image. If the values do not match the image's natural aspect ratio, the image will be stretched or compressed. Omit `height` to let it scale proportionally with `width`.
- Percentage widths are relative to available width. A width of 100% fills the page width minus the letterhead's left and right `image-inset`, not the full physical page width. To span the full page width with no inset, omit `width` entirely or set `image-inset` to 0mm.
- Auto page margins. When the `margins` parameter is left at its default of `auto`, letterloom derives the page margin using Typst's formula: 2.5/21 of the page's shorter dimension. If you set custom page margins, the letterhead placement adjusts automatically.
- Custom inset with asymmetric sides. When using a dictionary for `image-inset` (e.g. `image-inset: (top: 5mm, rest: 8mm)`), the `rest` key sets the fallback for any sides not explicitly listed.

- **Image format support.** PNG, JPEG, SVG, and GIF are supported. Passing a file in an unsupported format will result in a Typst compile error.

Embedding Enclosures

Enclosures are listed after the signatures. When a file key is provided the document is embedded on a dedicated page immediately following the letter body.

Description-Only Enclosures

When no file parameter is provided, the enclosure appears only as a line item in the enclosures list:

```
enclosures: (  
  (description: "Provenance of the Oak trees on the Dimbleby Estate."),  
  (description: "Insurance claim form."),  
)
```

Attaching a File

Load the file as bytes using `read("path", encoding: none)`. The file is rendered on its own page(s) after the letter.

```
enclosures: (  
  (  
    description: "Photograph of storm damaged Oak trees.",  
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),  
  ),  
)
```

Rendering Multiple Pages

By default only the first page of a PDF is embedded. Use `pages` to render more:

```
enclosures: (  
  (  
    description: "Heritage Oak provenance statement.",  
    file: read("enclosures/heritage-oak-provenance-statement.pdf", encoding:  
none),  
    pages: 3,    // renders pages 1–3  
  ),  
)
```

To find the page count of a PDF, you may use the `pdftinfo` command from the [Poppler](#) library:
`pdftinfo document.pdf | grep Pages`.

Per-Enclosure Page Inset

Each enclosure can carry its own page inset, either as a uniform length or a dictionary of sides:

```
enclosures: (
  (
    description: "Photograph of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    page-inset: 15mm,                      // uniform on all sides
  ),
)
```

Valid dictionary keys: top, bottom, left, right, x, y, rest.

Mixed List

Description-only and file-attached enclosures can be mixed freely:

```
enclosures: (
  (description: "Insurance claim form (complete and return)."),
  (
    description: "Photographs of storm-damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    page-inset: (top: 20mm),
  ),
  (
    description: "Heritage Oak provenance statement.",
    file: read("enclosures/heritage-oak-provenance-statement.pdf", encoding:
none),
    pages: 2,
  ),
)
```

A working demonstration of enclosures is shown in the [Comprehensive Example](#) section.

Comprehensive Example

The following example illustrates most of the key features of the letterloom template explained above. It is not intended as a template for real-world use but rather as a demonstration of how the various parameters interact in practice to produce a complex, richly formatted letter.

```
#import "@preview/letterloom:3.0.0": *

#show: letterloom.with(
  // Sender's contact information (name and address)
  from-name: "The Dimbleby Family",
  from-address: [
    The Dimbleby Estate \
    Cheswick Village \
    Middle Upton \
    Bristol BS16 1GU
  ],

  // Recipient's contact information (name and address)
  to-name: "Evergreen Tree Surgeons",
```



```
to-address: [  
    Midtown Lane \  
    Cheswick Village \  
    Stoke Gifford \  
    Bristol BS16 1GU  
],  
  
// Attention line for specific recipient (optional)  
attn-name: "Mr Basil Hawthorne",  
  
// Letter date (automatically set to today's date)  
date: datetime.today().display("[day padding:zero] [month repr:long] [year  
repr:full]"),  
  
// Opening greeting  
salutation: "Dear Mr Hawthorne,",  
  
// Letter subject line  
subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the  
Dimbleby Estate")],  
  
// Closing phrase  
closing: "Sincerely yours",  
  
// List of signatures with their name, optional signature image and affiliation  
signatures: (  
    (  
        name: "Lord Albus Dimbleby",  
        signature: image("images/albus-sig.png", width: 50mm),  
    ),  
    (  
        name: "Lady Abigail Dimbleby",  
        signature: image("images/abigail-sig.png", width: 50mm),  
    ),  
    (  
        name: "Sir Austin Dimbleby",  
        signature: image("images/austin-sig.png", width: 50mm),  
    ),  
),  
  
// Letterhead (optional)  
letterhead: (  
    file: read("images/letterhead.png", encoding: none),  
    image-inset: (bottom: 2mm, rest: 5mm),  
),  
  
// List of cc recipients (optional)  
cc: "Mr Jethro Tull",  
  
// List of enclosures (optional)  
enclosures: (  
    (  
        description: "Photograph of storm damaged Oak trees.",  
        file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),  
        page-inset: 20mm,
```

```
    ),
    (
      description: "Provenance of the Oak trees on the Dimbleby Estate.",
      file: read("enclosures/oak-tree-provenance.pdf", encoding: none),
      pages: 3,
    ),
  ),
),

// Custom footer information (optional)
footer: (
  (
    footer-text: "+44-117-555-5555",
  ),
  (
    footer-text: "dimblebyfamily@dimbleby.org",
    footer-type: "email",
  ),
  (
    footer-text: "https://dimbleby.org",
    footer-type: "url",
  ),
),
),

// Paper size (default: "a4")
paper-size: "a4",

// Page margins (default: auto)
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm),

// Enable page numbering (default: false)
number-pages: false,

// Main font (default: "Libertinus Serif")
main-font: "Libertinus Serif",

// Main font size (default: 11pt)
main-font-size: 11pt,

// Footnote font (default: "Libertinus Serif")
footnote-font: "Libertinus Serif",

// Footnote font size (default: 7pt)
footnote-font-size: 7pt,

// Footer font (default: "DejaVu Sans Mono")
footer-font: "DejaVu Sans Mono",

// Footer font size (default: 9pt)
footer-font-size: 9pt,

// Footnote alignment (default: left)
footnote-alignment: right,

// Link color (default: blue)
link-color: maroon,
```

)

We are writing to request you to visit The Dimbleby Estate in Cheswick Village to assess a stand of lordly Heritage Oak Trees that have stood the test of time, but whose strength might have been compromised by the wild squall that ripped through the region last week. We are keen to avoid any danger to passers by from weakened roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the same time minimizing the residual damage to the trees. You would, of course, also undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimbleby family, the signatures of all three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.

THE DIMBLEBY ESTATE



The Dimbleby Family
The Dimbleby Estate
Cheswick Village
Middle Upton
Bristol BS16 1GU

01 May 2026

Attn: Mr Basil Hawthorne
Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

Dear Mr Hawthorne,

PRUNING OF HERITAGE OAK TREES IN THE DIMBLEBY ESTATE

We are writing to request you to visit The Dimbleby Estate in Cheswick Village to assess a stand of lordly Heritage Oak Trees that have stood the test of time, but whose strength might have been compromised by the wild squall that ripped through the region last week. We are keen to avoid any danger to passers by from weakened roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the same time minimizing the residual damage to the trees. You would, of course, also undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimbleby family, the signatures of all three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.

Sincerely yours,

ALBUS DIMBLEBY

Lord Albus Dimbleby

Abigail Dimbleby

Lady Abigail Dimbleby

Austin Dimbleby

Sir Austin Dimbleby

cc:

Mr Jethro Tull

encl:

1. Photograph of storm damaged Oak trees.
2. Heritage Oak Provenance Statement.



Heritage Oak Provenance Statement

Reference: DEPS-2026-OAK-001

Date: 14 March 2026

Site: Dimbleby Estate, Middle Upton, Bristol BS16 1GU

Prepared for: The Dimbleby Family

Species: English Oak (*Quercus robur*)

Specimens: OT-01 to OT-06 (six trees)

Introduction

This statement establishes the provenance of six English Oak (*Quercus robur*) specimens growing on the eastern boundary of the Dimbleby Estate, Middle Upton, Bristol. It has been prepared at the request of the Dimbleby family in connection with a proposed programme of arboricultural works and provides a formal record of the trees' origin, lineage, and historical continuity for the purposes of heritage assessment and legal documentation.

The trees are assessed as being of native English provenance, locally sourced, and in continuous presence on the estate for a minimum of three centuries. This conclusion is supported by converging lines of documentary, cartographic, morphological, and dendrochronological evidence, each described in the sections that follow.

Methodology

Provenance was established through four complementary lines of enquiry:

- Archival research.** The Dimbleby family archive was examined in full, with attention to estate ledgers, correspondence, and land management records from the 17th century onwards. The Upton Vale County Archive and the Middle Upton Heritage Environment Register were also consulted for independent corroboration.
- Cartographic analysis.** Cheswick County Survey maps, tithe maps, and privately commissioned estate surveys spanning the period 1720 to 1980 were examined to establish the continuous presence and stable position of the woodland stand.
- Morphological assessment.** Each specimen was examined in the field in February 2026. Leaf morphology, acorn and cupule characteristics, bark texture, and growth habit were assessed against published taxonomic descriptions of native *Quercus robur* populations in south-west England.
- Dendrochronological estimation.** Girth measurements at 1.5 m above ground level were used in conjunction with published growth rate data for native oak in comparable woodland conditions to estimate the age of each specimen. No core sampling was undertaken, as the trees are of recognised heritage significance.

Historical Provenance

Estate records held in the Dimbleby family archive provide a continuous documentary chain from the late 17th century to the present. The earliest relevant entry appears in a land management ledger dated 1678, during the tenure of Sir Edmund Dimbleby, which records the planting of "great oaks along the southern ride and the western paddock boundary." A subsequent entry from 1694 documents the collection of acorns

from “the ancient wood at Cheswick Common” for propagation at the estate nursery, directly indicating a local seed source within the Cheswick Village catchment.

An estate survey map prepared circa 1720 depicts a continuous belt of young woodland along the eastern boundary, consistent in position and extent with the six specimens under consideration. This map, held at the Upton Vale County Archive, constitutes independent corroboration of the estate ledger entries and confirms that planting was well established within a generation of the 1678 record.

The tithe apportionment map of 1841, also held at the Upton Vale County Archive, records “mature oak timber” in the same location, indicating that by the mid-19th century the trees had reached full maturity and were recognised as a significant estate feature. A photographic survey commissioned by the Dimbleby family in 1923 provides visual confirmation, showing specimens of girth and form directly comparable to those measured in February 2026.

Taken together, these sources establish an unbroken record of native oak presence on this site spanning approximately 348 years. The consistency of the documentary chain, supported by independent archival sources, provides high confidence in the trees’ native, locally sourced origin.

Morphological Assessment and Age Estimation

Each of the six specimens was assessed in the field against the taxonomic criteria for native *Quercus robur*. All trees display sessile acorns borne on elongated peduncles of 3–7 cm, deeply lobed leaves with pronounced auriculate bases, and furrowed grey-brown bark of a texture consistent with advanced age in native stands. No characteristics indicative of non-native provenance, hybrid origin, or cultivar selection were observed. Leaf morphology, acorn characteristics, and growth habit are uniform across all six specimens, consistent with a single-origin, locally sourced population.

Tree Ref	Girth at 1.5 m (cm)	Estimated Age (years)	Provenance Confidence
OT-01	312	290-320	High
OT-02	287	270-300	High
OT-03	341	310-350	High
OT-04	298	280-310	High
OT-05	265	250-280	High
OT-06	319	290-330	High

Table 1: Field measurements and dendrochronological age estimates, February 2026.

Age estimates are derived from girth measurements using a mean annual radial increment of 2.5 mm, consistent with published growth rate data for native *Quercus robur* grown in open woodland conditions in south-west England (White, 1998). All six specimens fall within the age range consistent with establishment from the 1678-1694 planting records, providing morphological corroboration of the documentary evidence.

Documentary Evidence Summary

Source	Date	Type	Repository
Dimbleby estate land management ledger	1678	Primary manuscript	Dimbleby Family Archive
Dimbleby estate nursery record	1694	Primary manuscript	Dimbleby Family Archive
Dimbleby estate survey map	c. 1720	Cartographic	Upton Vale County Archive

Source	Date	Type	Repository
Tithe apportionment map, Middle Upton	1841	Cartographic	Upton Vale County Archive
Dimbleby Estate photographic survey	1923	Photographic	Dimbleby Family Archive
MUHER record	2019	Heritage register	MUHER

Table 2: Primary sources consulted in the preparation of this statement.

Declaration

I confirm that the information contained in this statement has been compiled from direct field observation, primary archival sources, and published reference data, and that it represents an accurate and impartial assessment of the provenance of the six oak specimens at the Dimbleby Estate to the best of my professional knowledge and judgement.

Prepared by: Mr Sebastian Oakley, MA, Dip. WP, FSWPC
Position: Woodland Historian and Provenance Consultant
Qualifications: MA History of the Landscape (Upton Vale); Diploma in Woodland Provenance Studies (BWhA); Fellow of the Society of Woodland Provenance Consultants
For: The Dimbleby Estate
Date: 14 March 2026
Signature:



References

Hartwell, G. (1998). *Estimating the Age of Large and Veteran Trees in Britain*. Woodland Research Institute Technical Note 12. Bristol: Woodland Research Institute.

Ashbourne, R. S. (ed.) (1991). *British Plant Communities, Volume 1: Woodlands and Scrub*. Upton Vale: Ridgeway Academic Press.

Fernshaw, C. (2019). *New Flora of the British Isles* (4th ed.). Barleycorn Press.

Oakfield Timber Research Association (2002). *Identifying Native Hardwoods: A Field Guide*. Cheswick: OTRA.

Middle Upton Heritage Environment Register (2019). *HER Record for Cheswick Common Ancient Woodland*. Middle Upton District Council.