`letterloom v2.0.0`

Introduction

The `letterloom` package is a user-friendly and customizable template designed to streamline the creation of professional-looking letters. Whether for personal or business correspondence, it eliminates the challenges of traditional typesetting tools like LaTeX while delivering polished and elegant results.

Key Features:

- **Multiple Signatures:** Effortlessly include one or more signatures for joint communications or approvals.
- **Customizable Footnotes:** Add informative footnotes with flexible formatting options.
- **Enclosures:** Clearly list and optionally attach additional documents included with the letter.
- **Internationalization Support:** Customize labels and text for different languages and regions.

Benefits:

- Simplifies the letter-writing process with an intuitive template.
- Eliminates the steep learning curve of tools like LaTeX.
- Delivers professional-quality output without requiring technical expertise.
- Supports multilingual documents with customizable labels.

Regardless of whether you are preparing a formal business correspondence, or crafting a personal letter, `letterloom` makes creating visually appealing documents both straightforward and efficient.

Requirements

Typst 0.14.0 or higher is required to use this package.

Usage

The `letterloom` package offers extensive customization options, enabling you to tailor your letters to suit various needs and preferences.

In the sections that follow, we will explore each parameter in detail, accompanied by practical examples demonstrating their usage.

Getting Started

Here is a simple example showing the essential arguments needed to use the `letterloom` package:

```
#import "@preview/letterloom:2.0.0": *

#show: letterloom.with(
```

```
  // Sender's contact information (name and address)
  from-name: "Sender's Name",
  from-address: [Sender's Address],

  // Recipient's contact information (name and address)
  to-name: "Receiver's Name",
  to-address: [Receiver's Address],

  // Letter date (automatically set to today's date)
  date: datetime.today().display("[day padding:zero] [month repr:long] [year
repr:full]"),

  // Opening greeting
  salutation: "Dear Receiver's Name,",

  // Letter subject line
  subject: "Subject",

  // Closing phrase
  closing: "Yours sincerely,",

  // List of signatures with their name, optional signature image, title and
affiliation
  signatures: (
    (
      name: "Sender's Name",
    ),
  ),
)

// Write the body of your letter here
```

Creating a New Letter Project

To create a new letter project run the following command in your terminal:

```
typst init @preview/letterloom:2.0.0
```

This will generate a ready-to-use letter project in your current directory.

Alternatively, you may create a new project directly in the Typst webapp.

Required Parameters

This section covers the required parameters of the `letterloom` package, which define the essential elements of the letter including the sender, recipient, date, and signature.

`from-name` `str` or `content`

Specifies the sender's name either as a string or content block.

Examples:

```
// String
from-name: "The Dimbleby Family"

// Content block
from-name: text(weight: "bold")[The Dimbleby Family]
```

`from-address` `str` or `content`

Specifies the sender's address either as a string or content block.

Examples:

```
// String
from-address: "The Dimbleby Estate"

// Content block
from-address: [The Dimbleby Estate \
               Cheswick Village \
               Middle Upton \
               Bristol BS16 1GU]
```

Note: By default, the sender's name and address are right-aligned. You may change this using the `from-alignment` parameter.

`to-name` `str` or `content`

Specifies the recipient's name either as a string or content block.

Examples:

```
// String
to-name: "Evergreen Tree Surgeons"

// Content block
to-name: text(weight: "bold")[Evergreen Tree Surgeons]
```

`to-address` `str` or `content`

Specifies the recipient's address either as a string or content block.

Examples:

```
// String
to-address: "Midtown Lane"

// Content block
to-address: [Midtown Lane \
             Cheswick Village \
             Stoke Gifford \
             Bristol BS16 1GU]
```

date `str` or `content`

Specifies the letter's date either as a string or content block.

Examples:

```
// Simple string format
date: "01 January 1970"

// Dynamic date using Typst's datetime functions
date: datetime.today().display("[day padding:zero] [month repr:long] [year
repr:full]")

// Custom formatted date
date: datetime.today().display("[weekday repr:long], [day] [month repr:long]
[year]")
```

For custom formatting options, refer to Typst's datetime formatting documentation.

Note: By default, the letter's date is right-aligned. You may change this using the `date-alignment` parameter.

salutation `str` or `content`

Specifies the greeting for the letter either as a string or content block.

Examples:

```
// Standard business greeting
salutation: "Dear Mr Hawthorne,"

// Formal greeting
salutation: "To Whom It May Concern,"

// Personal greeting
salutation: "Dear John,"
```

subject `str` or `content`

Specifies the subject line of the letter either as a string or content block.

Examples:

```
// Simple subject
subject: "Pruning of Heritage Oak Trees in the Dimbleby Estate"

// Styled subject with formatting
subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the
Dimbleby Estate")]

// Subject with emphasis
subject: [Re: #emph[Urgent] Tree Maintenance Request]
```

closing `str` or `content`

Specifies the closing phrase of the letter either as a string or content block.

Examples:

```
// Formal business closing phrase
closing: "Yours sincerely,"

// Less formal closing phrase
closing: "Best regards,"

// Personal closing phrase
closing: "With warm personal regards,"
```

signatures `array`

Specifies a list of signatures as an array of dictionaries, where each dictionary has the following keys:

`name`	`str` or `content`	The signatory's name.
`title`	`str` or `content` *optional*	The signatory's title.
`affiliation`	`str` or `content` *optional*	The signatory's affiliation.
`signature`	`function` *optional*	Typst image function specifying the location of the signature image. If omitted, a blank space is reserved for a physical signature.

Examples:

```
// Single signature
signatures: (
  (
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png")
  )
)

// Single signature with title and affiliation
signatures: (
  (
    name: "Sir Austin Dimbleby",
    title: "Knight Commander of the Order of the British Empire",
    affiliation: [
      Senior Advisor, International Relations \
      Chairman, Global Trade Council \
    ],
  ),
)

// Multiple signatures
signatures: (
  (
```

```
    name: "Lord Albus Dimbleby",
    signature: image("images/albus-sig.png")
  ),
  (
    name: "Lady Abigail Dimbleby",
    signature: image("images/abigail-sig.png")
  ),
  (
    name: "Sir Austin Dimbleby"
    // No signature image - space left for physical signature
  )
)
```

Note: If only one signature is given, the `signature-alignment` parameter may be used to align the signature to the left, right, or center of the page. This parameter is ignored if multiple signatures are specified.

Optional Parameters

The following optional parameters enable you to add additional fields like an attention line, a list of cc recipients, a list of enclosures, and a footer to your letter if desired.

`attn-name` `str` or `content`

Specifies the name of the recipient of the attention line either as a string or content block.

Default: `none`

Example:

```
attn-name: "Mr Basil Hawthorne"
```

`attn-label` `str` or `content`

Specifies the label for the attention line either as a string or content block.

Default: `"Attn:"`

Example:

```
attn-label: "À l'attention de"
```

`attn-position` `str`

Specifies the position of the attention line: use `"above"` to place it above the recipient's address, or `"below"` to place it below.

Default: `"above"`

Example:

```
attn-position: "below"
```

cc `array`

Lists carbon copy (cc) recipients as an array of strings.

Default: `none`

Examples:

```
// Single cc recipient
cc: "Mr Jethro Tull"

// Multiple cc recipients
cc: (
  "Mr Jethro Tull",
  "Ms Sarah Green",
  "Dr Robert Brown",
)
```

Note: The list of cc recipients is placed after the signature(s) but before the list of enclosures.

cc-label `str` or `content`

Specifies the label for the cc recipients list either as a string or content block.

Default: `"cc:"`

Examples:

```
// String
cc-label: "Cc:"

// Content block
cc-label: text(weight: "bold")[cc:]
```

enclosures `array`

Specifies a list of enclosures as an array of dictionaries. Each enclosure is listed after the letter closing. When a file is provided, it is rendered on a dedicated page after the letter body. Each dictionary has the following keys:

`description`	`str` or `content`	Label shown in the enclosures list.
`file`	`function` *optional*	Typst read function specifying the path to the file and encoding. When omitted, only the description is rendered.
`pages`	`int` *optional*	Number of pages to render starting from page 1. Defaults to 1.[1]

[1] To find the page count of a PDF, use the `pdfinfo` command from the Poppler library: `pdfinfo document.pdf | grep Pages`.

margin	length or dictionary *optional*	Page margin for the embedded file. Defaults to 0mm on all sides when omitted.

Default: none

Examples:

```
// Single enclosure (description only)
enclosures: (description: "Provenance of the Oak trees on the Dimbleby Estate.")

// Multiple enclosures (descriptions only)
enclosures: (
  (description: "Provenance of the Oak trees on the Dimbleby Estate."),
  (description: "Photographs of storm damaged Oak trees."),
  (description: "Insurance claim form."),
)

// With embedded files (read bytes so paths resolve in your document)
enclosures: (
  (
    description: "Provenance of the Oak trees on the Dimbleby Estate.",
    file: read("enclosures/oak-tree-provenance.pdf", encoding: none),
    pages: 3,
  ),
  (
    description: "Photographs of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    margin: (top: 20mm),
  ),
)
```

enclosures-label str or content

Specifies the label for the enclosures list either as a string or content block.

Default: "encl:"

Examples:

```
// String
enclosures-label: "P.J.:"

// Content block
enclosures-label: text(weight: "bold")[encl:]
```

footer array

Specifies a list of footer elements such as URLs, email addresses and arbitrary text as an array of dictionaries.

footer-text	str or content	The footer text.

`footer-type`	`str` *optional*	The type of footer element: `"url"`, `"email"` or `"string"`. If specified as `"url"` or `"email"`, it will be rendered as a clickable hyperlink. Defaults to `"string"`.

Default: `none`

Example:

```
footer: (
  (
    // Displayed as is
    footer-text: "+44-117-555-5555"
  ),
  (
    // Displayed as a mailto: link
    footer-text: "dimblebyfamily@dimbleby.org",
    footer-type: "email"
  ),
  (
    // Displayed as a web link
    footer-text: "https://dimbleby.org",
    footer-type: "url"
  )
)
```

Note: The footer is placed at the bottom of the letter above the page number if enabled and is center-aligned.

Document Settings

Customize the letter's document settings using the parameters below. Each parameter includes a default value, which can be adjusted to fit your needs.

`paper-size` `str`

Specifies the paper size for the letter.

Default: `"a4"`

Examples:

```
paper-size: "a4"        // A4 (210 × 297 mm)
paper-size: "us-letter" // US Letter (8.5 × 11 in)
paper-size: "legal"     // Legal (8.5 × 14 in)
```

For more information, see Typst's documentation on paper sizes.

`margins` `auto` or `relative` or `dictionary`

Defines the margins of the letter.

Default: `auto`

Examples:

```
// Automatic margins (default)
margins: auto

// Uniform margins
margins: 20mm

// Custom margins
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm)

// Asymmetric margins
margins: (top: 25mm, left: 30mm, bottom: 25mm, right: 30mm)
```

Refer to Typst's margin documentation for more information.

Note: The default setting of `auto` results in a 25 mm margin for the A4 paper size.

`par-leading` `length`

Adjusts the line spacing within paragraphs.

Default: `0.8em`

Examples:

```
par-leading: 0.8em  // Tight spacing
par-leading: 1.0em  // Normal spacing
par-leading: 1.2em  // Loose spacing
```

Note: Adjust this value to complement the chosen font and font size.

`par-spacing` `length`

Controls the spacing between paragraphs.

Default: `1.8em`

Examples:

```
par-spacing: 1.5em  // Compact paragraphs
par-spacing: 1.8em  // Standard spacing
par-spacing: 2.0em  // Relaxed spacing
```

Note: Modify this value to match the font and font size for optimal readability.

`number-pages` `bool`

Toggles page numbering. If enabled, numbering starts from the second page.

Default: `false`

Examples:

```
number-pages: false  // No page numbers
number-pages: true   // Page numbers from the second page onwards
```

Note: Page numbers are centered at the bottom of the page, below the footer if one is specified.

Typographical Settings

These parameters allow you to customize the fonts used throughout the letter. Each parameter has a default font setting that can be changed as needed.

`main-font` `str`

Sets the font used for the main body of the letter.

Default: `"Libertinus Serif"`

Examples:

```
main-font: "Libertinus Serif"  // Default serif font
main-font: "Noto Serif"        // Google's Noto Serif
main-font: "Times New Roman"   // Classic serif
main-font: "Arial"             // Sans-serif option
```

`main-font-size` `length`

Sets the font size for the main body.

Default: `11pt`

Examples:

```
main-font-size: 10pt  // Smaller text
main-font-size: 11pt  // Standard size
main-font-size: 12pt  // Larger text
```

`footnote-font` `str`

Sets the font used for footnotes.

Default: `"Libertinus Serif"`

Examples:

```
footnote-font: "Libertinus Serif"  // Match main font
footnote-font: "Noto Serif"        // Alternative serif
footnote-font: "DejaVu Sans"       // Sans-serif option
```

`footnote-font-size` `length`

Sets the font size for footnotes.

Default: `7pt`

Examples:

```
footnote-font-size: 6pt   // Very small
footnote-font-size: 7pt   // Standard size
footnote-font-size: 8pt   // Larger footnotes
```

`footer-font` `str`

Sets the font used for the footer.

Default: `"DejaVu Sans Mono"`

Examples:

```
footer-font: "DejaVu Sans Mono"  // Monospace default
footer-font: "Fira Mono"         // Modern monospace
footer-font: "Courier New"       // Classic monospace
footer-font: "Arial"             // Sans-serif option
```

`footer-font-size` `length`

Sets the font size for the footer.

Default: `9pt`

Examples:

```
footer-font-size: 8pt   // Smaller footer
footer-font-size: 9pt   // Standard size
footer-font-size: 10pt  // Larger footer
```

Layout Settings

These parameters provide options to align specific elements and change the color of hyperlinks.

`date-alignment` `alignment`

Sets the alignment of the letter's date.

Default: `right`

Examples:

```
date-alignment: left   // Left-aligned date
date-alignment: right  // Right-aligned date (default)
date-alignment: center // Center-aligned date
```

`from-alignment` `alignment`

Sets the alignment of the sender's name, address and date of the letter.

Default: `right`

Examples:

```
from-alignment: left    // Left-aligned sender
from-alignment: right   // Right-aligned sender (default)
from-alignment: center  // Center-aligned sender
```

`footnote-alignment` `alignment`

Specifies the alignment of the footnote separator and footnotes.

Default: `left`

Examples:

```
footnote-alignment: left   // Left-aligned footnotes (default)
footnote-alignment: right  // Right-aligned footnotes
footnote-alignment: center // Center-aligned footnotes
```

`signature-alignment` `alignment`

Specifies the alignment of the signature if only one signature is specified. If multiple signatures are specified this parameter is ignored.

Default: `left`

Examples:

```
signature-alignment: left   // Left-aligned signature (default)
signature-alignment: right  // Right-aligned signature
signature-alignment: center // Center-aligned signature
```

`link-color` `color`

Determines the color of hyperlinks in the letter.

Default: `blue`

Examples:

```
link-color: blue             // Typst's blue #0074d9 (default)
link-color: maroon           // Typst's maroon #85144b
link-color: rgb(0, 100, 200) // Custom RGB color
```

Refer to Typst's documentation on colors for additional details.

Example Letter

The following example illustrates several key features of the `letterloom` package and explains how they can be applied in practice.

```
#import "@preview/letterloom:2.0.0": *

#show: letterloom.with(
  // Sender's contact information (name and address)
  from-name: "The Dimbleby Family",
  from-address: [The Dimbleby Estate \
                 Cheswick Village \
                 Middle Upton \
                 Bristol BS16 1GU],

  // Recipient's contact information (name and address)
  to-name: "Evergreen Tree Surgeons",
  to-address: [Midtown Lane \
               Cheswick Village \
               Stoke Gifford \
               Bristol BS16 1GU],

  // Attention line for specific recipient (optional)
  attn-name: "Mr Basil Hawthorne",

  // Letter date (automatically set to today's date)
  date: datetime.today().display("[day padding:zero] [month repr:long] [year
repr:full]"),

  // Opening greeting
  salutation: "Dear Mr Hawthorne,",

  // Letter subject line
  subject: text(weight: "bold")[#smallcaps("Pruning of Heritage Oak Trees in the
Dimbleby Estate")],

  // Closing phrase
  closing: "Sincerely yours,",

  // List of signatures with their name, optional signature image, title and
affiliation
  signatures: (
    (
      name: "Lord Albus Dimbleby",
      signature: image("images/albus-sig.png"),
    ),
    (
      name: "Lady Abigail Dimbleby",
      signature: image("images/abigail-sig.png"),
    ),
    (
      name: "Sir Austin Dimbleby",
      signature: image("images/austin-sig.png"),
    ),
  ),

  // List of cc recipients (optional)
  cc: "Mr Jethro Tull",

  // List of enclosures (optional)
```

```
enclosures: (
  (
    description: "Photograph of storm damaged Oak trees.",
    file: read("enclosures/storm-damaged-oak-tree.jpg", encoding: none),
    margin: 20mm,
  ),
  (
    description: "Provenance of the Oak trees on the Dimbleby Estate.",
    file: read("enclosures/oak-tree-provenance.pdf", encoding: none),
    pages: 3,
  ),
),

// Custom footer information (optional)
footer: (
  (
    footer-text: "+44-117-555-5555",
  ),
  (
    footer-text: "dimblebyfamily@dimbleby.org",
    footer-type: "email",
  ),
  (
    footer-text: "https://dimbleby.org",
    footer-type: "url",
  ),
),

// Paper size (default: "a4")
paper-size: "a4",

// Page margins (default: auto)
margins: (top: 20mm, left: 20mm, bottom: 20mm, right: 20mm),

// Enable page numbering (default: false)
number-pages: false,

// Main font (default: "Libertinus Serif")
main-font: "Libertinus Serif",

// Main font size (default: 11pt)
main-font-size: 11pt,

// Footnote font (default: "Libertinus Serif")
footnote-font: "Libertinus Serif",

// Footnote font size (default: 7pt)
footnote-font-size: 7pt,

// Footer font (default: "DejaVu Sans Mono")
footer-font: "DejaVu Sans Mono",

// Footer font size (default: 9pt)
footer-font-size: 9pt,
```

```
  // Footnote alignment (default: left)
  footnote-alignment: right,

  // Link color (default: blue)
  link-color: maroon,
)

We are writing to request you to visit The Dimbleby Estate in Cheswick Village to
assess a stand of lordly Heritage Oak Trees that have stood the test of time, but
whose strength might have been compromised by the wild squall that ripped through
the region last week. We are keen to avoid any danger to passers by from weakened
roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the
same time minimizing the residual damage to the trees. You would, of course, also
undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimbleby family, the signatures of all
three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an
appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.
```

The Dimbleby Family
The Dimbleby Estate
Cheswick Village
Middle Upton
Bristol BS16 1GU

27 April 2026

Attn: Mr Basil Hawthorne
Evergreen Tree Surgeons
Midtown Lane
Cheswick Village
Stoke Gifford
Bristol BS16 1GU

Dear Mr Hawthorne,

Pruning of Heritage Oak Trees in the Dimbleby Estate

We are writing to request you to visit The Dimbleby Estate in Cheswick Village to assess a stand of lordly Heritage Oak Trees that have stood the test of time, but whose strength might have been compromised by the wild squall that ripped through the region last week. We are keen to avoid any danger to passers by from weakened roots, branches, and sundry debris.

Your specific task would be to render the grove safe to human traffic while at the same time minimizing the residual damage to the trees. You would, of course, also undertake to clear the area thereafter.

Since this estate is jointly owned by the Dimbleby family, the signatures of all three of us appear in this letter to avoid any legal wrangles in the future.

Kindly contact our Head Groundsman, Mr Jethro Tull, on 0117-12345678, to fix an appointment to view the trees and give a quotation for the contemplated work.

Thank you kindly.

Sincerely yours,

ALBUS DIMBLEBY | Abigail Dimbleby | Austin Dimbleby

Lord Albus Dimbleby | Lady Abigail Dimbleby | Sir Austin Dimbleby

cc:
Mr Jethro Tull

encl:
1. Photograph of storm damaged Oak trees.
2. Provenance of the Oak trees on the Dimbleby Estate.

+44-117-555-5555 dimblebyfamily@dimbleby.org https://dimbleby.org

Disclaimer: *This document is entirely fictitious and is provided solely as a usage example for the* `letterloom` *package.*

Oak Tree Provenance Statement

Location: Dimbleby Estate
Species: English Oak (Quercus robur)
Date: 14 March 2026

The oak trees on The Dimbleby Estate are of native English provenance, characteristic of traditional estate woodland in this region of Middle Upton, Bristol. Historical records and planting patterns indicate that these oaks were established as part of the original estate landscape design, dating from approximately the mid to late 17th century.

The trees are believed to have been grown from locally collected acorns, in keeping with 17th-century estate practice, which favoured the use of indigenous seed sources to preserve regional genetic integrity and ensure adaptation to local soil and climatic conditions.

The oaks display the typical form and habit of *Quercus robur*, with growth characteristics consistent with long-established native stands. Their lineage contributes to the ecological and historical continuity of the Dimbleby Estate's landscape and represents a living record of its natural heritage.

Historical Background

Estate records held in the Dimbleby family archive make reference to the planting of "great oaks along the southern ride and the western paddock boundary" in a ledger entry dated 1678, during the tenure of Sir Edmund Dimbleby. A further entry from 1694 notes the collection of acorns from "the ancient wood at Cheswick Common" for propagation at the estate nursery, strongly suggesting a local seed source for the present stand.

By the early 18th century, survey maps of the estate depict a continuous belt of woodland along the eastern boundary consistent in position with the trees now under consideration. A tithe map of 1841 confirms the presence of "mature oak timber" in the same location, and a photographic survey commissioned in 1923 shows specimens of comparable girth and form to those standing today.

The trees have therefore been in continuous presence on the estate for at minimum three centuries, and the weight of documentary evidence supports a native, locally sourced origin.

Species Assessment

Each specimen was assessed in the field by a qualified arborist in February 2026. All trees present the distinguishing features of Quercus robur: sessile acorns borne on long peduncles, deeply lobed leaves with auriculate bases, and furrowed grey-brown bark consistent with advanced age.

Tree Ref	Girth at 1.5 m (cm)	Estimated Age (years)	Condition
OT-01	312	290–320	Good
OT-02	287	270–300	Good
OT-03	341	310–350	Fair — crown reduction advised

Tree Ref	Girth at 1.5 m (cm)	Estimated Age (years)	Condition
OT-04	298	280–310	Good
OT-05	265	250–280	Good
OT-06	319	290–330	Fair — basal cavity present

Table 1: Field measurements and condition ratings, February 2026.

No evidence of non-native cultivars or hybrid specimens was detected. Leaf morphology, acorn characteristics, and growth habit are consistent across all six trees, supporting a single-origin provenance within a locally native population.

Ecological Significance

The trees support a rich assemblage of associated species. Lichen surveys conducted in autumn 2025 recorded fourteen species of epiphytic lichen on the older specimens, including three indicator species of ancient woodland continuity: Lobaria pulmonaria, Usnea florida, and Ramalina fraxinea. The presence of these slow-colonising species corroborates the trees' antiquity and the ecological stability of the site.

Bat activity surveys carried out under licence in summer 2025 recorded roost use by common pipistrelle (Pipistrellus pipistrellus) and brown long-eared bat (Plecotus auritus) in the cavity of OT-06. The veteran status of this tree requires that any future management work be scheduled outside the active roosting season and carried out under appropriate ecological supervision.

The oaks collectively provide habitat for numerous invertebrate species, including several saproxylic beetles associated with decaying heartwood, and represent a significant resource for nesting birds on the estate.

Recommendations

Given the provenance, age, and ecological value of these trees, the following is recommended:

1. **Retain all six specimens** in perpetuity as part of the estate's natural heritage. Felling should not be considered unless a tree presents an immediate safety risk that cannot be mitigated by other means.
2. **Commission a full veteran tree survey** of OT-03 and OT-06 within the next twelve months to assess structural integrity and inform a proportionate management plan.
3. **Establish a 15-metre root protection zone** around each tree, within which ground disturbance, soil compaction, and construction activity should be prohibited.
4. **Record the trees on the Ancient Tree Inventory** maintained by the Woodland Trust, in recognition of their age and ecological significance.
5. **Undertake periodic monitoring** on a five-year cycle, with photographic records maintained in the estate archive.

Declaration

I confirm that the information contained in this statement is accurate to the best of my knowledge and has been compiled from direct observation, estate records, and specialist survey data.

Prepared by: Mr Jethro Tull
Position: Head Groundsman
For: The Dimbleby Estate
Date: 14 March 2026