

CSS CONCEPTS

SELECTORS

Patterns that match elements



PROPERTIES

Style settings like color, font, etc.



BOX MODEL

Content, padding, border, margin



PROPERTIES

Style settings like color, font, etc.



VALUES



GRID

Assigned to properties



RESPONSIVE DESIGN



POSITIONING

Controlling element placement



FLEXBOX

One-dimensional layout model



GRID

Two-dimensional layout system



RESPONSIVE DESIGN

Adapts to different screen sizes





SELECTORS

Patterns that match elements

- Element Selector `p`
- Class Selector `.classname {}`
- ID Selector `#dname {}`
- Combinators `div > p`
`div + p`
- Pseudo-classes `a:hover`
- Pseudo-elements `:nth-child()`
- `display: none`



PROPERTIES


Style settings like color, etc.

- `color: blue;`
- `font-family: Arial`
- `font-size: 16px`
- `font-weight: bold`
- `margin: 20px`
- Pseudo-classes `a:hover`
- Pseudo-elements `:after`



BOX MODEL

Content, padding, border, margin





FLEXBOX

**Flexible layout for
UI components**

- **display: flex;**
- **flex-direction: row;**
- **justify-content: center;**
- **align-items: center;**
- **sticky**

VALUES

Assigned to properties

- `color: green;`
- `font-size: 14px`
- `width: 100%;`
- `line-height: 1.5;`
- `background-color; #000000;`
- `font-style: italic`
- `display: none`



POSITIONING

Types of element positioning

- static
- relative
- absolute
- fixed
- sticky



GRID

Two-dimensional layout system

- `display: grid;`
- `grid-template-columns`
- `grid-template-rows`
- `gap`

RESPONSIVE DESIGN

FLUID GRIDS

Use percentages match elements

FLUID GRIDS

Use percentages for width

MEDIA QUERIES

Apply styles basen device

PROPERTIES

Style settings like color, font, etc.

FLEXIBLE IMAGES

GRID

Assigne within contarines

MEDIA QUERIES

Apply styles basen device

MOBILE FIRST

Design for small screens first

FLEXBOX

One-dimensioal layout model

BREAKBROINTS

Define layout changes

VIEWPORT META

Control page screen scaling