

Practical: 3	Implementation of max-heap sort algorithm.	
05/08/2026		

Aim: To Implement of max-heap sort algorithms.

MAX-HEAP SORT :

Algorithm:

Input : Arrays of elements.
Output : Sorted elements.

Step 1: Start

Step 2: For $i = n/2$ do 1, do

Step 3: largest = i

Step 4: $l = 2 * i$

Step 5: $r = 2 * i + 1$

Step 6: if $l \leq n$ and $arr[l] > arr[largest]$ then do largest = l

Step 7: If $r \leq n$ and $arr[r] > arr[largest]$ then do largest = r

Step 8: If largest $\neq i$ then do

Step 9: Swap $arr[largest]$ and $arr[i]$

Step 10: Swap $arr[l]$ and $arr[i]$

Step 11: max heapify $(arr, l-1, i)$

Step 12: Stop.

Program:

```
#include <iostream>
using namespace std;
void heapify(int arr[], int n, int i) {
    int largest = i;
    int left = 2 * i + 1;
    int right = 2 * i + 2;
    if (left < n && arr[left] > arr[largest]) {
        largest = left;
    }
    if (right < n && arr[right] >
arr[largest]) {        largest = right;
    }
    if (largest != i) {
        swap(arr[i], arr[largest]);
        heapify(arr, n, largest);
    }
}
void heapSort(int arr[], int n) {
    for (int i = n / 2 - 1; i >= 0; i--) {
        heapify(arr, n, i);
    }
    for (int i = n - 1; i > 0;
i--) {        swap(arr[0], arr[i]);
        heapify(arr, i, 0);
    }
}
int main() {    int arr[] =
{4, 10, 3, 5, 1};    int n = 5;
heapSort(arr, n);    for (int i
= 0; i < n; i++) {        cout
<< arr[i] << " ";
    }
    return 0;
}
```

Output:**Output**

```
Enter the number of elements: 5
Enter 5 elements:
3
1
6
4
2
Array after Heap Sort: 1 2 3 4 6

=== Code Execution Successful ===
```

Time Complexity:

Best Case:

for $i = n-1; i > 0; i--$ {
 Swap $(arr[0], arr[i])$ — n
 heapify $(arr, i, 0)$; } — $O(n \log n)$
 $T(n) = O(n) + O(n) + O(n) + O(n) + O(n \log n)$
 $= O(n \log n)$

Average Case:

for $i = n-1; i > 0; i--$ {
 Swap $(arr[0], arr[i])$ — n
 heapify $(arr, i, 0)$; } — $O(n \log n)$
 $T(n) = O(n) + O(n) + O(n) + O(n \log n)$
 $= O(n \log n)$

Worst Case:

for $i = n-1; i > 0; i--$ {
 Swap $(arr[0], arr[i])$ — n
 heapify $(arr, i, 0)$ — $O(n \log n)$

Conclusion:

The implementation and time analysis of Max-Heap Sort helps us understand its sorting efficiency. Max-Heap Sort builds a Max Heap and repeatedly swaps the maximum element with the last element to sort the array in ascending order. It has a time complexity of $O(n \log n)$ in the best, average, and worst cases. Therefore, Max-Heap Sort is an efficient and consistent sorting algorithm for handling large datasets.