


MICROSOFT AZURE

DATAFLOW ACTIVITY


In Resource Group, Storage account and Data Factory are created



2 containers were created in storage account,


1. input

2. output




MCROSOFT AZURE

Files uploaded into input container




Select new dataflow from Data Flows and added Source

Enable DataFlow Debug




MICROSOFT AZURE

Datatype is configured according to the Data




Select Derived Column




MICROSOFT AZURE

ADD NEW COLUMN

Select Add ->Add Column



Expression is built



MICROSOFT AZURE

New Column 'temp_f' is added

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists various components. The main workspace displays a data flow with a 'source1' dataset connected to a 'derivedColumn1' dataset. The 'Data preview' tab is active, showing a table with columns: date, city, temperature_c, humidity_pct, condition, and temp_f. The 'temp_f' column is highlighted with a red box. The table contains five rows of data.

date	city	temperature_c	humidity_pct	condition	temp_f
2020-08-19	New York	22	80	Sunny	71.6
2020-08-20	London	18	75	Cloudy	64.4
2020-08-21	Tokyo	25	88	Rainy	77.0
2020-08-22	Sydney	19	73	Clear	66.2

DELETE COLUMN


Choose Select

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists various components. The main workspace displays a data flow with a 'source1' dataset connected to a 'derivedColumn1' dataset. The 'Data preview' tab is active, showing a table with columns: date, city, temperature_c, humidity_pct, condition, and temp_f. The 'temp_f' column is highlighted with a red box. A context menu is open over the 'temp_f' column, with the 'Select' option highlighted. The menu also shows 'Schema modifier' and 'Row modifier' options.


date	city	temperature_c	humidity_pct	condition	temp_f
2020-08-19	New York	22	80	Sunny	71.6
2020-08-20	London	18	75	Cloudy	64.4
2020-08-21	Tokyo	25	88	Rainy	77.0
2020-08-22	Sydney	19	73	Clear	66.2
2020-08-23	Mumbai	30	85	Humid	86.0

MICROSOFT AZURE

Select the Column want to be deleted (City) and delete




City Column is deleted




MICROSOFT AZURE

Select Sink

DataSet and Linked Service configured




Drag dataflow1 to panel




MICROSOFT AZURE

Validate the pipeline and debug it

Pipeline activity succeeded




Resulted file uploaded in output container



MICROSOFT AZURE

Resulted Output Obtained



The screenshot displays the Microsoft Azure portal interface. On the left, the navigation pane shows the 'output' container under the 'Containers' section. The main area shows the details of the file 'part-00000-7a61255b-b90d-4048-8da0-f253b245cbb4-c000.csv'. The file is a CSV with 7 rows of data. The columns are: date, temperature_c, humidity_pct, condition, temp_f.

	date	temperature_c	humidity_pct	condition	temp_f
1	2020-08-19	22	60	Sunny	71.6
2	2020-08-20	18	75	Cloudy	64.4
3	2020-08-21	25	68	Rainy	77.0
4	2020-08-22	19	55	Clear	66.2
5	2020-08-23	30	80	Humid	86.0
6					
7					