01 Assignment1 Http And Setup

ShipTrack (shipment1212). TeamID: TODO | Name/Roll: TODO | Date: 2026-09-08.

Assignment 1 — HTTP by Hand & Project Setup (mapped to ShipTrack)

TeamID: TODO | Name/Roll: TODO

CampusEats asked for http-log.md, network-analysis.md, README, brief.md. This file is the ShipTrack completion of the same pattern.

1. Five curl -i requests (one is a deliberate 404)

Stack must be up first:

```
cp .env.example .env
docker compose up -d --build
docker compose ps   # 16 containers healthy
```

#	Command	Expected status + Content-Type meaning
1	curl -i -X POST http://localhost:18000/api/v1/auth/login -H 'content-type: application/json' -d '{"email":"admin@shiptrack.local","password":"Admin@12345"}'	200 OK, application/json = success, returns {user, accessToken, refreshToken}. Source: RUNBOOK.md §4, services/auth-service/openapi.yaml
2	curl -i http://localhost:18000/api/v1/shipments/track/STKABC123	200 OK public tracking lookup (guest, no auth). services/shipment-service/openapi.yaml /track/{trackingId}
3	curl -i http://localhost:18000/api/v1/tracking/STKABC123/events	200 OK paginated tracking-event list. services/tracking-service/openapi.yaml
4	curl -i http://localhost:18000/api/v1/tracking/UNKNOWN/latest	404 NOT_FOUND, application/json = resource does not exist. Thrown in services/tracking-service/src/services/trackingEventService.js:33, shaped by common/src/errors.js
5	curl -i -X POST http://localhost:18000/api/v1/tracking/STKABC123/events -H 'content-type: application/json' -d '{"status":"NOT_A_STATUS"}'	400 BAD_REQUEST = AJV validation failed (src/middleware/schemas.js, validate() in src/routes/trackingRoutes.js:11). Proved by test tests/tracking.routes.test.js:28-33

Full collection: postman/ShipTrack.postman_collection.json. Swagger: http://localhost:18000/api-docs.

2. Network analysis (DevTools waterfall)

1. Open http://localhost:3001 (frontend in frontend/)
2. F12 → Network → tick Disable cache → reload
3. Record: request count (bottom bar), total MB transferred, slowest resource (Time column — usually the JS bundle or /graphql), any 304 (ETag hit), 404, 429 (rate limit from @shiptrack/common rateLimiter, see tracking-service/src/app.js:10)

3. Git repository

- Remote: git@github.com:nandankabra/wsexpress.git (git remote -v)
- Structure: README.md (123 lines), docs/ (architecture.md, er-diagrams.md, deployment-guide.md, diagrams/), services/<name>/, frontend/, docker-compose.yml
- History is incremental, not one final commit: git log --oneline -20 shows e.g. a62397a Add shipment-service, fbd5b25 Add location-service, 64c5475 Add graphql-service, 24fce83 Add api-gateway

4. Brief (what / who / nouns / verbs)

- What: logistics platform — 12 Node/Express microservices behind API Gateway (README.md:1-7, docs/architecture.md). REST + GraphQL + SOAP, JWT/RBAC, Postgres+MySQL+Mongo.
- Who: Guest (public tracking), CUSTOMER (register, create, quote, track), CARRIER (admin-provisioned; claim, update status, add events), ADMIN (manage, analytics, audit). See README.md:60-67, RUNBOOK.md §4.
- Nouns: User, Carrier, Shipment, TrackingEvent, Quote/PricingRule, Country/City/Warehouse/Route, AnalyticsRecord, AuditLog, Notification.
- Verbs: register/login, createShipment, getQuote, trackPublic, recordEvent, updateStatus, assignCarrier, verifyCarrier, aggregateDashboard, audit, notify.