

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester IV)

EnterPrise Java

Practical-V

Roll No.:T006	Name:Nandini Chaudhary
Class:TYIT	Batch:01
Date of Assignment:01-08-2026	Date/Time of Submission:01-08-2026

5. Implement the following JSP JSTL and EL Applications.

a. Create an html page with fields, eno, name, age, designation, salary. Now submit this data to a JSP page which will update the employee table of the database with matching eno.

Code:-

index.html:-

```
<!DOCTYPE html>
<html>
  <head>
    <title>Employee Update</title>
  </head>
  <body>
    <h2>Update Employee</h2>
    <form action="update.jsp" method="post">
      Employee No:
      <input type="text" name="eno"><br><br>
      Name:
      <input type="text" name="name"><br><br>
      Age:
      <input type="text" name="age"><br><br>
      Designation:
      <input type="text" name="designation"><br><br>
      Salary:
      <input type="text" name="salary"><br><br>
      <input type="submit" value="Update">
    </form>
  </body>
</html>
```

Display.jsp:-

```
<%@page import="java.sql.*"%>
<%
  String eno = request.getParameter("eno");
  String name = request.getParameter("name");
  String age = request.getParameter("age");
```

```

String des = request.getParameter("designation");
String salary = request.getParameter("salary");
try {
    Class.forName("com.mysql.jdbc.Driver");
    Connection con = DriverManager.getConnection(
        "jdbc:mysql://localhost:3306/company",
        "root",
        "root"
    );
    PreparedStatement ps = con.prepareStatement(
        "UPDATE employee SET name=?, age=?, designation=?, salary=? WHERE eno=?");
    ps.setString(1, name);
    ps.setInt(2, Integer.parseInt(age));
    ps.setString(3, des);
    ps.setDouble(4, Double.parseDouble(salary));
    ps.setInt(5, Integer.parseInt(enno));
    int i = ps.executeUpdate();
    if (i > 0) {
        out.println("<h2>Record Updated Successfully</h2>");
    } else {
        out.println("<h2>Employee Not Found</h2>");
    }
    con.close();
} catch (Exception e) {
    out.println(e);
}
%>

```

Output:-

```

mysql>
mysql> CREATE TABLE employee(
->   eno INT PRIMARY KEY,
->   name VARCHAR(50),
->   age INT,
->   designation VARCHAR(50),
->   salary DOUBLE
-> );
Query OK, 0 rows affected (0.02 sec)

mysql> INSERT INTO employee VALUES
->   (103,'Nandini',22,'Developer',60000);
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO employee VALUES
->   (104,'Nidhi',22,'Developer',50000);
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO employee VALUES
->   (105,'Divyanjali',22,'Developer',70000);
Query OK, 1 row affected (0.00 sec)

```

eno	name	age	designation	salary
6	Nandini	22	Developer	60000
101	Rahul	25	Developeper	30000
102	Nandini	20	Devleloper	30000
103	Nandini	22	Developer	60000
104	Nidhi	22	Developer	50000
105	Divyanjali	22	Developer	70000

Update Employee

Employee No:

Name:

Age:

Designation:

Salary:

Record Updated Successfully

b. Create a JSP page to demonstrate the use of Expression language.

Code:-

```
<%@ page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <title>JSP Expression Demo</title>
  </head>
  <body>
    <h2>JSP Expression Language</h2>
    <p>1. Addition: <%= 10 + 20%></p>
    <p>2. Multiplication: <%= 5 * 6%></p>
    <p>3. Division: <%= 20 / 4%></p>
    <p>4. Current Year: <%= java.time.Year.now()%></p>
    <p>5. String: <%= "Welcome to JSP"%></p>
    <p><b> Nandini Chaudhari T006 </b></p>
  </body>
</html>
```

Output:-

JSP Expression Language

1. Addition: 14

2. Subtraction: 15

3. Multiplication: 24

4. Division: 4.0

5. Modulus: 3

Nandini Chaudhari T006

c. Create a JSP application to demonstrate the use of JSTL.

Code:-

```
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Core Tag Example</title>
  </head>
  <body>
    <c:forEach var = "j" begin="5" end="15">
      Item <c:out value = "${j}" /><p>
    </c:forEach>
    <p><b> Nandini Chaudhari T006 </b></p>
  </body>
</html>
```

Output:-

Item 5

Item 6

Item 7

Item 8

Item 9

Item 10

Item 11

Item 12

Item 13

Item 14

Item 15

Nandini Chaudhari T006