

SPC Analysis Report

Item:	All	AirGauge ID:	All / CH: All	Drawing:	All
Operator:	All	Machine ID:	All	Customer:	

DATA COLLECTION FROM 01/01/2020 TO 22/06/2026

UCL (X)	27.1200819	LCL (X)	27.1193181	UCL (R)	0.0022035	LCL (R)	0.0000000		
σ	0.0004029	CPK_l	20.4351783	CPK_u	4.3848763	CP	12.4100273	CPK	4.3848763
Std Dev	0.0005814	PPK_l	14.1612200	PPK_u	3.0386424	PP	8.5999312	PPK	3.0386424

RESULT: PROCESS IS EXCELLENT


Data Collection (10xN)

S.No	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10
1	27.12000	27.12000	27.11920	27.11880	27.11880	27.11960	27.11880	27.12200	27.12000	27.11960
2	27.11960	27.11960	27.12040	27.11960	27.11960	27.12040	27.11920	27.12000	27.11960	27.12000

Column Statistics


[illegible]

X-Bar Chart




Sample	X-Bar
1	27.11980
2	27.11980
3	27.11980
4	27.11920
5	27.11920
6	27.12000
7	27.11900
8	27.12100
9	27.11980
10	27.11980
11	27.11960
12	27.12000
13	27.11940
14	27.11920
15	27.12000
16	27.11980
17	27.12020
18	27.11980
19	27.11920
20	27.11980
21	27.12000
22	27.11960
23	27.11980
24	27.11960
25	27.12020

R-Bar Chart



Sample	R-Bar
1	0.00040
2	0.00040
3	0.00120
4	0.00080
5	0.00080
6	0.00080
7	0.00040
8	0.00200
9	0.00040
10	0.00040
11	0.00000
12	0.00000
13	0.00120
14	0.00000
15	0.00000
16	0.00040
17	0.00120
18	0.00040
19	0.00080
20	0.00040
21	0.00000
22	0.00000
23	0.00200
24	0.00000
25	0.00040

Histogram



Frequency Distribution

Interval From	Interval To	Cumulative	Frequency
27.11834	27.11880	6	6
27.11880	27.11926	10	4
27.11926	27.11971	28	18
27.11971	27.12017	44	16
27.12017	27.12063	47	3
27.12063	27.12109	49	2
27.12109	27.12154	49	0
27.12154	27.12200	50	1