

[Home](#)[Upload & Share](#)[Privacy Policy](#)[Contact Us](#)**GUIDELINES**[Home](#)[Privacy Policy](#)[Upload & Share](#)[Contact Us](#)**SUGGESTION**[Report Spelling and Grammatical Errors](#)

# Top 4 Problems on PERT | Network Analysis | Networking

Article shared by: **Sengupta A**

List of top four problems on PERT.

**Example 1:**

**A small project consisting of eight activities has the following characteristics:**

Time – Estimates (in weeks)

Activity	Preceding activity	Most optimistic time (a)	Most likely time (m)	Most Pessimistic time (b)
A	None	2	4	12
B	None	10	12	26
C	A	8	9	10
D	A	10	15	20
E	A	7	7.5	11
F	B,C	9	9	9
G	D	3	3.5	7
H	E,F,G	5	5	5

**Engineering Notes**

Before uploading and sharing your knowledge on this site, please read the following pages:

1. Content Guidelines 2. Prohibited Content 3. Image Guidelines 4. Plagiarism Prevention 5. Content Filtration 6. Terms of Service 7. Disclaimer 8. Privacy Policy 9. Copyright 10. Report a Violation 11. Account Disable 12. Uploader Agreement.

Title\*

Description\*

This website uses cookies and third party services.



OK



(i) Draw the PERT network for the project.

ADVERTISEMENTS:

Click Here Get The B  
Acer Mall - Exclusive Sto

(ii) Prepare the activity schedule for the project.

(iii) Determine the critical path.

(iv) If a 30- week deadline is imposed, what is the probability that the project will be finished within the time limit?

ADVERTISEMENTS:

Your Email ID\*

Drop files here or

  
Select files

protected by reCAPTCHA

[Privacy](#) - [Terms](#)

UPLOAD AND SHARE

#### Recent

Unconventional Machining Processes: AJM, EBM, LBM & PAM | Manufacturing

Material Properties: Alloying, Heat Treatment, Mechanical Working and Recrystallization

Design of Gating System | Casting | Manufacturing Science

This website uses cookies and third party services.

OK

## 3D Interior Design

Design your 3D dream home like a  
4K Render

Coohom 3D Design Tool

If the project manager wants to 99% sure that the project is completed on the schedule date, how many weeks before that date should he start the project work?

### **Solution:**


The network diagram for the given data is shown in fig. below. The earliest time and variance of each activity is computed by using the formula.

This website uses cookies and third party services.

OK



$$t_e = \frac{a + 4m + o}{6} \text{ and } \sigma^2_t = \left( \frac{o - a}{6} \right)^2$$



## Get a Free Bot Analysis

Find bad bots gobble bandwidth, slowing your site, and increase hosting costs.

Radware

Sign up

(ii) Calculation activity duration and scheduling times.

This website uses cookies and third party services.

OK

## Get a Free Bot Analysis

Find bad bots gobble up bandwidth, slowing down your site, and increasing hosting costs.

Radware

Sign up

Activity	Time estimates			$t_e$	$(\sigma_e^2)$	Earliest time		latest time	
	a	m	b			Start	finish	Start	Finish
A	2	4	12	5	25/9	0	5	0	5
B	10	12	26	14	64/9	0	14	1	15
C	8	9	10	9	1/9	5	14	6	15
D	10	15	20	15	25/9	5	20	5	20
E	7	7.5	11	8	4/9	5	13	16	24
F	9	9	9	9	0	14	23	15	24
G	3	3.5	7	4	4/9	20	24	20	24
H	5	5	5	5	0	24	29	24	29

(iii) The critical path of the project is 1-2-4-5-6, critical activities being A, D, G and H.

The expected project length is the sum of duration of each critical activity.

Expected project length = 5 + 15 + 4 + 5

This website uses cookies and third party services.

OK

Variance project length is obtained by summing variance of each critical activity.

$$\text{Variance of project} = \frac{25}{9} + \frac{25}{9} + \frac{4}{9} + 0 = 6$$

(Iv) The required probability can be determined by finding the area under the normal curve to the left of  $X = 30$

Now, the probability of completing the project within the 30 week deadline is

$$\begin{aligned} P(X \leq 30) &= 0.5 + P(\mu < x < 30) \\ &= 0.5 + P(0 \leq Z \leq 0.41) \\ &= 0.5 + 0.1591 \\ &= 0.6591 \end{aligned}$$

Where

$$Z = \frac{\text{Due date} - \text{Expected date}}{\sigma t}$$

$$Z = \frac{30 - 29}{\sqrt{6}} = 0.41$$

(v) If the project start  $T$  weeks before the due date, the  $X$  will represent the ordinate under normal curve to the left of which 00% of area lies.

Radware

# Get a Free Bad Bot Analysis

Sign Up

The area between n and X- being 99-50 or 49% and Z – value corresponding to this is 2033 (From table)

$$\therefore 2.33 = \frac{T - 29}{\sqrt{6}}$$

$$T = 29 + 2.33 \sqrt{6}$$

$$= 34.7 \text{ weeks}$$

## Example 2:

**A small project consisting of ten activities has the following characteristics:**

This website uses cookies and third party services.


OK

Activity	Preceding Activity	Time Estimate weeks		
		Optimistic	Most likely	Pessimistic
A	—	4	5	12
B	—	1	1.5	5
C	A	2	3	4
D	A	3	4	11
E	A	2	3	4
F	C	1.5	2	2.5
G	D	1.5	3	4.5
H	B, E	2.5	3.5	7.5
I	H	1.5	2	2.5
J	F, G, I	1	2	3

Determine the critical path

**Solution:**

**Network for the given project is drawn below:**



**Value of expected time for each**

This website uses cookies and third party services.

OK





## Math Problems Solved

Ask questions and get answers.

Activity	time estimate (Weeks)			
	Optimistic $t_o$	Most likely $t_m$	Pessimistic $t_p$	Expected $t_e = \frac{t_o + 4t_m + t_p}{6}$
A (1-2)	4	5	12	6
B (1-3)	1	1.5	5	2
C (2-4)	2	3	4	3
D (2-5)	3	4	11	5
E (2-3)	2	3	4	3
F (4-7)	1.5	2	2.5	2
G (5-7)	1.5	3	4.5	3
H (3-6)	2.5	3.5	7.5	4
I (6-7)	1.5	2	2.5	2
J (7-8)	1	2	3	2

**Time [Earliest & latest] are calculated as follows:**

This website uses cookies and third party services.

OK



<i>Forward Pass Method</i>	<i>Backward Pass Method</i>
$E_1 = 0$	$L_8 = E_8 = 17$
$E_2 = E_1 + t_{1,2} = 0 + 6 = 6$	$L_7 = E_8 - t_{7,8} = 17 - 2 = 15$
$E_3 = \max [E_1 + t_{1,3}; E_2 + t_{2,3}]$ $= \max [0 + 2; 6 + 3] = 9$	$L_6 = L_7 - t_{6,7} = 15 - 2 = 13$
	$L_5 = L_7 - t_{4,7} = 15 - 3 = 12$
$E_4 = E_2 + t_{2,4} = 6 + 3 = 9$	$L_4 = L_7 - t_{4,7} = 15 - 2 = 13$
$E_5 = E_2 + t_{2,5} = 6 + 5 = 11$	$L_3 = L_6 - t_{3,6} = 13 - 4 = 9$
$E_6 = E_3 + t_{3,6} = 9 + 4 = 13$	$L_2 = \min [L_3 - t_{2,3}, L_4 - t_{2,4}, L_5 - t_{2,5}]$ $\min [9 - 3; 13 - 3; 12 - 5] = 6$
$E_7 = \max [E_4 + t_{4,7}; E_5 + t_{5,7}; E_6 + t_{6,7}]$ $= \max [9 + 2; 11 + 3; 13 + 2] = 15$	$L_1 = \min [L_2 - t_{1,2}; L_3 - t_{1,3}]$ $= \min [6 - 6; 9 - 2] = 0$
$E_8 = E_7 + t_{7,8} = 15 + 2 = 17$	

As we can see there are two critical paths along which E-values and L-values are similar, but the longest network of critical activities is known as critical path.

Critical path is 1-2-3-6-7-8

Expected length of critical path is =  $6 + 3 + 4 + 2 + 2 = 17$  weeks

### Example 3:

Product manager has planned a list of activities culminating in the inaugurate launch of the new products.

This website uses cookies and third party services.

OK




Activity	pert 3 time estimates days			immediate predecessor (s)
	P	M	O	
a	20	10	5	—
b	12	7	5	—
c	12	10	8	a
d	40	20	6	c
e	90	60	30	d
f	14	10	7	d
g	50	30	20	c
h	12	10	8	e, f, g
i	6	4	3	b
j	1	1	1	h, i

What is the probability that product manager will be able to complete the language launch within 80 days-time?

**Solution:**

**Network diagram for given problem is shown in following fig:**



This website uses cookies and third party services.

OK

## Get a Free Bot Analysis

Find bad bots gobble up bandwidth, slowing down your site, and increasing hosting costs.

Radware

Sign up

Expected time value for each activity of given network is listed in table below along with three variance.

Activity	Time estimates				Variance
	Pessimistic	Most likely	Optimistic	Expected	
	$t_p$	$t_m$	$t_o$	$t_e = \frac{t_o + 4t_m + t_p}{6}$	$\sigma^2 = \left(\frac{t_p - t_o}{6}\right)^2$
a	20	10	5	10.83	6.25
b	12	7	5	7.5	1.36
c	12	10	8	10	0.44

d	40	20	6	21	32.11
e	90	60	30	60	100
f	14	10	7	10.17	11.36
g	50	30	20	31.67	25
h	12	10	8	10	0.44
i	6	4	3	4.17	0.25
j	1	1	1	1	0

This website uses cookies and third party services.

OK

**Value of earliest & latest time is calculated on the basis of expected time  $t_e$  as follows:**

<i>Forward pass method</i>	<i>Backward pass method</i>
$E_1 = 0$	$L_9 = E_9 = 112.83$
$E_2 = E_1 + t_{1-2} = 0 + 10.83 = 10.83$	$L_8 = L_9 - t_{8-9} = 112.83 - 1 = 111.83$
$E_3 = E_1 + t_{1-3} = 0 + 7.5 = 7.5$	$L_7 = L_8 - t_{7-8} = 111.83 - 0 = 101.83$
$E_4 = E_2 + t_{2-4} = 10.83 + 10 = 20.83$	$L_6 = L_7 - t_{6-7} = 101.83 - 0 = 101.83$
$E_5 = E_4 + t_{4-5} = 20.83 + 21 = 41.83$	$L_5 = \min [L_6 - t_{5-6}; t_7 - t_{5-7}]$
$E_6 = E_5 + t_{5-6} = 41.83 + 60 = 101.83$	$= \min [101.83 - 60; 10.83 - 10.17] = 41.83$
$E_7 = \max [E_4 + t_{4-7}, E_5 + t_{5-7}, E_6 + t_{6-7}]$	$L_4 = \min [L_5 - t_{4-5}, L_7 - t_{4-7}]$
$= \max [20.83 + 31.67, 41.83 + 10.17$	$= \min [41.83 - 21; 101.83 - 31.67]$
$+ 101.83 + 0] = 101.83$	$= 20.83$
$E_8 = \max [E_3 + t_{3-8}, E_7 + t_{7-8}]$	$L_3 = L_7 - t_{3-7} = 101.83 - 4.17 = 97.66$
$= \max [7.5 + 4.17; 101.83 + 10] = 111.83$	$L_2 = L_4 - t_{2-4} = 20.83 - 10 = 10.83$
$E_9 = E_8 + t_{8-9}$	$L_1 = \min [L_2 - t_{1-2}; L_3 - t_{1-3}]$
$= 111.83 + 1$	$= \min (10.83 - 10.83; 97.66 - 7.5)$
$= 112.83$	$= 0$

## Get a Free Bot Analysis

Find bad bots gobble bandwidth, slowing your site, and increase hosting costs.

Radware

Sign up

**Value of earliest & latest time is**

This website uses cookies and third party services.

OK

**time  $t_e$  as follows:**

Hence critical path along with E-value and L- value are same i.e., 1- 2-4-5-6-7-8-9 Expected project duration is 172.83 days

Variance of project length = Sum of variance of each critical activity =  $6.25 + 0.44 + 32.11 + 100 + 1.36 + .44 + 0 = 140.6$

Standard deviation is

$$\begin{aligned}\sigma &= \sqrt{\text{Variance}} \\ &= \sqrt{140.6} \\ &= 11.86\end{aligned}$$

thus,

$$Z = \frac{t_s - t_e}{\sigma} = \frac{80 - 112.83}{11.86} = -2.77$$

For  $Z = -2.77$  Probability of completing the project with 80 days-time i.e., 0.3%.

**Example 4:**

A Project is composed of seven activities whose time estimates are listed in the following table. Activities are simplified

Activity		Estimated duration in weeks		
<i>i</i>	<i>j</i>	Optimistic	Most likely	Pessimistic
1	2	1	1	7
1	3	1	4	7
1	4	2	2	8
2	5	1	1	1
3	5	2	5	14
4	6	2	5	8
5	6	3	6	15

Calculate expected project length.

**Solution:**

**Calculation of expected time for each activity is shown in following table:**

Activity	Time estimates (Weeks)			
	Optimistic	Most-likely	Pessimistic	Expected time
	$t_o$	$t_m$	$t_p$	$t_e = \frac{t_o + 4t_m + t_p}{6}$
1-2	1	1	7	2
1-3	1	9	7	4
1-4	2	2	8	3
2-5	1	1	1	1
3-5	2	5	14	6
4-6	2	5	8	5
5-6	3	6	15	7


**E- Values and L- values are calculated on the basis of expected time are as follows:**

This website uses cookies and third party services.

OK

Forward pass method	Backward pass method
$E_1 = 0$	$L_6 = E_6 = 0$
$E_2 = E_1 + t_{1-2} = 0 + 2 = 2$	$L_5 = L_6 - t_{5-6} = 17 - 7 = 10$
$E_3 = E_1 + t_{1-3} = 0 + 4 = 4$	$L_4 = L_6 - t_{4-6} = 17 - 5 = 12$
$E_4 = E_1 + t_{1-4} = 0 + 3 = 3$	$L_3 = L_5 - t_{3-5} = 10 - 6 = 4$
$E_5 = \max [E_2 + t_{2-5}; E_3 + t_{3-5}]$	$L_2 = L_5 - t_{2-5} = 10 - 1 = 9$
$= \max [2 + 1; 4 + 6] = 10$	$L_1 = \min [L_2 - t_{1-2}; L_3 - t_{1-3}; L_4 - t_{1-4}]$
$E_6 = \max [E_5 + t_{5-6}; E_4 + t_{4-6}]$	$= \min [9 - 2; 4 - 4; 12 - 3] = 0$
$= \max (10 + 7; 3 + 5) = 17$	

Network diagram for given project along with E-values and L-values is shown by following Fig:



Critical path for the above network 1-3-5-6 shown by double lines; along with E-values and L-values are same.

Expected project length will be  $= 1 + 6 + 7$



## Home >> Networking >> Network Analysis

### Related Articles:

- Differentiate between PERT and CPM | Network Analysis | Networking
- Calculation of Slacks and Floats (With Examples) | Network Analysis | Networking
- Procedure for Crashing the Network | Network Analysis | Networking
- Resource Scheduling and Its Types | Network Analysis | Networking

[Network Analysis](#)[PERT](#)[Problems on PERT](#)[Project Management](#)[Techniques](#)

---

engineeringnotes.com All rights reserved.

This website uses cookies and third party services.

OK

