

Data 1

	Dete: Page.
# creating form	FROM - Thomas of will
U ,	7.3173
Soldonno De Sano 1	albiCl .
lingul> (lingu	t);
Linput> Linput Label> Liabel>	skigis" "
(1form) provide you	istic.
# CSS - Cascading	Style sheet
to the state of th	
→ Margin and pac	Iding
	O
1) Margin: 20 pr;	And main paint - 1
O	r - Property -
Button	
	कृष्णिक विश्वविद्या ।
Cook select of Button	K thints
- And And - both	
2) Padding: 5 pr.	Charden History
Button Button	Modella Lata
[BUTFAVI]	
-> Box - shadow	71 -4 DC 81-11
	pou 5 pm real
1	L L KV2/2
ofset x o	feety spread Radious
	Blyr
Sunkroh's	Racliou

Button & from left and right margin: an automatic margin # Making it Responsive man-width: maximum limit uf min-width start (apply) limit is except Css sometime we don't want Bg height: 1000

)Date: Page:
# Flexbox	1. (2-1-15)
Flexbox is Just (33	ir mer
which makes things eaiser	
was a second of the property o	
the main ance on in the fless on is left to right (norizontal)	the web
is left to right (norizontal)	
the main aniz in the flow on from top to bottom (vertical)	mobile is
from top to bottom (vertical)	
	1/ / 1/
Justify-Content always works for	main Axis
이 가는 다른 15 분들은 사용을 잃었다. 그 교육 나는 그 원조성은 그를 다 모르고 그를 다 그 때문을 다 그 때문을 다 되었다.	
the heigher the flengrow property	Es value
the heigher the flengrow property is the heigher priority it's going	to get
all a de la dela de	
# grid in css	
dylage Add Mich 12 Aut.	addition of the
grid-template-coloumn: 2fr 1fr;	·
0	
fo= fractional unit.	
They are the state of the state	A
i.e. devide into the traction of	given
humbers.	9 0
2-index	LINE NO
If the Z Inden is heigher the	dement is
going to be above	

Z-inelen: -1; -> clement goesto and