



Maternal Perinatal Child Death Surveillance & Response (MPCDSR)

Topic: 12

MDR Process



CDR Process



Stillbirth Definition


For international comparison, stillbirths are defined as late fetal deaths with:



Gestation age of 28 weeks or more,
or if missing



Birth weight of 1000 grams or more
(without the placenta), or if missing



Body length of 35 cm or more

**Correct Gestation age is
most appropriate**

Fetus to be weighed without placenta

Types of Stillbirths

2

When the status of the fetal heart at the onset of labor is not available, the **appearance of skin maceration is used as a proxy** for the timing of stillbirths.

Antepartum




Macerated skin appearance

Intrapartum



Fresh or non-macerated skin appearance

Timing of death and mortality definition



Dummy Data for group work

Calculate the following

- Stillbirth rate
- Percentage of antepartum stillbirths
- Early neonatal mortality rate
- Perinatal mortality rate
- Neonatal mortality rate

		Numbers
A	Number of deliveries	1000
B	Number of live births	980
C	Number of stillbirths	20
D	Number of intrapartum stillbirths	12
E	Number of antepartum stillbirths	8
F	Early neonatal deaths (0–7 days)	14
G	Neonatal deaths (0–28 days)	18

Answer key

Stillbirth rate	$(C/A) * 1000;$ $20/1000 * 1000$	20.0
Percentage of Antepartum stillbirths	$(E/C) * 100;$ $8/20 * 100$	40%
Early neonatal mortality rate	$(F/B) * 1000;$ $14/980 * 1000$	14.3
Perinatal mortality rate	$((C+F)/A) * 1000$ $20+14/1000 * 1000$	34.0
Neonatal mortality rate	$(G/B) * 1000;$ $18/980 * 1000$	18.3

Reporting & Review

- All maternal & U5 deaths and stillbirths are to be recorded in defined forms & formats
- All maternal & U5 deaths and stillbirths are to be entered into the MPCDSR portal
- Maternal Death & stillbirths in MDR committee and U5 deaths in CDR committee

Thank
You!

