

“Guidance Note on Optimizing Post-Natal Care”

Topic: 2

Framework to identify the high-risk post-natal mother

- The high-risk mother identified during post-natal period may be a pre- identified high-risk pregnancy (HRP during antenatal period) or may develop complications for the first time during post-natal period.
- **Pre-identified HRP-** covered under PMSMA & e PMSMA
- If post-natal mother was already identified as high-risk pregnancy during her PMSMA visit, the concerned ASHA will make HBNC visits after delivery, as per the schedule and shall be entitled to Rs.500/- per HRP for healthy outcome of both mother and newborn at 45th day of delivery, under extended PMSMA scheme

FEATURES OF NEW PROGRAMME

- High risk identified in post-natal period- covered under Scheme for optimizing PNC care
- If post-natal mother was normal throughout her ANC period but was later screened positive for any of the danger signs during HBNC visits by ASHA, she will be referred to the nearest healthcare facility/PMSMA / e- PMSMA session for diagnosis, management and further follow up visits.
- **Such identified woman is entitled for transport and in-facility services through 108**
- Subsequent to confirmation and management of the high-risk condition by the Medical Officer/OBGY specialist, and on achieving a healthy outcome for both mother and the baby, the concerned ASHA will be **incentivized @ Rs.250/-per high-risk post-natal mother, after 45th day of delivery.**
- The confirmation of a healthy outcome of mother and baby shall be done by concerned MO/ANM.

Reporting, Monitoring and Evaluation

- The line listing of Post-natal high-risk mothers shall be captured in the existing PMSMA register/PMSMA portal by incorporating the following data elements:
 - Whether the Post-natal mother confirmed as high risk by Medical Officer
 - If yes, the status of mother and baby after 45 days of delivery
 - Incentive paid to ASHA (Yes/No)
- Indicator to be monitored: Percentage of High-risk mothers identified during postnatal period (Calculation: Numerator – Number of Post Natal high risk mothers detected. Denominator- Total number of deliveries)
- ASHA payment status under PFMS shall be reviewed on a regular basis to cross-check and match the reported high-risk mothers found at HBNC visit and their healthy outcome at 45th day of delivery

POST NATAL HIGH RISK

Know the Danger Signs, Identify During HBPNC

♥ Your Health, Your Baby's Future ♥

DANGER SIGNS – SEEK CARE IMMEDIATELY

-  **EXCESSIVE BLEEDING**
Soaking 2-3 pads in 20-30 minutes after delivery
-  **YELLOW URINE SKIN OR EYE**
-  **PALE SKIN OR EYES**
-  **GIDDINESS OR WEAKNESS**
-  **CRACKED AND PAINFUL NIPPLES**
-  **CONVULSIONS**
-  **FEVER**
-  **EASY FATIGUE ABILITY/ NOT ABLE TO FEEDING WELL**
-  **SWELLING ON FACE, HANDS AND LEGS**
-  **SEVERE ABDOMINAL PAIN**



-  **DIFFICULTY IN BREATHING**
-  **FOUL SMELLING LOCHIA**
-  **INABILITY TO PASS URINE AFTER DELIVERY**
-  **ABNORMAL BEHAVIOUR**
-  **URINARY BURNING ALONG WITH PAIN & SWELLING IN LOWER LIMBS**
-  **DRIBBLING OR LEAKAGE OF URINE**

-  **INCONTINANCE TOOL**
-  **URINARY INCONTINENCE**

ANY OF THESE SIGNS?

-  Visit nearest health facility
-  Consult your doctor/ANM/ASHA
-  Do not delay, it can be life saving



SAFE MOTHER

Healthy Today, Strong Tomorrow



HEALTHY BABY

A Good Start, A Bright Future



STRONG FAMILY

Together for a Better Tomorrow