CS5453: INTERNET OF THINGS

ASSIGNMENT 2: Implementation of Messenger Application using MQTT

Submitted by

NANDI SRINIVAS (CS19 MTECH 11016)

ABHIJITH GIRIN N V(CS19 MTECH 01001)

PROBLEM:

KEY IDEA:

- **1.** It uses MQTT Protocol for messaging and uses HIVE MQ as the public broker.
- 2. Our customized application can handle upto 25 users .
- **3.** Here, when a user does the registration, his mobile number will act as the unique topic name, and will be saved by the MQTT broker, and the communication will be carried by normal publisher and subscriber formats.
- **4.** For enabling group chat , the group name will be the topic name, and all the people interested to join the group can subscribe to that topic(group name).
- **5.** Also the members of the group will get the notification of any members leaving the group.

CONTRIBUTIONS

1. SRINIVAS NANDI (CS19 MTECH 11016)

Group Chat implementation

2.ABHIJITH GIRIN N V(CS19 MTECH 01001)

One-to One chat Implementation

Combinedly, the group left feature is done together(WILL MSG) and other debugging.

SCREENSHOT:

ONE - ONE CHAT

```
Press Q-Enter> to quit

Connection lost

Connection lost
```

2) GROUP CHAT

```
ryou want to send the message to:

ryou want to send the message to:

raphore for client nnadi rc 0

re you?'

ation of hi

or client with clientD: nnadi

ryou and to send the message to:

srinvas@srinvas_SVF15218SNB:-/Desktop/cs19mtech11016-task2$ ./subgroup.out
enter username:nandl

enter you?'

ation of hi

or client with clientD: nnadi

ryou all delivery confirmed

SVF15218SNB:-/Desktop/cs19mtech11016-task2$ gcc pubgroup.cut

Fryou want to send the message to:

ryou want to send the message to:

maphore for client nandi rc 0

ryou want to send the message to:

maphore for client nandi rc 0

ryou want to send the message to:

maphore for client nandi rc 0

ryou?'

ryou want to send the message to:

maphore for client nandi rc 0

ryou?'

ryou want to send the message to:

maphore for client nandi rc 0

ryou?'

ryou want to send the message to:

maphore for client nandi rc 0

ryou?'

ryou want to send the message to:

maphore for client nandi rc 0

ryou?'

ryou want to send the message to:

maphore for client should research

message: hived

topic: rockers...howareyou?'

nessage: shirockers...howareyou?'

nessage: hirockers...howareyou?'

nes
```

3) GROUP CHAT LEFT MSG

```
nivas-SVF15218SNB: ~/Desktop/cs19mtech11016-task2
r you want to send the message to:
maphore for client nnadi rc 0
re vou???
ation of hi
or client with ClientID: nnadi
value 1 delivery confirmed
SVF15218SNB:~/Desktop/cs19mtech11016-task2$ gcc pubgroup.c -l
group.out
SVF15218SNB:~/Desktop/cs19mtech11016-task2$ ./pubgroup.outente
wants to publish
r you want to send the message to:
maphore for client nandi rc 0
vou????
ation of hirockers...howareyou????
or client with ClientID: nandi
value 1 delivery confirmed
SVF15218SNB:~/Desktop/cs19mtech11016-task2$
    topic: rockers
  message: SRINIVAS NANDI left
Message arrived
    topic: rockers
  message: hirockers
Message arrived
    topic: rockers
  message: ashok left
Message arrived
    topic: rockers
  message: hi
Message arrived
    topic: rockers
  message: hirockers...howareyou????
Message arrived
    topic: rockers
  message: SRINIVAS NANDI left
```