

Program 6 Notes

Program 6

```
mkdir last_program  
cd last_program
```

Maven Archetype Generate

```
mvn archetype:generate -DgroupId=com.pgrm6 -DartifactId=pgrm6 -DarchetypeArtifactId=maven-archetype-quickstart
```

Output

```
BUILD SUCCESS
```

Commands

```
cd pgrm6  
gedit pgrm6  
gedit pom.xml
```

pom.xml Properties

```
<properties>  
  <maven.compiler.source>7</maven.compiler.source>  
  <maven.compiler.target>7</maven.compiler.target>  
</properties>
```

Build

```
mvn package
```

Output

```
BUILD SUCCESS
```

Git Config

```
git config --global user.email 'nasr23cs@cmrit.ac.in'  
git config --global user.name 'Nanditha04'
```

SSH Key

```
ssh-keygen -t ed25519 -C "nasr23cs@cmrit.ac.in"
```

Output

```
overwrite (y/n)? y
Your public key has been saved in:
/home/nanditha/.ssh/id_ed25519.pub
```

GitHub Setup

```
cat ~/.bash
Open GitHub → Settings → SSH & GPG keys
Add SSH key → paste key → New SSH key
Create a new repository → go to the repo
```

Git Commands

```
git init
git add pom.xml
git add src
git commit -m "first"
git branch
git remote add origin git@github.com:Nanditha04/practical.git
git remote set-url origin git@github.com:
git config --global credential.helper store
git push origin master
```

Jenkins Password

```
sudo cat /var/lib/jenkins/secrets/initialAdminPassword
```

Jenkins Login

```
Open Jenkins on Google → localhost:8080
Username: admin
Password: paste it
```

Jenkins Pipeline

```
pipeline {
  agent any

  stages {
    stage('checkout') {
      steps {
```

```
        git branch: 'master', url: ''
      }
    }
    stage('Build') {
      steps {
        sh 'mvn clean package'
      }
    }
    stage('test') {
      steps {
        sh 'mvn test'
      }
    }
  }
}
```

Final Step

Click on Save → Build Now
