RAJALAKSHMI ENGINEERING COLLEGE

(An Autonomous Institution)

RAJALAKSHMI NAGAR, THANDALAM- 602 105

DEPARTMENT OF ARTIFICIAL INTELLIGENCE & DATA SCIENCE

CS23333 — Object Oriented Programming Using JAVA

LABORATORY RECORD NOTEBOOK

NAME: PALACHURU NANDU PRIYA

YEAR/SEMESTER: 2nd year III sem

BRANCH/SECTION: B-Tech AI&DS -'FC'

REGISTER NO: 211624180 1195

COLLEGE ROLL NO: 241801195

ACADEMIC YEAR: 2025 -2026

RAJALAKSHMI ENGINEERING COLLEGE

(An Autonomous Institution)

RAJALAKSHMI NAGAR, THANDALAM- 602 105

BONAFIDE CERTIFICATE

NAME: PALACHURU NANDU PRIYA   BRANCH/SECTION: B-Tech AI&DS

ACADEMIC YEAR: 2025 -2026   SEMESTER: III

REGISTER NO:

Certified that this is a Bonafide record of work done by the above

student in the **CS23333 - Object Oriented Programming Using JAVA**
during the year 2025- 2026

Signature of Faculty In-charge

Submitted for the Practical Examination Held on: 22-11-2025

Internal Examiner   **External Examiner**

INDEX

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 1_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Gloria is responsible for monitoring the performance of two machines in a factory. She needs to determine which of the two machines is operating closest to the optimal temperature of 100 degrees Celsius using the relational operator.

Assist Gloria in displaying the machine's temperature, which is closer to 100, and the difference from 100.

Input Format

The first line of input consists of an integer N, representing the temperature of the first machine.

The second line consists of an integer M, representing the temperature of the second machine.

Output Format

The output prints "The integer closer to 100 is X with a difference of Y" where X is the temperature of the closer machine and Y is the difference from 100.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 90
80
Output: The integer closer to 100 is 90 with a difference of 10

Answer

```java
// You are using Java
import java.util.Scanner;
public class Main{
    public static void main(String args[]){
        Scanner scanner =new Scanner(System.in);
        int num1= scanner.nextInt();
        int num2= scanner.nextInt();
        int d1=Math.abs(100-num1);
        int d2=Math.abs(100-num2);
        if (d2>d1){
            System.out.println("The integer closer to 100 is "+ num1+" with a
difference of " + d1);
        }
        else{
            System.out.println("The integer closer to 100 is "+ num2+" with a
difference of " + d2);
        }
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 1_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   PROBLEM STATEMENT:

Dave got two students who wants help with their doubt. Each handouts an integer and wants to find if one Integer Positive While the Other is Not Divisible by 3. Write a program to achieve this and conclude for them.

Input Format

The first line of input represents the first integer.

The second line of input represents the second integer.

Output Format

The output should display as "One of the integers is positive while the other is not divisible by 3." or "Neither of the integers meets the condition."

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 4
3

Output: One of the integers is positive while the other is not divisible by 3.

Answer

```java
// You are using Java
import java.util.Scanner;
public class Main{
    public static void main(String args[]){
        Scanner scanner = new Scanner (System.in);
        int n1=scanner.nextInt();
        int n2=scanner.nextInt();


        if((n1>0 && n2%3!=0 )|| (n2>0 && n1%3!=0))
        {
            System.out.println("One of the integers is positive while the other is not divisible by 3.");
        }
        else{
            System.out.println("Neither of the integers meets the condition.");
        }
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 2_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Arun is working on a project to automate the process of determining whether a student has passed or failed based on their subject marks.

He aims to create a simple program that takes positive integers as marks for five subjects from the user. If the average of the marks is greater than or equal to 50, the student has passed the exam. Otherwise, the student has failed.

Help Arun to implement the project.

Input Format

The input consists of five space-separated integers, representing the marks in five subjects.

Output Format

The first line of output prints "Average score: " followed by an integer representing the average score.

The second line prints one of the following:

1. If the condition is satisfied, print "The student has passed".
2. Otherwise, the output prints "The student has failed".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 50 60 70 80 90

Output: Average score: 70
The student has passed

Answer

```java
// You are using Java
import java.util.Scanner;
public class Main{
    public static void main(String args[]){
        Scanner scanner=new Scanner(System.in);
        int[]marks=new int[5];
        int sum=0;
        boolean hasFailed=false;
        for(int i=0;i<5;i++){
            marks[i]=scanner.nextInt();
            sum+=marks[i];

        }

        int avg=sum/5;
        if(avg>=50){
            hasFailed=true;
        }
        System.out.println("Average score: " +avg);

        if(hasFailed){
```

```java
        System.out.println("The student has passed");
    }
    else{
        System.out.println("The student has failed");
    }


    }
}
```

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 2_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Samantha is a diligent math student who is exploring the world of programming. She is learning Java and has recently studied conditional statements. One day, her teacher gives her an interesting problem to solve, which takes a number as input and checks whether it is a multiple of 5 or 7.

Help her complete the task.

Input Format

The input consists of a single integer N, representing the number to be checked.

Output Format

If the number is a multiple of 5 but not 7, the output prints "N is a multiple of 5".

If the number is a multiple of 7, the output prints "N is a multiple of 7".

Otherwise the output prints "N is neither multiple of 5 nor 7" where N is an entered integer.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 10
Output: 10 is a multiple of 5

Answer

```java
// You are using Java
import java.util.Scanner;
public class Main{
    public static void main(String args[]){
        Scanner scanner=new Scanner(System.in);
        int n=scanner.nextInt();
        if(n%5==0 && n%7!=0){
            System.out.println(n+ " is a multiple of 5");
        }
        else if(n%7==0){
            System.out.println(n+ " is a multiple of 7");
        }
        else
        {
            System.out.println(n+ " is neither multiple of 5 nor 7");
        }
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 3_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Rosh is intrigued by numerical patterns. Today, she stumbled upon a puzzle while working with arrays. She wants to compute the sum of the third-largest and second-smallest elements from a list of integers. She seeks your help to implement a program that solves this for her efficiently.

Input Format

The first line of input is an integer N, representing the size of the array.

The second line of input consists of N space-separated integers, representing the elements of the array.

Output Format

The output displays a single integer representing the sum of the third-largest and second-smallest elements in the array.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 10
10 20 30 40 50 60 70 80 90 100

Output: 100

Answer

```java
// You are using Java
import java.util.Arrays;
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int N = sc.nextInt();
        int[] arr = new int[N];
        for (int i = 0; i < N; i++) {
            arr[i] = sc.nextInt();
        }
        Arrays.sort(arr);
        int secondSmallest = arr[1];
        int thirdLargest = arr[N - 3];
        System.out.println(secondSmallest + thirdLargest);
        sc.close();
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 3_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Monica is interested in finding a treasure but the key to opening is to get the sum of the main diagonal elements and secondary diagonal elements.

Write a program to help Monica find the diagonal sum of a square 2D array.

Note: The main diagonal of the array consists of the elements traversing from the top-left corner to the bottom-right corner. The secondary diagonal includes elements from the top-right corner to the bottom-left corner.

Input Format

The first line of input consists of an integer N, representing the number of rows and columns.

The following N lines consist of N space-separated integers, representing the 2D array elements.

Output Format

The first line of output prints "Sum of the main diagonal: " followed by an integer, representing the sum of the main diagonal.

The second line prints "Sum of the secondary diagonal: " followed by an integer, representing the sum of the secondary diagonal.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 3
1 2 3
4 5 6
7 8 9
Output: Sum of the main diagonal: 15
Sum of the secondary diagonal: 15

Answer

```java
// You are using Java
import java.util.Scanner;
import java.util.Arrays;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int N = sc.nextInt();
        int[][] matrix = new int[N][N];
        for (int i = 0; i < N; i++) {
            for (int j = 0; j < N; j++) {
                matrix[i][j] = sc.nextInt();
            }
        }
        int mainDiagonalSum = 0;
        int secondaryDiagonalSum = 0;
        for (int i = 0; i < N; i++) {
            mainDiagonalSum += matrix[i][i];
            secondaryDiagonalSum += matrix[i][N - 1 - i];
```

```
        }
        System.out.println("Sum of the main diagonal: " + mainDiagonalSum);
        System.out.println("Sum of the secondary diagonal: " +
secondaryDiagonalSum);
        sc.close();
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 4_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

In a publishing company, editors often need to quickly analyze passages of text to check for punctuation usage. To assist them, you are asked to write a program that counts the number of specific punctuation marks in each passage.

The punctuation marks of interest are:

Commas (,)Periods (.)Question marks (?)

Input Format

The first line of input contains an integer T, representing the number of test cases (passages).

Each of the next T lines contains a single passage of text.

Output Format

For each test case, print three integers separated by spaces, representing the number of commas, periods, and question marks in the passage.

The first line of output corresponds to the first passage, the second line to the second passage, and so on.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1
Hello, world. How are you?

Output: 1 1 1

Answer

```java
// You are using Java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int T = Integer.parseInt(sc.nextLine());

        for (int i = 0; i < T; i++) {
            String passage = sc.nextLine();

            int commas = 0, periods = 0, questions = 0;

            for (char ch : passage.toCharArray()) {
                if (ch == ',') commas++;
                else if (ch == '.') periods++;
                else if (ch == '?') questions++;
            }

            System.out.println(commas + " " + periods + " " + questions);
        }
```

```
        sc.close();
    }
}
```

Status : Correct   **Marks : 10/10**

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 4_Q3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Bechan Chacha is seeking help to filter out valid mobile numbers from a list provided by his crush. He can only pick his crush's number if the list contains valid mobile numbers.

A mobile number is considered valid if:

It has exactly 10 digits.It consists only of numeric values (0−9).It does not begin with zero.

Your task is to determine whether each mobile number in the list is valid or not.

Input Format

The first line contains an integer T, representing the number of mobile numbers

to check.

The next T lines each contain a string S, representing a mobile number.

Output Format

For each mobile number S, the output print "YES" if it is valid.

Otherwise, print "NO".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1
9876543210
Output: YES

Answer

```
// You are using Java
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int T = Integer.parseInt(sc.nextLine());

        for (int i = 0; i < T; i++) {
            String number = sc.nextLine().trim();

            if (isValidMobileNumber(number)) {
                System.out.println("YES");
            } else {
                System.out.println("NO");
            }
        }

        sc.close();
    }
    private static boolean isValidMobileNumber(String number) {
```

```java
        if (number.length() != 10) {
            return false;
        }
        for (char ch : number.toCharArray()) {
            if (!Character.isDigit(ch)) {
                return false;
            }
        }
        if (number.charAt(0) == '0') {
            return false;
        }
        return true;
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 5_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

You are working as a developer for CityBank, which wants to build a basic account management system.

Each customer at the bank has:

An Account Number (integer)A Customer Name (string)An Initial Balance (double)

The bank allows two types of transactions:

Deposit – increases the balance.Withdrawal – decreases the balance only if enough funds are available.

If the withdrawal amount is greater than the balance, the withdrawal should not happen, and the balance should remain the same.

You are required to implement this system using:

A class with attributes for account details.A constructor to initialize account details.Setter methods to update details if needed.Getter methods to retrieve details.Objects of the class to represent customers.

Finally, display each customer's account details after all transactions.

Input Format

The first line of input contains an integer N, representing the number of customers.

For each customer:

- The next line contains the account number (integer).
- The following line contains the customer name (string).
- The next line contains the initial balance (double).
- The next line contains the deposit amount (double).
- The next line contains the withdrawal amount (double).

Output Format

For each customer, print the details in the following format:

1. Account Number: <account_number>
2. Customer Name: <customer_name>
3. Final Balance: <final_balance> (rounded to one decimal place)

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1
1234
Rahul Sharma
5000
2000
3000

Output: Account Number: 1234
Customer Name: Rahul Sharma

Final Balance: 4000.0

Answer

```java
// You are using Java
import java.util.Scanner;

class Customer {
    private int accountNumber;
    private String customerName;
    private double balance;

    public Customer(int accountNumber, String customerName, double initialBalance) {
        this.accountNumber = accountNumber;
        this.customerName = customerName;
        this.balance = initialBalance;
    }

    public int getAccountNumber() {
        return accountNumber;
    }

    public String getCustomerName() {
        return customerName;
    }

    public double getBalance() {
        return balance;
    }

    public void deposit(double amount) {
        if (amount >= 0) {
            balance += amount;
        }
    }

    public void withdraw(double amount) {
        if (amount <= balance) {
            balance -= amount;
        }
    }
}
```

```java
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int N = Integer.parseInt(sc.nextLine());

        for (int i = 0; i < N; i++) {
            int accNumber = Integer.parseInt(sc.nextLine());
            String name = sc.nextLine();
            double initialBalance = Double.parseDouble(sc.nextLine());
            double depositAmount = Double.parseDouble(sc.nextLine());
            double withdrawalAmount = Double.parseDouble(sc.nextLine());

            Customer customer = new Customer(accNumber, name, initialBalance);
            customer.deposit(depositAmount);
            customer.withdraw(withdrawalAmount);

            System.out.println("Account Number: " + customer.getAccountNumber());
            System.out.println("Customer Name: " + customer.getCustomerName());
            System.out.printf("Final Balance: %.1f\n", customer.getBalance());
        }

        sc.close();
    }
}
```

Status : Correct   **Marks : 10/10**

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 5_Q3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Neha is working as a developer for CityElectricity Board, which wants to build a household electricity billing system.

Each customer's electricity account has:

A Customer ID (integer)A Customer Name (string)Units Consumed (double)

The electricity bill is calculated based on these rules:

For the first 100 units   5 units charge per unitFor the next 100 units (101–200)   7 units charge per unitFor units above 200   10 units charge per unitIf the total bill exceeds 2000 units, a 5% discount is applied on the final bill.

Neha has been asked to implement this system using:

A class with attributes for customer details.A constructor to initialize customer details.Setter methods to update details if needed.Getter methods to retrieve details.Objects of the class to represent customers.

Finally, display each customer's details and final bill amount.

Input Format

The first line of input contains an integer N, representing the number of customers.

For each customer:

- The next line contains the Customer ID (integer).
- The following line contains the Customer Name (string).
- The next line contains the Units Consumed (double).

Output Format

For each customer, print the details in the following format:

Customer ID: <customer_id>

Customer Name: <customer_name>

Final Bill: <final_bill> (rounded to one decimal place)

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1
1001
Ravi Kumar
80
Output: Customer ID: 1001
Customer Name: Ravi Kumar
Final Bill: 400.0

Answer

// You are using Java

```java
import java.util.*;

class Customer {
    int id;
    String name;
    double units;

    Customer(int id, String name, double units) {
        this.id = id;
        this.name = name;
        this.units = units;
    }

    double getBill() {
        double bill = 0;
        if (units <= 100) bill = units * 5;
        else if (units <= 200) bill = 100 * 5 + (units - 100) * 7;
        else bill = 100 * 5 + 100 * 7 + (units - 200) * 10;
        if (bill > 2000) bill *= 0.95;
        return bill;
    }
}

public class Main {
    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        int n = Integer.parseInt(s.nextLine());
        for (int i = 0; i < n; i++) {
            int id = Integer.parseInt(s.nextLine());
            String name = s.nextLine();
            double units = Double.parseDouble(s.nextLine());
            Customer c = new Customer(id, name, units);
            System.out.println("Customer ID: " + c.id);
            System.out.println("Customer Name: " + c.name);
            System.out.printf("Final Bill: %.1f\n", c.getBill());
        }
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 6_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Elsa subscribes to a premium service with a base monthly cost, a service tax and an extra feature cost. Assist her in writing an inheritance program that takes input for these values and calculates the total monthly cost.

Refer to the below class diagram:

Input Format

The first line of input consists of a double value, representing the base monthly cost.

The second line consists of a double value, representing the service tax.

The third line consists of a double value, representing the extra feature cost.

The output prints "Rs. X" where X is a double value, rounded off to two decimal places.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 10.0
2.5
5.0
Output: Rs. 17.50

Answer

```java
import java.util.Scanner;

// You are using Java
import java.util.*;


class Subscription {
    protected double baseCost;
    protected double serviceTax;

    public Subscription(double baseCost, double serviceTax) {
        this.baseCost = baseCost;
        this.serviceTax = serviceTax;
    }

    public double calculateMonthlyCost() {
        return baseCost + serviceTax;
    }
}


class PremiumSubscription extends Subscription {
    private double extraFeatureCost;

    public PremiumSubscription(double baseCost, double serviceTax, double extraFeatureCost) {
```

```java
            super(baseCost, serviceTax);
            this.extraFeatureCost = extraFeatureCost;
        }

        @Override
        public double calculateMonthlyCost() {
            return super.calculateMonthlyCost() + extraFeatureCost;
        }
    }

    public class Main {
        public static void main(String[] args) {
            Scanner scanner = new Scanner(System.in);

            double baseMonthlyCost = scanner.nextDouble();
            double serviceTax = scanner.nextDouble();
            double extraFeatureCost = scanner.nextDouble();

            PremiumSubscription premiumSubscription = new
    PremiumSubscription(baseMonthlyCost, serviceTax, extraFeatureCost);

            double totalMonthlyCost = premiumSubscription.calculateMonthlyCost();

            System.out.printf("Rs. %.2f%n", totalMonthlyCost);

            scanner.close();
        }
    }
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 6_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Alice is managing an online store and wants to implement a program using inheritance to calculate the selling price of products after applying discounts.

Guide her by following the instructions:

Create a base class called Product with a public double attribute price.Create a subclass called DiscountedProduct, which extends Product and includes a private double attribute discount rate. This subclass has a method called calculateSellingPrice() to determine the final selling price after applying the discount.

Formula: Discounted selling price = price * (1 - discount rate)

Input Format

The first line of input consists of a double value p, the initial price of the product.

The second line consists of a double value d, the discount rate.

Output Format

The output prints "Rs. X", where X is a double value, representing the calculated discounted selling price, rounded off to two decimal places.

If the discount rate is greater than 1, print "Not applicable".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 50.00
0.20
Output: Rs. 40.00

Answer

import java.util.Scanner;

```java
// You are using Java
class Product {
    public double price;

    public Product(double price) {
        this.price = price;
    }
}

class DiscountedProduct extends Product {
    private double discountRate;

    public DiscountedProduct(double price, double discountRate) {
        super(price);
        this.discountRate = discountRate;
    }

    public double calculateSellingPrice() {
        if (discountRate > 1.0) {
```

```java
            return -1;
        }
        double discountedPrice = price * (1 - discountRate);
        return discountedPrice;
    }
}
class ProductPricing {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        double initialPrice = scanner.nextDouble();
        double discountRate = scanner.nextDouble();
        DiscountedProduct discountedProduct = new
DiscountedProduct(initialPrice, discountRate);
        double sellingPrice = discountedProduct.calculateSellingPrice();

        if (sellingPrice >= 0) {
            System.out.printf("Rs. %.2f%n", sellingPrice);
        } else {
            System.out.println("Not applicable");
        }
        scanner.close();
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 7_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement:

Rajiv is analyzing the energy consumption in his household and wants to calculate the total cost based on the daily energy usage. He is given the rate per unit of electricity and the energy consumed for multiple days. To structure this calculation efficiently, he decides to use an interface-based approach.

Implement an interface CostCalculator with the necessary methods to retrieve energy details and compute the cost. The calculations should be handled in the EnergyConsumptionTracker class, while the EnergyConsumptionApp class should only handle input and output.

Formula

Energy Cost for one day = Energy Consumed per day * Rate Per Unit

Input Format

The first line of input consists of the rate per unit as an 'R' (a double value).

The second line of input consists of the number of days 'N' (an integer).

The third line of input consists of the daily energy consumption values for each day 'D" (double values), separated by space.

Output Format

The first line of the output prints: "Day-wise Energy Cost:"

The next N lines of the output print the day-wise energy costs(double type) and the total energy cost (double type) in Indian Rupees in the following format: "Day [day_number]: Rs. [energy_cost]"

The last line of the output prints: "Total Energy Cost: Rs. [total_cost]"

Note: energy_cost and total_cost are rounded off to two decimal points

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 0.01
3
10.0 20.0 30.0
Output: Day-wise Energy Cost:
Day 1: Rs. 0.10
Day 2: Rs. 0.20
Day 3: Rs. 0.30
Total Energy Cost: Rs. 0.60

Answer

import java.util.Scanner;

```java
interface CostCalculator {
    void getEnergyDetails(Scanner sc);
    void calculateAndDisplayCost();
}

class EnergyConsumptionTracker implements CostCalculator {
    private double ratePerUnit;
    private int numDays;
    private double[] dailyConsumption;

    public EnergyConsumptionTracker(double ratePerUnit, int numDays) {
        this.ratePerUnit = ratePerUnit;
        this.numDays = numDays;
        this.dailyConsumption = new double[numDays];
    }

    public void getEnergyDetails(Scanner sc) {
        for (int i = 0; i < numDays; i++) {
            dailyConsumption[i] = sc.nextDouble();
        }
    }

    public void calculateAndDisplayCost() {
        System.out.println("Day-wise Energy Cost:");
        double totalCost = 0.0;

        for (int i = 0; i < numDays; i++) {
            double dayCost = dailyConsumption[i] * ratePerUnit;
            totalCost += dayCost;
            System.out.printf("Day %d: Rs. %.2f%n", i + 1, dayCost);
        }

        System.out.printf("Total Energy Cost: Rs. %.2f%n", totalCost);
    }
}

class EnergyConsumptionApp {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        double ratePerUnit = scanner.nextDouble();
        int numDays = scanner.nextInt();
```

```
        CostCalculator tracker = new EnergyConsumptionTracker(ratePerUnit,
numDays);

        tracker.getEnergyDetails(scanner);
        tracker.calculateAndDisplayCost();

        scanner.close();
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 7_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Jaheer is working on a health monitoring system to help individuals calculate their Body Mass Index (BMI). He has implemented a basic BMI calculator and an interface called HealthCalculator. It should have a method called calculateBMI.

You are tasked with creating a program that takes weight and height as input, calculates the BMI using the BMICalculator class, and displays the result. If the height or weight is less than or equal to zero, then return -1.

Formula: BMI = weight / (height * height)

Input Format

The first line of input consists of a double value W, the person's weight in kilograms.

The second line consists of a double value H, the height of the person in meters.

Output Format

The output displays "BMI: " followed by a double value, representing the calculated BMI, rounded off to two decimal places.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 70.0
1.75
Output: BMI: 22.86

Answer

```java
import java.util.Scanner;

interface HealthCalculator {
    double calculateBMI(double weight, double height);
}

class BMICalculator implements HealthCalculator {

    public double calculateBMI(double weight, double height) {
        if (weight <= 0 || height <= 0) {
            return -1;
        }
        return weight / (height * height);
    }
}

class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        double weight = scanner.nextDouble();
        double height = scanner.nextDouble();
```

```java
        BMICalculator bmiCalculator = new BMICalculator();

        double bmi = bmiCalculator.calculateBMI(weight, height);

        System.out.printf("BMI: %.2f\n", bmi);


        scanner.close();
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a " . " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com
Output: Valid email address

Answer

```java
// You are using Java
import java.util.*;

class DotException extends Exception {
    public DotException(String message) {
        super(message);
    }
}

class AtTheRateException extends Exception {
    public AtTheRateException(String message) {
        super(message);
    }
}

class DomainException extends Exception {
    public DomainException(String message) {
        super(message);
    }
}

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String email = sc.nextLine();
        sc.close();
        try {
            validateEmail(email);
            System.out.println("Valid email address");
        } catch (DotException e) {
            System.out.println("DotException: " + e.getMessage());
            System.out.println("Invalid email address");
```

```java
        } catch (AtTheRateException e) {
            System.out.println("AtTheRateException: " + e.getMessage());
            System.out.println("Invalid email address");
        } catch (DomainException e) {
            System.out.println("DomainException: " + e.getMessage());
            System.out.println("Invalid email address");
        }
    }

    public static void validateEmail(String email) throws DotException,
AtTheRateException, DomainException {
        int atCount = email.length() - email.replace("@", "").length();
        if (atCount != 1 || email.startsWith("@") || email.endsWith("@") ||
email.contains("@@"))
            throw new AtTheRateException("Invalid @ usage");
        if (email.endsWith(".") || email.startsWith(".") || email.contains(".."))
            throw new DotException("Invalid Dot usage");
        int atIndex = email.indexOf("@");
        int dotIndex = email.lastIndexOf(".");
        if (dotIndex < atIndex)
            throw new DotException("Invalid Dot usage");
        String domain = email.substring(dotIndex + 1);
        List<String> validDomains = Arrays.asList("com", "in", "net", "biz");
        if (!validDomains.contains(domain))
            throw new DomainException("Invalid Domain");
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Elsa, a busy professional, is using a scheduling application to plan her meetings efficiently. The application requires users to input meeting durations in minutes, ensuring that the duration is a positive integer and does not exceed 240 minutes (4 hours). Elsa needs a program to assist her in scheduling meetings securely with proper exception handling.

Create a Java class named ElsaMeetingScheduler.Implement a custom exception:InvalidDurationException for invalid meeting duration entries.Implement the main method to interactively take user input for a meeting duration.Implement the validateMeetingDuration method to validate the meeting duration based on the specified rules and throw a custom exception if the validation fails.Print appropriate success or error messages based on the meeting duration.

Implement a custom exception, InvalidDurationException, to handle cases where the entered meeting duration does not meet the specified criteria.

Input Format

The input consists of an integer value 'n', representing the meeting duration.

Output Format

The output is displayed in the following format:

If the entered meeting duration meets the specified criteria, the program outputs

"Meeting scheduled successfully!"

If the entered meeting duration is invalid, the program outputs an error message indicating the issue.

"Error: Invalid meeting duration. Please enter a positive integer not exceeding 240 minutes (4 hours)."

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 120
Output: Meeting scheduled successfully!

Answer

```java
import java.util.*;

class InvalidDurationException extends Exception {
    public InvalidDurationException(String message) {
        super(message);
    }
}

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int duration = sc.nextInt();
```

```java
        sc.close();
        try {
            validateMeetingDuration(duration);
            System.out.println("Meeting scheduled successfully!");
        } catch (InvalidDurationException e) {
            System.out.println("Error: " + e.getMessage());
        }
    }

    public static void validateMeetingDuration(int duration) throws
InvalidDurationException {
        if (duration <= 0 || duration > 240) {
            throw new InvalidDurationException(
                "Invalid meeting duration. Please enter a positive integer not exceeding
240 minutes (4 hours)."
            );
        }
    }
}
```

Status : Correct   **Marks : 10/10**

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 9_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Bobby is tasked with processing a sequence of numbers from a monitoring system. He needs to extract a strictly increasing subsequence using an ArrayList. The program should dynamically add numbers to the ArrayList only if they are greater than the last number currently stored in the list. Bobby aims to efficiently utilize the dynamic resizing and indexing features of the ArrayList to solve this problem.

Help Bobby implement this solution.

Input Format

The first line of input consists of an integer N, representing the number of elements.

The second line consists of N space-separated integers, representing the elements.

Output Format

The output prints the list of integers in increasing sequence, ignoring out-of-order elements.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 7
3 5 9 1 11 7 13
Output: [3, 5, 9, 11, 13]

Answer

```java
// You are using Java
import java.util.ArrayList;
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int N = sc.nextInt();
        int[] arr = new int[N];
        for (int i = 0; i < N; i++) {
            arr[i] = sc.nextInt();
        }
        ArrayList<Integer> increasingList = new ArrayList<>();
        if (N > 0) {
            increasingList.add(arr[0]);
        }
        for (int i = 1; i < N; i++) {
            if (arr[i] > increasingList.get(increasingList.size() - 1)) {
                increasingList.add(arr[i]);
            }
        }
        System.out.println(increasingList);
    }
}
```

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 9_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Vikram loves listening to music and wants to create a simple playlist manager using Java Collections. The playlist supports the following operations:

"ADD <song>"   Adds the song to the end of the playlist."REMOVE <song>" Removes the first occurrence of the song from the playlist. If the song is not found, do nothing."SHOW"   Displays all songs in the playlist in order. If the playlist is empty, print "EMPTY"."NEXT"   Moves to the next song in the playlist and prints its name. If the playlist is empty, print "EMPTY".

The playlist maintains a "current song" position that starts at the first song when it's added. The NEXT command moves to the next song and prints it, wrapping around to the first song after reaching the last song. When removing songs, the current position adjusts accordingly to maintain

proper navigation.

Help Vikram implement this playlist manager.

Input Format

The first line of the input consists of an integer n, the number of operations.

The next n lines, each containing a command:

- "ADD <song>"
- "REMOVE <song>"
- "SHOW"
- "NEXT"

Output Format

For each "SHOW" command, print the songs in order, separated by spaces.

For each "NEXT" command, print the next song in the playlist.

If no song exists, print "EMPTY".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 7
ADD song1
ADD song2
SHOW
NEXT
REMOVE song2
SHOW
NEXT

Output: song1 song2
song2
song1
song1

Answer

```java
// You are using Java
import java.util.LinkedList;
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = Integer.parseInt(sc.nextLine());
        LinkedList<String> playlist = new LinkedList<>();
        int currentIndex = 0;

        for (int i = 0; i < n; i++) {
            String command = sc.nextLine();
            if (command.startsWith("ADD")) {
                String song = command.split(" ")[1];
                playlist.add(song);
                if (playlist.size() == 1) {
                    currentIndex = 0;
                }
            } else if (command.startsWith("REMOVE")) {
                String song = command.split(" ")[1];
                int idx = playlist.indexOf(song);
                if (idx != -1) {
                    playlist.remove(idx);
                    if (playlist.isEmpty()) {
                        currentIndex = 0;
                    } else if (idx < currentIndex) {
                        currentIndex--;
                    } else if (idx == currentIndex) {
                        if (currentIndex >= playlist.size()) {
                            currentIndex = 0;
                        }
                    }
                }
            } else if (command.equals("SHOW")) {
                if (playlist.isEmpty()) {
                    System.out.println("EMPTY");
                } else {
                    for (String song : playlist) {
                        System.out.print(song + " ");
                    }
                    System.out.println();
```

```
            }
        } else if (command.equals("NEXT")) {
            if (playlist.isEmpty()) {
                System.out.println("EMPTY");
            } else {
                currentIndex = (currentIndex + 1) % playlist.size();
                System.out.println(playlist.get(currentIndex));
            }
        }
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 10_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : COD

1.   Problem Statement

A city traffic management system needs to track vehicles entering a toll booth. Each vehicle is uniquely identified by its registration number. The system should allow adding vehicles to a record, ensuring that no duplicate registration numbers exist. The vehicles should be stored in a HashSet, which does not guarantee any specific order.

Your task is to implement a program using a HashSet that allows adding vehicle details and displaying the records.

Input Format

The first line of input contains an integer N - the number of vehicles.

The next N lines contain details of each vehicle in the format: "RegNumber

OwnerName VehicleType"

1. RegNumber (String) - A unique registration number (Alphanumeric).
2. OwnerName (String) - The name of the vehicle owner.
3. VehicleType (String, Car, Bike, or Truck) - The type of vehicle.

If a vehicle with the same registration number is already present, ignore the duplicate entry.

Output Format

The output prints the unique vehicle records in any order (since HashSet does not maintain order).

Output format: "RegNumber OwnerName VehicleType"

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5
KA01AB1234 John Car
MH02CD5678 Alice Bike
DL03EF9012 Bob Truck
TN04GH3456 Mike Car
KA01AB1234 John Car

Output: TN04GH3456 Mike Car
KA01AB1234 John Car
MH02CD5678 Alice Bike
DL03EF9012 Bob Truck

Answer

```java
// You are using Java
import java.util.*;

class Vehicle {
    String regNumber;
    String ownerName;
    String vehicleType;

    public Vehicle(String regNumber, String ownerName, String vehicleType) {
```

```java
        this.regNumber = regNumber;
        this.ownerName = ownerName;
        this.vehicleType = vehicleType;
    }

    @Override
    public boolean equals(Object obj) {
        if (this == obj) return true;
        if (obj == null || getClass() != obj.getClass()) return false;
        Vehicle vehicle = (Vehicle) obj;
        return regNumber.equals(vehicle.regNumber);
    }

    @Override
    public int hashCode() {
        return Objects.hash(regNumber);
    }

    @Override
    public String toString() {
        return regNumber + " " + ownerName + " " + vehicleType;
    }
}

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = Integer.parseInt(sc.nextLine());
        HashSet<Vehicle> set = new HashSet<>();
        for (int i = 0; i < n; i++) {
            String[] s = sc.nextLine().split(" ");
            set.add(new Vehicle(s[0], s[1], s[2]));
        }
        for (Vehicle v : set) {
            System.out.println(v);
        }
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 10_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : COD

1. Problem Statement

John is organizing a fruit festival, and the quantities of various fruits are stored in a HashMap where fruit names are keys and quantities are values.

Help him develop a program to find the total quantity of fruits for the festival by summing up the values in the HashMap.

Input Format

The input consists of fruit quantities in the format 'fruitName:quantity', where fruitName is the name of the fruit(a string), and quantity is a double value representing the quantity.

The input is terminated by entering "done".

Output Format

The output prints a double value, representing the sum of values in the HashMap, rounded off to two decimal places.

If the value is not numeric, print "Invalid input".

If any special characters other than ':' are entered, print "Invalid format".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: Banana:15.2
Orange:56.3
Mango:47.3
done
Output: 118.80

Answer

```java
// You are using Java
import java.util.*;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        HashMap<String, Double> map = new HashMap<>();
        boolean invalidInput = false, invalidFormat = false;
        while (true) {
            String input = sc.nextLine();
            if (input.equalsIgnoreCase("done")) break;
            if (!input.contains(":") || input.matches(".*[^a-zA-Z0-9:.].*")) {
                invalidFormat = true;
                break;
            }
            String[] parts = input.split(":");
            if (parts.length != 2) {
                invalidFormat = true;
                break;
            }
            try {
                double qty = Double.parseDouble(parts[1]);
```

```java
            map.put(parts[0], qty);
        } catch (Exception e) {
            invalidInput = true;
            break;
        }
    }
    if (invalidFormat) System.out.println("Invalid format");
    else if (invalidInput) System.out.println("Invalid input");
    else {
        double sum = 0;
        for (double v : map.values()) sum += v;
        System.out.printf("%.2f", sum);
    }
  }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

REC_2028_OOPS using Java_Week 11

Attempt : 1
Total Mark : 20
Marks Obtained : 20

Section 1 : Project

1.   Problem Statement

Create a JDBC-based Hospital Management System that handles runtime input to manage patient records. The system should allow users to:

Add a new patient (patient ID, name, age, status).

Update a patient's status.

View a specific patient's record by patient ID.

Display all patient records in the database.

Exit the application.

The system should connect to a MySQL database using the following default credentials:

DB URL: jdbc:mysql://localhost/ri_db

USER: test

PWD: test123

The patients table has already been created with the following structure:

Table Name: patients

Input Format

The first line of input consists of an integer choice, representing the operation to be performed:

(1 for Add Patient, 2 for Update Patient Status, 3 for View Patient Record, 4 for Display All Patients, 5 for Exit)

For choice 1 (Add Patient):

- The second line consists of an integer patient_id.
- The third line consists of a string name.
- The fourth line consists of an integer age.
- The fifth line consists of a string status.

For choice 2 (Update Patient Status):

- The second line consists of an integer patient_id.
- The third line consists of a string new_status.

For choice 3 (View Patient Record):

- The second line consists of an integer patient_id.

For choice 4 (Display All Patients):

- No additional inputs are required.

For choice 5 (Exit):

- No additional inputs are required.

Output Format

For choice 1 (Add Patient):

- Print "Patient added successfully" if the patient was added.
- Print "Failed to add patient." if the insertion failed.

For choice 2 (Update Patient Status):

- Print "Patient status updated successfully" if the update was successful.
- Print "Patient not found." if the specified patient ID does not exist.

For choice 3 (View Patient Record):

- Display the patient details in the format:
- ID: [patient_id] | Name: [name] | Age: [age] | Status: [status]
- Print "Patient not found." if the specified patient ID does not exist.

For choice 4 (Display All Patients):

- Display each patient on a new line in the format:
- ID | Name | Age | Status
- If no records are available, print nothing (or handle it with an appropriate message if desired).

For choice 5 (Exit):

- Print "Exiting Hospital Management System."

For invalid input:

- Print "Invalid choice. Please try again."

Sample Test Case

Input: 1
101
John Doe
45
Admitted
4

5
Output: Patient added successfully
ID | Name | Age | Status
101 | John Doe | 45 | Admitted
Exiting Hospital Management System.

Answer

```java
import java.sql.*;
import java.util.Scanner;

class HospitalManagementSystem {
    public static void main(String[] args) {
        try (Connection conn = DriverManager.getConnection("jdbc:mysql://localhost/ri_db", "test", "test123");
             Scanner scanner = new Scanner(System.in)) {

            boolean running = true;

            while (running) {

                int choice = scanner.nextInt();

                switch (choice) {
                    case 1:
                        addPatient(conn, scanner);
                        break;
                    case 2:
                        updatePatientStatus(conn, scanner);
                        break;
                    case 3:
                        viewPatientRecord(conn, scanner);
                        break;
                    case 4:
                        displayAllPatients(conn);
                        break;
                    case 5:
                        System.out.println("Exiting Hospital Management System.");
                        running = false;
                        break;
                    default:
                        System.out.println("Invalid choice. Please try again.");
                }
```

```java
        }
    } catch (SQLException e) {
        e.printStackTrace();
    }
}

// You are using Java
public static void addPatient(Connection conn, Scanner scanner) {
    try {
        int patientId = scanner.nextInt();
        scanner.nextLine();
        String name = scanner.nextLine();
        int age = scanner.nextInt();
        scanner.nextLine();
        String status = scanner.nextLine();

        String sql = "INSERT INTO patients (patient_id, name, age, status) VALUES (?, ?, ?, ?)";
        PreparedStatement ps = conn.prepareStatement(sql);
        ps.setInt(1, patientId);
        ps.setString(2, name);
        ps.setInt(3, age);
        ps.setString(4, status);

        int rows = ps.executeUpdate();
        if (rows > 0) {
            System.out.println("Patient added successfully");
        } else {
            System.out.println("Failed to add patient.");
        }
    } catch (SQLException e) {
        System.out.println("Failed to add patient.");
    }
}

public static void updatePatientStatus(Connection conn, Scanner scanner) {
    try {
        int patientId = scanner.nextInt();
        scanner.nextLine();
        String newStatus = scanner.nextLine();

        String sql = "UPDATE patients SET status = ? WHERE patient_id = ?";
        PreparedStatement ps = conn.prepareStatement(sql);
```

```java
            ps.setString(1, newStatus);
            ps.setInt(2, patientId);

            int rows = ps.executeUpdate();
            if (rows > 0) {
                System.out.println("Patient status updated successfully");
            } else {
                System.out.println("Patient not found.");
            }
        } catch (SQLException e) {
            System.out.println("Patient not found.");
        }
    }

    public static void viewPatientRecord(Connection conn, Scanner scanner) {
        try {
            int patientId = scanner.nextInt();
            scanner.nextLine();

            String sql = "SELECT * FROM patients WHERE patient_id = ?";
            PreparedStatement ps = conn.prepareStatement(sql);
            ps.setInt(1, patientId);

            ResultSet rs = ps.executeQuery();
            if (rs.next()) {
                System.out.println("ID: " + rs.getInt("patient_id") +
                            " | Name: " + rs.getString("name") +
                            " | Age: " + rs.getInt("age") +
                            " | Status: " + rs.getString("status"));
            } else {
                System.out.println("Patient not found.");
            }
        } catch (SQLException e) {
            System.out.println("Patient not found.");
        }
    }

    public static void displayAllPatients(Connection conn) {
        try {
            String sql = "SELECT * FROM patients";
            Statement stmt = conn.createStatement();
            ResultSet rs = stmt.executeQuery(sql);
```

```
      boolean hasRecords = false;
      System.out.println("ID | Name | Age | Status");
      while (rs.next()) {
        hasRecords = true;
        System.out.println(rs.getInt("patient_id") + " | " +
                rs.getString("name") + " | " +
                rs.getInt("age") + " | " +
                rs.getString("status"));
      }

    } catch (SQLException e) {

    }
  }
}
```

Status : Correct   *Marks : 10/10*

2. Problem Statement

In Café Central, the menu is cataloged and stored in a database.

To efficiently manage the restaurant's menu using Java and JDBC, you must build a Restaurant Management System that supports:

Adding new menu items

Updating menu item prices

Viewing details of a menu item

Displaying all menu items in sorted order

You are given two files:

File 1: MenuItem.java (POJO Class)

This class represents the MenuItem entity.

A MenuItem contains the following details:

Field   Description

itemId   Unique Menu Item ID (Integer)

name   Item Name (String)

category   Item Category (String)

price   Item Price (Double)

Students must write code in the marked area:

```
class MenuItem {

    private int itemId;

    private String name;

    private String category;

    private double price;

    public MenuItem() {}

    public MenuItem(int itemId, String name, String category, double price) {

        // write your code here

    }

    // Include getters and setters
}
```

Expected in this part:

Assign parameter values to instance variables inside the constructor.

Add getters and setters for all attributes.

File 2: MenuItemDAO.java (Data Access Layer)

This class handles all database operations using JDBC.

Students must complete the missing JDBC logic in the following methods:

```java
class MenuItemDAO {

    public void addMenuItem(Connection conn, MenuItem menuItem)
    throws SQLException {

        // write your code here

    }

    public void updateItemPrice(Connection conn, int itemId, double
    newPrice) throws SQLException {

        // write your code here

    }

    public void deleteMenuItem(Connection conn, int itemId) throws
    SQLException {

        // write your code here

    }

    public MenuItem viewItemDetails(Connection conn, int itemId) throws
    SQLException {

        // write your code here

    }

    public List<MenuItem> displayAllMenuItems(Connection conn) throws
    SQLException {

        // write your code here

    }

    private MenuItem mapToMenuItem(ResultSet rs) throws SQLException {
        return new MenuItem(
            // write your code here
        );
    }
```

}

Expected in this part:

Write SQL queries for INSERT, UPDATE, DELETE, SELECT.

Execute queries using PreparedStatement or Statement.

Map ResultSet rows to MenuItem objects using mapToMenuItem().

Return a List<MenuItem> where required.

The system should connect to a MySQL database using the following default credentials:

DB URL: jdbc:mysql://localhost/ri_db

USER: test

PWD: test123

The menu table has already been created with the following structure:

Table Name: menu

Input Format

The first line of input consists of an integer choice, representing the operation to be performed (1 for Add Item, 2 for Restock item, 3 for reduce item, 4 for Display, 5 for Exit).

For choice 1 (Add Menu Item):

- The second line consists of an integer item_id.
- The third line consists of a string name.
- The fourth line consists of a string category.
- The fifth line consists of a double price.

For choice 2 (Update Item Price):

- The second line consists of an integer item_id.
- The third line consists of a double new_price.

For choice 3 (View Item Details):

- The second line consists of an integer item_id.

For choice 4 (Display All Menu Items):

- No additional inputs are required.

For choice 5 (Exit):

- No additional inputs are required.

Output Format

For choice 1 (Add Menu Item):

- Print "Menu item added successfully" if the item was added.
- Print "Failed to add item." if the insertion failed.

For choice 2 (Update Item Price):

- Print "Item price updated successfully" if the price update was successful.
- Print "Item not found." if the specified item ID does not exist.

For choice 3 (View Item Details):

- Display the item details in the format:
- ID: [item_id] | Name: [name] | Category: [category] | Price: [price]
- Print "Item not found." if the specified item ID does not exist.

For choice 4 (Display All Menu Items):

- Display each item on a new line in the format:
- ID | Name | Category | Price
- If no items are available, print nothing (or handle with an appropriate message if desired).

For choice 5 (Exit):

- Print "Exiting Restaurant Management System."

For invalid input:

- Print "Invalid choice. Please try again."

Sample Test Case

Input: 1
11
Margherita Pizza
Main Course
12.99
4
5

Output: Menu item added successfully
ID | Name | Category | Price
11 | Margherita Pizza | Main Course | 12.99
Exiting Restaurant Management System.

Answer

```
import java.sql.*;
import java.util.Scanner;

class RestaurantManagementSystem {
   public static void main(String[] args) {
      try (Connection conn = DriverManager.getConnection("jdbc:mysql://
localhost/ri_db", "test", "test123");
         Scanner scanner = new Scanner(System.in)) {

         boolean running = true;

         while (running) {
            int choice = scanner.nextInt();

            switch (choice) {
               case 1:
                  addMenuItem(conn, scanner);
                  break;
               case 2:
                  updateItemPrice(conn, scanner);
                  break;
               case 3:
                  viewItemDetails(conn, scanner);
                  break;
               case 4:
                  displayAllMenuItems(conn);
```

```java
                break;
            case 5:
                System.out.println("Exiting Restaurant Management System.");
                running = false;
                break;
            default:
                System.out.println("Invalid choice. Please try again.");
        }
    }
    } catch (SQLException e) {
        e.printStackTrace();
    }
}
public static void addMenuItem(Connection conn, Scanner scanner) {
    int itemId = scanner.nextInt();
    scanner.nextLine();  // Consume newline

    String name = scanner.nextLine();
    String category = scanner.nextLine();
    double price = scanner.nextDouble();

    MenuItem menuItem = new MenuItem(itemId, name, category, price); //
Using POJO

    String insertQuery = "INSERT INTO menu (item_id, name, category, price)
VALUES (?, ?, ?, ?)";
    try (PreparedStatement stmt = conn.prepareStatement(insertQuery)) {
        stmt.setInt(1, menuItem.getItemId());
        stmt.setString(2, menuItem.getName());
        stmt.setString(3, menuItem.getCategory());
        stmt.setDouble(4, menuItem.getPrice());

        int rowsInserted = stmt.executeUpdate();
        System.out.println(rowsInserted > 0 ? "Menu item added successfully" :
"Failed to add item.");
    } catch (SQLException e) {
        System.out.println("Error adding item: " + e.getMessage());
    }
}

public static void updateItemPrice(Connection conn, Scanner scanner) {
    int itemId = scanner.nextInt();
```

```java
        double newPrice = scanner.nextDouble();

        String updateQuery = "UPDATE menu SET price = ? WHERE item_id = ?";
        try (PreparedStatement stmt = conn.prepareStatement(updateQuery)) {
            stmt.setDouble(1, newPrice);
            stmt.setInt(2, itemId);

            int rowsUpdated = stmt.executeUpdate();
            System.out.println(rowsUpdated > 0 ? "Item price updated successfully" :
"Item not found.");
        } catch (SQLException e) {
            System.out.println("Error updating price: " + e.getMessage());
        }
    }

    public static void viewItemDetails(Connection conn, Scanner scanner) {
        int itemId = scanner.nextInt();

        String selectQuery = "SELECT * FROM menu WHERE item_id = ?";
        try (PreparedStatement stmt = conn.prepareStatement(selectQuery)) {
            stmt.setInt(1, itemId);

            ResultSet rs = stmt.executeQuery();
            if (rs.next()) {
                MenuItem menuItem = new MenuItem(
                        rs.getInt("item_id"),
                        rs.getString("name"),
                        rs.getString("category"),
                        rs.getDouble("price")
                );

                System.out.printf("ID: %d | Name: %s | Category: %s | Price: %.2f%n",
                        menuItem.getItemId(),
                        menuItem.getName(),
                        menuItem.getCategory(),
                        menuItem.getPrice());
            } else {
                System.out.println("Item not found.");
            }
        } catch (SQLException e) {
            System.out.println("Error retrieving item details: " + e.getMessage());
        }
    }
```

```java
    }

    public static void displayAllMenuItems(Connection conn) {
        String displayQuery = "SELECT * FROM menu ORDER BY item_id";
        try (Statement stmt = conn.createStatement();
             ResultSet rs = stmt.executeQuery(displayQuery)) {

            System.out.println("ID | Name | Category     | Price");
            while (rs.next()) {
                MenuItem menuItem = new MenuItem(
                        rs.getInt("item_id"),
                        rs.getString("name"),
                        rs.getString("category"),
                        rs.getDouble("price")
                );

                System.out.printf("%d | %s | %s | %.2f%n",
                        menuItem.getItemId(),
                        menuItem.getName(),
                        menuItem.getCategory(),
                        menuItem.getPrice());
            }
        } catch (SQLException e) {
            System.out.println("Error displaying menu items: " + e.getMessage());
        }
    }
}

class MenuItem {
    private int itemId;
    private String name;
    private String category;
    private double price;

    // Constructor
    public MenuItem(int itemId, String name, String category, double price) {
        this.itemId = itemId;
        this.name = name;
        this.category = category;
        this.price = price;
    }
```

```
// Getters and Setters
public int getItemId() { return itemId; }
public void setItemId(int itemId) { this.itemId = itemId; }

public String getName() { return name; }
public void setName(String name) { this.name = name; }

public String getCategory() { return category; }
public void setCategory(String category) { this.category = category; }

public double getPrice() { return price; }
public void setPrice(double price) { this.price = price; }
}
//
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 12_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Sabrina is working on a project that involves analyzing a set of numbers. In her exploration, she encounters scenarios where extracting even numbers and finding their sum is essential.

Create a program that calculates the sum of even numbers from a given array of integers using a lambda expression.

Input Format

The first line of input consists of an integer N, representing the size of the array.

The second line consists of N space-separated integers, representing the elements of the array.

Output Format

The output prints the sum of the even integers from the array.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 3
29 37 45

Output: 0

Answer

```java
// You are using Java
import java.util.*;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for(int i = 0; i < n; i++)
            arr[i] = sc.nextInt();
        int sum = Arrays.stream(arr)
                    .filter(x -> x % 2 == 0)
                    .sum();
        System.out.println(sum);
    }
}
```

Status : Correct   *Marks : 10/10*

Rajalakshmi Engineering College

Name: Palachuru Nandu Priya
Email: 241801195@rajalakshmi.edu.in
Roll no:
Phone: 9445344119
Branch: REC
Department: AI & DS - Section 4
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 12_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Alex is learning about Java's functional interfaces and lambda expressions.

He wants to write a simple program that prints the square of each number in an array using a predefined functional interface.

Help Alex complete this task using the Consumer functional interface.

Input Format

- The first line contains an integer N, the number of elements in the array.
- The second line contains N space-separated integers.

Output Format

- Print the squares of all elements in the array, separated by a space.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 4
1 2 3 4
Output: 1 4 9 16

Answer

```
import java.util.*;
import java.util.function.IntConsumer;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for (int i = 0; i < n; i++)
            arr[i] = sc.nextInt();
        IntConsumer square = x -> System.out.print((x * x) + " ");
        Arrays.stream(arr).forEach(square);
    }
}
```

Status : Correct   *Marks : 10/10*