

# The W3C CSS Validation Service

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Jump to: Warnings (22) Validated CSS

## W3C CSS Validator results for TextArea (CSS level 3 + SVG)

### **Congratulations! No Error Found.**

This document validates as CSS level 3 + SVG!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:





(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

<u>Donate</u> and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

### Warnings (22)

#### URI: TextArea

1	-webkit-text-size-adjust is a vendor extension
	h
1	-webkit-text-decoration is a vendor extension
1	-webkit-appearance is a vendor extension
1	::-moz-focus-inner is a vendor extended pseudo-element
1	::-moz-focus-inner is a vendor extended pseudo-element
1	::-moz-focus-inner is a vendor extended pseudo-element
1	::-moz-focus-inner is a vendor extended pseudo-element
1	:-moz-focusring is a vendor extended pseudo-class
1	:-moz-focusring is a vendor extended pseudo-class
1	:-moz-focusring is a vendor extended pseudo-class
1	:-moz-focusring is a vendor extended pseudo-class
1	::-webkit-inner-spin-button is a vendor extended pseudo-element
1	::-webkit-outer-spin-button is a vendor extended pseudo-element
1	-webkit-appearance is a vendor extension
1	::-webkit-search-decoration is a vendor extended pseudo-element
1	-webkit-appearance is a vendor extension
1	::-webkit-file-upload-button is a vendor extended pseudo-element
1	-webkit-appearance is a vendor extension
1	::-webkit-progress-bar is a vendor extended pseudo-element
1	::-webkit-progress-value is a vendor extended pseudo-element
1	-webkit-appearance is a vendor extension
1	-moz-appearance is a vendor extension

↑ TOP

### Valid CSS information

```
html {
  line-height : 1.15;
body {
  margin : 0;
main {
 display : block;
h1 {
  font-size : 2em;
  margin : 0.67em 0;
hr {
  box-sizing : content-box;
  height : 0;
  overflow : visible;
pre {
  font-family : monospace, monospace;
font-size : 1em;
  background-color: rgb(0, 0, 0, 0);
abbr[title] {
  border-bottom : none;
  text-decoration : underline;
  text-decoration : underline dotted;
b, strong {
  font-weight : bolder;
code, kbd, samp {
  font-family : monospace, monospace;
  font-size : 1em;
small {
  font-size: 80%;
sub, sup {
  font-size : 75%;
line-height : 0;
  position : relative;
  vertical-align : baseline;
sub {
  bottom : -0.25em;
sup {
  top : -0.5em;
```

```
img {
  border-style : none;
button, input, optgroup, select, textarea {
  font-family : inherit;
  font-size : 100%;
  line beight : 1 15;
  line-height: 1.15;
  margin : 0;
button, input {
  overflow : visible;
button, select {
  text-transform : none;
button::-moz-focus-inner, [type="button"]::-moz-focus-inner, [type="reset"]::-moz-
focus-inner, [type="submit"]::-moz-focus-inner {
  border-style : none;
  padding : 0;
button:-moz-focusring, [type="button"]:-moz-focusring, [type="reset"]:-moz-focusring,
[type="submit"]:-moz-focusring {
  outline : 1px dotted ButtonText;
fieldset {
  padding : 0.35em 0.75em 0.625em;
legend {
  box-sizing : border-box;
  color : inherit;
  display : table;
  max-width : 100%;
  padding: 0;
  white-space : normal;
}
progress {
  vertical-align : baseline;
textarea {
  overflow: auto;
[type="checkbox"], [type="radio"] {
  box-sizing : border-box;
  padding : 0;
[type="number"]::-webkit-inner-spin-button, [type="number"]::-webkit-outer-spin-button
  height : auto;
[type="search"] {
  outline-offset : -2px;
```

```
::-webkit-file-upload-button {
 font : inherit;
details {
 display : block;
summary {
  display : list-item;
template {
  display : none;
[hidden] {
  display : none;
body {
  background-color: #38215d;
  margin-left : 5%;
margin-right : 5%;
font-family : "Inconsolata", monospace;
h1 {
  text-transform : uppercase;
  color : #fff;
  font-size : 2rem;
  text-shadow: 2px 1px 1px #000;
  position : absolute;
  top : 0;
  Left: 10%;
section {
  box-shadow: 0 5px 15px rgb(0, 0, 0, 0.7);
  border-radius : 10px;
  margin-bottom : 20px;
  display : flex;
  flex-flow : column;
color : #fff;
ul {
  list-style-type : none;
}
h2 {
  position : relative;
  top : 10px;
Left : 28px;
  background-color: rgb(192, 127, 253, 0.537);
  min-width : 100%;
.intro .intro-text1 {
  margin-top : 110px;
text-align : center;
  text-transform : uppercase;
font-size : 3rem;
  color : #fff;
```

```
font-weight : 900;
   text-shadow : 0 0 5px #3d0377, 0 0 10px #3d0377, 0 0 10px #3d0377;
.intro .intro-text1-span {
   font-size : 2rem;
.selfie-pic {
   border: #3a175a solid 5px;
   display : block;
   margin-left : auto;
margin-right : auto;
   margin-bottom : 30px;
   border-radius : 50%;
   transition: 0.3s;
   cursor : pointer;
.selfie-pic:hover {
  transform : scale(1.1);
.intro-text2 {
   margin-left : 50px;
  margin-right : 50px;
margin-bottom : 30px;
font-family : "Lora", serif;
   color : #fff;
   font-family : "Inconsolata", monospace;
.edu {
   background-color : #fadccd;
   min-height : 50vh;
   min-width : 100%;
   line-height : 5px;
   color: #3a175a;
   z-index : 0;
.edu .edu-fed {
   font-size : 1.3rem;
   position : relative;
   top : 20px;
left : 20px;
width : 230px;
   height: 100px;
  background: linear-gradient(to right, rgb(38, 0, 74) 4px, transparent 4px) 0 0, linear-gradient(to right, rgb(38, 0, 74) 4px, transparent 4px) 0 100%, linear-gradient(to left, rgb(38, 0, 74) 4px, transparent 4px) 100% 0, linear-gradient(to left, rgb(38, 0, 74) 4px, transparent 4px) 100% 100%, linear-gradient(to bottom, rgb(38, 0, 74) 4px, transparent 4px) 0 0, linear-gradient(to bottom, rgb(38, 0, 74) 4px, transparent 4px) 0 0, linear-gradient(to bottom, rgb(38, 0, 74) 4px, transparent 4px) 100% 100%, linear-gradient(to bottom, rgb(38, 0, 74) 4px
   4px, transparent 4px) 100% 0, linear-gradient(to top, rgb(38, 0, 74) 4px, transparent 4px) 0 100%, linear-gradient(to top, rgb(38, 0, 74) 4px, transparent
   4px) 100% 100%;
   background-repeat : no-repeat;
   background-size : 20px 20px;
.edu .edu-prog {
   position : relative;
   margin-top : 24px;
   margin-bottom : 19px;
   right : -13px;
   top : 21px;
.edu .edu-rest {
   display : flex;
display : inline-block;
```

```
position : relative;
  top : 52px;
  width : 45%;
  line-height : 15px;
.languages {
  background-color: rgb(0, 60, 189, 0.466);
  min-height : 25vh;
  border-top-left-radius : 10px;
  border-top-right-radius : 10px;
  z-index : 0;
.languages .lang-text {
  display : flex;
  justify-content : space-evenly;
  position : relative;
  top : 50px;
 padding : 0;
font-size : 1.2rem;
  z-index : 0;
  background-color: rgb(255, 255, 255, 0.892);
  color : #3a175a;
  min-height: 25vh;
  border-bottom-left-radius : 10px;
  border-bottom-right-radius : 10px;
.skills .prog-bar {
 display : flex;
flex-direction : column;
  margin-left : 30px;
.skills .bar {
 display : flex;
height : 20px;
border-radius : 10px;
  width: 80%;
.skills .bar::-webkit-progress-bar {
  background-color: rgb(122, 39, 239, 0.652);
  border-radius : 5px;
  box-shadow : 0 0 3px #000 inset;
.skills .bar::-webkit-progress-value {
 background-color : #1bf5c2;
border-radius : 5px;
  box-shadow : 0 0 2px #000 inset;
.links {
  background-color : #fbcdb6;
  height: 50vh;
  display : grid;
  grid-template-columns : repeat(4,1fr);
  align-content : center;
.links a {
  text-decoration : none;
  text-align : center;
  cursor : pointer;
  transition: 0.3s ease;
```

```
W3C CSS Validator results for TextArea (CSS level 3 + SVG)
}
.links .fa-brands {
font-size : 4rem;
.links .fa-github-alt {
  grid-column : 2;
  color: #000;
  margin-right : 20px;
.links .fa-github-alt:hover {
  transform : scale(1.3);
  color : #f9f9f9;
  text-shadow : 0 0 10px #f5f5f5, 5px 0 10px #000, -10px 0 10px #b5b5b5, 10px 0 30px
  #000, -10px 0 30px #b5b5b5, 0 0 50px #fff, -5px 0 10px #000, 0 0 10px #b5b5b5;
.links .fa-linkedin {
  grid-column : 3;
  color: #0137c1;
  margin-left: 20px;
.links .fa-linkedin:hover {
  color : #f9f9f9;
  transform : scale(1.3);
  text-shadow: 0 0 10px #f5f5f5, 5px 0 10px #30f, -10px 0 10px aqua, 10px 0 30px #30f, -10px 0 30px aqua, 0 0 50px #fff, -5px 0 10px #30f, 0 0 10px aqua;
}
.links .links-text {
  font-size : 1.4rem;
.links .links-text::before {
  content : none;
.form {
  background-color : #feffb9;
  color : #3a175a;
.form .form-content {
  display : flex;
  flex-direction : column;
  width : 80%;
  margin-left : 30px;
margin-right : 30px;
.form .form-box {
  height: 30px;
  border-radius: 10px;
.form .form-button {
  position : relative;
```

```
left: 35%;
margin-bottom : 20px;
height: 35px;
width : 100px;
border-radius : 20px;
background-color: rgb(27, 245, 194, 0.347);
border: #000 solid 1px;
font-family : "Inconsolata", monospace;
```

```
font-weight : 600;
  text-transform : uppercase;
.form .form-button:hover, .form .form-button :focus {
  background-color : #a24cf2;
  outline : rgb(0, 0, 0, 0);
  box-shadow : 0 0 0 3px #221438;
  border : none;
}
.form #message {
  height: 100px;
  border-radius : 10px;
.contact-info {
  position : relative;
  bottom : 0;
  left : -25px;
footer {
 color: #9e9e9e;
footer ul li a {
  text-align : left;
  font-family : "Inconsolata", monospace;
  color : #9e9e9e;
  text-decoration : none;
  cursor : pointer;
.footer-pin {
  font-family : "Inconsolata", monospace;
  display : inline-block;
font-weight : 400;
  margin : 0;
.menu {
  text-align : right;
  position : fixed;
  right : 40px;
top : 10px;
  z-index : 1;
. \\ \textit{menu-button} \ \{
  height: 50px;
width: 55px;
position: fixed;
  right : 10px;
top : 0;
margin : 10px;
  margin-top : 10px;
  background-color : rgb(0, 0, 0, 0);
  border: 0;
  pointer-events : none;
.menu .menu-button > span {
  background-color: #000;
  height: 5px;
width: 60%;
display: block;
margin-bottom: 7px;
  border-radius : 5px;
  position : relative;
```

```
right : -20px;
.menu .menu-links {
  text-decoration : none;
  color : #3a175a;
.menu .menu-links:hover {
  color: #9421ff;
  text-decoration : underline;
.menu .menu-content {
  font-size : 1.7rem;
  font-weight : 900;
font-family : "Inconsolata", monospace;
  cursor : pointer;
.menu nav {
  position : fixed;
  top : 50px;
  right: 30px;
  background: #fff;
  border-radius : 10px;
transition : all 0.5s ease-in-out;
  visibility : hidden;
}
.check {
  position : fixed;
  width : 50px;
height : 50px;
  right: 10px;
  top : 6px;
  opacity: 0.3;
z-index: 3;
  cursor : pointer;
}
.check[type="checkbox"] {
  appearance : none;
  background-color: rgb(255, 255, 255, 0);
input:checked + .menu button {
  visibility : hidden;
input:checked + .menu button span {
  visibility : visible;
  position : absolute;
  transition : all 0.4s ease-in-out;
input:checked + .menu button span:nth-child(1) {
  right : 5px;
transform : rotate(45deg);
  opacity: 1;
input:checked + .menu button span:nth-child(2) {
  right : 5px;
  transform : rotate(-45deg);
opacity : 1;
}
```

```
input:checked + .menu nav {
  visibility : visible;
  opacity : 1;
}
```

```
@media screen and (min-width: 1024px) {
  .check \{
    right: 97px;
    top: 82px;
 .menu .menu-button > span {
    width : 100%;
right : 75px;
    top : 75px;
 .menu nav {
    top : 74px;
    top : 142px;
right : 93px;
 input:checked + .menu button span:nth-child(1) {
    top : 90px;
    right : 78px;
    transform : rotate(45deg);
opacity : 1;
 input:checked + .menu button span:nth-child(2) {
    top : 90px;
    right: 78px;
    transform : rotate(-45deg);
opacity : 1;
 }
@media screen and (min-width: 380px) {
  .edu .edu-rest {
    top : 135px;
@media screen and (min-width: 700px) {
 body {
    margin-left : 15%;
    margin-right : 15%;
margin-top : 5%;
 }
 h1 {
    color : orange;
    font-size : 3rem;
    margin-left : 15%;
margin-top : 5%;
 }
  .intro .intro-text1 {
    font-size : 5rem;
margin-top : 200px;
    margin-bottom : 30px;
```

```
.intro-text2 {
  font-size : 1.5rem;
text-align : center;
h2 {
  font-size : 2.2rem;
.edu {
   align-items : center;
  text-align : center;
.edu h2 {
 Left : 0;
.edu .edu-fed {
  left : 55px;
font-size : 1.5rem;
  width : 300px;
  height: 150px;
  margin-top : 20px;
.edu .edu-fed .edu-prog {
  top : 50px;
   left : -5px;
.edu .edu-rest {
  left: -22px;
font-size: 1.3rem;
line-height: 29px;
.languages .lang-text {
  top : -55px;
  margin-top : 162px;
  font-size : 2rem;
.skills .prog-bar {
  font-size : 1.5rem;
margin-left : 60px;
.skills .prog-bar .bar {
  height: 30px;
.links .fa-brands {
font-size : 7rem;
}
.form {
  font-size : 1.5rem;
.form .form-content {
  width : 90%;
.form .form-button {
  height: 40px;
```

```
width : 120px;
left : 43%;
  footer .contact-info {
    font-size : 1.2rem;
}
@media screen and (min-width: 1024px) {
 body {
    margin: 200px 200px 0 200px;
 h1 {
    font-size : 5rem;
    top : -60px;
left : -120px;
 h2 {
    font-size : 2.5rem;
  .intro {
    align-items : center;
  .intro .intro-text2 {
    width: 500px;
  .skills .prog-bar {
    font-size : 1.5rem;
    margin-left : 100px;
margin-left : 16rem;
  }
  .skills .prog-bar .bar {
  height : 30px;
    width : 60%;
  .links .fa-brands {
    font-size : 7rem;
```

↑ TOP

#### Home About Documentation Download Feedback Credits



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL
RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE
AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE
IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.