

PADDY MASTER PRODUCT SEQUENCE & MARKETING TIMELINE

Strategic Campaign Alignment Plan — Kharif Season

TIMELINE	PADDY CROP STAGE	PRODUCT PORTFOLIO & COMPOSITION	PRIMARY AGRONOMIC BENEFIT & TARGET TARGETS	TARGET MARKETING AREAS (OLD DISTRICTS)
June – July	Nursery & Early Vegetative	Karbac / Pure Auxin <i>Leonardite Humic + Fulvic Acid (Karbac) Root Booster Formulation (Pure Auxin)</i>	Soil Application & Root Initiation: - Triggers prolific lateral root network branching. - Ensures optimal nutrient absorption capacity. - Maximizes primary productive tillering.	Medak, Nizamabad, Karimnagar, Warangal, Nalgonda, Kurnool, Kadapa, Krishna, Khammam, East & West Godavari
July – August	Early Vegetative (Weed Management)	Oriva + Spider <i>Penoxsulam 1.02% + Cyhalofop-Butyl 5.1% OD + Bispyribac Sodium 10% SC</i>	Broad-Spectrum Post-Emergence Herbicide: - Knocks down aggressive grasses, sedges, and broadleaf weeds. - Clears crop lanes to eliminate early-stage nutrient competition.	Medak, Nizamabad, Karimnagar, Warangal, Nalgonda, Kurnool, Kadapa, Krishna, Khammam, East & West Godavari

TIMELINE	PADDY CROP STAGE	PRODUCT PORTFOLIO & COMPOSITION	PRIMARY AGRONOMIC BENEFIT & TARGET TARGETS	TARGET MARKETING AREAS (OLD DISTRICTS)
August	Active Tillering to Max Vegetative	Expel R/Lamigo/Aimer + Probion Combo <i>Lepidopteran Target Action + Concentrated Amino Acid Stimulant</i>	Dual Shield Action (Pest + Stress Control): • Expel R/Lamigo/Aimer: Targets Stem Borer and Leaf Folder populations. • Probion: Delivers essential amino acids to accelerate crop recovery from environmental and heat stress.	Medak, Nizamabad, Karimnagar, Warangal, Nalgonda, Kurnool, Kadapa, Krishna, Khammam, East & West Godavari
Late Aug – Early Sept	Mid-Vegetative Protection	Expel R/Lamigo/Aimer + Probion <i>Chlorantraniliprole 18.5% SC or equivalent Lepidopteran target + Concentrated Amino Acid Stimulant</i>	Systemic Long-Duration Preventive Shield: • Expel R/Lamigo/Aimer: Provides extended protection against hidden Yellow Stem Borer larvae. Safeguards internal crop tissue prior to critical panicle initiation. • Probion: Combats mid-season stress and boosts vegetative vigor.	Medak, Nizamabad, Karimnagar, Warangal, Nalgonda, Kurnool, Kadapa, Krishna, Khammam, East & West Godavari
September	Panicle Initiation to Pre-Flowering	Expel R/Lamigo/Aimer + Flora <i>Chlorantraniliprole 9.3% + Lambda-cyhalothrin 4.6% ZC or equivalent + Flowering Biostimulant</i>	Reproductive Knockdown & Energy Boost: • Expel R/Lamigo/Aimer: Delivers immediate knockdown of late-brood stem borers and chewing pests. • Flora: Optimizes cell division for uniform	Medak, Nizamabad, Karimnagar, Warangal, Nalgonda, Kurnool, Kadapa, Krishna, Khammam, East & West Godavari

TIMELINE	PADDY CROP STAGE	PRODUCT PORTFOLIO & COMPOSITION	PRIMARY AGRONOMIC BENEFIT & TARGET TARGETS	TARGET MARKETING AREAS (OLD DISTRICTS)
			panicle emergence and maximum spikelet fertility.	
Sept – October	Booting to Heading Stage	Pixel Sensa / Prilia 525SE / Trikoze <i>Systemic Tricyclazole Blends (with Picoxystrobin / Propiconazole / Azoxystrobin)</i>	Premium Systemic Fungicide Defense: - Establishes absolute immunity against devastating economic diseases. - Targets Neck Blast, Leaf Blast, and Sheath Blight. - Improves grain cleanliness, weight, and milling quality.	Medak, Nizamabad, Karimnagar, Warangal, Nalgonda, Kurnool, Kadapa, Krishna, Khammam, East & West Godavari
August – October *SOS: Deploy early if early BPH threshold is crossed.	Late Vegetative to Grain Filling	Archer / Dodger <i>Pymetrozine 50% WG Dinotefuran 15% + Pymetrozine 45% WG</i>	Anti-Hopper Knockdown & Resistance Breaker: Dynamic Deployment: Keep campaigns on standby from active vegetative stage onward to address early nymph outbreaks. Dodger: Delivers rapid systemic paralysis to heavy hopper infestations to prevent sudden "hopper burn." - Targets **Brown Plant Hopper (BPH)** and Green Leaf Hopper.	Medak, Nizamabad, Karimnagar, Warangal, Nalgonda, Kurnool, Kadapa, Krishna, Khammam, East & West Godavari