

Retrieving Data Using the SQL SELECT Statement

1. Determine the structure of DEPT table and its contents.

```
SQL> SELECT * FROM DEPT;
```

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON


```
SQL> DESC EMP;
```

Name	Null?	Type
EMPNO	NOT NULL	NUMBER(38)
ENAME		VARCHAR2(50)
JOB		VARCHAR2(50)
MGR		NUMBER(38)
HIREDATE		DATE
SAL		NUMBER(38)
COMM		NUMBER(38)
DEPTNO		NUMBER(38)

2. Determine the structure of Emp table and its contents.

```
SQL> SELECT * FROM EMP;
```

EMPNO	ENAME	JOB
7839	KING	PRESIDENT
7698	BLAKE	MANAGER
7782	CLARK	MANAGER
7566	JONES	MANAGER
7788	SCOTT	ANALYST
7902	FORD	ANALYST
7369	SMITH	CLERK
7499	ALLEN	SALESMAN
7521	WARD	SALESMAN
7654	MARTIN	SALESMAN
7844	TURNER	SALESMAN

3. Display the ename and deptno from emp table whose empno is 7788

```
SQL> SELECT ENAME, DEPTNO  
2 FROM EMP  
3 WHERE EMPNO = 7788;
```

ENAME	DEPTNO
SCOTT	20

