Web App UI Specification

(excluding the Scheduling Links list page)

Source: Screen_Recording_20260119_191835_Chrome.mp4 (screens extracted from the recording)

Purpose: Provide a screenshot-driven, implementation-ready reference so Codex can recreate the UI and interaction behavior.

Note: The Scheduling Links page itself is intentionally omitted (per request). Shared components that appear there (e.g., toast notifications) are still documented.

1. Scope and assumptions

This document specifies the UI and behaviors visible in the provided recording. Where backend behavior cannot be inferred (e.g., exact API endpoints), the specification describes observable front-end behavior and recommended implementation details.

In scope

- Application shell (left sidebar, content area, in-page settings tabs)
- Settings: Profile, Links, Developers
- Custom domains: Add custom domain screen
- Contacts list screen
- Teams: Create team modal, team management page (profile + members)
- Availability screen (Schedules list)
- Reusable components: buttons, inputs, selects, badges, modals, toast, empty states, info banners

Out of scope

- Scheduling Links list page implementation details (already completed per request)
- Pages not shown in the recording (e.g., Meeting Polls, Events, Workflows, Analytics) beyond sidebar navigation presence
- Backend / data model details not visible in the recording

Implementation conventions used in this spec

- All sizing is in CSS pixels (px) and uses an 4px/8px spacing rhythm.
- Buttons and pills generally use fully-rounded corners (border-radius: 9999px).
- Inputs use rounded corners (≈8px) with a blue focus ring.
- All interactive elements must be keyboard accessible and have appropriate ARIA labeling.


2. Visual design tokens

The recording exposes explicit brand color tokens on Settings → Links. Use these tokens globally.

Token	Value	Where used
Primary	#2563EB	Primary buttons, links, active tab underline, focus ring
Accent	#FACC15	Highlights / accent elements, ‘New’ button background
Success	~#22C55E	Saved/Owner badges (exact shade inferred)
Danger	~#DC2626	Danger Zone heading, destructive actions
Border	~#E5E7EB	Input borders, dividers, card borders
Text	#111827 / #374151	Headings / body text
Muted text	#6B7280	Helper copy
Surface	#FFFFFF	Cards and page background (light mode)
Surface (alt)	#F9FAFB	Subtle section backgrounds
Overlay	rgba(0,0,0,0.45)	Modal backdrop

Theme modes

The app supports Light and Dark themes. The Theme selector on Settings → Profile controls the UI theme. Ensure the theme is persisted (user preference) and applied globally.




Dark mode reference screenshot

- Dark surfaces switch to near-black/charcoal backgrounds.
- Text switches to near-white with muted gray for helper text.
- Borders/dividers become darker gray; inputs retain the blue focus ring.
- Buttons remain primary blue and accent yellow.

3. Application shell

The app uses a persistent left sidebar navigation and a scrollable main content area. Most pages share the same shell.




Shell layout (high-level)

- Left sidebar is fixed and vertically scrollable if needed.
- Main content scrolls independently (page-specific).
- Page titles sit at the top of main content; actions appear top-right.
- Section blocks are vertically stacked with clear headings and helper text.

Scrolling behavior

- Sidebar remains visible while main content scrolls.
- Section headings do not stick (no evidence of sticky headers in the recording).

4. Sidebar navigation



Elements

- Brand icon at top.
- Notification badge (small red circle with count) near top.
- Primary action button: ‘New’ (accent yellow).
- Nav items with left icons; active item uses a light gray rounded highlight.
- User/account switcher at bottom with avatar initials and caret.
- Help item triggers a popover menu (see Developers page capture).


Interaction rules

- Clicking a nav item routes to its page and marks it active.
- Active state persists across refresh (route-based).
- The ‘New’ button opens a creation menu (not shown) or routes to a default creation flow. Implement as a popover anchored to the button.
- User switcher opens an account menu (not shown). Implement common actions: Profile, Settings, Logout.

Accessibility

- Each nav item must be an anchor or button element with aria-current=page on active routes.
- Icons must be aria-hidden; label is the accessible name.
- Popover triggers (New, Help, User) must be keyboard-operable and trap focus when open.

5. Settings top tabs




- Tabs appear within Settings: Profile, Organizations, Links, Integrations, Billing, Developers.
- Active tab is indicated by a blue underline and slightly darker text.
- Tabs are horizontal and wrap if needed on narrower widths (recommend).
- Each tab is a route (e.g., /settings/profile, /settings/links, /settings/developers).

6. Core reusable components


6.1 Buttons

Primary button (blue)




- Shape: pill (border-radius: 9999px).
- Default: blue background (#2563EB), white text.
- Hover/active: slightly darker blue (recommend #1D4ED8).
- Loading state: left spinner + label remains; button is disabled while loading.
- Disabled state: reduce opacity (~0.5) and remove pointer events.

Secondary/outline button



- White/transparent background with 1px gray border.
- Text is dark gray; left icon (if present) uses the same muted tone.
- Hover: subtle gray background (#F3F4F6).
- Used for non-destructive actions: Copy delegation link, Email reset link.


Destructive button (Danger Zone)



- Danger section heading uses red text.
- Button has red outline and red text with a trash icon.
- On click: open confirmation dialog/modal (recommended), requiring explicit confirmation.
- Destructive actions must be disabled while processing and show error messaging if rejected.


6.2 Inputs, selects, and validation

Standard text inputs


Settings
+ New
Scheduling Links
Meeting Polls
Events
Workflows
Availability
Teams
Contacts
Analytics
Settings
Help
Profile
Organizations
Links
Integrations
Billing
Developers
Profile
Manage your personal profile.
First Name
Dave
Last Name
Gardner
Avatar
DG
Upload
My URL
savvycal.com/davegardner99
Time Format
12-hour (2:00pm)
Start of Week
Sunday
Theme
Light Mode
I accept the terms and privacy notice
Save
Time Zone
Configure your time zone settings.
(GMT+08:00) Australian Western Time
Schedule a time zone change
Delegated Access
Allow an assistant to manage your account on your behalf.
Copy delegation link
Email Address
Configure your email address settings.
davegardner99@gmail.com
Primary
abc@nanosoft.com.au
Pending
Add an email
Password
Update your password.
Email me a reset link
Dave Gardner
davegardner99


Inputs use a light gray 1px border, white background, 8px corner radius, and a blue focus ring. Labels sit above inputs, with helper text below section headings.

Compound input with prefix (Team URL)




- Prefix segment is visually grouped with the input (same border box).
- Prefix text is muted gray (non-editable).
- Slug segment is editable; auto-suggest from Team Name (kebab-case).
- Validation: slug uniqueness check (see error state).

Select / dropdown (Default Location)




- Selects display an icon (provider) + label, with a chevron on the right.
- Open state shows a popover list; selected item is checked.
- Some options may be actions (e.g., connect provider) and should route/open OAuth.
- Keyboard: Arrow keys move focus; Enter selects; Esc closes.

Searchable select (Time Zone)



- Dropdown includes a search input at the top.
- List scrolls independently.
- Selected item has a checkmark on the right.
- Typing filters by city/region and GMT offset.


Validation error state



- Invalid field gets a red border and light red background.
- Error message appears directly under the field in red text (e.g., ‘URL is unavailable’).
- Create/Save action should be disabled OR allowed but blocked with inline error; recording shows inline error after submit.


6.3 Badges, status pills, and list rows

Email list rows and status badges




- Rows are horizontally aligned: left icon/avatar, primary text, optional badge, overflow menu (ellipsis).
- Badges are small pills with subtle gray background.
- ‘Primary’ badge indicates the main email; ‘Pending’ indicates unverified.
- Ellipsis opens a context menu (recommended options: Make primary, Resend verification, Remove).

Saved indicator (section-level)




- After a successful save, a green ‘Saved’ pill appears next to the section heading.
- Recommended: auto-hide after ~2–4 seconds OR persist until next change; recording shows it present immediately after save.

Members badge (Owner)



- Members list uses avatar + name + role badge + secondary email.
- Role badge (‘Owner’) is a green pill.


6.4 Toast notifications



- Toast appears near the bottom center.
- Dark background with white text (e.g., ‘Copied to clipboard.’).
- Auto-dismiss after ~2 seconds.
- Used after copy actions (delegation link, scheduling link, etc.).


6.5 Modals

Schedule time zone change modal




- Centered modal with close (X) in top-right.
- Backdrop dims the underlying page.
- Footer actions: Cancel (secondary) and Save (primary).
- Must trap focus while open; Esc closes; clicking backdrop closes (recommended).

Add email modal



- Same modal framing as other dialogs.
- Email input validates on blur and on submit.
- On success: close modal, append email row as ‘Pending’, show toast.

Create team modal




- Invoked from Teams page (+ icon).
- Contains Team Name and Team URL (slug) fields.
- Slug auto-generates from name but is editable.
- Submitting shows loading state; validation errors appear inline.

7. Page specifications

This section describes each page (excluding Scheduling Links list page), including required components and behaviors.


7.1 Settings → Profile


Settings
+ New
Scheduling Links
Meeting Polls
Events
Workflows
Availability
Teams
Contacts
Analytics
Settings
Help
Profile
Organizations
Links
Integrations
Billing
Developers
Profile
Manage your personal profile.
First Name
Dave
Last Name
Gardner
Avatar
DG
Upload
My URL
savvycal.com/davegardner99
Time Format
12-hour (2:00pm)
Start of Week
Sunday
Theme
Light Mode
I accept the terms and privacy notice
Save
Time Zone
Configure your time zone settings.
(GMT+08:00) Australian Western Time
Schedule a time zone change
Delegated Access
Allow an assistant to manage your account on your behalf.
Copy delegation link
Email Address
Configure your email address settings.
davegardner99@gmail.com
Primary
abc@nanosoft.com.au
Pending
Add an email
Password
Update your password.
Email me a reset link
Dave Gardner
davegardner99

Profile form


- Fields: First Name, Last Name.
- My URL: shows base domain + username/slug; editing is allowed via an edit affordance.
- Time Format: select (12-hour / 24-hour).
- Start of Week: select (Sunday/Monday...).
- Theme: select (Light Mode / Dark Mode).
- Terms checkbox must be checked to save (as shown).
- Save button persists changes and shows a Saved indicator.

Time zone section




- Time Zone select shows (GMT offset) + friendly name.
- Inline helper suggests detected zone and offers ‘Update →’.
- ‘Schedule a time zone change’ opens the modal with date range + time zone.
- Below the select, a list of scheduled changes appears when configured (seen briefly in recording).

Delegated access




- Primary action is ‘Copy delegation link’.
- On click: copy to clipboard; show toast ‘Copied to clipboard.’
- Button may temporarily change state to ‘Copied’ (observed elsewhere in app).

Email addresses




- Email rows display status badges.
- Overflow menu per row (ellipsis) provides row actions.
- ‘Add an email’ opens Add email modal.

Danger Zone




The page includes destructive actions under a ‘Danger Zone’ heading. Implement as a confirmation modal requiring the user to confirm before executing deletion.

7.2 Custom Domains → Add a custom domain



- Breadcrumb back link at top.
- Single input: Hostname (placeholder: booking.example.com).
- Primary CTA: ‘Add custom domain’.
- On submit: validate domain format; show inline error if invalid.
- On success: route to domain detail page with DNS instructions (not shown, but required for usability).


7.3 Settings → Links


Settings
+ New
Scheduling Links
Meeting Polls
Events
Workflows
Availability
Teams
Contacts
Analytics
Settings
Help
Profile
Organizations
Links
Integrations
Billing
Developers
Calendar
Configure how your links integrate with your external calendar. You can override these settings on a per-link basis.
Create events on...
davegardner99@g...
With event name...
[Organizer] and [Scheduler]
Default Location
Choose the default location you'd like to use on your scheduling links.
Zoom
Save settings
3 scheduling links have a different location. Review →
Calendar Reminders
Set when you'd like to be reminded by your calendar system.
Use calendar defaults
Booking Notifications
Configure where to route the email notification when a link is used.
Send notifications to...
Organizer email
Branding
Customize the look and feel of your scheduling links.
Dave Gardner
Primary Color
#2563eb
For buttons and active day indicators.
Accent Color
#facc15
For highlights and accent elements.
Theme
Always show in light mode
Banner Image
Avatar
DG
Upload
Dave Gardner
davegardner99

Calendar


- ‘Create events on…’ select: chooses target calendar/account.
- ‘With event name…’ select: chooses event title template.
- Selections affect how bookings create calendar events.

Default location



- Default location select chooses meeting location provider (Zoom/Google Meet/Phone/etc.).
- If provider is not connected, list includes connect options.
- After setting, ‘Save settings’ persists and may show a notice that some links override location.
- Notice includes a ‘Review →’ link to audit exceptions.


Branding






- Primary color input shows swatch + editable hex.
- Accent color input shows swatch + editable hex.
- Theme select controls light-mode-only vs other theme options.
- Avatar upload allows image upload; falls back to initials in a circle.


Additional link behavior settings



Settings
+ New
Scheduling Links
Meeting Polls
Events
Workflows
Availability
Teams
Contacts
Analytics
Settings
Help
Profile
Organizations
Links
Integrations
Billing
Developers
Customize the look and feel of your scheduling links.
Dave Gardner
Primary Color
#2563eb
For buttons and active day indicators.
Accent Color
#facc15
For highlights and accent elements.
Avatar
DG
Upload
Theme
Always show in light mode
Banner Image
No banner image set
Recommended 1500px × 500px in size.
Edit banner image
Hide SavvyCal branding on scheduling links
Save settings
Default View
Configure the default interface to use for newly-created links.
Fixed Week View
Buffers
Set your default buffering settings. You can override these settings on a per-link basis.
Before Events
After Events
Minimum Notice
0 minutes
0 minutes
60 minutes
Start Time Increments
Configure the frequency of available times for schedulers. You can override these settings on a per-link basis.
15 minutes
Frequency Limits
Limit how many meetings you allow across all your scheduling links.
1
per
day
Add frequency limit



- Banner image: empty state shows ‘No banner image set’; ‘Edit banner image’ opens upload/replace flow.
- Hide SavvyCal branding: toggle switch; immediately toggles UI state, persisted by Save settings.
- Default view: select (e.g., days/weeks view) — not fully visible, but present.
- Buffers + minimum notice: selects with preset durations.
- Start time increments: select with preset increments.
- Frequency limits: list of limit rows; each row has a numeric input and a unit select (e.g., ‘day’).


Mobile select overlays






In the recording, some selects open a full-screen option list (mobile-style). Implement as a standard accessible select on desktop and a bottom-sheet/full-screen picker on mobile if desired.


7.4 Settings → Developers


Settings
+ New
Scheduling Links
Meeting Polls
Events
Workflows
Availability
Teams
Contacts
Analytics
Settings
Help
What's new
Request a feature
Knowledge base
Contact support
Profile
Organizations
Links
Integrations
Billing
Developers
Personal Tokens
Generate API tokens to use for accessing your own account.
rwe
Create a token
Building an application for others to use? Contact support to get started with OAuth →
Dave Gardner
davegardner99



- Personal tokens list: each token is a row with key icon, token name, and ellipsis actions.
- ‘Create a token’ is a link-style action row.
- Info banner (blue) links to OAuth support flow.
- Help nav item opens a popover menu (What’s new, Request a feature, Knowledge base, Contact support).

7.5 Contacts





- Header: ‘Contacts’ with + icon button to add a new contact.


- List rows: avatar initial, email, optional status badge (Pending), ellipsis actions.
- Pending indicates invite not accepted/verified.
- Row menu actions (recommended): Resend invite, Remove.

7.6 Teams

Create team modal





Create a team
Teams allow you to create links under your team or company banner and share availability with your fellow teammates.
Team Name
Uio
Team URL
savvycal.com/
Utt
Create team
Learn more about teams



- Team Name: required.
- Team URL slug: required, must be unique.
- On submit: disable inputs, show spinner inside ‘Create team’ button.
- If slug unavailable: show inline error ‘URL is unavailable’.


Team management page




- Top area: team avatar initials, team name, overflow menu.

- Team Profile section: Team Name and Team URL (read-only base + slug).
- Save settings persists team profile.
- Members section: list members with roles; ‘Add or invite’ action at top right.

7.7 Availability


+ New
Scheduling Links
Meeting Polls
Events
Workflows
Availability
Teams
Contacts
Analytics
Settings
Help
Dave Gardner
davegardner99
Availability
New schedule
Schedules
Dave Gardner
1 schedule
Work Hours
Default
Weekdays, 9:00 am - 5:00 pm
Dave Gardner



- Header: ‘Availability’ with ‘New schedule’ button.
- Tab ‘Schedules’ (active).
- Schedules are grouped under a person/team heading.
- Group row has a chevron for collapse/expand.
- Within group, schedule cards show name (e.g., Work Hours), a ‘Default’ badge, and summary of hours (Weekdays 9:00am–5:00pm).

Appendix A. Recommended component map for Codex

Use the following component breakdown to implement the UI cleanly and consistently.

Suggested React-style component tree (illustrative):

```
AppShell ■■ Sidebar ■ ■■ BrandMark ■ ■■ NotificationBadge ■ ■■ NewButton → NewMenuPopover ■ ■■ NavItem[] ■ ■■ HelpNavItem → HelpPopover ■ ■■ UserSwitcher → UserMenu ■■ Main ■■ PageHeader (title + actions) ■■ SettingsTabs (only on /settings/*) ■■ PageContent Components ■■ Button (primary/secondary/danger/icon) ■■ Input (text) ■■ Select (standard) ■■ SelectSearchable (time zone) ■■ Badge (status/role) ■■ Toast ■■ Modal (focus trap) ■■ EmptyStateCard ■■ ListRow (icon + primary + secondary + badge + menu)
```

Key interaction contracts

- All popovers and modals: close on Esc; close on outside click; trap focus when open.
- All Save/Create actions: show loading; disable to prevent double submit; surface errors inline.
- Copy actions: use Clipboard API; show toast on success; show error toast if denied.
- Persist user preferences (theme, time zone) and apply on load.