


FLASH BANK0

FLASH | BANK 1

FLASH: 8 X 256K/128Kx8 (2/1Mb) 2-WAY INTERLEAVED


CAPTAIN BEAKY - FLYING PIG SYSTEMS, LONDON, ENGLAND


G3 VGA2

G2 VGA1


G1 LCD2

G0 LCD1

SYSTEM
BUSALL GRAPHICS PROCESSORS CONFIGURED
FOR 386SX LOCAL BUS OPERATION



LOCAL
BUS



REG	BUS	REGION ENTRY TABLE										ZONE																NOTES							
		BYTE ORDER	WIDTH	Nwdd	Nwad	Nxda	Nrdd	Nrad	PIPE - LINED	EXT. READY	BURST	F	E	D	C	B	A	9	8	7	6	5	4	3	2	1	0	DMA	INT						
F	LOCAL	L	8	X	X	0	X	4	NO	NO	NO	BOOT EPROM 64K X 8																960 RESERVES ZONE F							
												FX																							
E	SYSTEM	L	16	1	1	0	X	X	NO	NO	YES			72125 (P4) FIFO		72125 (3) FIFO		72125 (P2) FIFO		72125 (P1) FIFO								EACH FIFO TIGHTLY COUPLED TO 16C550							
												ED		EB		E9		E7																	
D	SYSTEM	L	8	X	2	0	X	2	NO	NO	NO	16C550 (P5) EXPANSION		16C550 (P4) PORT 4 FIFO CONTROL		16C550 (P3) PORT 3 FIFO CONTROL		16C550 (P2) PORT 2 FIFO CONTROL		16C550 (P1) PORT 1 FIFO CONTROL		16C550 (P0) MIDI				TXRDY/RXRDY ACCESSED VIA PLD REGISTERS									
												DF		DD		DB		D9		D7		D5					6								
C	SYSTEM	L	8	X	8	0	X	7	NO	NO	NO	DAK010 LTC																							
												CX																	1						
B	SYSTEM	L	16	X	0	0	X	0	NO	YES	NO	F65510 (G1) MEMORY ACCESS LCD 2								F65510 (G0) MEMORY ACCESS LCD 1								MAPPED AS IBM AT							
												BF								B7															
A	SYSTEM	L	16	X	0	1	X	0	NO	YES	NO	F65510 (G1) I/O ACCESS LCD 2								F65510 (G0) I/O ACCESS LCD 1								MAPPED AS IBM AT							
												AF								A7															
9	SYSTEM	L	16	X	0	0	X	0	NO	YES	NO	GD5426 (G3) MEMORY ACCESS VGA 2								GD5426 (G2) MEMORY ACCESS VGA 1								MAPPED AS IBM AT							
												9F								97															
8	SYSTEM	L	16	X	0	0	X	0	NO	YES	NO	GD5426 (G3) I/O ACCESS VGA 2								GD5426 (G2) I/O ACCESS VGA 1								MAPPED AS IBM AT							
												8F								87															
5	MEMORY	L	32	1	1	0	1	1	NO	NO	YES	FLASH RAM 2/1M x 8 2-WAY I/L																							
												0																5X							
4	MEMORY	L	32	2	2	0	2	2	NO	NO	YES	MAIN SRAM 4M x 8 2-WAY I/L																BATTERY BACKED							
												0																1		4X					
3	LOCAL	L	8	X	4	1	X	4	NO	NO	NO	FDC37C652 FLOPPY/PRINTER SERIAL/LINK																MAPPED AS IBM AT							
												3X																1 (FLOPPY)	4						
2	LOCAL	L	32	0	0	0	0	0	NO	NO	YES	FAST SRAM 128K x 8																BATTERY BACKED							
												2X																							
1	LOCAL	L	16	X	1	0	X	0	NO	NO	NO	PLD REGISTERS (@ A3.A2) - 01 READ KEYBOARD - 10 READ PORT TXRDY/RXRDY - 11 WRITE CONTROL																							
												1X																							
0																												960 RESERVES ZONE 0							
																												1 (REFRESH)	3 + NMI						

REGION

ZONE

ADDRESS

A31 A30 A29 A28 A27 A26 A25 A24 A23 >> A2 BE3-0