Self-supervised image denoising with deep neural networks

Stone Fang (Student ID: 19049045)

25 May 2020

Introduction

Some super quickly created demo slides

- Do not need anything else than markdown (Gu & Timofte, 2019)
    - Slides title starts with $\#$ (also starts a new slide)

Introduction

Some super quickly created demo slides

- Do not need anything else than markdown (Gu & Timofte, 2019)
    - Slides title starts with $\#$ (also starts a new slide)
    - Bullet points, newlines, empty lines: all standard markdown
- However, can also use other stuff, e.g.:
    - Some HTML (e.g. <center>)

Introduction

Some super quickly created demo slides

- Do not need anything else than markdown (Gu & Timofte, 2019)
    - Slides title starts with $\#$ (also starts a new slide)
    - Bullet points, newlines, empty lines: all standard markdown
- However, can also use other stuff, e.g.:
    - Some HTML (e.g. <center>)
    - When using pandoc beamer, can use latex commands (e.g. \center, \large, etc)...

The slide syntax is so simple that you can quickly create a handful of slides on basically any device in any editor. E.g. on your mobile on the way to the meeting where you need the slides. Right before the meeting starts you use pandoc to create the actual slides from your source. Usi

b

a

Gu, S., & Timofte, R. (2019). A brief review of image denoising algorithms and beyond. In S. Escalera, S. Ayache, J. Wan, M. Madadi, U. Güçlü, & X. Baró (Eds.), *Inpainting and denoising challenges* (pp. 1–21). Cham: Springer International Publishing.