

MICROSOFT AZURE

COPY ACTIVITY PROJECT

Step 1: Create a Resource Account

Home > Resource Manager

Resource Manager | Resource groups

Default Directory

Search

+ Create Manage view Refresh Export to CSV Open query Assign tags Add to service group Group by none

Filter for any field... Subscription equals all Location equals all Add filter

No resource groups to display

Resource groups provide a logical container to manage and organize Azure resources, simplifying administration and enabling efficient resource management.

+ Create

[Learn more](#)


Showing 1 - 0 of 0. Display count: auto

[Give feedback](#)

Add or remove favorites by pressing Ctrl+L+Shift+F

The screenshot shows the Microsoft Azure portal interface. At the top, there's a navigation bar with the Microsoft Azure logo, an 'Upgrade' button, a search bar, and a Copilot button. The user's profile 'nandinikorah@gmail.com' is visible. The breadcrumb trail indicates the path: Home > Resource Manager > Resource groups. The main heading is 'Create a resource group'. Below this, there are three tabs: 'Basics', 'Tags', and 'Review + create', with the last one being the active tab. Under the 'Review + create' tab, there's an 'Automation Link' section. The 'Basics' section displays the following information: Subscription (Azure subscription 1), Resource group name (NANDINI.DE), and Region (East US). The 'Tags' section shows a single tag: NANDINI.DE. At the bottom of the page, there are three buttons: 'Previous', 'Next', and 'Create'.

Resource Group Created



Step 2: Create Storage Account

The screenshot shows the Microsoft Azure Marketplace interface. The top navigation bar includes the Microsoft Azure logo, an 'Upgrade' button, a search bar, and user information. The main content area displays search results for 'storage account'. On the left, there is a sidebar with navigation links: 'Get Started', 'Management', 'My Marketplace', and 'Categories'. The search results are displayed in a grid of four cards. Each card shows the service name, publisher, description, and a 'Create' button. The services listed are 'Storage Account Using ARM' by DIGISTORM LTD., 'Storage account' by Microsoft, 'Storage Account Using ARM' by VIRTUCLLOUD LTD., and 'Storage task - Azure Storage Actions' by Microsoft. The interface also includes filters for pricing, operating system, publisher type, product type, and publisher name.

Configure Storage Settings

The screenshot shows the Microsoft Azure 'Storage account' configuration page. The top navigation bar is the same as the previous screenshot. The main content area displays the 'Storage account' service by Microsoft. Below the service name, there is a 'Create' button. The page also includes a 'Subscription' dropdown menu set to 'Azure subscription 1' and a 'Plan' dropdown menu set to 'Storage account'. Below the configuration options, there is a 'Create' button. The page also includes a 'More products from Microsoft' section with links to 'Active Directory Health', 'AD Replication Status', 'Device Update for IoT Hub', and 'Front Door and CDN profiles'. The interface also includes a 'Give feedback' button.

Review and Create

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

nandinikorah@gmail.com
DEFAULT DIRECTORY (NANDINIK...)

Home > Resource Manager | Resource groups > NANDINI.DE > Marketplace > Storage account

Create a storage account

manage your storage account together with other resources.

Subscription *

Azure subscription 1

Resource group *

NANDINI.DE

Create new

Instance details

Storage account name * ⓘ

storage66

Region * ⓘ

(US) East US

Deploy to an Azure Extended Zone

Primary service *

Azure Blob Storage or Azure Data Lake Storage

This helps us provide relevant guidance. It doesn't restrict your storage to this resource type. [Learn more](#)

Performance * ⓘ

☒ Standard: Recommended for most scenarios (general-purpose v2 account)

☐ Premium: Recommended for scenarios that require low latency.

Redundancy * ⓘ

Locally redundant storage (LRS)

Previous

Next

Review + create

Give feedback

Storage Account Overview

Microsoft Azure

Upgrade

Search resources, services, and docs (G+/)

Copilot

nandinikorah@gmail.com

DEFAULT DIRECTORY (NANDINIK...

Home

Microsoft.DataFactory-20260814103321 | Overview

Deployment

Search

Delete Cancel Redeploy Download Refresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : Microsoft.DataFactory-20260814103321

Subscription : Azure subscription 1

Resource group : NANDINLDE

Start time : 8/14/2026, 10:35:34 AM

Correlation ID : ba231406-3f9a-4787-938a-e468fc7979c5

Deployment details

Next steps

Go to resource

Give feedback

Tell us about your experience with deployment

Deployment succeeded

Deployment 'Microsoft.DataFactory-20260814103321' to resource group 'NANDINLDE' was successful.

Pin to dashbo...

Go to resource gr...

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >

Add or remove favorites by pressing Ctrl+Shift+F

Step 3: Create a Data Factory

The screenshot displays the Microsoft Azure portal interface. At the top, the navigation bar includes the 'Microsoft Azure' logo, an 'Upgrade' button, a search bar, and a user profile for 'nandinikorah@gmail.com'. The main content area is titled 'Microsoft.DataFactory-20260814103321 | Overview'. A left-hand sidebar contains a search bar and a list of tabs: 'Overview' (selected), 'Inputs', 'Outputs', and 'Template'. The main panel shows a green checkmark icon and the text 'Your deployment is complete'. Below this, deployment details are listed: 'Deployment name : Microsoft.DataFactory-20260814103321', 'Subscription : Azure subscription 1', and 'Resource group : NANDINI.DE'. To the right of these details, the 'Start time' is '8/14/2026, 10:35:34 AM' and the 'Correlation ID' is 'ba231406-3f9a-4787-938a-e468fc7979c5'. A 'Go to resource' button is located below the deployment details. On the far right, a 'Deployment succeeded' notification banner states: 'Deployment 'Microsoft.DataFactory-20260814103321' to resource group 'NANDINI.DE' was successful.' Below the notification, a sidebar offers additional resources: 'Cost management' (with a link to 'Set up cost alerts >'), 'Microsoft Defender for Cloud' (with a link to 'Go to Microsoft Defender for Cloud >'), 'Free Microsoft tutorials' (with a link to 'Start learning today >'), and 'Work with an expert' (with a link to 'Find an Azure expert >'). At the bottom left, a small note reads: 'Add or remove favorites by pressing Ctrl+Shift+F'.

Step 4: From Data Storage, Open Containers, Create the Source Container

The screenshot displays the Microsoft Azure portal interface. The browser address bar shows the URL: `portal.azure.com/#view/Microsoft_Azure_Storage/ContainerMenuBlade/~/overview/storageAccountId/%2fsubscriptions%2fcd7674d-2fed-4484-8086-e39221351d47%2fresourceGroups...`. The page title is "source" and the breadcrumb navigation is "Home > Microsoft.DataFactory-20260814103321 | Overview > NANDINI.DE > nandhu66 | Containers".

The left sidebar contains the following menu items:

- Overview (selected)
- Diagnose and solve problems
- Access Control (IAM)
- Settings


The main content area shows the "source" container details. The authentication method is "Access key (Switch to Microsoft Entra user account)". There is an "Add filter" button and a search bar labeled "Search blobs by prefix (case-sensitive)". A dropdown menu is set to "Only show active blobs".

Below the search bar, it says "Showing all 1 items". A table lists the contents of the container:

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	introduction.docx	8/14/2026, 10:39:27 AM	Hot (Inferred)	Block blob	14.2 KiB	Available

The Windows taskbar at the bottom shows the date and time as 10:48 on 14-08-2026, along with system icons for network, volume, and battery.

Create the Destination Container



Source and Destination Containers Created

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

nandinikorah@gmail.com

DEFAULT DIRECTORY (NANDINIK...

Home > storagenan666_1786595744162 | Overview > storagenan666

storagenan666 | Containers

Storage account

Search

«

Add container

Upload

Refresh

Delete

Change access level

Restore containers

Edit columns

Search containers by prefix

Only show active containers

Showing all 3 items

☐	Name	Last modified	Anonymous access level	Lease state	Storage connector
☐	\$logs	8/13/2026, 10:07:03 AM	Private	Available	-
☐	destination	8/13/2026, 10:17:29 AM	Private	Available	-
☐	source	8/13/2026, 10:17:12 AM	Private	Available	-

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Storage Mover

Partner solutions

Resource visualizer

Data storage

Containers


Classic file shares

Queues

Tables

Add or remove favorites by pressing Ctrl+Shift+F

Step 5: Upload File to the Source Container



The screenshot displays the Microsoft Azure portal interface. The browser address bar shows the URL: `portal.azure.com/#view/Microsoft_Azure_Storage/ContainerMenuBlade/~/overview/storageAccountId/%2fsubscriptions%2fcd7674d-2fed-4484-8086-e39221351d47%2fresourceGroups...`. The page title is "source" and the breadcrumb navigation is "Home > Microsoft.DataFactory-20260814103321 | Overview > NANDINI.DE > nandhu66 | Containers".

On the left sidebar, the "Overview" tab is selected. The main content area shows the "source" container details. The authentication method is "Access key" with a link to "Switch to Microsoft Entra user account". Below this is an "Add filter" button and a search bar labeled "Search blobs by prefix (case-sensitive)". A dropdown menu shows "Only show active blobs".

Under the heading "Showing all 1 items", there is a table with the following data:

☐	Name	Last modified	Access tier	Blob type	Size	Lease state	
☐	introduction.docx	8/14/2026, 10:39:27 AM	Hot (Inferred)	Block blob	14.2 KiB	Available	...

The Windows taskbar at the bottom shows the system clock as 10:40 on 14-08-2026, with weather information (29°C, Light rain) and various application icons.

Step 6: Open Data Azure Factory Studio

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

nandinikorah@gmail.com
DEFAULT DIRECTORY (NANDINIK...

Home > NANDINI.DE > Marketplace

Data Factory

✦ ...

×

Microsoft



Data Factory

♥ Add to Favorites

Microsoft | Azure Service

★ 3.7 (625 ratings)

Azure benefit eligible

Subscription

Azure subscription 1

Plan

Data Factory

Create

Overview

Plans

Usage Information + Support

Ratings + Reviews


Integrate data silos with Azure Data Factory, a service built for all data integration needs and skill levels. Easily construct ETL and ELT processes code-free within the intuitive visual environment, or write your own code. Visually integrate data sources using more than 90+ natively built and maintenance-free connectors at no added cost. Focus on your data - the serverless integration service does the rest.

- No code or maintenance required to build hybrid ETL and ELT pipelines within the Data Factory visual environment
- Cost-efficient and fully managed serverless cloud data integration tool that scales on demand
- Azure security measures to connect to on-premises, cloud-based, and software-as-a-service apps with peace of mind
- SSIS integration runtime to easily rehost on-premises SSIS packages in the cloud using familiar SSIS tools


Media

Give feedback

Azure Data Factory Workspace



Create the Pipeline and Copy Activity



Create the Source Dataset

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

nandinikorah@gmail.com

Home > storagenan666_1786595744162 | Overview > storagenan666 | Containers

source

Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

source

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)


Only show active blobs

Showing all 1 items

	Name	Last modified	Access tier	Blob type	Size	Lease state	
	Scenario_Based_SQLdo...	8/13/2026, 10:22:35 AM	Hot (Inferred)	Block blob	20.97 KiB	Available	...

Successfully uploaded blob(s)
Successfully uploaded 1 blob(s).

Add or remove favorites by pressing Ctrl+Shift+F



New linked service

 Azure Blob Storage [Learn more](#) 

Name *

AzureBlobStorage2

Description

Connect via integration runtime * ^①

AutoResolveIntegrationRuntime

Authentication type

Account key

Connection string

Azure Key Vault

Account selection method ^①

☒ From Azure subscription ☐ Enter manually

Azure subscription ^①

Storage account name *



New linked service (Azure Blob Storage)

Name *

AzureBlobStorage1

Description

Connect via integration runtime * ⓘ

AutoResolveIntegrationRuntime

Authentication method

Account key

Connection string

Azure Key Vault

Account selection method ⓘ

☒ From Azure subscription ☐ Enter manually

Azure subscription ⓘ

Select all

Storage account name *



Additional connection properties

+ New

Test connection ⓘ

☒ To linked service ☐ To file path

Annotations

+ New

▸ Parameters

▸ Advanced ⓘ


Create

Back

Test connection

Cancel

Browse and Select Data



Create the Destination Dataset


The screenshot displays the Microsoft Azure Data Factory portal interface. The main workspace shows a pipeline named 'pipeline1' with two datasets: 'DelimitedText1' and 'destination'. A 'Copy data' activity is configured to copy data from 'DelimitedText1' to 'destination'. The 'Sink dataset' is set to 'destination'. The 'Copy behavior' is set to 'Select...'. The 'Max concurrent connections' is set to 10.

The 'Properties' pane on the right shows the 'General' tab with the following details:


- Name: pipeline1
- Description: (empty)
- Annotations: + New

The 'Pipeline validation output' pane on the right shows a success message: "Your pipeline has been validated. No errors were found."

Browse and select the Destination folder



Validate the Pipeline



The screenshot displays the Microsoft Azure Data Factory (ADF) interface. The top navigation bar shows the user is logged in as Aishwarya.Mohan@akumenbyq.com. The main workspace is titled 'Data Factory' and shows a pipeline named 'pipeline1'. The 'Validate' tab is active, and the 'Copy data' activity is selected. The 'Sink dataset' is set to 'DS_2'. The 'Properties' pane on the right shows the 'General' tab with fields for Name and Description. A 'Pipeline validation output' window is open on the right, displaying a success message: 'Your pipeline has been validated. No errors were found.'

Debug Succeeded

The screenshot displays the Microsoft Azure Data Factory interface. The top navigation bar shows 'Data Factory' and 'df1121'. The left sidebar contains a list of activities: 'Move and transform' (with 'Copy data' and 'Data flow'), 'Synapse', 'Azure Data Explorer', 'Azure Function', 'Batch Service', 'Databricks', 'General', 'HDInsight', 'Iteration & conditionals', 'Machine Learning', and 'Power Query'. The main workspace is titled 'pipeline1' and shows a 'Copy data' activity with a green checkmark. Below the activity, the 'Output' tab is selected, displaying the 'Pipeline status' as 'Succeeded'. The 'Pipeline run ID' is '3ba4ede4-7b2b-47c7-9722-56da5273c68b'. A table shows the activity details:

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Source to Destination	Succeeded	Copy data	8/13/2026, 11:03:23 PM	20s	AutoResolveIntegrationRuntime (I

The right sidebar shows the 'Properties' panel with the 'Name' field set to 'pipeline1' and a 'Description' field. A 'Cancel' button is visible at the bottom right.


Source Contained the File to be Moved to the Destination

The screenshot displays the Microsoft Azure portal interface. The browser tabs at the top include 'Untitled16.ipynb - Colab', 'SQL vs NoSQL', and 'source - Microsoft Azure'. The address bar shows the URL: portal.azure.com/#view/Microsoft_Azure_Storage/ContainerMenuBlade/~/overview/storageAccountId/%2fsubscriptions%2fcd7674d-2fed-4484-8086-e39221351d47%2fresourceGroups.... The page title is 'source' and the breadcrumb navigation is 'Home > Microsoft.DataFactory-20260814103321 | Overview > NANDINI.DE > nandhu66 | Containers'. The left sidebar shows the 'Overview' tab selected, with options for 'Diagnose and solve problems', 'Access Control (IAM)', and 'Settings'. The main content area shows the 'source' container details. The 'Authentication method' is 'Access key' with a link to 'Switch to Microsoft Entra user account'. Below this is an 'Add filter' button and a search bar with the text 'Search blobs by prefix (case-sensitive)'. A dropdown menu is set to 'Only show active blobs'. A table lists the contents of the container, showing 1 item:

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	introduction.docx	8/14/2026, 10:39:27 AM	Hot (Inferred)	Block blob	14.2 KiB	Available

The Windows taskbar at the bottom shows the system clock as 10:40 on 14-08-2026, with weather information for 29°C and light rain.

After Successful Pipeline Run the File Copied in the Destination Container



Deleting the file from the Destination for the clarity of other file path types to perform

The screenshot shows the Microsoft Azure portal interface. At the top, the navigation bar includes the Microsoft Azure logo, an 'Upgrade' button, a search bar, and a user profile for 'Aishwarya.Mohan@akul...'. The main content area is titled 'destination' and shows a container with one file, 'Pokemon.csv'. A 'Delete confirmation' dialog is open, warning that the file will be moved to a soft-deleted state and is recoverable for 6 days. The dialog also includes a checkbox for 'Also delete blob snapshots' and 'Delete' and 'Cancel' buttons.

Microsoft Azure Upgrade Search resources, services, and docs (G+/)

Home > Akunem > ish1121 | Containers

destination

Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

destination

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Showing all 1 items

Name
Pokemon.csv

Only show active blobs

Delete confirmation

This action will move 'Pokemon.csv' to a soft-deleted state.

This item will remain recoverable for the retention period of 6 days.

1. Blobs in leased state are locked for deletion and will be skipped.
2. If an immutable policy is applied to a blob, the blob will not be deleted.

☐ Pokemon.csv

☐ Also delete blob snapshots

Delete Cancel

Add or remove favorites by pressing ctrl+shift+f

Uploading Various Files in the Source Container

Home

source

Container

Search

+

Add Directory

↑

Upload

🔒

Change access level

🔄

Refresh

🗑️

Delete

📄

Copy

📄

Paste

🔄

Rename

🔒

Acquire lease

🔒

Break lease

🔧

Edit columns

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

source

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs


Showing all 5 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state	
☐	INTERVIEW 2 d.txt	8/14/2026, 11:14:16 AM	Hot (Inferred)	Block blob	3 KiB	Available	...
☐	interview111.sql	8/14/2026, 11:12:28 AM	Hot (Inferred)	Block blob	2.64 KiB	Available	...
☐	interview3.sql	8/14/2026, 11:13:17 AM	Hot (Inferred)	Block blob	2.5 KiB	Available	...
☐	interview3.sql.txt	8/14/2026, 1:19:39 PM	Hot (Inferred)	Block blob	33 B	Available	...
☐	introduction.docx	8/14/2026, 10:39:27 AM	Hot (Inferred)	Block blob	14.2 KiB	Available	...


Search

Add or remove favorites by pressing Ctrl+Shift+F


Step 8 A: File Path in Dataset




Configure the Source Dataset File Path




Repeating the Steps Done Earlier




Configure the Destination Dataset




The Debug Run Succeeded



The Pipeline Ran Successfully, Hence the File From the Source Got Copied To The Destination



Step 8 B: Prefix We Gave The Prefix As Chap



The Pipeline Ran Successfully, Hence the File Got Copied To The Destination


The screenshot displays the Microsoft Azure Data Factory portal interface. At the top, the breadcrumb navigation shows 'Data Factory' > 'datafactorynandhu666789'. The main canvas shows a pipeline named 'pipeline1' with two activities: 'DelimitedText1' and 'destination'. The 'Copy data' activity is highlighted, showing a green checkmark indicating success. Below the canvas, the 'Output' tab is active, displaying the 'Pipeline run' details. The pipeline run ID is '0b7511d9-71c4-430b-aab0-b2c7dfb3a3f' and the status is 'Succeeded'. The table below shows the activity details for 'Copy data1'.

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime	User prop.
Copy data1	Succeeded	Copy data	8/14/2026, 11:18:14 AM	15s	AutoResolveIntegrationRuntime (East US)	

The right-hand sidebar shows the 'Properties' panel for the selected activity, with the 'Name' field set to 'pipeline1'. The bottom status bar indicates the system time as 11:19 on 14-08-2026.

Step 8C: Wild Card File Path

Step 8C: Wilcard file path
We are going to fetch the .pdf file



Successful Pipeline Run

The screenshot displays the Microsoft Azure Data Factory portal interface. The top navigation bar shows the user is logged in as 'nandini.korah@gmail.com'. The main content area shows the 'pipeline1' pipeline with a 'Copy data' activity. The 'Output' tab is selected, showing a table of pipeline run results. The table indicates that the pipeline run was successful, with a status of 'Succeeded' and a duration of 23s. The 'Integration runtime' is listed as 'AutoResolveIntegrationRuntime (East US)'. The 'Properties' panel on the right shows the pipeline's name as 'pipeline1' and its description as an empty field. The 'Annotations' section is also visible, showing a '+ New' button.

Properties

General Related

Name *
pipeline1

Description

Annotations
+ New

Output

Pipeline run ID: 7d91164e-fcba-4099-9fe1-de70efb28be
Pipeline status: Succeeded
View debug run consumption

Monitor in Azure Metrics | Export to CSV

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime	User prop.
Copy data1	Succeeded	Copy data	8/14/2026, 11:01:43 AM	23s	AutoResolveIntegrationRuntime (East US)	

Showing 1 - 1 of 1 items

Cancel

Step 8 D: List of Files


Browse and Select the List of Files Documents

The screenshot shows the Microsoft Azure portal interface for a container named 'source'. The left sidebar contains navigation options: Overview, Diagnose and solve problems, Access Control (IAM), and Settings. The main area displays the 'source' container overview, including an authentication method link and a search filter. Below, a table lists 5 items:


☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	INTERVIEW 2 d.txt	8/14/2026, 11:14:16 AM	Hot (Inferred)	Block blob	3 KiB	Available
☐	interview111.sql	8/14/2026, 11:12:28 AM	Hot (Inferred)	Block blob	2.64 KiB	Available
☐	interview3.sql	8/14/2026, 11:13:17 AM	Hot (Inferred)	Block blob	2.5 KiB	Available
☐	interview3.sql.txt	8/14/2026, 1:19:39 PM	Hot (Inferred)	Block blob	33 B	Available
☐	introduction.docx	8/14/2026, 10:39:27 AM	Hot (Inferred)	Block blob	14.2 KiB	Available

Add or remove favorites by pressing Ctrl+Shift+F

Select the List of File Path Types and Browse the Document



Successful Pipeline Run



Verify The Files in the Destination

Verify files in the Destination.

Home > ish1121 | Containers

destination

Containers

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

destination

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 5 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	1122.pdf	8/14/2026, 10:58:13 AM	Hot (Inferred)	Block blob	453.62 KiB	Available
☐	ABSTRACT.docx	8/14/2026, 10:58:13 AM	Hot (Inferred)	Block blob	94.92 KiB	Available
☐	Chapter 3.docx	8/14/2026, 10:41:07 AM	Hot (Inferred)	Block blob	23.52 KiB	Available
☐	Chapter.docx	8/14/2026, 10:41:07 AM	Hot (Inferred)	Block blob	11.76 KiB	Available
☐	bilal.txt	8/14/2026, 10:58:13 AM	Hot (Inferred)	Block blob	6.1 KiB	Available

Add or remove favorites by pressing Ctrl+Shift+F

