

Results: 2 different decay possibilities were found

Dataset #1:

Author: S. Zhu and F.G. Kondev Citation: Nuclear Data Sheets 109, 699 (2008)

Parent Nucleus	Parent E(level)	Parent J $\pi$	Parent T <sub>1/2</sub>	Decay Mode	GS-GS Q-value (keV)	Daughter Nucleus
<sup>206</sup> <sub>84</sub> Po	0.0	0+	8.8 d 1	$\alpha$ : 5.45 5 %	5327.0 13	<sup>202</sup> <sub>82</sub> Pb

[Decay Scheme](#) [ENSDF file](#)

Alphas:

Energy (keV)	Intensity (%)	Dose ( MeV/Bq-s )
5223.7 15	5.45 %	0.285

Dataset #2:

Author: F.G. Kondev Citation: Nuclear Data Sheets 109, 1527 (2008)

Parent Nucleus	Parent E(level)	Parent J $\pi$	Parent T <sub>1/2</sub>	Decay Mode	GS-GS Q-value (keV)	Daughter Nucleus
<sup>206</sup> <sub>84</sub> Po	0	0+	8.8 d 1	$\epsilon$ : 94.55 5 %	1846 11	<sup>206</sup> <sub>83</sub> Bi

[Decay Scheme](#) [ENSDF file](#)

Electrons:

	Energy (keV)	Intensity (%)	Dose ( MeV/Bq-s )
CE M	6.837 22	61.8 % 25	0.00423 17
Auger L	8.15	100 % 4	0.0082 3
CE N	9.898 22	15.9 % 6	0.00157 6
CE O	10.752 22	3.24 % 13	3.48E-4 14
CE P	10.832 22	0.385 % 15	4.17E-5 17
CE L	16.145 19	0.337 % 9	5.43E-5 14
CE K	27.01 3	0.66 % 10	1.8E-4 3
CE M	28.533 19	0.0808 % 21	2.31E-5 6
CE N	31.594 19	0.0206 % 5	6.51E-6 16
CE O	32.448 19	0.00414 % 10	1.34E-6 3
CE P	32.528 19	4.64E-4 % 10	1.51E-7 3
CE L	37.22 4	0.136 % 16	5.0E-5 6
CE K	39.118 22	0.137 % 22	5.4E-5 9
CE L	43.521 18	63 % 7	0.028 3
CE M	49.61 4	0.032 % 4	1.59E-5 19
CE K	49.96 3	0.43 % 10	2.2E-4 5
CE N	52.67 4	0.0082 % 10	4.3E-6 5

CE O	53.53 4	0.00167 % 20	8.9E-7 10
CE P	53.61 4	1.99E-4 % 23	1.06E-7 13
CE K	53.64 3	0.15 % 3	8.2E-5 14
CE K	55.65 3	0.29 % 8	1.6E-4 4
CE M	55.909 18	16.8 % 19	0.0094 11
Auger K	58.2	3.5 % 4	0.00203 23
CE N	58.970 18	4.3 % 5	0.0025 3
CE O	59.824 18	0.78 % 9	4.7E-4 5
CE P	59.904 18	0.059 % 7	3.5E-5 4
CE K	61.78 5	0.104 % 17	6.4E-5 10
CE L	66.415 22	0.22 % 3	1.47E-4 19
CE M	78.803 22	0.052 % 7	4.1E-5 5
CE K	79.975 21	0.55 % 5	4.4E-4 4
CE K	80.814 24	0.170 % 16	1.37E-4 13
CE N	81.864 22	0.0133 % 17	1.09E-5 14
CE O	82.718 22	0.0027 % 3	2.3E-6 3
CE P	82.798 22	3.2E-4 % 4	2.7E-7 3
CE K	87.677 20	0.066 % 14	5.7E-5 12
CE K	90.265 19	0.146 % 17	1.32E-4 15
CE L	101.15 3	0.116 % 18	1.18E-4 18
CE L	113.257 22	0.024 % 4	2.8E-5 5
CE M	113.54 3	0.027 % 4	3.1E-5 5
CE N	116.60 3	0.0070 % 11	8.2E-6 13
CE O	117.45 3	0.00143 % 22	1.7E-6 3
CE P	117.53 3	1.7E-4 % 3	2.0E-7 3
CE K	120.14 5	0.039 % 13	4.7E-5 16
CE L	124.10 3	0.076 % 17	9.4E-5 21
CE M	125.645 22	0.0057 % 9	7.2E-6 12
CE L	127.78 3	0.027 % 4	3.4E-5 6
CE N	128.706 22	0.00146 % 24	1.9E-6 3
CE O	129.560 22	3.0E-4 % 5	3.9E-7 6
CE P	129.640 22	3.5E-5 % 6	4.6E-8 8
CE L	129.79 3	0.052 % 14	6.7E-5 18
CE K	134.32 4	0.013 % 13	1.8E-5 17
CE L	135.92 5	0.018 % 3	2.5E-5 4
CE M	136.49 3	0.018 % 4	2.4E-5 5
CE N	139.55 3	0.0046 % 10	6.4E-6 14
CE M	140.17 3	0.0063 % 11	8.8E-6 15
CE O	140.40 3	9.3E-4 % 21	1.3E-6 3
CE P	140.48 3	1.11E-4 % 25	1.6E-7 3
CE M	142.18 3	0.012 % 3	1.7E-5 5
CE N	143.23 3	0.0016 % 3	2.3E-6 4

CE O	144.08 3	3.3E-4 % 6	4.7E-7 8
CE P	144.16 3	3.9E-5 % 7	5.7E-8 9
CE N	145.24 3	0.0031 % 8	4.5E-6 12
CE O	146.10 3	6.3E-4 % 17	9E-7 3
CE P	146.18 3	7.5E-5 % 20	1.1E-7 3
CE M	148.31 5	0.0043 % 7	6.3E-6 10
CE N	151.37 5	0.00109 % 17	1.7E-6 3
CE O	152.23 5	2.2E-4 % 4	3.4E-7 5
CE P	152.31 5	2.7E-5 % 4	4.0E-8 6
CE L	154.114 21	0.097 % 9	1.50E-4 14
CE L	154.952 24	0.030 % 3	4.7E-5 4
CE L	161.816 20	0.0117 % 25	1.9E-5 4
CE L	164.404 19	0.026 % 3	4.3E-5 5
CE M	166.502 21	0.0228 % 22	3.8E-5 4
CE M	167.341 24	0.0071 % 7	1.19E-5 11
CE N	169.563 21	0.0058 % 6	9.9E-6 9
CE N	170.402 24	0.00182 % 17	3.1E-6 3
CE O	170.417 21	0.00119 % 11	2.03E-6 19
CE P	170.497 21	1.42E-4 % 13	2.42E-7 23
CE O	171.256 24	3.7E-4 % 3	6.4E-7 6
CE P	171.336 24	4.4E-5 % 4	7.5E-8 7
CE M	174.204 20	0.0027 % 6	4.8E-6 10
CE M	176.792 19	0.0061 % 7	1.08E-5 12
CE N	177.265 20	7.0E-4 % 15	1.2E-6 3
CE O	178.119 20	1.4E-4 % 3	2.6E-7 5
CE P	178.199 20	1.7E-5 % 4	3.0E-8 6
CE N	179.853 19	0.00156 % 18	2.8E-6 3
CE O	180.707 19	3.2E-4 % 4	5.7E-7 7
CE P	180.787 19	3.8E-5 % 4	6.8E-8 8
CE K	191.397 23	0.357 % 14	6.8E-4 3
CE L	194.28 5	0.0069 % 23	1.3E-5 4
CE K	195.88 3	9.8 % 3	0.0193 5
CE K	202.27 3	0.0166 % 11	3.36E-5 22
CE M	206.67 5	0.0016 % 5	3.3E-6 11
CE L	208.46 4	0.0036 % 21	7E-6 4
CE N	209.73 5	4.1E-4 % 14	9E-7 3
CE O	210.59 5	8E-5 % 3	1.8E-7 6
CE P	210.67 5	1.0E-5 % 3	2.1E-8 7
CE M	220.85 4	9E-4 % 5	2.0E-6 11
CE K	221.03 3	1.38 % 4	0.00304 10
CE N	223.91 4	2.3E-4 % 13	5E-7 3
CE O	224.77 4	4E-5 % 3	1.0E-7 6

CE P	224.85	4	4E-6 % 3	1.0E-8 6
CE K	232.28	3	0.0366 % 22	8.5E-5 5
CE K	234.20	4	0.0286 % 20	6.7E-5 5
CE K	247.91	3	5.04 % 15	0.0125 4
CE K	253.44	4	0.015 % 5	3.8E-5 12
CE K	264.34	4	0.091 % 4	2.41E-4 11
CE L	265.535	23	0.0621 % 24	1.65E-4 6
CE L	270.02	3	1.70 % 5	0.00459 13
CE L	276.41	3	0.00287 % 19	7.9E-6 5
CE M	277.924	23	0.0146 % 6	4.07E-5 16
CE K	278.55	4	0.034 % 3	9.6E-5 8
CE N	280.985	23	0.00374 % 14	1.05E-5 4
CE O	281.839	23	7.6E-4 % 3	2.15E-6 8
CE P	281.919	23	9.1E-5 % 3	2.56E-7 10
CE M	282.41	3	0.400 % 11	0.00113 3
CE N	285.47	3	0.102 % 3	2.92E-4 8
CE O	286.33	3	0.0209 % 6	5.98E-5 16
CE P	286.41	3	0.00249 % 7	7.13E-6 20
CE M	288.80	3	6.7E-4 % 4	1.95E-6 13
CE K	290.69	4	0.0325 % 24	9.5E-5 7
CE N	291.86	3	1.72E-4 % 12	5.0E-7 3
CE O	292.72	3	3.52E-5 % 23	1.03E-7 7
CE P	292.80	3	4.2E-6 % 3	1.23E-8 8
CE L	295.17	3	0.239 % 7	7.06E-4 21
CE L	306.42	3	0.0063 % 4	1.93E-5 11
CE M	307.56	3	0.0562 % 16	1.73E-4 5
CE L	308.34	4	0.0049 % 3	1.52E-5 10
CE N	310.62	3	0.0144 % 4	4.47E-5 14
CE O	311.48	3	0.00294 % 9	9.1E-6 3
CE P	311.56	3	3.49E-4 % 10	1.09E-6 3
CE M	318.81	3	0.00148 % 9	4.7E-6 3
CE M	320.73	4	0.00116 % 8	3.7E-6 3
CE N	321.87	3	3.79E-4 % 22	1.22E-6 7
CE L	322.05	3	0.867 % 24	0.00279 8
CE O	322.73	3	7.7E-5 % 5	2.50E-7 15
CE P	322.81	3	9.2E-6 % 5	2.98E-8 17
CE N	323.79	4	2.97E-4 % 20	9.6E-7 7
CE O	324.65	4	6.1E-5 % 4	1.97E-7 13
CE P	324.73	4	7.2E-6 % 5	2.35E-8 16
CE L	327.58	4	0.0025 % 8	8E-6 3
CE M	334.44	3	0.204 % 6	6.81E-4 19
CE N	337.50	3	0.0520 % 14	1.76E-4 5

CE O	338.36	3	0.0106 %	3	3.60E-5	10
CE P	338.44	3	0.00127 %	4	4.29E-6	12
CE L	338.48	4	0.0157 %	7	5.31E-5	24
CE M	339.97	4	6.0E-4 %	18	2.0E-6	6
CE N	343.03	4	1.5E-4 %	5	5.3E-7	16
CE O	343.89	4	3.1E-5 %	10	1.1E-7	3
CE P	343.97	4	3.7E-6 %	12	1.3E-8	4
CE M	350.87	4	0.00368 %	16	1.29E-5	6
CE L	352.69	4	0.0060 %	4	2.12E-5	16
CE N	353.93	4	9.4E-4 %	4	3.34E-6	15
CE O	354.79	4	1.92E-4 %	9	6.8E-7	3
CE P	354.87	4	2.29E-5 %	10	8.1E-8	4
CE K	361.94	5	0.036 %	3	1.31E-4	12
CE L	364.83	4	0.0057 %	4	2.07E-5	14
CE M	365.08	4	0.00141 %	10	5.2E-6	4
CE K	367.23	5	0.0180 %	11	6.6E-5	4
CE N	368.14	4	3.6E-4 %	3	1.33E-6	10
CE O	369.00	4	7.4E-5 %	5	2.72E-7	20
CE P	369.08	4	8.7E-6 %	7	3.22E-8	24
CE K	372.85	5	0.197 %	10	7.3E-4	4
CE M	377.22	4	0.00133 %	9	5.0E-6	3
CE K	378.45	5	0.0264 %	23	1.00E-4	9
CE N	380.28	4	3.41E-4 %	24	1.30E-6	9
CE O	381.14	4	7.0E-5 %	5	2.66E-7	19
CE P	381.22	4	8.3E-6 %	6	3.15E-8	23
CE K	420.83	5	2.07 %	6	0.00873	25
CE K	431.94	5	1.27 %	4	0.00547	18
CE L	436.08	5	0.0063 %	4	2.76E-5	18
CE L	441.37	5	0.00307 %	19	1.36E-5	8
CE K	443.03	6	0.0066 %	5	2.92E-5	23
CE L	446.99	5	0.0340 %	16	1.52E-4	7
CE M	448.47	5	0.00149 %	10	6.7E-6	4
CE N	451.53	5	3.8E-4 %	3	1.72E-6	11
CE O	452.39	5	7.8E-5 %	5	3.51E-7	24
CE P	452.47	5	9.2E-6 %	7	4.2E-8	3
CE L	452.59	5	0.0046 %	3	2.08E-5	15
CE M	453.76	5	7.2E-4 %	4	3.28E-6	20
CE K	453.86	7	0.0027 %	10	1.2E-5	5
CE N	456.82	5	1.84E-4 %	11	8.4E-7	5
CE O	457.68	5	3.77E-5 %	23	1.73E-7	11
CE P	457.76	5	4.5E-6 %	3	2.06E-8	13
CE M	459.38	5	0.0080 %	4	3.66E-5	17

CE N	462.44	5	0.00204 %	10	9.4E-6	4
CE O	463.30	5	4.16E-4 %	20	1.93E-6	9
CE P	463.38	5	4.95E-5 %	24	2.29E-7	11
CE K	464.11	6	0.105 %	6	4.9E-4	3
CE M	464.98	5	0.00109 %	7	5.0E-6	3
CE N	468.04	5	2.76E-4 %	20	1.29E-6	9
CE O	468.90	5	5.7E-5 %	4	2.65E-7	19
CE P	468.98	5	6.7E-6 %	5	3.14E-8	24
CE K	489.25	6	0.063 %	5	3.09E-4	24
CE L	494.97	5	0.354 %	10	0.00175	5
CE L	506.08	5	0.216 %	7	0.00110	3
CE M	507.36	5	0.0831 %	24	4.22E-4	12
CE N	510.42	5	0.0212 %	6	1.08E-4	3
CE O	511.28	5	0.00433 %	12	2.21E-5	6
CE P	511.36	5	5.16E-4 %	15	2.64E-6	8
CE L	517.17	6	0.00112 %	9	5.8E-6	5
CE M	518.47	5	0.0509 %	16	2.64E-4	8
CE N	521.53	5	0.0130 %	4	6.78E-5	21
CE O	522.39	5	0.00266 %	9	1.39E-5	5
CE P	522.47	5	3.16E-4 %	11	1.65E-6	6
CE L	528.00	7	4.5E-4 %	17	2.4E-6	9
CE M	529.56	6	2.63E-4 %	21	1.39E-6	11
CE N	532.62	6	6.7E-5 %	5	3.6E-7	3
CE O	533.48	6	1.38E-5 %	11	7.3E-8	6
CE P	533.56	6	1.64E-6 %	13	8.8E-9	7
CE L	538.25	6	0.0180 %	10	9.7E-5	5
CE M	540.39	7	1.1E-4 %	4	5.8E-7	22
CE N	543.45	7	2.7E-5 %	10	1.5E-7	6
CE O	544.31	7	5.6E-6 %	21	3.0E-8	11
CE P	544.39	7	6.6E-7 %	25	3.6E-9	14
CE M	550.64	6	0.00423 %	22	2.33E-5	12
CE N	553.70	6	0.00108 %	6	6.0E-6	3
CE O	554.56	6	2.20E-4 %	12	1.22E-6	7
CE P	554.64	6	2.62E-5 %	15	1.45E-7	8
CE K	555.1	8	0.0166 %	7	9.2E-5	4
CE L	563.39	6	0.0108 %	7	6.1E-5	4
CE M	575.78	6	0.00252 %	16	1.45E-5	9
CE K	578.22	7	0.035 %	3	2.02E-4	15
CE N	578.84	6	6.5E-4 %	4	3.77E-6	24
CE O	579.70	6	1.32E-4 %	8	7.7E-7	5
CE P	579.78	6	1.57E-5 %	11	9.1E-8	6
CE K	587.18	7	0.0165 %	7	9.7E-5	4

CE K	603.28 8	0.0080 % 5	4.8E-5 3
CE L	629.2 8	0.00280 % 12	1.76E-5 8
CE K	631.50 8	6.7E-4 % 11	4.2E-6 7
CE M	641.6 8	6.6E-4 % 3	4.21E-6 18
CE N	644.6 8	1.68E-4 % 7	1.08E-6 5
CE O	645.5 8	3.44E-5 % 15	2.22E-7 10
CE P	645.6 8	4.10E-6 % 18	2.65E-8 12
CE L	652.36 7	0.0059 % 4	3.9E-5 3
CE L	661.32 7	0.00410 % 18	2.71E-5 12
CE M	664.75 7	0.00140 % 9	9.3E-6 6
CE N	667.81 7	3.57E-4 % 22	2.39E-6 15
CE O	668.67 7	7.3E-5 % 5	4.9E-7 3
CE P	668.75 7	8.7E-6 % 6	5.8E-8 4
CE M	673.71 7	0.00100 % 4	6.8E-6 3
CE N	676.77 7	2.55E-4 % 12	1.73E-6 8
CE L	677.42 8	0.00135 % 8	9.1E-6 5
CE O	677.63 7	5.05E-5 % 22	3.42E-7 15
CE P	677.71 7	5.30E-6 % 24	3.59E-8 16
CE M	689.81 8	3.15E-4 % 19	2.18E-6 13
CE N	692.87 8	8.1E-5 % 5	5.6E-7 3
CE O	693.73 8	1.65E-5 % 10	1.14E-7 7
CE P	693.81 8	1.97E-6 % 12	1.37E-8 8
CE L	705.64 8	1.6E-4 % 3	1.13E-6 19
CE K	716.85 8	0.590 % 19	0.00423 14
CE M	718.03 8	3.9E-5 % 7	2.8E-7 5
CE N	721.09 8	1.00E-5 % 17	7.2E-8 12
CE O	721.95 8	2.0E-6 % 3	1.42E-8 24
CE P	722.03 8	2.1E-7 % 4	1.5E-9 3
CE K	727.70 8	0.0081 % 4	5.9E-5 3
CE K	746.71 9	0.00239 % 17	1.79E-5 13
CE K	770.40 9	0.0250 % 11	1.93E-4 8
CE K	775.69 10	2.50E-4 % 23	1.94E-6 18
CE L	790.99 8	0.099 % 3	7.84E-4 24
CE L	801.84 8	0.00179 % 8	1.43E-5 6
CE M	803.38 8	0.0232 % 7	1.87E-4 6
CE N	806.44 8	0.00594 % 19	4.79E-5 16
CE O	807.30 8	0.00121 % 4	9.8E-6 3
CE P	807.38 8	1.45E-4 % 4	1.17E-6 4
CE K	812.00 9	0.00160 % 7	1.30E-5 5
CE M	814.23 8	4.32E-4 % 19	3.52E-6 15
CE N	817.29 8	1.10E-4 % 5	9.0E-7 4
CE O	818.15 8	2.19E-5 % 10	1.79E-7 8

CE P	818.23 8	2.37E-6 % 11	1.94E-8 9
CE L	820.85 9	4.0E-4 % 3	3.30E-6 23
CE M	833.24 9	9.4E-5 % 7	7.8E-7 6
CE N	836.30 9	2.40E-5 % 17	2.01E-7 14
CE O	837.16 9	4.9E-6 % 4	4.1E-8 3
CE P	837.24 9	5.9E-7 % 4	4.9E-9 3
CE L	844.54 9	0.00535 % 23	4.51E-5 19
CE L	849.83 10	5.3E-5 % 5	4.5E-7 4
CE M	856.93 9	0.00129 % 6	1.10E-5 5
CE N	859.99 9	3.29E-4 % 14	2.83E-6 12
CE O	860.85 9	6.5E-5 % 3	5.63E-7 24
CE P	860.93 9	7.2E-6 % 3	6.2E-8 3
CE M	862.22 10	1.28E-5 % 12	1.11E-7 10
CE N	865.28 10	3.3E-6 % 3	2.8E-8 3
CE O	866.14 10	6.5E-7 % 6	5.6E-9 5
CE P	866.22 10	7.1E-8 % 6	6.2E-10 6
CE L	886.14 9	3.33E-4 % 14	2.95E-6 12
CE K	889.70 10	0.104 % 8	9.2E-4 7
CE M	898.53 9	8.0E-5 % 3	7.2E-7 3
CE N	901.59 9	2.04E-5 % 8	1.84E-7 8
CE O	902.45 9	4.09E-6 % 17	3.69E-8 15
CE P	902.53 9	4.50E-7 % 19	4.06E-9 17
CE K	916.62 10	0.043 % 3	3.9E-4 3
CE K	927.40 13	0.0019 % 6	1.7E-5 5
CE K	941.73 10	0.453 % 15	0.00426 14
CE K	952.64 13	0.00142 % 6	1.36E-5 6
CE L	963.84 10	0.0175 % 12	1.69E-4 11
CE M	976.23 10	0.0041 % 3	4.0E-5 3
CE N	979.29 10	0.00105 % 7	1.03E-5 7
CE O	980.15 10	2.14E-4 % 14	2.10E-6 14
CE P	980.23 10	2.56E-5 % 17	2.50E-7 17
CE L	990.76 10	0.0073 % 5	7.2E-5 5
CE L	1001.54 13	3.7E-4 % 12	3.7E-6 12
CE M	1003.15 10	0.00171 % 11	1.72E-5 11
CE N	1006.21 10	4.3E-4 % 3	4.4E-6 3
CE O	1007.07 10	8.9E-5 % 6	8.9E-7 6
CE P	1007.15 10	1.06E-5 % 7	1.07E-7 7
CE M	1013.93 13	9E-5 % 3	9E-7 3
CE L	1015.87 10	0.0757 % 24	7.69E-4 25
CE N	1016.99 13	2.3E-5 % 7	2.3E-7 7
CE O	1017.85 13	4.5E-6 % 14	4.6E-8 14
CE P	1017.93 13	5.0E-7 % 16	5.1E-9 16



CE K	1023.96 14	0.00339 % 22	3.47E-5 22
CE L	1026.78 13	2.78E-4 % 12	2.85E-6 12
CE M	1028.26 10	0.0177 % 6	1.82E-4 6
CE N	1031.32 10	0.00453 % 15	4.67E-5 15
CE O	1032.18 10	9.2E-4 % 3	9.5E-6 3
CE P	1032.26 10	1.11E-4 % 4	1.14E-6 4
CE M	1039.17 13	6.6E-5 % 3	6.9E-7 3
CE N	1042.23 13	1.69E-5 % 7	1.76E-7 8
CE O	1043.09 13	3.40E-6 % 15	3.54E-8 16
CE P	1043.17 13	3.80E-7 % 17	3.97E-9 17
CE L	1098.10 14	5.7E-4 % 4	6.2E-6 4
CE K	1100.39 14	0.00183 % 8	2.01E-5 9
CE M	1110.49 14	1.32E-4 % 9	1.47E-6 9
CE N	1113.55 14	3.38E-5 % 22	3.76E-7 24
CE O	1114.41 14	6.9E-6 % 4	7.7E-8 5
CE P	1114.49 14	8.3E-7 % 5	9.2E-9 6
CE L	1174.53 14	3.39E-4 % 15	3.99E-6 17
CE M	1186.92 14	8.1E-5 % 3	9.6E-7 4
CE N	1189.98 14	2.05E-5 % 9	2.44E-7 11
CE O	1190.84 14	4.14E-6 % 18	4.93E-8 21
CE P	1190.92 14	4.70E-7 % 20	5.60E-9 24
CE K	1228.15 13	0.00209 % 9	2.57E-5 11
CE L	1302.29 13	3.75E-4 % 16	4.89E-6 21
CE M	1314.68 13	8.9E-5 % 4	1.17E-6 5
CE N	1317.74 13	2.26E-5 % 10	2.98E-7 13
CE O	1318.60 13	4.57E-6 % 20	6.0E-8 3
CE P	1318.68 13	5.24E-7 % 23	6.9E-9 3
CE K	1362.21 15	1.57E-4 % 10	2.14E-6 13
CE K	1406.37 18	6.4E-4 % 3	9.1E-6 4
CE L	1436.35 15	2.75E-5 % 17	3.94E-7 24
CE M	1448.74 15	6.5E-6 % 4	9.4E-8 6
CE N	1451.80 15	1.65E-6 % 10	2.39E-8 15
CE O	1452.66 15	3.34E-7 % 21	4.9E-9 3
CE P	1452.74 15	3.86E-8 % 24	5.6E-10 3
CE L	1480.51 18	1.12E-4 % 5	1.66E-6 7
CE M	1492.90 18	2.64E-5 % 11	3.94E-7 16
CE N	1495.96 18	6.7E-6 % 3	1.00E-7 4
CE O	1496.82 18	1.36E-6 % 6	2.04E-8 8
CE P	1496.90 18	1.58E-7 % 7	2.36E-9 10

Gamma and X-ray radiation:

	Energy (keV)	Intensity (%)	Dose ( MeV/Bq-s )
XR 1	10.8	64 % 4	0.0069 4
	10.836 22	0.256 % 9	2.77E-5 10
	32.532 19	0.00729 % 10	2.37E-6 3
	53.61 4	0.0151 % 18	8.1E-6 9
	59.908 18	1.18 % 13	7.1E-4 8
XR kα2	74.815	26.8 % 7	0.0201 5
XR kα1	77.107	44.8 % 10	0.0345 8
	82.802 22	0.087 % 11	7.2E-5 9
XR kβ3	86.83	5.42 % 12	0.00470 11
XR kβ1	87.349	10.37 % 24	0.00906 21
XR kβ2	89.784	3.81 % 9	0.00342 8
	117.536 28	0.127 % 20	1.49E-4 23
	129.644 22	0.035 % 6	4.5E-5 7
	140.486 28	0.14 % 3	1.9E-4 4
	144.166 28	0.052 % 9	7.6E-5 13
	146.180 26	0.10 % 3	1.5E-4 4
	152.31 5	0.041 % 7	6.3E-5 10
	170.501 21	0.31 % 3	5.2E-4 5
	171.340 24	0.096 % 9	1.65E-4 15
	178.203 20	0.041 % 9	7.4E-5 16
	180.791 19	0.096 % 11	1.74E-4 20
	210.67 5	0.039 % 13	8E-5 3
	224.85 4	0.026 % 15	6E-5 3
	281.923 23	0.80 % 3	0.00227 8
	286.410 26	22.9 % 5	0.0657 15
	292.80 3	0.041 % 3	1.20E-4 8
	311.56 3	4.08 % 10	0.0127 3
	322.81 3	0.118 % 7	3.81E-4 22
	324.73 4	0.094 % 6	3.05E-4 20
	338.44 3	18.5 % 4	0.0625 15
	343.97 4	0.057 % 17	2.0E-4 6
	354.87 4	0.380 % 16	0.00135 6
	369.08 4	0.166 % 11	6.1E-4 4
	381.22 4	0.170 % 11	6.5E-4 4
	452.47 5	0.310 % 14	0.00140 6
	457.76 5	0.149 % 9	6.8E-4 4
	463.38 5	1.73 % 7	0.0080 3
	468.98 5	0.249 % 11	0.00117 5
	511.36 5	23.2 % 5	0.118 3
	522.47 5	15.1 % 4	0.0791 19

533.56	6	0.082 % 6	4.4E-4 3
544.39	7	0.035 % 13	1.9E-4 7
554.64	6	1.50 % 6	0.0083 3
579.78	6	1.02 % 4	0.0059 3
591.8		0.043 % 5	2.5E-4 3
645.58	77	0.339 % 14	0.00219 9
668.75	7	0.83 % 3	0.00552 23
677.71	7	1.42 % 6	0.0096 4
693.81	8	0.197 % 11	0.00136 8
722.03	8	0.066 % 11	4.7E-4 8
807.38	8	21.8 % 5	0.176 4
818.23	8	1.00 % 4	0.0082 3
826.44	9	0.07 % 7	6E-4 6
837.24	9	0.096 % 7	8.0E-4 6
860.93	9	3.41 % 14	0.0293 12
866.22	10	0.035 % 3	3.0E-4 3
877.9		0.020 % 3	1.7E-4 3
902.53	9	0.238 % 9	0.00215 8
980.23	10	6.81 % 16	0.0668 16
1007.15	10	2.95 % 12	0.0297 12
1017.93	13	0.35 % 11	0.0036 11
1032.26	10	31.7 % 8	0.327 8
1043.17	13	0.277 % 12	0.00289 12
1114.49	14	0.284 % 18	0.00316 20
1190.92	14	0.454 % 18	0.00541 22
1318.68	13	0.62 % 3	0.0082 3
1452.74	15	0.056 % 3	8.1E-4 5
1496.90	18	0.242 % 9	0.00363 14

#### Gamma Coincidence Data:

For each gamma, the list of gammas in coincidence is given. If experimentally known, an estimate of the average time interval (in seconds) between both gammas is given

E( $\gamma$ )    Coincidence

- 10.836 32.532, 53.61, 59.908 (7.69E-6), 129.644, 144.166, 146.180, 152.31, 170.501, 171.340, 178.203, 180.791, 205.94, 210.67, 224.85, 281.923, 286.410, 311.56, 322.81, 324.73, 338.44, 343.97, 354.87, 369.08, 381.22, 452.47, 457.76, 468.98, 511.36, 522.47, 533.56, 544.39, 554.64, 579.78, 591.8, 645.58, 668.75, 677.71, 693.81, 722.03, 807.38, 826.44, 860.93, 866.22, 877.9, 902.53, 980.23, 1007.15, 1032.26, 1114.49, 1190.92, 1318.68, 1452.74, 1496.90
- 32.532 10.836, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 146.180, 152.31, 170.501, 171.340, 178.203, 180.791, 205.94, 210.67, 224.85, 281.923, 286.410, 292.80, 311.56, 322.81, 324.73, 338.44, 343.97, 354.87, 369.08, 381.22, 452.47, 457.76, 463.38, 468.98, 511.36, 522.47, 533.56, 544.39, 554.64, 579.78, 668.75, 677.71, 693.81, 807.38, 818.23, 826.44, 837.24, 860.93, 866.22, 877.9, 902.53, 980.23, 1007.15, 1017.93, 1032.26, 1043.17, 1318.68, 1496.90
- 53.61 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 146.180, 152.31, 170.501, 171.340, 178.203, 210.67, 281.923, 286.410, 292.80, 311.56,

322.81, 324.73, 338.44, 354.87, 381.22, 452.47, 457.76, 463.38, 468.98,  
533.56, 591.8, 677.71, 807.38, 818.23

59.908 10.836 (7.69E-6), 32.532 (7.69E-6), 53.61 (7.69E-6), 129.644 (7.69E-6), 140.486 (7.69E-6),  
144.166 (7.69E-6), 146.180 (7.69E-6), 152.31 (7.69E-6), 170.501 (7.69E-6),  
171.340 (7.69E-6), 178.203 (7.69E-6), 180.791 (7.69E-6), 205.94 (7.69E-6),  
210.67 (7.69E-6), 224.85 (7.69E-6), 281.923 (7.69E-6), 286.410 (7.69E-6),  
292.80 (7.69E-6), 311.56 (7.69E-6), 322.81 (7.69E-6), 324.73 (7.69E-6),  
338.44 (7.69E-6), 343.97 (7.69E-6), 354.87 (7.69E-6), 369.08 (7.69E-6), 381.22 (7.69E-6),  
452.47 (7.69E-6), 457.76 (7.69E-6), 463.38 (7.69E-6), 468.98 (7.69E-6),  
511.36 (7.69E-6), 522.47 (7.69E-6), 533.56 (7.69E-6), 544.39 (7.69E-6),  
554.64 (7.69E-6), 579.78 (7.69E-6), 591.8 (7.69E-6), 645.58 (7.69E-6),  
668.75 (7.69E-6), 677.71 (7.69E-6), 693.81 (7.69E-6), 722.03 (7.69E-6), 807.38 (7.69E-6),  
818.23 (7.69E-6), 826.44 (7.69E-6), 837.24 (7.69E-6), 860.93 (7.69E-6),  
866.22 (7.69E-6), 877.9 (7.69E-6), 902.53 (7.69E-6), 980.23 (7.69E-6),  
1007.15 (7.69E-6), 1017.93 (7.69E-6), 1032.26 (7.69E-6), 1043.17 (7.69E-6),  
1114.49 (7.69E-6), 1190.92 (7.69E-6), 1318.68 (7.69E-6), 1452.74 (7.69E-6),  
1496.90 (7.69E-6)

82.802 32.532, 53.61, 117.536, 144.166, 146.180, 152.31, 170.501, 171.340, 178.203, 180.791,  
205.94, 210.67, 224.85, 286.410, 311.56, 322.81, 343.97, 354.87, 369.08,  
381.22, 457.76, 511.36, 533.56, 544.39, 554.64, 579.78, 591.8, 645.58, 677.71,  
722.03, 866.22, 877.9, 902.53

117.536 32.532, 53.61, 82.802, 144.166, 146.180, 152.31, 170.501, 171.340, 178.203, 180.791,  
205.94, 210.67, 224.85, 286.410, 311.56, 322.81, 343.97, 354.87, 369.08,  
381.22, 457.76, 511.36, 533.56, 544.39, 554.64, 579.78, 591.8, 645.58, 677.71,  
722.03, 866.22, 877.9, 902.53

129.644 10.836, 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 152.31, 170.501, 171.340,  
178.203, 180.791, 205.94, 210.67, 224.85, 286.410, 311.56, 322.81, 343.97,  
354.87, 369.08, 381.22, 457.76, 511.36, 533.56, 544.39, 554.64, 579.78, 591.8,  
645.58, 677.71, 722.03, 866.22, 877.9, 902.53

140.486 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 152.31, 170.501, 171.340, 178.203,  
180.791, 205.94, 210.67, 224.85, 286.410, 311.56, 322.81, 343.97, 354.87,  
369.08, 381.22, 457.76, 511.36, 533.56, 544.39, 554.64, 579.78, 591.8, 645.58,  
677.71, 722.03, 866.22, 877.9, 902.53

144.166 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 146.180,  
152.31, 170.501, 171.340, 178.203, 210.67, 224.85, 281.923, 286.410, 292.80,  
311.56, 322.81, 324.73, 338.44, 381.22, 452.47, 457.76, 463.38, 511.36,  
533.56, 591.8, 645.58, 722.03

146.180 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166,  
152.31, 170.501, 178.203, 210.67, 281.923, 292.80, 311.56, 322.81, 324.73,  
338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 522.47, 533.56, 677.71, 807.38,  
818.23, 860.93

152.31 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166,  
146.180, 170.501, 171.340, 178.203, 180.791, 205.94, 210.67, 224.85, 286.410,  
311.56, 343.97, 354.87, 369.08, 381.22, 457.76, 511.36, 544.39, 554.64,  
579.78, 591.8, 645.58, 722.03, 866.22

170.501 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166,  
146.180, 152.31, 171.340, 178.203, 210.67, 224.85, 281.923, 286.410, 292.80,  
311.56, 343.97, 354.87, 369.08, 457.76, 511.36, 554.64, 579.78, 591.8,  
645.58, 722.03, 866.22

171.340 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166,  
152.31, 170.501, 178.203, 210.67, 281.923, 286.410, 292.80, 322.81, 324.73,  
338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 522.47, 533.56, 677.71,  
807.38, 818.23, 860.93

178.203 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166,  
146.180, 152.31, 170.501, 171.340, 180.791, 205.94, 210.67, 224.85, 281.923,  
286.410, 292.80, 311.56, 322.81, 324.73, 338.44, 343.97, 354.87, 369.08,  
381.22, 452.47, 457.76, 463.38, 468.98, 511.36, 522.47, 533.56, 544.39, 554.64,  
579.78, 668.75, 677.71, 693.81, 807.38, 818.23, 826.44, 837.24, 860.93,  
866.22, 877.9, 902.53, 980.23, 1007.15, 1017.93, 1032.26, 1043.17, 1318.68

180.791 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 178.203,  
281.923, 292.80, 311.56, 544.39, 826.44, 837.24

205.94 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 178.203, 281.923, 286.410, 292.80, 544.39, 826.44, 837.24

210.67 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 146.180, 152.31, 170.501, 171.340, 178.203, 224.85, 281.923, 286.410, 292.80, 311.56, 322.81, 343.97, 369.08, 452.47, 457.76, 463.38, 511.36, 591.8, 645.58, 722.03

224.85 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 152.31, 170.501, 178.203, 210.67, 281.923, 286.410, 292.80, 322.81, 324.73, 338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 533.56, 677.71, 807.38, 818.23

281.923 10.836, 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 170.501, 171.340, 178.203, 180.791, 205.94, 210.67, 224.85, 286.410, 311.56, 343.97, 354.87, 369.08, 381.22, 457.76, 511.36, 544.39, 554.64, 579.78, 591.8, 645.58, 722.03, 866.22

286.410 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 152.31, 170.501, 171.340, 178.203, 205.94, 210.67, 224.85, 281.923, 292.80, 322.81, 324.73, 338.44, 354.87, 369.08, 381.22, 452.47, 463.38, 468.98, 522.47, 533.56, 544.39, 579.78, 677.71, 693.81, 807.38, 818.23, 826.44, 837.24, 860.93, 902.53, 1032.26, 1043.17

292.80 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 170.501, 171.340, 178.203, 180.791, 205.94, 210.67, 224.85, 286.410, 311.56, 343.97, 354.87, 369.08, 381.22, 457.76, 511.36, 544.39, 554.64, 579.78, 591.8, 645.58, 722.03, 866.22

311.56 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 146.180, 152.31, 170.501, 178.203, 180.791, 210.67, 281.923, 292.80, 322.81, 324.73, 338.44, 343.97, 354.87, 381.22, 452.47, 463.38, 468.98, 522.47, 533.56, 544.39, 554.64, 668.75, 677.71, 807.38, 818.23, 826.44, 837.24, 860.93, 877.9, 1007.15, 1017.93

322.81 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 146.180, 171.340, 178.203, 210.67, 224.85, 286.410, 311.56, 343.97, 354.87, 369.08, 457.76, 511.36, 554.64, 579.78, 591.8, 645.58, 722.03, 866.22

324.73 10.836, 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 171.340, 178.203, 224.85, 286.410, 311.56, 338.44, 343.97, 369.08, 457.76, 511.36, 591.8, 645.58, 722.03

338.44 10.836, 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 171.340, 178.203, 224.85, 286.410, 311.56, 324.73, 343.97, 369.08, 457.76, 468.98, 511.36, 522.47, 591.8, 645.58, 668.75, 693.81, 722.03, 980.23, 1114.49, 1190.92

343.97 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 170.501, 178.203, 210.67, 281.923, 292.80, 311.56, 322.81, 324.73, 338.44, 381.22, 452.47, 463.38, 533.56

354.87 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 146.180, 152.31, 170.501, 171.340, 178.203, 224.85, 281.923, 286.410, 292.80, 311.56, 322.81, 452.47, 457.76, 463.38, 511.36, 591.8, 645.58, 722.03

369.08 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 170.501, 178.203, 210.67, 281.923, 286.410, 292.80, 322.81, 324.73, 338.44, 381.22, 452.47, 463.38, 533.56

381.22 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 146.180, 152.31, 171.340, 178.203, 224.85, 281.923, 286.410, 292.80, 311.56, 343.97, 369.08, 457.76, 511.36, 591.8, 645.58, 722.03

452.47 10.836, 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 171.340, 178.203, 210.67, 224.85, 286.410, 311.56, 343.97, 354.87, 369.08, 457.76, 511.36, 554.64, 579.78, 591.8, 645.58, 722.03, 866.22

457.76 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 152.31, 170.501, 178.203, 210.67, 281.923, 292.80, 322.81, 324.73, 338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 522.47, 533.56, 677.71, 807.38, 818.23, 860.93

463.38 32.532, 53.61, 59.908 (7.69E-6), 144.166, 146.180, 171.340, 178.203, 210.67, 224.85, 286.410, 311.56, 343.97, 354.87, 369.08, 457.76, 511.36, 554.64, 579.78, 591.8, 645.58, 722.03, 866.22

468.98 10.836, 32.532, 53.61, 59.908 (7.69E-6), 146.180, 171.340, 178.203, 224.85, 286.410, 311.56, 338.44, 457.76, 511.36, 591.8, 645.58, 722.03

511.36 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 152.31, 170.501, 178.203, 210.67, 281.923, 292.80, 322.81, 324.73, 338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 533.56, 677.71, 807.38, 818.23

522.47 10.836, 32.532, 59.908 (7.69E-6), 146.180, 171.340, 178.203, 286.410, 311.56, 338.44, 457.76, 591.8

533.56 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 146.180, 171.340, 178.203, 224.85, 286.410, 311.56, 343.97, 369.08, 457.76, 511.36, 591.8, 645.58, 722.03

544.39 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 178.203, 180.791, 205.94, 281.923, 286.410, 292.80, 311.56

554.64 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 170.501, 178.203, 281.923, 292.80, 311.56, 322.81, 452.47, 463.38

579.78 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 170.501, 178.203, 281.923, 286.410, 292.80, 322.81, 452.47, 463.38

591.8 10.836, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 152.31, 170.501, 210.67, 281.923, 292.80, 322.81, 324.73, 338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 522.47, 533.56, 677.71, 807.38, 818.23, 860.93

645.58 10.836, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 152.31, 170.501, 210.67, 281.923, 292.80, 322.81, 324.73, 338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 533.56, 677.71, 807.38, 818.23

668.75 10.836, 32.532, 59.908 (7.69E-6), 178.203, 311.56, 338.44

677.71 10.836, 32.532, 53.61, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 146.180, 171.340, 178.203, 224.85, 286.410, 311.56, 457.76, 511.36, 591.8, 645.58, 722.03

693.81 10.836, 32.532, 59.908 (7.69E-6), 178.203, 286.410, 338.44

722.03 10.836, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 144.166, 152.31, 170.501, 210.67, 281.923, 292.80, 322.81, 324.73, 338.44, 354.87, 381.22, 452.47, 463.38, 468.98, 533.56, 677.71, 807.38, 818.23

807.38 10.836, 32.532, 53.61, 59.908 (7.69E-6), 146.180, 171.340, 178.203, 224.85, 286.410, 311.56, 457.76, 511.36, 591.8, 645.58, 722.03

818.23 32.532, 53.61, 59.908 (7.69E-6), 146.180, 171.340, 178.203, 224.85, 286.410, 311.56, 457.76, 511.36, 591.8, 645.58, 722.03

826.44 10.836, 32.532, 59.908 (7.69E-6), 178.203, 180.791, 205.94, 286.410, 311.56

837.24 32.532, 59.908 (7.69E-6), 178.203, 180.791, 205.94, 286.410, 311.56

860.93 10.836, 32.532, 59.908 (7.69E-6), 146.180, 171.340, 178.203, 286.410, 311.56, 457.76, 591.8

866.22 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 152.31, 170.501, 178.203, 281.923, 292.80, 322.81, 452.47, 463.38

877.9 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 178.203, 311.56

902.53 10.836, 32.532, 59.908 (7.69E-6), 82.802, 117.536, 129.644, 140.486, 178.203, 286.410

980.23 10.836, 32.532, 59.908 (7.69E-6), 178.203, 338.44

1007.15 10.836, 32.532, 59.908 (7.69E-6), 178.203, 311.56

1017.93 32.532, 59.908 (7.69E-6), 178.203, 311.56

1032.26 10.836, 32.532, 59.908 (7.69E-6), 178.203, 286.410

1043.17 32.532, 59.908 (7.69E-6), 178.203, 286.410

1114.49 10.836, 59.908 (7.69E-6), 338.44

1190.92 10.836, 59.908 (7.69E-6), 338.44

1318.68 10.836, 32.532, 59.908 (7.69E-6), 178.203

1452.74 10.836, 59.908 (7.69E-6)

1496.90 10.836, 32.532, 59.908 (7.69E-6)