

Results: 2 different decay possibilities were found

Dataset #1:

Author: F.G. Kondev Citation: Nuclear Data Sheets 105, 1 (2005)

Parent Nucleus	Parent E(level)	Parent J π	Parent T _{1/2}	Decay Mode	GS-GS Q-value (keV)	Daughter Nucleus	Decay Scheme	ENSDF file
²⁰⁷ ₈₅ At	0	9/2-	1.80 h 4	α : 8.6 10 %	5872 3	²⁰³ ₈₃ Bi		

Alphas:

Energy (keV)	Intensity (%)	Dose (MeV/Bq-s)
5758 3	8.6 %	0.50

Dataset #2:

Authors: F.G. Kondev, S. Lalkovski Citation: Nuclear Data Sheets 112, 707 (2011)

Parent Nucleus	Parent E(level)	Parent J π	Parent T _{1/2}	Decay Mode	GS-GS Q-value (keV)	Daughter Nucleus	Decay Scheme	ENSDF file
²⁰⁷ ₈₅ At	0	9/2-	1.81 h 3	ϵ : 91.4 10 %	3903 22	²⁰⁷ ₈₄ Po		

Beta+:

Energy (keV)	End-point energy (keV)	Intensity (%)	Dose (MeV/Bq-s)
283.2 99	578 22	0.019 % 3	5.4E-5 9
287.3 99	587 22	0.00122 % 21	3.5E-6 6
315.7 98	651 22	0.020 % 3	6.3E-5 10
512.8 97	1099 22	0.0126 % 13	6.5E-5 7
558.7 96	1204 22	0.0260 % 17	1.45E-4 10
600.0 96	1299 22	0.011 % 11	7E-5 7
631.0 97	1370 22	0.037 % 3	2.33E-4 19
731.3 97	1599 22	0.060 % 8	4.4E-4 6
779.5 97	1709 22	0.056 % 14	4.4E-4 11
798.6 92	1766 22	0.11 % 3	8.8E-4 24
895.7 97	1974 22	0.27 % 6	0.0024 5
936.4 97	? 2067 22	0.10 % 10	9E-4 9
1036.1 98	2293 22	0.69 % 13	0.0071 13

Mean beta+ energy: 9.1E+2 keV 17, total beta+ intensity: 1.41 % 18, mean beta+ dose: 0.013 MeV/Bq-s 3

Electrons:

	Energy (keV)	Intensity (%)	Dose (MeV/Bq-s)
CE K	4.16 4	0.190 % 24	7.9E-6 10
Auger L	8.33	56.8 % 21	0.00473 17
CE K	15.995 4	0.06 % 6	9E-6 9
CE K	36.895 4	0.008 % 8	3E-6 3
CE L	51.611 22	4.2 % 4	0.00219 23
Auger K	59.7	3.1 % 4	0.00186 22
CE K	63.43 5	0.20 % 3	1.30E-4 22
CE M	64.401 20	1.13 % 12	7.3E-4 8
CE N	67.555 20	0.29 % 3	1.96E-4 20
CE O	68.455 20	0.055 % 6	3.8E-5 4
CE P	68.545 20	0.0049 % 5	3.3E-6 3
CE K	74.795 20	2.08 % 14	0.00155 10
CE L	80.33 4	0.089 % 11	7.2E-5 9
CE L	92.161 10	0.18 % 18	1.7E-4 17
CE M	93.12 4	0.023 % 3	2.1E-5 3
CE N	96.27 4	0.0059 % 7	5.6E-6 7
CE O	97.18 4	0.00115 % 14	1.12E-6 14
CE P	97.27 4	1.20E-4 % 13	1.16E-7 13
CE K	98.151 9	0.73 % 9	7.2E-4 8
CE M	104.951 4	0.05 % 5	6E-5 6
CE N	108.105 3	0.014 % 14	1.5E-5 16
CE O	109.0052	0.003 % 3	3E-6 3
CE P	109.0953	3E-4 % 3	3E-7 3
CE L	113.061 10	0.03 % 3	4E-5 4
CE M	125.851 4	0.009 % 9	1.1E-5 11
CE K	128.165 20	1.08 % 16	0.00139 21
CE N	129.005 3	0.0023 % 23	3E-6 3
CE O	129.905	4E-4 % 4	6E-7 6
CE P	129.995	4E-5 % 4	5E-8 5
CE L	139.60 5	0.036 % 6	5.0E-5 9
CE K	140.48 5	0.09 % 3	1.3E-4 4
CE K	143.372 15	0.73 % 6	0.00105 9
CE L	150.961 22	0.370 % 24	5.6E-4 4
CE M	152.39 5	0.0085 % 14	1.30E-5 22
CE N	155.54 5	0.0022 % 4	3.4E-6 6
CE O	156.45 5	4.6E-4 % 8	7.2E-7 12
CE P	156.54 5	5.9E-5 % 10	9.3E-8 16
CE M	163.751 20	0.087 % 6	1.43E-4 9
CE N	166.905 20	0.0225 % 15	3.76E-5 24
CE O	167.805 20	0.0047 % 3	7.9E-6 5
CE P	167.895 20	6.1E-4 % 4	1.02E-6 7

CE L	174.317 13	0.135 % 9	2.34E-4 17
CE K	174.97 6	0.044 % 4	7.8E-5 8
CE M	187.107 9	0.0319 % 23	6.0E-5 4
CE N	190.261 9	0.0082 % 6	1.56E-5 11
CE O	191.161 8	0.00171 % 12	3.27E-6 23
CE P	191.251 8	2.19E-4 % 16	4.2E-7 3
CE K	199.71 3	0.12 % 3	2.5E-4 6
CE L	204.331 22	0.200 % 14	4.1E-4 3
CE K	207.543 14	17.7 % 11	0.0368 22
CE L	216.64 5	0.018 % 4	4.0E-5 9
CE M	217.121 20	0.048 % 3	1.03E-4 7
CE L	219.538 18	0.134 % 9	2.95E-4 21
CE N	220.275 20	0.0122 % 8	2.69E-5 18
CE O	221.175 20	0.00254 % 17	5.6E-6 4
CE P	221.265 20	3.2E-4 % 3	7.2E-7 6
CE M	229.43 5	0.0044 % 9	1.00E-5 21
CE K	231.303 20	0.26 % 3	5.9E-4 7
CE M	232.328 15	0.0319 % 22	7.4E-5 5
CE N	232.58 5	0.00113 % 24	2.6E-6 6
CE O	233.49 5	2.3E-4 % 5	5.5E-7 12
CE P	233.58 5	2.9E-5 % 7	6.8E-8 16
CE N	235.482 15	0.0082 % 6	1.93E-5 13
CE O	236.382 15	0.00171 % 12	4.0E-6 3
CE P	236.472 15	2.18E-4 % 16	5.2E-7 4
CE K	243.7 4	0.032 % 8	7.8E-5 19
CE K	246.0 3	0.052 % 7	1.28E-4 18
CE L	251.14 6	0.134 % 13	3.4E-4 3
CE M	263.93 6	0.037 % 4	9.7E-5 10
CE K	264.048 15	0.64 % 5	0.00168 13
CE N	267.08 6	0.0095 % 9	2.5E-5 3
CE O	267.99 6	0.00183 % 18	4.9E-6 5
CE P	268.08 6	1.74E-4 % 17	4.7E-7 5
CE L	275.88 3	0.025 % 3	6.9E-5 9
CE K	280.04 8	0.093 % 11	2.6E-4 3
CE L	283.709 16	4.5 % 3	0.0128 8
CE M	288.67 3	0.0061 % 7	1.75E-5 20
CE N	291.82 3	0.00157 % 18	4.6E-6 5
CE O	292.72 3	3.2E-4 % 4	9.4E-7 11
CE P	292.81 3	4.0E-5 % 6	1.16E-7 17
CE M	296.499 14	1.13 % 7	0.00334 20
CE N	299.653 13	0.292 % 18	8.8E-4 5
CE K	299.83 6	0.155 % 19	4.6E-4 6
CE O	300.553 13	0.061 % 4	1.83E-4 11

CE P	300.643 13	0.0076 % 5	2.29E-5 14
CE L	307.469 22	0.046 % 4	1.41E-4 13
CE K	317.99 4	0.0200 % 15	6.4E-5 5
CE L	319.9 4	0.0064 % 10	2.1E-5 3
CE M	320.259 20	0.0108 % 9	3.5E-5 3
CE L	322.2 3	0.0092 % 12	2.9E-5 4
CE N	323.413 20	0.00278 % 24	9.0E-6 8
CE O	324.313 20	5.8E-4 % 5	1.87E-6 17
CE P	324.403 20	7.5E-5 % 7	2.42E-7 24
CE M	332.7 4	0.00154 % 21	5.1E-6 7
CE M	335.0 3	0.0022 % 3	7.2E-6 10
CE N	335.8 4	4.0E-4 % 5	1.33E-6 18
CE O	336.7 4	8.2E-5 % 12	2.8E-7 4
CE P	336.8 4	1.02E-5 % 16	3.4E-8 5
CE N	338.1 3	5.6E-4 % 7	1.88E-6 25
CE O	339.01 25	1.16E-4 % 15	3.9E-7 5
CE P	339.10 25	1.50E-5 % 20	5.1E-8 7
CE L	340.214 18	0.115 % 9	3.9E-4 3
CE M	353.004 15	0.0272 % 21	9.6E-5 7
CE K	356.01 13	0.030 % 3	1.06E-4 10
CE N	356.158 15	0.0070 % 5	2.49E-5 19
CE L	356.20 8	0.0162 % 19	5.8E-5 7
CE O	357.058 15	0.00146 % 11	5.2E-6 4
CE P	357.148 15	1.87E-4 % 14	6.7E-7 5
CE K	363.645 20	0.238 % 20	8.7E-4 7
CE K	366.58 3	0.045 % 3	1.65E-4 12
CE M	368.99 8	0.0038 % 4	1.41E-5 16
CE N	372.14 8	9.8E-4 % 11	3.7E-6 4
CE O	373.05 8	2.06E-4 % 24	7.7E-7 9
CE P	373.14 8	2.7E-5 % 3	9.9E-8 11
CE K	374.011 14	0.184 % 13	6.9E-4 5
CE L	376.00 6	0.027 % 3	1.02E-4 10
CE M	388.79 6	0.0064 % 6	2.48E-5 24
CE N	391.94 6	0.00165 % 17	6.4E-6 6
CE O	392.85 6	3.4E-4 % 3	1.35E-6 14
CE P	392.94 6	4.4E-5 % 5	1.74E-7 19
CE L	394.16 4	0.0085 % 6	3.3E-5 3
CE M	406.95 4	0.00216 % 16	8.8E-6 7
CE N	410.10 4	5.5E-4 % 4	2.27E-6 17
CE K	410.29 13	0.040 % 18	1.6E-4 8
CE O	411.01 4	1.10E-4 % 8	4.5E-7 3
CE P	411.10 4	1.16E-5 % 9	4.8E-8 4
CE K	421.6 9	0.0075 % 10	3.2E-5 4

CE K	427.68 9	0.078 % 8	3.3E-4 4
CE L	432.18 13	0.0052 % 5	2.23E-5 20
CE K	436.68 3	0.309 % 23	0.00135 10
CE L	439.811 22	0.041 % 3	1.82E-4 15
CE L	442.75 3	0.0167 % 12	7.4E-5 6
CE M	444.97 13	0.00122 % 11	5.4E-6 5
CE N	448.12 13	3.1E-4 % 3	1.41E-6 13
CE O	449.03 13	6.6E-5 % 6	2.9E-7 3
CE P	449.12 13	8.5E-6 % 8	3.8E-8 3
CE L	450.177 16	0.067 % 5	3.01E-4 22
CE M	452.601 20	0.0097 % 8	4.4E-5 4
CE M	455.54 3	0.0042 % 3	1.92E-5 14
CE N	455.755 20	0.00250 % 21	1.14E-5 9
CE O	456.655 20	5.2E-4 % 4	2.39E-6 20
CE P	456.745 20	6.8E-5 % 6	3.1E-7 3
CE N	458.69 3	0.00108 % 8	5.0E-6 4
CE O	459.60 3	2.15E-4 % 16	9.9E-7 7
CE P	459.69 3	2.33E-5 % 17	1.07E-7 8
CE M	462.967 14	0.0169 % 12	7.8E-5 6
CE N	466.121 13	0.0043 % 3	2.02E-5 15
CE O	467.021 13	8.6E-4 % 6	4.0E-6 3
CE P	467.111 13	9.4E-5 % 7	4.4E-7 3
CE L	486.46 13	0.007 % 3	3.6E-5 14
CE K	490.24 3	0.113 % 19	5.5E-4 9
CE K	495.228 23	0.43 % 8	0.0021 4
CE L	497.8 9	0.0025 % 3	1.23E-5 16
CE M	499.25 13	0.0017 % 6	9E-6 3
CE N	502.40 13	4.5E-4 % 16	2.3E-6 8
CE O	503.31 13	9E-5 % 4	4.7E-7 18
CE P	503.40 13	1.2E-5 % 4	6.0E-8 22
CE L	503.84 9	0.0135 % 13	6.8E-5 6
CE M	510.6 9	6.2E-4 % 8	3.2E-6 4
CE K	510.7 5	0.018 % 7	9E-5 3
CE L	512.85 3	0.053 % 4	2.73E-4 20
CE N	513.7 9	1.59E-4 % 21	8.2E-7 11
CE O	514.6 9	3.2E-5 % 4	1.63E-7 21
CE P	514.7 9	3.5E-6 % 5	1.80E-8 23
CE M	516.63 9	0.0032 % 3	1.65E-5 15
CE N	519.78 9	8.2E-4 % 8	4.3E-6 4
CE O	520.69 9	1.71E-4 % 16	8.9E-7 8
CE P	520.78 9	2.21E-5 % 21	1.15E-7 11
CE K	524.10 4	0.0265 % 18	1.39E-4 10
CE M	525.64 3	0.0125 % 9	6.6E-5 5

CE N	528.79 3	0.00323 % 24	1.71E-5 13
CE O	529.70 3	6.8E-4 % 5	3.6E-6 3
CE P	529.79 3	8.7E-5 % 6	4.6E-7 3
CE K	544.165 20	0.134 % 18	7.3E-4 10
CE K	554.990 20	0.227 % 18	0.00126 10
CE K	565.30 15	0.19 % 6	0.0011 4
CE L	566.40 3	0.021 % 3	1.18E-4 16
CE L	571.39 3	0.105 % 12	6.0E-4 7
CE K	577.30 7	0.047 % 5	2.7E-4 3
CE M	579.19 3	0.0049 % 6	2.9E-5 4
CE K	582.049 23	0.0319 % 24	1.86E-4 14
CE N	582.34 3	0.00128 % 18	7.5E-6 10
CE O	583.25 3	2.6E-4 % 4	1.55E-6 21
CE P	583.34 3	3.4E-5 % 5	2.0E-7 3
CE M	584.184 23	0.026 % 3	1.51E-4 16
CE L	586.9 5	0.0033 % 10	1.9E-5 6
CE N	587.338 23	0.0066 % 7	3.9E-5 4
CE O	588.238 23	0.00136 % 14	8.0E-6 8
CE P	588.328 23	1.60E-4 % 18	9.4E-7 11
CE K	592.9 10	0.092 % 10	5.4E-4 6
CE M	599.7 5	7.9E-4 % 24	4.8E-6 14
CE K	600.23 6	0.034 % 3	2.04E-4 16
CE L	600.26 4	0.0073 % 5	4.4E-5 3
CE N	602.8 5	2.0E-4 % 6	1.2E-6 4
CE O	603.7 5	4.3E-5 % 14	2.6E-7 8
CE P	603.8 5	5.4E-6 % 18	3.3E-8 11
CE M	613.05 4	0.00181 % 12	1.11E-5 8
CE N	616.20 4	4.7E-4 % 3	2.87E-6 20
CE O	617.11 4	9.4E-5 % 6	5.8E-7 4
CE P	617.20 4	1.07E-5 % 7	6.6E-8 5
CE L	620.331 22	0.023 % 3	1.44E-4 17
CE K	628.04 4	0.242 % 21	0.00152 13
CE L	631.156 22	0.039 % 3	2.45E-4 20
CE M	633.121 20	0.0055 % 6	3.5E-5 4
CE N	636.275 20	0.00141 % 17	9.0E-6 11
CE O	637.175 20	2.9E-4 % 3	1.87E-6 22
CE P	637.265 20	3.8E-5 % 5	2.4E-7 3
CE L	641.46 15	0.037 % 9	2.4E-4 6
CE M	643.946 20	0.0091 % 7	5.9E-5 5
CE N	647.100 20	0.00235 % 19	1.52E-5 12
CE O	648.000 20	4.9E-4 % 4	3.2E-6 3
CE P	648.090 20	6.4E-5 % 5	4.1E-7 3
CE L	653.47 7	0.0121 % 12	7.9E-5 8

CE M	654.25 15	0.0091 % 22	5.9E-5 14
CE N	657.40 15	0.0023 % 5	1.5E-5 3
CE L	658.21 3	0.0051 % 4	3.4E-5 3
CE O	658.31 15	4.7E-4 % 11	3.1E-6 7
CE P	658.40 15	5.9E-5 % 15	3.9E-7 10
CE K	661.98 9	0.00189 % 17	1.25E-5 11
CE M	666.26 7	0.0030 % 3	1.98E-5 20
CE L	669.1 10	0.0157 % 17	1.05E-4 11
CE N	669.41 7	7.6E-4 % 8	5.1E-6 5
CE O	670.32 7	1.54E-4 % 16	1.04E-6 11
CE P	670.41 7	1.78E-5 % 18	1.20E-7 12
CE M	671.005 23	0.00119 % 9	8.0E-6 6
CE N	674.159 23	3.04E-4 % 23	2.05E-6 15
CE O	675.059 23	6.3E-5 % 5	4.3E-7 3
CE P	675.149 23	7.9E-6 % 6	5.4E-8 4
CE K	675.2 3	0.00184 % 13	1.24E-5 9
CE L	676.39 6	0.0082 % 6	5.5E-5 4
CE M	681.9 10	0.0037 % 4	2.5E-5 3
CE N	685.0 10	9.5E-4 % 10	6.5E-6 7
CE O	685.9 10	1.99E-4 % 21	1.36E-6 14
CE P	686.0 10	2.6E-5 % 3	1.76E-7 19
CE M	689.18 6	0.00199 % 16	1.37E-5 11
CE N	692.33 6	5.1E-4 % 4	3.5E-6 3
CE O	693.24 6	1.04E-4 % 8	7.2E-7 6
CE P	693.33 6	1.22E-5 % 10	8.5E-8 7
CE L	704.20 4	0.041 % 4	2.9E-4 3
CE M	716.99 4	0.0097 % 9	6.9E-5 6
CE N	720.14 4	0.00249 % 22	1.80E-5 16
CE O	721.05 4	5.2E-4 % 5	3.8E-6 3
CE P	721.14 4	6.8E-5 % 6	4.9E-7 4
CE K	721.30 3	0.383 % 23	0.00276 17
CE K	727.40 15	0.0154 % 21	1.12E-4 15
CE L	738.14 9	3.0E-4 % 3	2.20E-6 20
CE M	750.93 9	7.0E-5 % 6	5.2E-7 5
CE L	751.4 3	2.92E-4 % 21	2.19E-6 16
CE N	754.08 9	1.78E-5 % 16	1.34E-7 12
CE O	754.99 9	3.7E-6 % 3	2.79E-8 25
CE P	755.08 9	4.7E-7 % 4	3.5E-9 3
CE M	764.2 3	6.8E-5 % 5	5.2E-7 4
CE N	767.3 3	1.74E-5 % 12	1.33E-7 10
CE O	768.2 3	3.6E-6 % 3	2.77E-8 20
CE P	768.3 3	4.6E-7 % 3	3.5E-9 3
CE K	772.2 4	0.0056 % 7	4.3E-5 5

CE L	797.47 3	0.087 % 5	6.9E-4 4
CE L	803.56 15	0.0026 % 4	2.1E-5 3
CE M	810.26 3	0.0210 % 13	1.71E-4 10
CE N	813.41 3	0.0054 % 3	4.4E-5 3
CE K	813.98 3	0.137 % 14	0.00111 12
CE O	814.32 3	0.00110 % 7	9.0E-6 6
CE P	814.41 3	1.31E-4 % 8	1.07E-6 7
CE M	816.35 15	6.1E-4 % 8	5.0E-6 7
CE N	819.50 15	1.58E-4 % 22	1.29E-6 18
CE O	820.41 15	3.3E-5 % 5	2.7E-7 4
CE P	820.50 15	4.3E-6 % 6	3.5E-8 5
CE K	841.5 3	5.9E-4 % 6	5.0E-6 5
CE L	848.4 4	9.5E-4 % 12	8.0E-6 10
CE M	861.2 4	2.2E-4 % 3	1.91E-6 24
CE N	864.3 4	5.7E-5 % 7	4.9E-7 6
CE O	865.2 4	1.20E-5 % 15	1.04E-7 13
CE P	865.3 4	1.55E-6 % 19	1.34E-8 17
CE K	866.68 18	0.0041 % 5	3.5E-5 4
CE L	890.14 3	0.0234 % 22	2.09E-4 20
CE M	902.93 3	0.0055 % 6	5.0E-5 5
CE N	906.08 3	0.00142 % 14	1.28E-5 12
CE O	906.99 3	3.0E-4 % 3	2.7E-6 3
CE P	907.08 3	3.8E-5 % 4	3.5E-7 3
CE K	911.46 6	0.0097 % 15	8.8E-5 13
CE L	917.7 3	1.24E-4 % 13	1.14E-6 12
CE K	928.57 12	0.00192 % 14	1.78E-5 13
CE M	930.5 3	3.0E-5 % 3	2.8E-7 3
CE N	933.6 3	7.7E-6 % 8	7.2E-8 8
CE O	934.5 3	1.58E-6 % 17	1.47E-8 16
CE P	934.6 3	1.91E-7 % 20	1.79E-9 19
CE L	942.85 18	6.9E-4 % 8	6.5E-6 7
CE M	955.64 18	1.63E-4 % 18	1.55E-6 17
CE N	958.79 18	4.2E-5 % 5	4.0E-7 4
CE O	959.70 18	8.8E-6 % 10	8.4E-8 9
CE P	959.79 18	1.14E-6 % 13	1.09E-8 12
CE K	961.11 4	0.0161 % 13	1.55E-4 12
CE K	984.58 3	0.065 % 5	6.4E-4 5
CE L	987.62 6	0.0018 % 3	1.8E-5 3
CE M	1000.41 6	4.4E-4 % 7	4.4E-6 7
CE N	1003.56 6	1.13E-4 % 17	1.14E-6 17
CE O	1004.47 6	2.4E-5 % 4	2.4E-7 4
CE P	1004.56 6	3.0E-6 % 5	3.1E-8 5
CE L	1004.73 12	2.98E-4 % 21	2.99E-6 21

CE M	1017.52 12	6.9E-5 % 5	7.0E-7 5
CE N	1020.67 12	1.77E-5 % 13	1.80E-7 13
CE O	1021.58 12	3.7E-6 % 3	3.8E-8 3
CE P	1021.67 12	4.7E-7 % 3	4.8E-9 3
CE K	1022.091 24	0.0232 % 15	2.37E-4 16
CE K	1025.15 8	0.00194 % 20	1.99E-5 21
CE K	1034.8 3	6.3E-4 % 21	6.5E-6 22
CE L	1037.28 4	0.00271 % 22	2.82E-5 22
CE K	1038.61 6	8.4E-4 % 7	8.7E-6 8
CE M	1050.07 4	6.4E-4 % 5	6.7E-6 5
CE N	1053.22 4	1.64E-4 % 13	1.73E-6 14
CE O	1054.13 4	3.4E-5 % 3	3.6E-7 3
CE P	1054.22 4	4.5E-6 % 4	4.7E-8 4
CE L	1060.74 3	0.0123 % 9	1.30E-4 10
CE M	1073.53 3	0.00293 % 23	3.15E-5 24
CE N	1076.68 3	7.6E-4 % 6	8.1E-6 6
CE O	1077.59 3	1.58E-4 % 12	1.70E-6 13
CE P	1077.68 3	2.03E-5 % 16	2.19E-7 17
CE K	1086.4 15	9.7E-4 % 10	1.05E-5 11
CE K	1095.16 3	0.0073 % 5	8.0E-5 5
CE L	1098.26 3	0.0045 % 3	4.9E-5 3
CE K	1100.33 7	0.0052 % 4	5.7E-5 5
CE L	1101.31 8	3.8E-4 % 4	4.1E-6 4
CE L	1111.0 3	1.2E-4 % 4	1.3E-6 5
CE M	1111.047 24	0.00107 % 7	1.19E-5 8
CE M	1114.10 8	9.0E-5 % 9	1.00E-6 10
CE N	1114.201 24	2.75E-4 % 18	3.06E-6 20
CE L	1114.78 6	1.29E-4 % 11	1.43E-6 12
CE O	1115.101 24	5.7E-5 % 4	6.3E-7 4
CE P	1115.191 24	7.0E-6 % 5	7.8E-8 5
CE N	1117.25 8	2.30E-5 % 24	2.6E-7 3
CE O	1118.16 8	4.7E-6 % 5	5.3E-8 6
CE P	1118.25 8	5.8E-7 % 6	6.5E-9 7
CE M	1123.8 3	2.9E-5 % 10	3.3E-7 11
CE N	1126.9 3	7.4E-6 % 25	8E-8 3
CE M	1127.57 6	3.0E-5 % 3	3.4E-7 3
CE O	1127.8 3	1.5E-6 % 5	1.7E-8 6
CE P	1127.9 3	1.9E-7 % 6	2.1E-9 7
CE N	1130.72 6	7.6E-6 % 7	8.6E-8 7
CE O	1131.63 6	1.59E-6 % 14	1.80E-8 16
CE P	1131.72 6	2.04E-7 % 18	2.31E-9 20
CE K	1132.52 3	0.008 % 4	9E-5 4
CE K	1152.35 5	0.0059 % 5	6.7E-5 6

CE L	1162.6 15	1.83E-4 % 19	2.13E-6 23
CE K	1170.60 4	0.0051 % 4	6.0E-5 5
CE L	1171.32 3	0.00137 % 9	1.61E-5 10
CE M	1175.4 15	4.4E-5 % 5	5.1E-7 5
CE L	1176.50 7	8.7E-4 % 7	1.02E-5 9
CE N	1178.5 15	1.12E-5 % 12	1.32E-7 14
CE O	1179.4 15	2.32E-6 % 25	2.7E-8 3
CE P	1179.5 15	2.9E-7 % 3	3.4E-9 4
CE K	1182.1 3	5.2E-4 % 5	6.2E-6 6
CE M	1184.11 3	3.27E-4 % 21	3.87E-6 25
CE N	1187.26 3	8.4E-5 % 5	1.00E-6 6
CE O	1188.17 3	1.73E-5 % 11	2.06E-7 13
CE P	1188.26 3	2.15E-6 % 14	2.55E-8 16
CE M	1189.29 7	2.04E-4 % 17	2.43E-6 20
CE K	1189.97 4	0.0046 % 3	5.4E-5 4
CE N	1192.44 7	5.2E-5 % 4	6.2E-7 5
CE O	1193.35 7	1.10E-5 % 9	1.31E-7 11
CE P	1193.44 7	1.42E-6 % 12	1.70E-8 14
CE L	1208.68 3	0.0014 % 6	1.7E-5 7
CE M	1221.47 3	3.4E-4 % 13	4.2E-6 16
CE N	1224.62 3	8E-5 % 4	1.0E-6 4
CE O	1225.53 3	1.8E-5 % 7	2.2E-7 9
CE P	1225.62 3	2.4E-6 % 10	2.9E-8 12
CE L	1228.52 5	9.8E-4 % 9	1.21E-5 11
CE K	1230.02 15	2.8E-4 % 4	3.5E-6 5
CE K	1240.9 10	6.2E-5 % 7	7.6E-7 8
CE M	1241.31 5	2.31E-4 % 21	2.9E-6 3
CE N	1244.46 5	5.9E-5 % 5	7.4E-7 7
CE O	1245.37 5	1.24E-5 % 11	1.55E-7 14
CE P	1245.46 5	1.61E-6 % 14	2.01E-8 18
CE K	1246.07 16	3.8E-4 % 4	4.7E-6 6
CE L	1246.77 4	8.5E-4 % 7	1.07E-5 9
CE L	1258.2 3	9.6E-5 % 10	1.21E-6 12
CE M	1259.56 4	2.01E-4 % 17	2.53E-6 21
CE N	1262.71 4	5.2E-5 % 4	6.5E-7 5
CE O	1263.62 4	1.08E-5 % 9	1.36E-7 11
CE P	1263.71 4	1.40E-6 % 12	1.77E-8 15
CE L	1266.14 4	8.4E-4 % 6	1.06E-5 7
CE M	1271.0 3	2.28E-5 % 24	2.9E-7 3
CE N	1274.2 3	5.9E-6 % 6	7.5E-8 8
CE O	1275.08 25	1.21E-6 % 13	1.55E-8 16
CE P	1275.17 25	1.51E-7 % 16	1.93E-9 20
CE M	1278.93 4	1.99E-4 % 14	2.55E-6 17

CE N	1282.08 4	5.1E-5 % 3	6.6E-7 4
CE O	1282.99 4	1.06E-5 % 7	1.36E-7 9
CE P	1283.08 4	1.32E-6 % 9	1.69E-8 12
CE K	1303.08 4	0.00181 % 12	2.36E-5 16
CE L	1306.18 15	4.3E-5 % 6	5.6E-7 8
CE K	1316.76 5	0.0082 % 6	1.08E-4 7
CE L	1317.1 10	9.4E-6 % 10	1.24E-7 13
CE M	1318.97 15	1.00E-5 % 14	1.31E-7 18
CE K	1320.05 5	0.0071 % 5	9.3E-5 6
CE N	1322.12 15	2.6E-6 % 4	3.4E-8 5
CE L	1322.23 16	5.8E-5 % 7	7.6E-7 9
CE O	1323.03 15	5.3E-7 % 7	7.0E-9 10
CE P	1323.12 15	6.8E-8 % 9	9.0E-10 12
CE M	1329.9 10	2.18E-6 % 23	2.9E-8 3
CE N	1333.0 10	5.6E-7 % 6	7.4E-9 8
CE O	1333.9 10	1.17E-7 % 12	1.56E-9 17
CE P	1334.0 10	1.50E-8 % 16	2.00E-10 21
CE M	1335.02 16	1.34E-5 % 16	1.79E-7 21
CE N	1338.17 16	3.4E-6 % 4	4.6E-8 5
CE O	1339.08 16	7.2E-7 % 9	9.6E-9 11
CE P	1339.17 16	9.2E-8 % 11	1.23E-9 15
CE K	1362.0 3	1.1E-4 % 3	1.4E-6 4
CE L	1379.25 4	2.77E-4 % 19	3.8E-6 3
CE M	1392.04 4	6.4E-5 % 4	8.9E-7 6
CE L	1392.92 5	0.00138 % 9	1.92E-5 13
CE N	1395.19 4	1.64E-5 % 11	2.29E-7 15
CE K	1395.81 12	3.5E-4 % 4	4.9E-6 5
CE O	1396.10 4	3.42E-6 % 23	4.8E-8 3
CE P	1396.19 4	4.4E-7 % 3	6.2E-9 4
CE L	1396.21 5	0.00118 % 8	1.65E-5 11
CE M	1405.71 5	3.23E-4 % 22	4.5E-6 3
CE N	1408.86 5	8.3E-5 % 6	1.17E-6 8
CE M	1409.00 5	2.78E-4 % 19	3.9E-6 3
CE O	1409.77 5	1.74E-5 % 12	2.45E-7 17
CE P	1409.86 5	2.26E-6 % 15	3.19E-8 22
CE N	1412.15 5	7.1E-5 % 5	1.01E-6 7
CE O	1413.06 5	1.50E-5 % 10	2.12E-7 14
CE P	1413.15 5	1.95E-6 % 13	2.75E-8 19
CE K	1417.79 8	0.00312 % 24	4.4E-5 3
CE K	1417.79 8	0.00312 % 24	4.4E-5 3
CE L	1438.1 3	1.9E-5 % 5	2.7E-7 7
CE M	1450.9 3	4.5E-6 % 11	6.5E-8 16
CE N	1454.1 3	1.1E-6 % 3	1.7E-8 4

CE O	1454.97 25	2.4E-7 % 6	3.5E-9 9
CE P	1455.06 25	3.0E-8 % 8	4.3E-10 11
CE L	1471.97 12	5.4E-5 % 6	7.9E-7 8
CE M	1484.76 12	1.24E-5 % 13	1.85E-7 20
CE N	1487.91 12	3.2E-6 % 3	4.7E-8 5
CE O	1488.82 12	6.7E-7 % 7	9.9E-9 11
CE P	1488.91 12	8.6E-8 % 9	1.28E-9 14
CE L	1493.95 8	5.2E-4 % 4	7.8E-6 6
CE L	1493.95 8	5.2E-4 % 4	7.8E-6 6
CE M	1506.74 8	1.22E-4 % 9	1.83E-6 14
CE M	1506.74 8	1.22E-4 % 9	1.83E-6 14
CE N	1509.89 8	3.14E-5 % 24	4.7E-7 4
CE N	1509.89 8	3.14E-5 % 24	4.7E-7 4
CE O	1510.80 8	6.6E-6 % 5	9.9E-8 8
CE O	1510.80 8	6.6E-6 % 5	9.9E-8 8
CE P	1510.89 8	8.5E-7 % 7	1.29E-8 10
CE P	1510.89 8	8.5E-7 % 7	1.29E-8 10
CE K	1548.71 6	9.2E-4 % 6	1.42E-5 10
CE K	1590.96 18	2.6E-4 % 3	4.2E-6 5
CE L	1624.88 6	1.39E-4 % 9	2.26E-6 15
CE K	1637.66 6	0.0081 % 6	1.33E-4 9
CE M	1637.67 6	3.21E-5 % 22	5.3E-7 4
CE N	1640.82 6	8.2E-6 % 6	1.35E-7 9
CE O	1641.73 6	1.72E-6 % 12	2.83E-8 19
CE P	1641.82 6	2.22E-7 % 15	3.65E-9 25
CE L	1667.13 18	4.6E-5 % 6	7.6E-7 9
CE K	1674.9 5	1.5E-4 % 3	2.5E-6 5
CE M	1679.92 18	1.07E-5 % 13	1.80E-7 22
CE N	1683.07 18	2.8E-6 % 3	4.6E-8 6
CE O	1683.98 18	5.7E-7 % 7	9.6E-9 12
CE P	1684.07 18	7.3E-8 % 9	1.22E-9 15
CE K	1688.57 7	0.00211 % 16	3.6E-5 3
CE K	1693.46 7	0.00334 % 22	5.7E-5 4
CE L	1713.82 6	0.00139 % 10	2.39E-5 17
CE K	1718.32 23	2.0E-4 % 4	3.4E-6 8
CE M	1726.61 6	3.27E-4 % 23	5.7E-6 4
CE N	1729.76 6	8.4E-5 % 6	1.45E-6 10
CE O	1730.67 6	1.75E-5 % 12	3.03E-7 21
CE P	1730.76 6	2.22E-6 % 15	3.8E-8 3
CE L	1751.1 5	2.5E-5 % 5	4.5E-7 9
CE M	1763.9 5	6.0E-6 % 11	1.05E-7 20
CE L	1764.73 7	3.5E-4 % 3	6.2E-6 5
CE N	1767.0 5	1.5E-6 % 3	2.7E-8 5

CE O	1767.9 5	3.2E-7 % 6	5.6E-9 11
CE P	1768.0 5	4.1E-8 % 8	7.2E-10 14
CE L	1769.63 7	5.6E-4 % 4	9.8E-6 7
CE M	1777.52 7	8.2E-5 % 6	1.46E-6 11
CE N	1780.67 7	2.12E-5 % 16	3.8E-7 3
CE O	1781.58 7	4.4E-6 % 3	7.9E-8 6
CE P	1781.67 7	5.8E-7 % 4	1.03E-8 8
CE M	1782.42 7	1.30E-4 % 9	2.33E-6 16
CE N	1785.57 7	3.36E-5 % 23	6.0E-7 4
CE O	1786.48 7	7.0E-6 % 5	1.26E-7 8
CE P	1786.57 7	9.1E-7 % 6	1.63E-8 11
CE L	1794.48 23	3.0E-5 % 7	5.3E-7 12
CE K	1803.9 5	1.9E-4 % 6	3.5E-6 11
CE M	1807.27 23	6.8E-6 % 16	1.2E-7 3
CE N	1810.42 23	1.8E-6 % 4	3.2E-8 7
CE O	1811.33 23	3.7E-7 % 8	6.6E-9 15
CE P	1811.42 23	4.7E-8 % 11	8.6E-10 20
CE L	1880.1 5	3.2E-5 % 10	6.0E-7 19
CE M	1892.9 5	7.5E-6 % 23	1.4E-7 4
CE N	1896.0 5	1.9E-6 % 6	3.7E-8 11
CE O	1896.9 5	4.1E-7 % 13	7.7E-9 24
CE P	1897.0 5	5.3E-8 % 16	1.0E-9 3
CE K	1900.6 5	2.9E-4 % 6	5.5E-6 11
CE L	1976.8 5	5.5E-5 % 11	1.09E-6 22
CE M	1989.6 5	1.3E-5 % 3	2.6E-7 5
CE N	1992.7 5	3.4E-6 % 7	6.7E-8 14
CE O	1993.6 5	7.0E-7 % 14	1.4E-8 3
CE P	1993.7 5	8.8E-8 % 18	1.8E-9 4
CE K	2006.4 5	3.4E-4 % 12	6.9E-6 23
CE K	2050.47 12	3.9E-4 % 5	8.0E-6 9
CE L	2082.6 5	5.7E-5 % 19	1.2E-6 4
CE M	2095.4 5	1.3E-5 % 4	2.8E-7 9
CE K	2095.7 3	7.6E-5 % 11	1.59E-6 23
CE N	2098.5 5	3.4E-6 % 12	7.2E-8 24
CE O	2099.4 5	7.2E-7 % 24	1.5E-8 5
CE P	2099.5 5	9E-8 % 3	2.0E-9 7
CE L	2126.63 12	6.5E-5 % 8	1.38E-6 16
CE M	2139.42 12	1.52E-5 % 18	3.2E-7 4
CE N	2142.57 12	3.9E-6 % 5	8.4E-8 10
CE O	2143.48 12	8.2E-7 % 10	1.76E-8 20
CE P	2143.57 12	1.06E-7 % 12	2.3E-9 3
CE L	2171.9 3	1.14E-5 % 17	2.5E-7 4
CE M	2184.6 3	2.6E-6 % 4	5.7E-8 8

CE N	2187.8 3	6.7E-7 % 10	1.47E-8 22
CE O	2188.70 25	1.41E-7 % 21	3.1E-9 5
CE P	2188.79 25	1.8E-8 % 3	4.0E-10 6
CE K	2200.7 3	3.3E-4 % 5	7.2E-6 12
CE K	2210.4 3	2.9E-4 % 4	6.4E-6 10
CE L	2276.9 3	5.7E-5 % 9	1.29E-6 21
CE L	2286.6 3	5.0E-5 % 8	1.13E-6 18
CE M	2289.7 3	1.33E-5 % 22	3.0E-7 5
CE N	2292.8 3	3.4E-6 % 6	7.9E-8 13
CE O	2293.72 25	7.2E-7 % 12	1.6E-8 3
CE P	2293.81 25	9.3E-8 % 15	2.1E-9 4
CE M	2299.4 3	1.17E-5 % 18	2.7E-7 4
CE N	2302.5 3	3.0E-6 % 5	6.9E-8 11
CE O	2303.4 3	6.3E-7 % 10	1.45E-8 22
CE P	2303.5 3	8.2E-8 % 13	1.9E-9 3
CE K	2421.20 15	6.0E-5 % 15	1.4E-6 4
CE K	2489.3 4	4.2E-5 % 4	1.06E-6 11
CE L	2497.36 15	9.6E-6 % 24	2.4E-7 6
CE M	2510.15 15	2.2E-6 % 6	5.6E-8 14
CE N	2513.30 15	5.8E-7 % 15	1.4E-8 4
CE O	2514.21 15	1.2E-7 % 3	3.0E-9 8
CE P	2514.30 15	1.6E-8 % 4	3.9E-10 10
CE L	2565.5 4	7.0E-6 % 7	1.80E-7 18
CE M	2578.3 4	1.64E-6 % 17	4.2E-8 4
CE N	2581.4 4	4.2E-7 % 4	1.09E-8 11
CE O	2582.3 4	8.8E-8 % 9	2.28E-9 23
CE P	2582.4 4	1.15E-8 % 12	3.0E-10 3
CE K	2628.2 5	2.1E-4 % 5	5.5E-6 12
CE L	2704.4 5	3.7E-5 % 8	1.01E-6 23
CE K	2707.5 4	1.83E-5 % 19	5.0E-7 5
CE M	2717.2 5	8.8E-6 % 20	2.4E-7 5
CE N	2720.3 5	2.3E-6 % 5	6.2E-8 14
CE O	2721.2 5	4.8E-7 % 11	1.3E-8 3
CE P	2721.3 5	6.1E-8 % 14	1.7E-9 4
CE L	2783.7 4	2.7E-6 % 3	7.6E-8 8
CE M	2796.5 4	6.3E-7 % 7	1.76E-8 19
CE N	2799.6 4	1.61E-7 % 17	4.5E-9 5
CE O	2800.5 4	3.4E-8 % 4	9.5E-10 10
CE P	2800.6 4	4.4E-9 % 5	1.23E-10 13
CE K	2875.4 5	5.9E-5 % 12	1.7E-6 3
CE L	2951.6 5	9.9E-6 % 20	2.9E-7 6
CE M	2964.4 5	2.3E-6 % 5	6.9E-8 14
CE N	2967.5 5	6.0E-7 % 12	1.8E-8 4

CE O	2968.4 5	1.3E-7 % 3	3.7E-9 8
CE P	2968.5 5	1.6E-8 % 3	4.8E-10 10

Gamma and X-ray radiation:

	Energy (keV)	Intensity (%)	Dose (MeV/Bq-s)
XR l	11.1	38.3 % 18	0.00425 20
	68.55 2	0.140 % 14	9.6E-5 10
XR kα2	76.863	24.6 % 9	0.0189 7
XR kα1	79.29	41.0 % 15	0.0325 12
XR kβ3	89.256	4.96 % 18	0.00442 16
XR kβ1	89.807	9.5 % 3	0.0086 3
XR kβ2	92.317	3.51 % 13	0.00324 12
	97.27 4	0.029 % 3	2.8E-5 3
	109.1	7E-4 % 7	7E-7 7
	130 ?	0.023 % 23	3E-5 3
	156.54 5	0.081 % 14	1.27E-4 22
	167.900 20	1.01 % 6	0.00170 11
	191.256 8	0.53 % 4	0.00102 7
	213.87 7	0.11 % 3	2.3E-4 6
	221.270 20	1.20 % 8	0.00266 17
	233.58 5	0.13 % 3	3.1E-4 6
	236.477 15	0.98 % 7	0.00231 16
	264.04 14	0.17 % 5	4.5E-4 12
	268.08 6	0.194 % 19	5.2E-4 5
	278.8 3	0.135 % 14	3.8E-4 4
	292.816 25	0.36 % 3	0.00107 10
	300.648 13	12.9 % 8	0.0389 23
	324.408 20	0.80 % 6	0.00260 19
	336.8 4	0.140 % 14	4.7E-4 5
	339.10 25	0.180 % 23	6.1E-4 8
	357.153 15	2.70 % 20	0.0097 7
	373.14 8	0.41 % 5	0.00153 18
	392.94 6	0.81 % 7	0.0032 3
	411.10 4	0.60 % 4	0.00246 18
	438.5 5 ?	0.090 % 9	4.0E-4 4
	449.12 13	0.216 % 19	9.7E-4 9
	456.750 20	1.80 % 15	0.0082 7
	459.69 3	1.71 % 13	0.0079 6
	467.116 13	7.2 % 5	0.0337 24
	473.04 25	0.158 % 23	7.5E-4 11
	487.96 8	0.29 % 5	0.0014 3

Annihil.	503.40 13	0.50 % 14	0.0025 7
	511.0	2.8 % 4	
	514.7 9	0.36 % 5	0.00186 24
	520.78 9	0.86 % 6	0.0045 3
	529.790 25	3.5 % 3	0.0184 13
	553.58 22	0.117 % 23	6.5E-4 13
	562.10 20	0.072 % 23	4.1E-4 13
	583.34 3	2.21 % 15	0.0129 9
	588.333 23	19.5 % 12	0.115 7
	603.8 5	0.36 % 7	0.0022 4
	617.20 4	1.82 % 12	0.0113 8
	626.77 4	1.94 % 13	0.0121 8
	637.270 20	2.52 % 24	0.0161 15
	641.00 7	0.54 % 18	0.0035 12
	641.00 7 ?	0.18 % 18	0.0012 12
	648.095 20	4.3 % 3	0.0280 22
	658.40 15	6.5 % 8	0.043 5
	670.41 7	3.8 % 4	0.025 3
	675.154 23	6.8 % 5	0.046 3
	681.80 14	0.068 % 9	4.6E-4 6
	686.0 10	2.03 % 21	0.0139 15
	693.33 6	2.61 % 20	0.0181 14
	721.14 4	6.1 % 5	0.044 4
	755.08 9	0.50 % 4	0.0038 3
	765.03 10	0.58 % 4	0.0044 3
	768.3 3	0.50 % 4	0.0039 3
	772.20 15	0.41 % 3	0.00313 23
	789.54 25	0.23 % 3	0.00178 22
	814.41 3	45 % 3	0.367 22
	820.50 15	0.54 % 7	0.0044 6
	852.46 16	0.248 % 24	0.00211 20
	862.46 5	0.72 % 5	0.0062 5
	862.46 5	0.72 % 5	0.0062 5
	865.3 4	0.23 % 3	0.00195 24
	907.08 3	6.7 % 5	0.061 4
	934.6 3	0.090 % 9	8.4E-4 9
	948.37 10	0.68 % 6	0.0064 6
	959.79 18	0.216 % 24	0.00208 23
	1001.5 5 ?	0.090 % 9	9.0E-4 9
	1004.56 6	0.24 % 4	0.0024 4
	1015.40 8	0.24 % 3	0.0024 3
	1021.67 12	0.88 % 6	0.0090 6
	1042.39 8	0.30 % 3	0.0031 3

1054.22 4	1.08 % 8	0.0114 9
1077.68 3	1.98 % 15	0.0214 16
1087.06 10	0.27 % 3	0.0030 4
1095.13 15	0.167 % 23	0.0018 3
1115.196 24	4.9 % 3	0.054 3
1118.25 8	0.41 % 4	0.0046 5
1127.9 3 ?	0.14 % 5	0.0015 5
1131.72 6	0.46 % 4	0.0052 4
1139.03 22	0.077 % 23	9E-4 3
1154.65 11	0.162 % 23	0.0019 3
1163.2 4	0.090 % 23	0.0010 3
1171.62 4	1.26 % 9	0.0147 10
1174.60 8	0.46 % 4	0.0055 5
1179.5 15	0.225 % 24	0.0027 3
1188.26 3	1.71 % 11	0.0203 13
1193.44 7	0.48 % 4	0.0057 5
1225.62 3	1.19 % 9	0.0146 11
1242.62 7	0.79 % 7	0.0098 9
1245.46 5	0.60 % 5	0.0075 7
1263.71 4	0.55 % 4	0.0069 6
1275.17 25	0.140 % 14	0.00178 18
1277.83 23	0.149 % 19	0.00190 24
1283.08 4	1.23 % 8	0.0158 11
1298.84 24	0.19 % 5	0.0025 6
1305.4 3	0.26 % 7	0.0034 9
1320 1 ?	0.16 % 8	0.0021 11
1323.12 15	0.20 % 3	0.0027 4
1331.63 12	0.18 % 3	0.0024 4
1334.0 10	0.045 % 5	6.0E-4 6
1339.17 16	0.28 % 3	0.0037 4
1350.73 11	0.42 % 4	0.0057 6
1358.5 5	0.03 % 3	5E-4 5
1371 1	0.11 % 11	0.0015 15
1396.19 4	1.43 % 9	0.0200 13
1409.86 5	1.17 % 8	0.0165 11
1413.15 5	1.01 % 7	0.0143 9
1450.75 20	0.059 % 14	8.5E-4 20
1455.06 25	0.036 % 9	5.2E-4 13
1488.91 12	0.31 % 3	0.0046 5
1506.97 9	0.64 % 5	0.0097 7
1510.89 8	0.53 % 4	0.0080 6
1510.89 8	0.53 % 4	0.0080 6
1548.21 8	1.18 % 8	0.0182 13

1556.54 11	0.28 % 3	0.0043 5
1589.19 15	0.171 % 19	0.0027 3
1598.31 18	0.131 % 14	0.00209 23
1631.16 20	0.095 % 14	0.00154 23
1641.82 6	0.95 % 6	0.0156 10
1676.50 10	3.06 % 21	0.051 3
1684.07 18	0.117 % 14	0.00197 24
1697.0 4	0.054 % 6	9.2E-4 10
1712.60 9	1.34 % 9	0.0230 16
1716.39 10	0.94 % 6	0.0162 11
1719.1 4	0.19 % 3	0.0033 5
1730.76 6	3.8 % 3	0.066 4
1736.7 4	0.07 % 3	0.0012 5
1745.32 7	0.70 % 5	0.0123 8
1768.0 5	0.072 % 14	0.00127 24
1772.77 7	0.68 % 5	0.0120 8
1781.67 7	0.55 % 4	0.0097 7
1786.57 7	0.87 % 6	0.0155 10
1805.25 6	0.74 % 6	0.0133 11
1811.42 23	0.24 % 5	0.0043 10
1825.52 18	0.19 % 3	0.0035 6
1854.54 9	0.55 % 4	0.0101 8
1867.97 25	0.077 % 23	0.0014 4
1875.74 15	0.324 % 25	0.0061 5
1897.0 5	0.059 % 18	0.0011 3
1908.22 25	0.149 % 23	0.0028 4
1993.7 5	0.090 % 18	0.0018 4
2016.25 10	0.72 % 5	0.0145 11
2026.78 18	0.189 % 19	0.0038 4
2046.2 3	0.135 % 23	0.0028 5
2053.0 3	0.30 % 4	0.0061 8
2056.2 3	0.16 % 3	0.0032 6
2064.5 3	0.185 % 19	0.0038 4
2075.27 7	0.50 % 5	0.0103 10
2099.5 5	0.14 % 5	0.0028 10
2143.57 12	0.162 % 19	0.0035 4
2188.79 25	0.126 % 18	0.0028 4
2293.81 25	0.068 % 11	0.0016 3
2303.5 3	0.060 % 9	0.00138 21
2342.65 10	0.73 % 6	0.0172 14
2365.45 20	0.072 % 10	0.00171 24
2373.45 25	0.041 % 6	9.6E-4 15
2393.04 15	0.144 % 14	0.0035 3

2457.6 4	0.167 % 15	0.0041 4
2473.69 25	0.091 % 12	0.0023 3
2486.6 4	0.144 % 14	0.0036 4
2514.30 15	0.054 % 14	0.0014 3
2535.57 25	0.078 % 8	0.00199 20
2566.10 13	0.28 % 3	0.0073 7
2572.85 20	0.090 % 14	0.0023 4
2582.4 4	0.028 % 3	7.3E-4 7
2591.30 15	0.194 % 19	0.0050 5
2684.21 15	0.132 % 12	0.0036 3
2712.50 15	1.23 % 9	0.0335 23
2721.3 5	0.041 % 9	0.00110 25
2772.7 4	0.095 % 14	0.0026 4
2792.5 4	0.032 % 9	9E-4 3
2800.6 4	0.045 % 5	0.00126 13
2854.7 3	0.054 % 9	0.0015 3
2861.8 3	0.054 % 9	0.0015 3
2888.1 4	0.045 % 11	0.0013 3
2962.5 6	0.027 % 5	8.0E-4 14
2968.5 5	0.023 % 5	6.7E-4 14
3008.9 5	0.048 % 10	0.0014 3
3080.4 6	0.018 % 5	5.6E-4 17
3096.5 7	0.027 % 7	8.2E-4 21
3179.2 5	0.036 % 6	0.00115 18
3272.1 5	0.019 % 3	6.2E-4 11
3458.3 7	0.0225 % 24	7.8E-4 8

Gamma Coincidence Data:

For each gamma, the list of gammas in coincidence is given. If experimentally known, an estimate of the average time interval (in seconds) between both gammas is given

E(γ)	Coincidence
68.55	109.1 (2.05E-7), 130 (2.05E-7), 156.54 (2.05E-7), 167.900 (2.05E-7), 191.256 (4.92E-5), 221.270 (2.05E-7), 233.58 (2.05E-7), 264.04 (4.92E-5), 268.08 (4.92E-5), 278.8 (4.92E-5), 292.816 (2.05E-7), 300.648 (2.05E-7), 324.408 (2.05E-7), 336.8 (2.05E-7), 339.10 (2.05E-7), 357.153 (2.05E-7), 373.14 (2.05E-7), 411.10 (2.05E-7), 438.5 (2.05E-7), 449.12 (2.05E-7), 456.750 (4.92E-5), 459.69 (2.05E-7), 467.116 (4.92E-5), 473.04 (2.05E-7), 487.96 (2.05E-7), 503.40 (2.05E-7), 514.7 (2.05E-7), 520.78 (4.92E-5), 529.790 (4.92E-5), 553.58 (2.05E-7), 562.10 (2.05E-7), 603.8 (2.05E-7), 617.20 (2.05E-7), 626.77 (2.05E-7), 641.00 (4.92E-5), 641.00 (4.92E-5), 648.095 (4.92E-5), 658.40 (4.92E-5), 670.41 (2.05E-7), 675.154 (2.05E-7), 681.80 (4.92E-5), 721.14 (4.92E-5), 755.08 (2.05E-7), 765.03 (4.92E-5), 768.3 (2.05E-7), 772.20 (2.05E-7), 789.54 (2.05E-7), 793 (4.92E-5), 820.50 (2.05E-7), 862.46 (2.05E-7), 862.46 (2.05E-7), 865.3 (4.92E-5), 934.6 (2.05E-7), 948.37 (2.05E-7), 1001.5 (2.05E-7), 1004.56 (2.05E-7), 1015.40 (4.92E-5), 1042.39 (4.92E-5), 1054.22 (4.92E-5), 1077.68 (2.05E-7), 1087.06 (4.92E-5), 1095.13 (2.05E-7), 1115.196 (4.92E-5), 1118.25 (2.05E-7), 1127.9 (4.92E-5), 1131.72 (2.05E-7), 1139.03 (4.92E-5), 1154.65 (4.92E-5), 1163.2 (4.92E-5), 1179.5 (4.92E-5), 1188.26 (4.92E-5), 1242.62 (2.05E-7), 1245.46 (4.92E-5), 1263.71 (4.92E-5), 1275.17 (2.05E-7), 1277.83 (4.92E-5), 1283.08 (2.05E-7), 1298.84 (4.92E-5), 1305.4 (4.92E-5), 1323.12 (2.05E-7), 1334.0 (2.05E-7), 1339.17 (4.92E-5), 1350.73 (2.05E-7), 1358.5 (2.05E-7),

1371 (2.05E-7), 1396.19 (2.05E-7), 1409.86 (2.05E-7), 1413.15 (2.05E-7),
 1450.75 (2.05E-7), 1455.06 (4.92E-5), 1488.91 (2.05E-7), 1506.97 (2.05E-7),
 1556.54 (2.05E-7), 1598.31 (2.05E-7), 1631.16 (2.05E-7), 1684.07 (2.05E-7),
 1697.0 (2.05E-7), 1712.60 (4.92E-5), 1716.39 (2.05E-7), 1719.1 (4.92E-5),
 1730.76 (4.92E-5), 1736.7 (2.05E-7), 1745.32 (4.92E-5), 1768.0 (2.05E-7),
 1772.77 (4.92E-5), 1786.57 (2.05E-7), 1811.42 (2.05E-7), 1854.54 (2.05E-7),
 1867.97 (4.92E-5), 1875.74 (4.92E-5), 1897.0 (2.05E-7), 1908.22 (2.05E-7),
 1993.7 (2.05E-7), 2026.78 (2.05E-7), 2046.2 (2.05E-7), 2056.2 (2.05E-7), 2064.5 (4.92E-5),
 2075.27 (2.05E-7), 2143.57 (2.05E-7), 2188.79 (2.05E-7), 2342.65 (4.92E-5),
 2365.45 (2.05E-7), 2457.6 (2.05E-7), 2473.69 (2.05E-7), 2486.6 (2.05E-7),
 2514.30 (2.05E-7), 2535.57 (2.05E-7), 2566.10 (2.05E-7), 2572.85 (2.05E-7),
 2721.3 (2.05E-7), 2772.7 (2.05E-7), 2800.6 (2.05E-7), 2968.5 (2.05E-7),
 3008.9 (2.05E-7)

97.27 109.1, 130, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5), 268.08 (4.90E-5),
 278.8 (4.90E-5), 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 456.750 (4.90E-5),
 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 520.78 (4.90E-5),
 529.790 (4.90E-5), 553.58, 562.10, 588.333, 603.8, 626.77, 641.00 (4.90E-5),
 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5),
 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54,
 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 1001.5, 1004.56,
 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5),
 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5),
 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5),
 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08,
 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5),
 1350.73, 1358.5, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91,
 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39,
 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5),
 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5),
 1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57,
 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57,
 2566.10, 2772.7

109.1 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
 449.12, 459.69, 588.333, 617.20, 686.0, 814.41

130 68.55 (2.05E-7), 97.27, 109.1, 156.54, 167.900, 191.256 (4.90E-5), 236.477, 264.04
 (4.90E-5),
 268.08 (4.90E-5), 278.8 (4.90E-5), 292.816, 300.648, 324.408, 336.8,
 339.10, 357.153, 373.14, 392.94, 411.10, 449.12, 456.750 (4.90E-5), 459.69,
 467.116 (4.90E-5), 473.04, 487.96, 503.40, 520.78 (4.90E-5), 529.790 (4.90E-5),
 553.58, 562.10, 588.333, 617.20, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5),
 648.095 (4.90E-5), 658.40 (4.90E-5), 681.80 (4.90E-5), 686.0, 721.14 (4.90E-5),
 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50,
 862.46, 865.3 (4.90E-5), 948.37, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5),
 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5),
 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5),
 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5),
 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5),
 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1450.75, 1455.06 (4.90E-5), 1488.91,
 1684.07, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5),
 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42,
 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1908.22, 2026.78, 2046.2, 2056.2,
 2064.5 (4.90E-5), 2075.27, 2143.57, 2342.65 (4.90E-5), 2457.6, 2486.6,
 2566.10

156.54 68.55 (2.05E-7), 109.1, 130, 167.900, 191.256 (4.90E-5), 221.270, 233.58, 236.477,
 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 292.816, 300.648, 336.8,
 339.10, 357.153, 373.14, 411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5),
 473.04, 487.96, 503.40, 514.7, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58,
 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5),
 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08,
 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46,
 862.46, 865.3 (4.90E-5), 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5),
 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5),
 1118.25, 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5),
 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5),
 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5),

1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1371, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2772.7

167.900 68.55 (2.05E-7), 109.1, 130, 156.54, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 292.816, 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 449.12, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 514.7, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 670.41, 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 934.6, 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1095.13, 1115.196 (4.90E-5), 1118.25, 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1275.17, 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1371, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1556.54, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 1993.7, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2721.3, 2772.7, 2800.6, 3008.9

191.256 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 221.270, 236.477 (4.90E-5), 278.8, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 456.750, 467.116, 473.04, 514.7, 520.78, 529.790, 588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 641.00, 670.41, 675.154, 681.80, 686.0 (4.90E-5), 765.03, 768.3, 814.41 (4.90E-5), 865.3, 907.08, 1015.40, 1042.39, 1054.22, 1087.06, 1139.03, 1154.65, 1163.2

213.87 641.00, 865.3, 1015.40, 1042.39, 2016.25

221.270 68.55 (2.05E-7), 97.27, 156.54, 167.900, 191.256, 236.477, 264.04, 278.8, 292.816, 324.408, 392.94, 449.12, 456.750, 473.04, 487.96, 520.78, 529.790, 562.10, 588.333, 603.8, 617.20, 641.00, 641.00, 648.095, 675.154, 681.80, 686.0, 721.14, 765.03, 865.3, 1001.5, 1015.40, 1042.39, 1054.22, 1087.06, 1127.9, 1139.03, 1154.65, 1163.2, 1245.46, 1263.71, 1277.83, 1305.4, 1323.12, 1334.0, 1396.19, 1450.75, 1455.06, 1506.97, 1719.1, 1867.97, 1875.74, 2188.79, 2365.45, 2473.69, 2535.57

233.58 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 862.46, 959.79, 1548.21, 1598.31

236.477 109.1, 130, 156.54, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 292.816, 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 449.12, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 514.7, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 670.41, 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 934.6, 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1095.13, 1115.196 (4.90E-5), 1118.25, 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1275.17, 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1371, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1556.54, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 1993.7, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2721.3, 2772.7, 2800.6, 3008.9

68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 411.10, 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 637.270, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 793, 814.41 (4.90E-5), 907.08, 1001.5, 1127.9, 1225.62, 1320, 1455.06, 1811.42, 2800.6, 2968.5

268.08 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5), 686.0 (4.90E-5), 814.41 (4.90E-5)

278.8 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 357.153, 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 583.34, 588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 765.03, 768.3, 814.41 (4.90E-5), 862.46, 907.08, 934.6, 959.79, 1171.62, 1242.62, 1298.84, 1506.97, 1548.21, 1631.16, 1825.52, 2064.5, 2591.30, 3179.2

292.816 68.55 (2.05E-7), 109.1, 130, 156.54, 167.900, 191.256 (4.90E-5), 221.270, 233.58, 236.477, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 300.648, 324.408, 336.8, 339.10, 357.153, 373.14, 392.94, 411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2772.7

300.648 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 191.256 (4.90E-5), 236.477, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 292.816, 324.408, 373.14 (4.90E-5), 392.94, 449.12, 456.750 (4.90E-5), 467.116 (4.90E-5), 473.04 (4.90E-5), 503.40 (4.90E-5), 520.78 (4.90E-5), 529.790 (4.90E-5), 562.10 (4.90E-5), 588.333, 617.20, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 681.80 (4.90E-5), 686.0, 721.14 (4.90E-5), 765.03 (4.90E-5), 793 (4.90E-5), 814.41, 865.3 (4.90E-5), 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1339.17 (4.90E-5), 1455.06 (4.90E-5), 1712.60 (4.90E-5), 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1745.32 (4.90E-5), 1772.77 (4.90E-5), 1867.97 (4.90E-5), 1875.74 (4.90E-5), 2064.5 (4.90E-5), 2342.65 (4.90E-5)

324.408 68.55 (2.05E-7), 109.1, 130, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 292.816, 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 514.7, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1118.25, 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1371, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54,

1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2772.7

336.8 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 562.10, 588.333, 617.20, 686.0, 772.20, 789.54, 814.41, 948.37, 1174.60, 1350.73, 1358.5, 1371

339.10 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 357.153, 392.94, 449.12, 487.96, 583.34, 588.333, 617.20, 686.0, 814.41, 934.6, 1171.62, 1334.0, 1450.75

357.153 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 278.8, 292.816, 324.408, 339.10, 373.14, 392.94, 449.12, 473.04, 487.96, 503.40, 562.10, 588.333, 617.20, 681.80, 686.0, 765.03, 814.41, 1131.72, 1139.03, 1154.65, 1242.62, 1283.08, 1334.0, 1450.75, 1716.39, 1786.57, 1908.22

373.14 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 300.648 (4.90E-5), 324.408, 357.153, 392.94, 449.12, 473.04, 583.34, 588.333, 617.20, 686.0, 814.41, 934.6, 1171.62, 1283.08, 1339.17

392.94 109.1, 130, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 292.816, 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 514.7, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1118.25, 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1371, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2772.7

411.10 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 264.04, 292.816, 324.408, 392.94, 449.12, 487.96, 588.333, 617.20, 641.00, 686.0, 814.41, 865.3, 1004.56, 1015.40, 1042.39, 1077.68, 1139.03, 1154.65, 1736.7, 1811.42, 1854.54, 2075.27

438.5 68.55 (2.05E-7), 588.333, 2053.0, 2572.85

449.12 68.55 (2.05E-7), 109.1, 130, 167.900, 191.256 (4.90E-5), 221.270, 233.58, 236.477, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2772.7

456.750 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 865.3, 907.08, 1015.40, 1042.39

459.69

68.55 (2.05E-7), 97.27, 109.1, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 814.41, 1684.07, 2026.78

467.116 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 236.477 (4.90E-5), 264.04, 278.8, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 456.750, 473.04, 520.78, 529.790, 562.10, 588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 641.00, 648.095, 681.80, 686.0 (4.90E-5), 721.14, 765.03, 814.41 (4.90E-5), 865.3, 1015.40, 1042.39, 1054.22, 1087.06, 1139.03, 1154.65, 1163.2, 1245.46, 1263.71, 1277.83, 1305.4, 1455.06, 1719.1, 1867.97, 1875.74

473.04 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 191.256, 221.270, 236.477, 292.816, 300.648 (4.90E-5), 324.408, 357.153, 373.14, 392.94, 449.12, 467.116, 514.7, 583.34, 588.333, 617.20, 658.40, 670.41, 675.154, 686.0, 768.3, 814.41, 907.08, 934.6, 1054.22, 1171.62, 1245.46, 1283.08, 1339.17, 1712.60

487.96 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 339.10, 357.153, 392.94, 411.10, 449.12, 514.7, 583.34, 588.333, 603.8, 617.20, 637.270, 670.41, 686.0, 814.41, 907.08, 934.6, 1118.25, 1171.62, 1225.62, 1275.17, 1450.75, 1510.89, 1736.7, 2373.45, 2962.5

503.40 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 300.648 (4.90E-5), 324.408, 357.153, 392.94, 449.12, 583.34, 588.333, 617.20, 686.0, 814.41, 934.6, 1171.62, 1283.08, 1339.17

514.7 68.55 (2.05E-7), 156.54, 167.900, 191.256, 236.477, 264.04, 278.8, 324.408, 392.94, 456.750, 473.04, 487.96, 520.78, 529.790, 562.10, 603.8, 641.00, 641.00, 648.095, 675.154, 681.80, 721.14, 765.03, 865.3, 1001.5, 1015.40, 1042.39, 1054.22, 1087.06, 1127.9, 1139.03, 1154.65, 1163.2, 1245.46, 1263.71, 1277.83, 1305.4, 1323.12, 1334.0, 1396.19, 1450.75, 1455.06, 1506.97, 1719.1, 1867.97, 1875.74, 2188.79, 2365.45, 2473.69, 2535.57

520.78 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08, 1163.2

529.790 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08, 1139.03, 1154.65

553.58 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 641.00, 686.0, 814.41, 862.46, 865.3, 1015.40, 1042.39, 1676.50

562.10 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 221.270, 236.477, 292.816, 300.648 (4.90E-5), 324.408, 336.8, 357.153, 392.94, 449.12, 467.116, 514.7, 583.34, 588.333, 617.20, 670.41, 675.154, 686.0, 768.3, 789.54, 814.41, 907.08, 934.6, 948.37, 1095.13, 1171.62, 1174.60, 1305.4, 1331.63, 1371, 1413.15, 1510.89, 1556.54, 1716.39, 1772.77, 2099.5, 2888.1

583.34 278.8, 339.10, 373.14, 473.04, 487.96, 503.40, 562.10, 588.333, 681.80, 765.03, 1131.72, 1139.03, 1154.65, 1242.62, 1283.08, 1334.0, 1450.75, 1716.39, 1786.57, 1908.22

588.333 97.27, 109.1, 130, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 438.5, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 583.34, 603.8, 626.77, 637.270, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5), 693.33, 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 852.46, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 959.79, 1001.5, 1004.56, 1015.40 (4.90E-5), 1021.67, 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1174.60, 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1193.44, 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1320, 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1510.89, 1589.19, 1598.31, 1631.16, 1641.82, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1805.25, 1811.42, 1825.52,

1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 2026.78,
2046.2, 2053.0, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5),
2365.45, 2373.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10,
2591.30, 2684.21, 2712.50, 2772.7, 2792.5, 2854.7, 2861.8

603.8 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 392.94,
449.12, 487.96, 514.7, 588.333, 617.20, 670.41, 686.0, 907.08, 1334.0, 1450.75

617.20 68.55 (2.05E-7), 109.1, 130, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5),
268.08 (4.90E-5), 278.8 (4.90E-5), 300.648, 336.8, 339.10, 357.153, 373.14,
411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40,
520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5),
641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154,
681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20,
789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 1001.5,
1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68,
1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5),
1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5),
1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5),
1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5),
1350.73, 1358.5, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5),
1488.91, 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5),
1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0,
1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5),
1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27,
2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6,
2535.57, 2566.10, 2772.7

626.77 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
449.12, 588.333, 617.20, 686.0, 814.41, 862.46, 1139.03, 1154.65, 1676.50

637.270 264.04, 487.96, 588.333, 641.00, 865.3, 1004.56, 1015.40, 1042.39, 1077.68, 1139.03,
1154.65, 1736.7, 1811.42, 1854.54, 2075.27

641.00 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 221.270, 236.477 (4.90E-5), 278.8, 292.816 (4.90E-5), 300.648 (4.90E-5),
324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7,
588.333 (4.90E-5), 617.20 (4.90E-5), 658.40, 670.41, 675.154, 681.80,
686.0 (4.90E-5), 765.03, 768.3, 814.41 (4.90E-5), 907.08

641.00 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 213.87, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5),
324.408 (4.90E-5), 392.94 (4.90E-5), 411.10, 449.12 (4.90E-5), 456.750,
467.116, 514.7, 553.58, 588.333 (4.90E-5), 617.20 (4.90E-5), 637.270,
648.095, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
862.46, 907.08, 1004.56, 1115.196, 1225.62, 1323.12, 1641.82, 1676.50, 1993.7,
2016.25

648.095 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5),
617.20 (4.90E-5), 641.00, 670.41, 675.154, 686.0 (4.90E-5), 768.3,
814.41 (4.90E-5), 865.3, 907.08, 1015.40, 1042.39

658.40 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
236.477 (4.90E-5), 278.8, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 456.750, 473.04, 520.78, 529.790,
588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 641.00, 681.80, 686.0 (4.90E-5),
765.03, 814.41 (4.90E-5), 865.3, 1015.40, 1042.39, 1054.22, 1087.06,
1139.03, 1154.65, 1163.2

670.41 68.55 (2.05E-7), 167.900, 191.256, 236.477, 264.04, 278.8, 456.750, 473.04, 487.96,
520.78, 529.790, 562.10, 603.8, 641.00, 641.00, 648.095, 675.154, 681.80,
721.14, 765.03, 865.3, 1001.5, 1015.40, 1042.39, 1054.22, 1087.06, 1127.9,
1139.03, 1154.65, 1163.2, 1245.46, 1263.71, 1277.83, 1305.4, 1323.12, 1334.0,
1396.19, 1450.75, 1455.06, 1506.97, 1719.1, 1867.97, 1875.74, 2188.79, 2365.45,
2473.69, 2535.57

675.154 68.55 (2.05E-7), 97.27, 156.54, 167.900, 191.256, 221.270, 236.477, 264.04, 278.8,
292.816, 324.408, 392.94, 449.12, 456.750, 473.04, 514.7, 520.78, 529.790,
562.10, 588.333, 617.20, 641.00, 641.00, 648.095, 670.41, 681.80, 686.0, 721.14,
765.03, 865.3, 907.08, 1015.40, 1042.39, 1054.22, 1087.06, 1139.03, 1154.65,
1163.2, 1245.46, 1263.71, 1277.83, 1305.4, 1455.06, 1719.1, 1867.97,
1875.74

681.80 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5),

324.408 (4.90E-5), 357.153, 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 583.34, 588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08, 934.6, 1171.62, 1242.62, 1298.84, 1506.97, 1825.52

686.0 109.1, 130, 191.256 (4.90E-5), 221.270, 233.58, 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 603.8, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 675.154, 681.80 (4.90E-5), 721.14 (4.90E-5), 755.08, 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 862.46, 865.3 (4.90E-5), 948.37, 1001.5, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1323.12, 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1396.19, 1409.86, 1413.15, 1450.75, 1455.06 (4.90E-5), 1488.91, 1506.97, 1598.31, 1631.16, 1684.07, 1697.0, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-5), 1897.0, 1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27, 2143.57, 2188.79, 2342.65 (4.90E-5), 2365.45, 2457.6, 2473.69, 2486.6, 2535.57, 2566.10, 2772.7

693.33 588.333, 1021.67, 1139.03, 1154.65, 1589.19

721.14 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08, 1139.03, 1154.65

755.08 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 862.46, 959.79, 1139.03, 1154.65, 1548.21

765.03 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 278.8, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 357.153, 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 583.34, 588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08, 934.6, 1171.62, 1242.62, 1298.84, 1506.97, 1825.52

768.3 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 191.256, 236.477, 264.04, 278.8, 292.816, 324.408, 392.94, 449.12, 456.750, 473.04, 520.78, 529.790, 562.10, 588.333, 617.20, 641.00, 641.00, 648.095, 681.80, 686.0, 721.14, 765.03, 814.41, 865.3, 1015.40, 1042.39, 1054.22, 1087.06, 1139.03, 1154.65, 1163.2, 1245.46, 1263.71, 1277.83, 1305.4, 1455.06, 1719.1, 1867.97, 1875.74

772.20 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 336.8, 392.94, 449.12, 588.333, 617.20, 686.0, 814.41, 948.37, 1174.60, 1371, 1413.15, 1510.89, 2099.5

789.54 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 336.8, 392.94, 449.12, 562.10, 588.333, 617.20, 686.0, 814.41, 948.37, 1174.60, 1371, 1413.15, 1510.89, 2099.5

793 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 236.477 (4.90E-5), 264.04, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5), 686.0 (4.90E-5), 814.41 (4.90E-5), 1127.9

814.41 109.1, 191.256 (4.90E-5), 264.04 (4.90E-5), 268.08 (4.90E-5), 278.8 (4.90E-5), 300.648, 336.8, 339.10, 357.153, 373.14, 411.10, 456.750 (4.90E-5), 459.69, 467.116 (4.90E-5), 473.04, 487.96, 503.40, 520.78 (4.90E-5), 529.790 (4.90E-5), 553.58, 562.10, 626.77, 641.00 (4.90E-5), 641.00 (4.90E-5), 648.095 (4.90E-5), 658.40 (4.90E-5), 681.80 (4.90E-5), 721.14 (4.90E-5), 765.03 (4.90E-5), 768.3, 772.20, 789.54, 793 (4.90E-5), 820.50, 862.46, 865.3 (4.90E-5), 948.37, 1004.56, 1015.40 (4.90E-5), 1042.39 (4.90E-5), 1054.22 (4.90E-5), 1077.68, 1087.06 (4.90E-5), 1115.196 (4.90E-5), 1127.9 (4.90E-5), 1131.72, 1139.03 (4.90E-5), 1154.65 (4.90E-5), 1163.2 (4.90E-5), 1179.5 (4.90E-5), 1188.26 (4.90E-5), 1242.62, 1245.46 (4.90E-5), 1263.71 (4.90E-5), 1277.83 (4.90E-5), 1283.08, 1298.84 (4.90E-5), 1305.4 (4.90E-5), 1334.0, 1339.17 (4.90E-5), 1350.73, 1358.5, 1450.75, 1455.06 (4.90E-5), 1488.91, 1684.07, 1712.60 (4.90E-5), 1716.39, 1719.1 (4.90E-5), 1730.76 (4.90E-5), 1736.7, 1745.32 (4.90E-5), 1768.0, 1772.77 (4.90E-5), 1786.57, 1811.42, 1854.54, 1867.97 (4.90E-5), 1875.74 (4.90E-

5),
1908.22, 2026.78, 2046.2, 2056.2, 2064.5 (4.90E-5), 2075.27,
2143.57, 2342.65 (4.90E-5), 2457.6, 2486.6, 2566.10

820.50 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
449.12, 588.333, 617.20, 686.0, 814.41, 948.37, 1174.60, 1371

852.46 588.333, 1805.25, 2393.04

862.46 68.55 (2.05E-7), 97.27, 156.54, 167.900, 233.58, 236.477, 278.8, 292.816, 324.408,
392.94, 449.12, 588.333, 617.20, 686.0, 755.08, 1139.03, 1154.65, 1409.86,
1598.31, 1631.16, 1697.0

862.46 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
449.12, 553.58, 588.333, 617.20, 626.77, 641.00, 686.0, 814.41, 865.3, 1015.40,
1042.39, 1139.03, 1154.65

865.3 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 213.87, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5),
324.408 (4.90E-5), 392.94 (4.90E-5), 411.10, 449.12 (4.90E-5), 456.750,
467.116, 514.7, 553.58, 588.333 (4.90E-5), 617.20 (4.90E-5), 637.270,
648.095, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
862.46, 907.08, 1004.56, 1115.196, 1225.62, 1323.12, 1641.82, 1676.50, 1993.7,
2016.25

907.08 191.256, 264.04, 278.8, 456.750, 473.04, 487.96, 520.78, 529.790, 562.10, 603.8,
641.00, 641.00, 648.095, 675.154, 681.80, 721.14, 765.03, 865.3, 1001.5, 1015.40,
1042.39, 1054.22, 1087.06, 1127.9, 1139.03, 1154.65, 1163.2, 1245.46,
1263.71, 1277.83, 1305.4, 1323.12, 1334.0, 1396.19, 1450.75, 1455.06, 1506.97,
1719.1, 1867.97, 1875.74, 2188.79, 2365.45, 2473.69, 2535.57

934.6 68.55 (2.05E-7), 167.900, 236.477, 278.8, 339.10, 373.14, 473.04, 487.96, 503.40,
562.10, 681.80, 765.03, 1131.72, 1139.03, 1154.65, 1242.62, 1283.08, 1334.0,
1450.75, 1716.39, 1786.57, 1908.22

948.37 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 336.8, 392.94,
449.12, 562.10, 588.333, 617.20, 686.0, 772.20, 789.54, 814.41, 820.50,
1350.73, 1358.5

959.79 233.58, 278.8, 588.333, 755.08, 1139.03, 1154.65, 1409.86, 1598.31, 1631.16, 1697.0

1001.5 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 264.04, 292.816, 324.408,
392.94, 449.12, 514.7, 588.333, 617.20, 670.41, 686.0, 907.08, 1127.9

1004.56 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
411.10, 449.12, 588.333, 617.20, 637.270, 641.00, 686.0, 814.41, 865.3, 1015.40,
1042.39, 1225.62

1015.40 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 213.87, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5),
324.408 (4.90E-5), 392.94 (4.90E-5), 411.10, 449.12 (4.90E-5), 456.750,
467.116, 514.7, 553.58, 588.333 (4.90E-5), 617.20 (4.90E-5), 637.270,
648.095, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
862.46, 907.08, 1004.56, 1115.196, 1225.62, 1323.12, 1641.82, 1676.50, 1993.7,
2016.25

1021.67 588.333, 693.33, 1139.03, 1154.65

1042.39 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 213.87, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5),
324.408 (4.90E-5), 392.94 (4.90E-5), 411.10, 449.12 (4.90E-5), 456.750,
467.116, 514.7, 553.58, 588.333 (4.90E-5), 617.20 (4.90E-5), 637.270,
648.095, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
862.46, 907.08, 1004.56, 1115.196, 1225.62, 1323.12, 1641.82, 1676.50, 1993.7,
2016.25

1054.22 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5),
324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 473.04,
514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 658.40, 670.41, 675.154, 686.0 (4.90E-5),
768.3, 814.41 (4.90E-5), 907.08

1077.68 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
411.10, 449.12, 588.333, 617.20, 637.270, 686.0, 814.41, 1139.03, 1154.65, 1225.62

1087.06 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5),
324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5),
617.20 (4.90E-5), 658.40, 670.41, 675.154, 686.0 (4.90E-5),
768.3, 814.41 (4.90E-5), 907.08

1095.13 68.55 (2.05E-7), 167.900, 236.477, 562.10, 1556.54

1115.196 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5), 641.00, 686.0 (4.90E-5), 814.41 (4.90E-5), 865.3, 1015.40, 1042.39

1118.25 68.55 (2.05E-7), 156.54, 167.900, 236.477, 324.408, 392.94, 487.96, 1334.0, 1450.75

1127.9 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 221.270, 236.477 (4.90E-5), 264.04, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 670.41, 686.0 (4.90E-5), 793, 814.41 (4.90E-5), 907.08, 1001.5, 1320

1131.72 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 357.153, 392.94, 449.12, 583.34, 588.333, 617.20, 686.0, 814.41, 934.6, 1139.03, 1154.65, 1171.62

1139.03 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 357.153, 392.94 (4.90E-5), 411.10, 449.12 (4.90E-5), 467.116, 514.7, 529.790, 583.34, 588.333 (4.90E-5), 617.20 (4.90E-5), 626.77, 637.270, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 693.33, 721.14, 755.08, 768.3, 814.41 (4.90E-5), 862.46, 862.46, 907.08, 934.6, 959.79, 1021.67, 1077.68, 1131.72, 1171.62, 1188.26, 1225.62, 1396.19, 1488.91, 1548.21, 1676.50, 2303.5

1154.65 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 357.153, 392.94 (4.90E-5), 411.10, 449.12 (4.90E-5), 467.116, 514.7, 529.790, 583.34, 588.333 (4.90E-5), 617.20 (4.90E-5), 626.77, 637.270, 658.40, 670.41, 675.154, 686.0 (4.90E-5), 693.33, 721.14, 755.08, 768.3, 814.41 (4.90E-5), 862.46, 862.46, 907.08, 934.6, 959.79, 1021.67, 1077.68, 1131.72, 1171.62, 1188.26, 1225.62, 1396.19, 1488.91, 1548.21, 1676.50, 2303.5

1163.2 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 191.256, 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 520.78, 588.333 (4.90E-5), 617.20 (4.90E-5), 658.40, 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08, 1179.5, 2293.81

1171.62 278.8, 339.10, 373.14, 473.04, 487.96, 503.40, 562.10, 681.80, 765.03, 1131.72, 1139.03, 1154.65, 1242.62, 1283.08, 1334.0, 1450.75, 1716.39, 1786.57, 1908.22

1174.60 336.8, 562.10, 588.333, 772.20, 789.54, 820.50, 1350.73, 1358.5

1179.5 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5), 686.0 (4.90E-5), 814.41 (4.90E-5), 1163.2

1188.26 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5), 686.0 (4.90E-5), 814.41 (4.90E-5), 1139.03, 1154.65

1193.44 588.333, 1598.31

1225.62 264.04, 487.96, 641.00, 865.3, 1004.56, 1015.40, 1042.39, 1077.68, 1139.03, 1154.65, 1736.7, 1811.42, 1854.54, 2075.27

1242.62 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 278.8, 292.816, 324.408, 357.153, 392.94, 449.12, 583.34, 588.333, 617.20, 681.80, 686.0, 765.03, 814.41, 934.6, 1171.62

1245.46 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 473.04, 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08

1263.71 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5), 617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5), 907.08

1275.17 68.55 (2.05E-7), 167.900, 236.477, 487.96, 1334.0, 1450.75

1277.83 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),

392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5),
 617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
 907.08
 1283.08 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 357.153,
 373.14, 392.94, 449.12, 473.04, 503.40, 583.34, 588.333, 617.20, 686.0, 814.41,
 934.6, 1171.62
 1298.84 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
 236.477 (4.90E-5), 278.8, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5),
 681.80, 686.0 (4.90E-5), 765.03, 814.41 (4.90E-5)
 1305.4 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
 221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 562.10, 588.333 (4.90E-5),
 617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3,
 814.41 (4.90E-5), 907.08
 1320 264.04, 588.333, 1127.9
 1323.12 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 392.94,
 449.12, 514.7, 588.333, 617.20, 641.00, 670.41, 686.0, 865.3, 907.08, 1015.40,
 1042.39
 1331.63 562.10, 1556.54
 1334.0 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408,
 339.10, 357.153, 392.94, 449.12, 514.7, 583.34, 588.333, 603.8, 617.20, 670.41,
 686.0, 814.41, 907.08, 934.6, 1118.25, 1171.62, 1275.17, 1510.89
 1339.17 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
 373.14, 392.94 (4.90E-5), 449.12 (4.90E-5), 473.04, 503.40, 588.333 (4.90E-5),
 617.20 (4.90E-5), 686.0 (4.90E-5), 814.41 (4.90E-5)
 1350.73 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 336.8, 392.94,
 449.12, 588.333, 617.20, 686.0, 814.41, 948.37, 1174.60, 1371, 1413.15,
 1510.89, 2099.5
 1358.5 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 336.8, 392.94,
 449.12, 588.333, 617.20, 686.0, 814.41, 948.37, 1174.60, 1371, 1413.15,
 1510.89, 2099.5
 1371 68.55 (2.05E-7), 156.54, 167.900, 236.477, 324.408, 336.8, 392.94, 562.10, 772.20,
 789.54, 820.50, 1350.73, 1358.5
 1396.19 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 392.94,
 449.12, 514.7, 588.333, 617.20, 670.41, 686.0, 907.08, 1139.03, 1154.65
 1409.86 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12,
 588.333, 617.20, 686.0, 862.46, 959.79, 1548.21
 1413.15 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12,
 562.10, 588.333, 617.20, 686.0, 772.20, 789.54, 1350.73, 1358.5
 1450.75 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408,
 339.10, 357.153, 392.94, 449.12, 487.96, 514.7, 583.34, 588.333, 603.8, 617.20,
 670.41, 686.0, 814.41, 907.08, 934.6, 1118.25, 1171.62, 1275.17, 1510.89
 1455.06 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
 221.270, 236.477 (4.90E-5), 264.04, 292.816 (4.90E-5), 300.648 (4.90E-5),
 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5),
 617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3,
 814.41 (4.90E-5), 907.08
 1488.91 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
 449.12, 588.333, 617.20, 686.0, 814.41, 1139.03, 1154.65
 1506.97 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 278.8, 292.816, 324.408,
 392.94, 449.12, 514.7, 588.333, 617.20, 670.41, 681.80, 686.0, 765.03, 907.08
 1510.89 487.96, 1334.0, 1450.75
 1510.89 562.10, 588.333, 772.20, 789.54, 1350.73, 1358.5
 1548.21 233.58, 278.8, 755.08, 1139.03, 1154.65, 1409.86, 1598.31, 1631.16, 1697.0
 1556.54 68.55 (2.05E-7), 167.900, 236.477, 562.10, 1095.13, 1331.63
 1589.19 588.333, 693.33
 1598.31 68.55 (2.05E-7), 97.27, 156.54, 167.900, 233.58, 236.477, 292.816, 324.408, 392.94,
 449.12, 588.333, 617.20, 686.0, 862.46, 959.79, 1193.44, 1548.21, 1781.67
 1631.16 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 278.8, 292.816, 324.408, 392.94,
 449.12, 588.333, 617.20, 686.0, 862.46, 959.79, 1548.21
 1641.82 588.333, 641.00, 865.3, 1015.40, 1042.39

1676.50 553.58, 626.77, 641.00, 865.3, 1015.40, 1042.39, 1139.03, 1154.65
1684.07 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
449.12, 459.69, 588.333, 617.20, 686.0, 814.41
1697.0 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12,
588.333, 617.20, 686.0, 862.46, 959.79, 1548.21
1712.60 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 473.04, 588.333 (4.90E-5), 617.20 (4.90E-5),
686.0 (4.90E-5), 814.41 (4.90E-5)
1716.39 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 357.153,
392.94, 449.12, 562.10, 583.34, 588.333, 617.20, 686.0, 814.41, 934.6, 1171.62
1719.1 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5),
617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
907.08
1730.76 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5),
686.0 (4.90E-5), 814.41 (4.90E-5)
1736.7 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
411.10, 449.12, 487.96, 588.333, 617.20, 637.270, 686.0, 814.41, 1225.62
1745.32 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5),
686.0 (4.90E-5), 814.41 (4.90E-5)
1768.0 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
449.12, 588.333, 617.20, 686.0, 814.41
1772.77 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 562.10, 588.333 (4.90E-5), 617.20 (4.90E-5),
686.0 (4.90E-5), 814.41 (4.90E-5)
1781.67 1598.31
1786.57 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 357.153,
392.94, 449.12, 583.34, 588.333, 617.20, 686.0, 814.41, 934.6, 1171.62
1805.25 588.333, 852.46
1811.42 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 264.04, 292.816, 324.408,
392.94, 411.10, 449.12, 588.333, 617.20, 637.270, 686.0, 814.41, 1225.62
1825.52 278.8, 588.333, 681.80, 765.03
1854.54 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
411.10, 449.12, 588.333, 617.20, 637.270, 686.0, 814.41, 1225.62
1867.97 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5),
617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
907.08
1875.74 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5),
221.270, 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5),
392.94 (4.90E-5), 449.12 (4.90E-5), 467.116, 514.7, 588.333 (4.90E-5),
617.20 (4.90E-5), 670.41, 675.154, 686.0 (4.90E-5), 768.3, 814.41 (4.90E-5),
907.08
1897.0 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12,
588.333, 617.20, 686.0
1908.22 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 357.153,
392.94, 449.12, 583.34, 588.333, 617.20, 686.0, 814.41, 934.6, 1171.62
1993.7 68.55 (2.05E-7), 167.900, 236.477, 641.00, 865.3, 1015.40, 1042.39
2016.25 213.87, 641.00, 865.3, 1015.40, 1042.39
2026.78 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
449.12, 459.69, 588.333, 617.20, 686.0, 814.41
2046.2 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94,
449.12, 588.333, 617.20, 686.0, 814.41
2053.0 438.5, 588.333
2056.2

68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 814.41

2064.5 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 236.477 (4.90E-5), 278.8, 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5), 686.0 (4.90E-5), 814.41 (4.90E-5)

2075.27 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 411.10, 449.12, 588.333, 617.20, 637.270, 686.0, 814.41, 1225.62

2099.5 562.10, 772.20, 789.54, 1350.73, 1358.5

2143.57 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 814.41

2188.79 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 392.94, 449.12, 514.7, 588.333, 617.20, 670.41, 686.0, 907.08

2293.81 1163.2

2303.5 1139.03, 1154.65

2342.65 68.55 (4.92E-5), 97.27 (4.90E-5), 130 (4.90E-5), 156.54 (4.90E-5), 167.900 (4.90E-5), 236.477 (4.90E-5), 292.816 (4.90E-5), 300.648 (4.90E-5), 324.408 (4.90E-5), 392.94 (4.90E-5), 449.12 (4.90E-5), 588.333 (4.90E-5), 617.20 (4.90E-5), 686.0 (4.90E-5), 814.41 (4.90E-5)

2365.45 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 392.94, 449.12, 514.7, 588.333, 617.20, 670.41, 686.0, 907.08

2373.45 487.96, 588.333

2393.04 852.46

2457.6 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 814.41

2473.69 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 392.94, 449.12, 514.7, 588.333, 617.20, 670.41, 686.0, 907.08

2486.6 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 814.41

2514.30 68.55 (2.05E-7)

2535.57 68.55 (2.05E-7), 97.27, 156.54, 167.900, 221.270, 236.477, 292.816, 324.408, 392.94, 449.12, 514.7, 588.333, 617.20, 670.41, 686.0, 907.08

2566.10 68.55 (2.05E-7), 97.27, 130, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0, 814.41

2572.85 68.55 (2.05E-7), 438.5

2591.30 278.8, 588.333

2684.21 588.333

2712.50 588.333

2721.3 68.55 (2.05E-7), 167.900, 236.477

2772.7 68.55 (2.05E-7), 97.27, 156.54, 167.900, 236.477, 292.816, 324.408, 392.94, 449.12, 588.333, 617.20, 686.0

2792.5 588.333

2800.6 68.55 (2.05E-7), 167.900, 236.477, 264.04

2854.7 588.333

2861.8 588.333

2888.1 562.10

2962.5 487.96

2968.5 68.55 (2.05E-7), 264.04

3008.9 68.55 (2.05E-7), 167.900, 236.477

3179.2 278.8