

NAPCO Nucleus

Developer Setup Guide

Eight steps. Run every command in PowerShell on your Windows dev PC.

START HERE

Before you begin

Run every command below in **PowerShell** on your Windows dev PC.

What Titu sends you first

Titu will DM you these two files privately (they contain secrets — never share them publicly):

1. `.env` — save inside your repo folder after Step 1 (`$NN\.env`)
2. `google-credentials.json` — save inside your repo folder (`$NN\google-credentials.json`)

The Samba password is provided inline in Step 5 below.

STEP 1

Clone the repo

Pick where you want the repo installed. Set `$NN` to that path — every later step references `$NN`, so the install location is yours to decide.

Run in **PowerShell**:

```
$NN = "E:\Projects\NAPCO-Nucleus" # change this if you want it elsewhere
mkdir (Split-Path $NN -Parent) -Force | Out-Null
git clone https://github.com/napco-labs/napco-nucleus.git $NN
Set-Location $NN
```

`$NN` only lives in the current PowerShell session. If you close PowerShell, set it again at the top of any new session before running the rest of the commands. To make it permanent across sessions:

```
[Environment]::SetEnvironmentVariable("NN", $NN, "User")
```

After that, use `$env:NN` from any future shell.

STEP 2

Install Python packages

Run in **PowerShell**:

```
Set-Location $NN
python -m pip install -r requirements.txt
```

NAPCO Nucleus

Developer Setup Guide

Eight steps. Run every command in PowerShell on your Windows dev PC.

STEP 3

Install Tesseract OCR

Run anywhere in **PowerShell**:

```
winget install UB-Mannheim.TesseractOCR
```

Then close and reopen PowerShell (re-set \$NN after reopen).

STEP 4

Place the files Titu sent you + set your dev name

Save the two files from the "What Titu sends you first" section above into your repo folder:

```
$NN\.env  
$NN\google-credentials.json
```

(Replace \$NN with your actual path in your file manager — e.g.
E:\Projects\NAPCO-Nucleus\.env.)

Open the .env file in Notepad. Find this line:

```
NUCLEUS_DEV_NAME=Titu
```

Replace Titu with **your** name. Use one of these exactly:

```
Assad Rocky Ferdows Titu Atik Isruk Amin
```

Save. Close.

STEP 5

Cache the Samba password

Run in **PowerShell**:

```
cmdkey /add:172.16.205.123 /user:nucleus /pass:E7CqJ0d1oHox7HTjxNp_osD_fSyUe59I
```

Verify:

```
Test-Path \\172.16.205.123\nucleus-central
```

Expected output: True

NAPCO Nucleus

Developer Setup Guide

Eight steps. Run every command in PowerShell on your Windows dev PC.

STEP 6

Install the voice daemon

Run in **PowerShell**:

```
Set-Location $NN
.\scripts\register-voice-daemon-task.ps1
Start-ScheduledTask -TaskName 'NAPCO Nucleus - Voice Daemon'
```

STEP 7

Install chat-push tasks

Run in **PowerShell**:

```
Set-Location $NN
.\scripts\register-chat-push-task.ps1
```

STEP 8

Test

Make a Teams call (any short call, at least 20 seconds). Wait 2 minutes. Then run in **PowerShell**:

```
$you = ((Select-String -Path "$NN\.env" -Pattern '^NUCLEUS_DEV_NAME=')).Line -replace
'NUCLEUS_DEV_NAME=', '').Trim()
$today = Get-Date -Format "yyyy-MM-dd"
Get-ChildItem "\\172.16.205.123\nucleus-central\you\$today\calls\"
```

Expected: your call files (*_mic.wav, *_speaker.wav, *.json, *_transcript.md).

STEP 9

Enable remote operations (admin one-time)

So Titu can troubleshoot and update your PC remotely without bothering you again, run this **once in admin PowerShell** (right-click PowerShell → Run as administrator):

```
Enable-PSRemoting -Force
```

That's it. Opens the WinRM listener + firewall rule. After this, Titu can run diagnostics + apply fixes on your PC from his without you needing to be at the keyboard.

Setup is complete.

NAPCO Nucleus

Developer Setup Guide

Eight steps. Run every command in PowerShell on your Windows dev PC.

HELP

If a step fails

Tail the voice daemon log:

```
Get-Content "$NN\logs\voice_daemon.log" -Tail 50
```

scripts disabled on this system **error in Step 6 or 7:**

```
powershell.exe -ExecutionPolicy Bypass -File  
"$NN\scripts\register-voice-daemon-task.ps1"
```

(Use the same form for register-chat-push-task.ps1.)

Test-Path in Step 5 returned False:

```
ping 172.16.205.123  
cmdkey /list:172.16.205.123
```

Mic missing from recordings:

Teams → Settings → Devices → set Microphone to your Windows default input.

UPDATE

Update the system later

Run in **PowerShell** (re-set \$NN first if it's a fresh session):

```
Set-Location $NN  
git pull  
python -m pip install -r requirements.txt  
Stop-ScheduledTask -TaskName 'NAPCO Nucleus - Voice Daemon'  
Start-ScheduledTask -TaskName 'NAPCO Nucleus - Voice Daemon'
```

UNINSTALL

Uninstall

Run in **PowerShell** (re-set \$NN first if it's a fresh session):

```
Set-Location $NN  
.\scripts\register-voice-daemon-task.ps1 -Unregister  
.\scripts\register-chat-push-task.ps1 -Unregister  
cmdkey /delete:172.16.205.123
```

NAPCO Nucleus

Developer Setup Guide

Eight steps. Run every command in PowerShell on your Windows dev PC.

CONTACT

Contact

Titu — khasan@ael-bd.com