

napdown Cookbook: Recipes for developing NAPs

Open NAP Initiative

2021-05-23

Contents

1	Prerequisites	5
2	Introduction	7
3	Installation guide and general introduction	11
4	A generic Open NAP	13
5	Creating a website using blogdown	15
5.1	Example one	15
5.2	Example two	15
6	Final Words	17

Chapter 1

Prerequisites

This book is written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation $a^2 + b^2 = c^2$.

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")  
# or the development version  
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): <https://yihui.org/tinytex/>.

Chapter 2

Introduction

Contents

2.0.1 Installation guide and general introduction

```
install.packages("rmarkdown")
```

Install latest TinyTex:

```
tinytex::install_tinytex()
```

(to uninstall TinyTeX, run `tinytex::uninstall_tinytex()`)

2.0.2 Creating a website using blogdown

```
install.packages('blogdown')
```

2.0.3 Creating a report using R Markdown and bookdown: a generic Open NAP

2.0.4 Working with data using R and RStudio

2.0.5 Working with Climate data and climate scenarios, and RClimDex

2.0.6 Collection of recipes in support of a NAP

2.0.7 Dashboards: Learning using national COVID-19 dashboards

2.0.8 A generic National Risk Index

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 2. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter ??.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```




Figure 2.1: Here is a nice figure!

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 2.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 2.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```


Table 2.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2021) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Chapter 3

Installation guide and general introduction

Here is a review of existing methods.

Chapter 4

A generic Open NAP

Creating a report using R Markdown and bookdown: a

Chapter 5

Creating a website using blogdown

Some *significant* applications are demonstrated in this chapter.

5.1 Example one

5.2 Example two

Chapter 6

Final Words

We have finished a nice book.

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2021). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.22.