

# Hands-on Lab: Using the CQL Shell (cqlsh)



Estimated time needed: **20** minutes

## Objectives

After completing this lab you will be able to:

- Access the Cassandra server with cqlsh, the command-line interface for using the Cassandra Query Language (CQL)
- Run commands to learn more about the server and session, such as server version and host details
- Determine the available keyspaces, which are objects similar to databases, on the server

## About This SN Labs Cloud IDE

This Skills Network Labs Cloud IDE provides a hands-on environment for course and project related labs. It utilizes Theia, an open-source IDE (Integrated Development Environment) platform, that can be run on desktop or on the cloud. To complete this lab, we will be using the Cloud IDE based on Theia and Skills Network-provided Cassandra.

## Important Notice about this lab environment

Please be aware that sessions for this lab environment are not persisted. Every time you connect to this lab, a new environment is created for you. Any data you may have saved in the earlier session would get lost. Plan to complete these labs in a single session, to avoid losing your data.

## Exercise 1 - Start cassandra server

Open the Cassandra database page by clicking the button below:

Open Cassandra Page in IDE

On that page, click the Create button to create a Cassandra database.

## Exercise 2 - Connect to cassandra server

After creation has finished, click the `Cassandra CLI` button (below the `Create` button from the previous step) to connect to the database using the `cqlsh` CLI.

## Exercise 3 - Find host details

On the `cqlsh` run the below command.

- 1
- show host

Copied!

This will show the details of the server you have connected to.

## Exercise 4 - Find the version of the server

On the `cqlsh` run the below command.

- 1
- show version

Copied!

This will show the version of the cassandra server.

## Exercise 5 - List keyspaces

On the `cqlsh` run the below command.

- 1
- describe keyspaces

Copied!

This will print a list of the keyspaces present on the server.

## Exercise 6 - Clear the screen

On the cqlsh run the below command.

```
1. 1
```

```
1. cls
```

Copied!

This will clear the cqlsh screen.

## Exercise 7 - Disconnect from cassandra server

On the cqlsh run the below command.

```
1. 1
```

```
1. exit
```

Copied!

## Practice exercises

▼ Click here for Solution

Use the below command with the user name and password generated on your terminal window, when you started the cassandra server using start\_cassandra command.

```
1. 1
```

```
1. cqlsh --username cassandra --password MTg3MzMtcnNhbm5h
```

Copied!

1. Problem:

*Find the version of the server.*

- ▶ Click here for Hint
- ▼ Click here for Solution

1. 1

1. show version

Copied!

2. Problem:

*Find the host details.*

- ▶ Click here for Hint
- ▼ Click here for Solution

1. 1

1. show host

Copied!

3. Problem:

*Show keyspaces.*

- ▶ Click here for Hint
- ▼ Click here for Solution

1. 1

1. describe keyspaces

Copied!

4. Problem:

*Disconnect from the server.*

- ▶ Click here for Hint
- ▼ Click here for Solution

1. 1

1. exit

Copied!

## Authors

Ramesh Sannareddy

## Other Contributors

Rav Ahuja

© IBM Corporation. All rights reserved.