Documentation for using Atom and Pandoc

Pandoc

To use Pandoc to convert to pdf, you need the package platformio-ide-terminal. This allows to use the terminal inside of Atom. Once installed, it can be called with the command Ctrl-'.

These are the commands for using pandoc. Call the commands in the terminal.

pandoc markdownfilename.md -s -o view.pdf

Creates a pdf called view.pdf from the file markdownfilename.md. Option -s for standalone and option -o for output.

Markdown

Beginning a document

Between triple lines (—) write the title and author, as follows: --- title: Something

author: myself

Lists

Do two enters and - (slash). Looks like this:

- First
- Second

Small but useful

To do a single linebreak, use two spaces and enter. To change paragraph, use two enters. A single enter doesn't do anything.

To write taken characters, use the escape character backslash \backslash . Known taken characters are:

٠--

Using Git

First install Git. It is required to work properly. On Git bash, write the following commands for set up: git config –global user.name "Napoleon Freitas Paajanen" git config –global user.email "napoleonfreitaspaajanen@gmail.com" currently using the following sites:

Basics of git: https://git-scm.com/book/en/v2/Git-Basics-Recording-Changes-to-the-Repository

Possibly in the future use "git-control" package for easier use.

Latex

In order to use Latex commands, use double dollars \$\$. E.g.,

 $y \in R(A)$