

---

**nappydevelopment**

---

**Nappy, the ingenious  
Use-Case Specification: View Info**

Nappy, the ingenious	Version: 1.0
Use-Case Specification: <a href="#">View Info</a>	Date: 21/11/15

## Revision History

Date	Version	Description	Author
21/11/15	1.0	Initial Version	Mehmet Ali Incekara

Nappy, the ingenious	Version: 1.0
Use-Case Specification: View Info	Date: 21/11/15

## Table of Contents

1.	Use-Case View Info	4
1.1	Brief Description	4
2.	Flow of Events	5
2.1	Basic Flow	5
2.2	Alternative Flows	6
2.2.1	Open info in the menu	6
3.	Special Requirements	6
4.	Preconditions	6
5.	Postconditions	6
6.	Extension Points	6


Nappy, the ingenious	Version: 1.0
Use-Case Specification: View Info	Date: 21/11/15

## Use-Case Specification: View Info

### 1. Use-Case View Info

#### 1.1 Brief Description


The Use-Case “View Info” allows the user to read information about the developer and to contact us for help.



Nappy, the ingenious	Version: 1.0
Use-Case Specification: View Info	Date: 21/11/15

## 2. Flow of Events

### 2.1 Basic Flow



Cucumber is not supported for desktop applications. We are using SikuliX 1.1.0 for our user tests.

Nappy, the ingenious	Version: 1.0
Use-Case Specification: View Info	Date: 21/11/15

## 2.2 Alternative Flows

### 2.2.1 *Open info in the menu*

The user can use the button “Info” in the menu “Hilfe”.

## 3. Special Requirements

(n/a)

## 4. Preconditions

(n/a)

## 5. Postconditions

(n/a)

## 6. Extension Points

(n/a)