

**Nappy, the ingenious**  
**Use-Case Specification: Add Character**

Nappy, the ingenious	Version: 1.2
Use-Case Specification: Add Character	Date: 28/10/15

## Revision History

Date	Version	Description	Author
21/10/15	1.0	Initial Version	Marc Mahler
23/10/15	1.1	Add Screenshot	Marc Mahler
28/10/15	1.2	Add cucumber Screenshot	Mehmet Ali Inceara

Nappy, the ingenious	Version: 1.2
Use-Case Specification: Add Character	Date: 28/10/15

## Table of Contents

1.	Use-Case Add Character	4
1.1	Brief Description	4
2.	Flow of Events	5
2.1	Basic Flow	5
2.2	Alternative Flows	6
2.2.1	Abbruch des Erstellens	6
3.	Special Requirements	6
4.	Preconditions	6
5.	Postconditions	6
5.1	Postcondition One	6
5.2	Postcondition Two	6
6.	Extension Points	6


Nappy, the ingenious	Version: 1.2
Use-Case Specification: Add Character	Date: 28/10/15

# Use-Case Specification: Add Character

## 1. Use-Case Add Character

### 1.1 Brief Description

Bei dem Use-Case "Add Character" bekommt der Nutzer die Möglichkeit, neue Charaktere zur Datenbank hinzuzufügen. Um die Oberfläche aufzurufen, kann der Nutzer im Wiki den „Add Character“ Button anklicken, welcher sich in der rechten oberen Ecke befindet.



Daraufhin öffnet sich der Hinzufügen-Bildschirm.


Tbd: Mockup für Hinzufügen Bildschirm.

Nappy, the ingenious	Version: 1.2
Use-Case Specification: Add Character	Date: 28/10/15

*Beim Hinzufügen eines neuen Charakters muss der Nutzer alle nötigen Eingaben zum Charakter tätigen, um der Datenbank zu entsprechen. Für den Fall, dass ein Charakter bereits vorhanden ist, wird dies in Form einer Fehlermeldung ausgegeben.*

## 2. Flow of Events

### 2.1 Basic Flow



Nappy, the ingenious	Version: 1.2
Use-Case Specification: Add Character	Date: 28/10/15

```

Add_Character.feature x
1  Feature: Add a Character
2
3  Scenario: Start Add_Character / Wiki
4      Given The user is on the "Wiki Screen"
5      When The user presses the button "Add_Character" on the "Wiki Screen"
6      Then The "Add_Character Screen" will open in a new Window
7
8  Scenario: Not all information filled
9      Given At least 1 field is empty
10     When The user presses the "Submit" button
11     Then An Error Message is displayed because of missing information
12
13 Scenario: Character already exists
14     Given All information are filled in and the character already exists
15     When The user presses the "Submit" button
16     Then An Error Message is displayed because character does exist
17
18 Scenario: Adding successful
19     Given All information are filled in and the character does not exist
20     When The user presses the "Submit" button
21     Then The character is added to the database and a success-message is displayed

```

## 2.2 Alternative Flows

### 2.2.1 Abbruch des Erstellens

Der Benutzer kann das Hinzufügen eines Charakters abbrechen. Im Falle eines Abbrechens werden keine Änderungen übernommen oder gespeichert.

## 3. Special Requirements

(n/a)

## 4. Preconditions

*Das Wiki muss geöffnet sein, um einen Charakter hinzuzufügen.*

## 5. Postconditions

### 5.1 Postcondition One

Feedback vom System, ob ein Fehler aufgetreten ist.

### 5.2 Postcondition Two

Charakter soll hinzugefügt werden, wenn kein Fehler aufgetreten ist.

## 6. Extension Points

(n/a)