
nappydevelopment

Nappy, the ingenious
Use-Case Specification: View Instruction

Nappy, the ingenious	Version: 1.1
Use-Case Specification: View Instruction	Date: 30/11/2015

Revision History

Date	Version	Description	Author
21/11/2015	1.0	First Version	Mehmet Ali Incekara
30/11/2015	1.1	Add SikuliX	Mehmet Ali Incekara

Nappy, the ingenious	Version: 1.1
Use-Case Specification: View Instruction	Date: 30/11/2015

Table of Contents

1.	Use-Case View Instruction	4
1.1	Brief Description	4
2.	Flow of Events	5
2.1	Basic Flow	5
2.2	Alternative Flows	6
2.2.1	Open instruction in the menu	6
3.	Special Requirements	6
4.	Preconditions	6
5.	Postconditions	6
6.	Extension Points	6

Nappy, the ingenious	Version: 1.1
Use-Case Specification: View Instruction	Date: 30/11/2015

Use-Case Specification: View Instruction

1. Use-Case View Instruction

1.1 Brief Description


The Use-Case “View Instruction” allows the user to read an instruction which explains how to play the game.



Nappy, the ingenious	Version: 1.1
Use-Case Specification: View Instruction	Date: 30/11/2015

2. Flow of Events


2.1 Basic Flow




Nappy, the ingenious	Version: 1.1
Use-Case Specification: View Instruction	Date: 30/11/2015

Cucumber is not supported for desktop applications. We are using SikuliX 1.1.0 for our user tests.


Scenario 1: Open Instruction on the main screen



Scenario 2: Open Instruction in the menu



Scenario 3: Close Instruction



SikuliX-Directory: <https://github.com/nappydevelopment/docs/tree/master/sikulix>

2.2 Alternative Flows

2.2.1 Open instruction in the menu

The user can use the button “Instruction” in the menu “Hilfe”.

3. Special Requirements

(n/a)

4. Preconditions

(n/a)

5. Postconditions

(n/a)

6. Extension Points

(n/a)