nappydevelopment

Nappy, the ingenious Use-Case Specification: View Info

Nappy, the ingenious	Version:	1.2
Use-Case Specification: View Info	Date:	30/11/2015

Revision History

Date	Version	Description	Author
21/11/2015	1.0	Initial Version	Mehmet Ali Incekara
26/11/2015	1.1	Finishing touches and create PDF	Mehmet Ali Incekara
30/11/2015	1.2	Add SikuliX	Mehmet Ali Incekara

Nappy, the ingenious	Version:	1.2
Use-Case Specification: View Info	Date:	30/11/2015

Table of Contents

1.	Use-Case View Info	4
	1.1 Brief Description	4
2.	Flow of Events	5
	2.1 Basic Flow	5
	2.2 Alternative Flows	6
	2.2.1 Open info in the menu	Fehler! Textmarke nicht definiert.
3.	Special Requirements	6
4.	Preconditions	6
5.	Postconditions	6
6.	Extension Points	6


Nappy, the ingenious	Version:	1.2
Use-Case Specification: View Info	Date:	30/11/2015

Use-Case Specification: View Info

1. Use-Case View Info

1.1 Brief Description

The Use-Case "View Info" allows the user to read information about the developer and to contact us for help.




Info-Fenster

Nappy, the ingenious	Version:	1.2
Use-Case Specification: View Info	Date:	30/11/2015

2. Flow of Events


2.1 Basic Flow



Nappy, the ingenious	Version:	1.2
Use-Case Specification: View Info	Date:	30/11/2015

Cucumber is not supported for desktop applications. We are using SikuliX 1.1.0 for our step definitions.

Scenario 1: Open Info



Scenario 2: Close Info

```
1 exists( Nappy, the ingenious - Info 2 click( X )
3 exists( )
```

SikuliX-Directory: https://github.com/nappydevelopment/docs/tree/master/sikulix

2.2 Alternative Flows

3. Special Requirements

(n/a)

4. Preconditions

4.1 Open Info in the menu

The user uses the menu "Help" to click the button "Info".

5. Postconditions

(n/a)

6. Extension Points

(n/a)