




CSS Pseudo Elements



What are pseudo-elements?

A CSS pseudo-element is a **keyword** added to a selector that lets you **style** a specific part of the selected element(s).

Example The ::first-line pseudo element is used to add a special style to the first line of a text. The different pseudo elements available are.



::before

Inserts something **before the content** of each selected element(s).



```
<style>  
  p::before { content: "👋"; }  
</style>
```

```
<p>Hello World</p>
```

👋 Hello World



added using the
::before tag



Swipe →



::after

Allows you to add content **after a selected element(s)**.



```
<style>
p::after {
    content: " - CodewithSloba";
}
</style>
<p>Follow</p>
```

Follow - CodewithSloba

added using the
::after tag



Swipe →

::selection

Set CSS property to the part of document that is **selected by the user** (such as clicking and dragging the mouse across text).

```
<style>
::selection {
    color: red;
    background: yellow;
}
</style>
<p>CodewithSloba</p>
```

CodewithSloba

when the text is
manually selected



Swipe →

::first-letter

Add a **style** to the first **letter** of the specified selector.



```
<style>
p::first-letter {
    font-size: 200%;
    color: red;
}
</style>
<p>Runtime Terror</p>
```



Runtime Terror

first letter edited using
::first-letter tag



Swipe →

::first-line

Add a style to the first line of the specified selector.



```
<style>
p::first-line {
    background-color: yellow;
}
</style>
<p>
What breed of dog can jump
higher than buildings? <br>
The answer is “any dog,” because
buildings cannot jump.
</p>
```

What breed of dog can jump higher than buildings?
The answer is “any dog,” because buildings cannot jump.



first line of text edited
using ::first-line tag



Swipe →

Do you find it helpful?

let me know down in the
comments !



Slobodan Gajić

Content Creator



FOLLOW FOR MORE