

# CreditoUruguayo

## Execution Environment

Host name	nicolas.aquino - ip-192-168-1-7.ec2.internal
OS	Windows 10 64bit
Katalon version	8.1.0.208
Browser	Chrome 94.0.4606.81

## Summary

ID	Test Suites/CreditoUruguayo		
Description			
Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2021-10-18 16:34:59	End	2021-10-18 16:36:19
Elapsed	1m - 20,555s		

#	ID	Description	Status
1	Test Cases/0_Generales/Generar cedula random		PASSED
2	Test Cases/CreditoUruguayo/CreditoUruguayo		PASSED

# Generar cedula random

## Information

ID	Test Cases/0_Generales/Generar cedula random		
Description			
Tag			
Start	2021-10-18 16:34:59	End	2021-10-18 16:35:03
Elapsed	3,828s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	<code>openBrowser("https://picandocodigo.github.io/ci_js/")</code>  Browser is opened with url: 'https://picandocodigo.github.io/ci_js/'	2,376s	PASSED
2	<code>maximizeWindow()</code>  Current window maximized	0,157s	PASSED
3	<code>click(findTestObject("Generador de cedulas/botonGenerar"))</code>  Object: 'Object Repository/Generador de cedulas/botonGenerar' is clicked on	0,478s	PASSED
4	<code>cedulaRandom = getAttribute(findTestObject("Generador de cedulas/obtenerCedulaRandom"), "value")</code>  Attribute 'value' of object 'Object Repository/Generador de cedulas/obtenerCedulaRandom' is: '46524840'	0,513s	PASSED

# CreditoUruguayo

## Information

ID	Test Cases/CreditoUruguayo/CreditoUruguayo		
Description			
Tag			
Start	2021-10-18 16:35:03	End	2021-10-18 16:36:19
Elapsed	1m - 16,453s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Javascript para abrir nueva pestaña <a href="https://picandocodigo.github.io/ci_js/">Current window's url is: 'https://picandocodigo.github.io/ci_js/'</a>	0,020s	PASSED
2	Javascript para abrir nueva pestaña <a href="#">Current window's index is: 0</a>	0,021s	PASSED
3	Javascript para abrir nueva pestaña	0,012s	PASSED
4	Javascript para abrir nueva pestaña	0,017s	PASSED
5	Javascript para abrir nueva pestaña	0,044s	PASSED
6	Javascript para abrir nueva pestaña <a href="#">Switched to window with index: '1'</a>	0,039s	PASSED
7	navigateToUrl(CreditoUruguayo) <a href="https://dev-www.creditouruguayo.com.uy/">Navigate to 'https://dev-www.creditouruguayo.com.uy/' successfully</a>	3,881s	PASSED

# CreditoUruguayo

#	Description	Elapsed	Status
8	waitForElementPresent(findTestObject("CreditoUruguayo/Inicio/a_InicioFlujo"), 0)  Object 'Object Repository/CreditoUruguayo/Inicio/a_InicioFlujo' is present	0,327s	PASSED
9	enhancedClick(findTestObject("CreditoUruguayo/Inicio/a_InicioFlujo"))  Object: 'Object Repository/CreditoUruguayo/Inicio/a_InicioFlujo' is clicked on	0,424s	PASSED
10	waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 1/input_Cedula"), 0)  Object 'Object Repository/CreditoUruguayo/Flujo 1/input_Cedula' is present	0,971s	PASSED
11	setText(findTestObject("CreditoUruguayo/Flujo 1/input_Cedula"), cedulaRandom)  Text '46524840' is set on object 'Object Repository/CreditoUruguayo/Flujo 1/input_Cedula'	1,000s	PASSED
12	setText(findTestObject("CreditoUruguayo/Flujo 1/input_Celular"), findTestData("DatosUsuario").getValue(2, 3))  Text '94040738' is set on object 'Object Repository/CreditoUruguayo/Flujo 1/input_Celular'	0,812s	PASSED
13	enhancedClick(findTestObject("CreditoUruguayo/Flujo 1/input_TyC"))  Object: 'Object Repository/CreditoUruguayo/Flujo 1/input_TyC' is clicked on	0,577s	PASSED
14	enhancedClick(findTestObject("CreditoUruguayo/Flujo 1/button_Continuar-1"))  Object: 'Object Repository/CreditoUruguayo/Flujo 1/button_Continuar-1' is clicked on	0,582s	PASSED
15	waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 2/input_Nombre"), 0)  Object 'Object Repository/CreditoUruguayo/Flujo 2/input_Nombre' is present	1,150s	PASSED
16	setText(findTestObject("CreditoUruguayo/Flujo 2/input_Nombre"), findTestData("DatosUsuario").getValue(2, 7))  Text 'Nicolas' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Nombre'	1,109s	PASSED

# CreditoUruguayo

#	Description	Elapsed	Status
17	setText(findTestObject("CreditoUruguayo/Flujo 2/input_Apellido"), findTestData("DatosUsuario").getValue(2, 8))  Text 'Aquino' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Apellido'	0,673s	PASSED
18	selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Dia"), "15", false)  All options with value '15' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Dia'	0,706s	PASSED
19	selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Mes"), "10", false)  All options with value '10' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Mes'	0,686s	PASSED
20	selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Anio"), "1970", false)  All options with value '1970' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Anio'	0,680s	PASSED
21	delay(0.7)  Delayed 0,7 second(s)	0,736s	PASSED
22	setText(findTestObject("CreditoUruguayo/Flujo 2/input_Email"), findTestData("DatosUsuario").getValue(2, 6))  Text 'nicolas.aquino@paigo.com.uy' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Email'	0,862s	PASSED
23	delay(0.7)  Delayed 0,7 second(s)	0,711s	PASSED
24	sendKeys(findTestObject("CreditoUruguayo/Flujo 2/emailNoValidoFocus"), Keys.chord(BACK_SPACE))  Keys 'BACK_SPACE + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 2/emailNoValidoFocus'	0,361s	PASSED

# CreditoUruguayo

#	Description	Elapsed	Status
25	sendKeys(findTestObject("CreditoUruguayo/Flujo 2/input_Email"), Keys.chord(TAB))  Keys 'TAB + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 2/input_Email'	0,694s	PASSED
26	enhancedClick(findTestObject("CreditoUruguayo/Flujo 2/Departamento_1"))  Object: 'Object Repository/CreditoUruguayo/Flujo 2/Departamento_1' is clicked on	0,482s	PASSED
27	sendKeys(findTestObject(null), Keys.chord(TAB))  Keys 'TAB + ' sent to object: 'tempBody'	0,537s	PASSED
28	sendKeys(findTestObject(null), Keys.chord(TAB))  Keys 'TAB + ' sent to object: 'tempBody'	0,321s	PASSED
29	enhancedClick(findTestObject("CreditoUruguayo/Flujo 2/Departamento_2"))  Object: 'Object Repository/CreditoUruguayo/Flujo 2/Departamento_2' is clicked on	0,459s	PASSED
30	setText(findTestObject("CreditoUruguayo/Flujo 2/input_Ingresos"), "12000")  Text '12000' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Ingresos'	0,877s	PASSED
31	selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Genero"), "Male", false)  All options with value 'Male' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Genero'	0,648s	PASSED
32	enhancedClick(findTestObject("CreditoUruguayo/Flujo 2/button_Continuar-2"))  Object: 'Object Repository/CreditoUruguayo/Flujo 2/button_Continuar-2' is clicked on	0,504s	PASSED
33	if (verifyElementPresent(findTestObject("CreditoUruguayo/Flujo 3/div_SinOferta"), 0, OPTIONAL))  Delayed 1 second(s)	23,448s	PASSED

# CreditoUruguayo

#	Description	Elapsed	Status
34	<code>waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 3/select_FechaVencimiento"), 0)</code>  Object 'Object Repository/CreditoUruguayo/Flujo 3/select_FechaVencimiento' is present	7,118s	PASSED
35	<code>enhancedClick(findTestObject("CreditoUruguayo/Flujo 3/select_FechaVencimiento"))</code>  Object: 'Object Repository/CreditoUruguayo/Flujo 3/select_FechaVencimiento' is clicked on	0,353s	PASSED
36	<code>sendKeys(findTestObject("CreditoUruguayo/Flujo 3/select_FechaVencimiento"), Keys.chord(ARROW_DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 3/select_FechaVencimiento'	0,391s	PASSED
37	<code>waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 3/select_Cuotas"), 0)</code>  Object 'Object Repository/CreditoUruguayo/Flujo 3/select_Cuotas' is present	7,442s	PASSED
38	<code>enhancedClick(findTestObject("CreditoUruguayo/Flujo 3/select_Cuotas"))</code>  Object: 'Object Repository/CreditoUruguayo/Flujo 3/select_Cuotas' is clicked on	0,360s	PASSED
39	<code>sendKeys(findTestObject("CreditoUruguayo/Flujo 3/select_Cuotas"), Keys.chord(ARROW_DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 3/select_Cuotas'	0,366s	PASSED
40	<code>selectOptionByLabel(findTestObject("CreditoUruguayo/Flujo 3/select_Banco"), "Itaú", false)</code>  All options with label 'Itaú' are selected in object 'Object Repository/CreditoUruguayo/Flujo 3/select_Banco'	0,607s	PASSED
41	<code>setText(findTestObject("CreditoUruguayo/Flujo 3/input_CuentaBancaria"), findTestData("DatosUsuario").getValue(2, 10))</code>  Text '1234567' is set on object 'Object Repository/CreditoUruguayo/Flujo 3/input_CuentaBancaria'	0,673s	PASSED

# CreditoUruguayo

#	Description	Elapsed	Status
42	enhancedClick(findTestObject("CreditoUruguayo/Flujo 3/button_Continuar-3"))  Object: 'Object Repository/CreditoUruguayo/Flujo 3/button_Continuar-3' is clicked on	0,490s	PASSED
43	waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 4/a_ConfirmarCredito"), 0)  Object 'Object Repository/CreditoUruguayo/Flujo 4/a_ConfirmarCredito' is present	1,151s	PASSED
44	enhancedClick(findTestObject("CreditoUruguayo/Flujo 4/a_ConfirmarCredito"))  Object: 'Object Repository/CreditoUruguayo/Flujo 4/a_ConfirmarCredito' is clicked on	0,355s	PASSED
45	waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 5/input_Direccion"), 0)  Object 'Object Repository/CreditoUruguayo/Flujo 5/input_Direccion' is present	1,141s	PASSED
46	setText(findTestObject("CreditoUruguayo/Flujo 5/input_Direccion"), findTestData("DatosUsuario").getValue(2, 9))  Text 'Calle falsa 123' is set on object 'Object Repository/CreditoUruguayo/Flujo 5/input_Direccion'	1,000s	PASSED
47	enhancedClick(findTestObject("CreditoUruguayo/Flujo 5/button_CrearContrasena"))  Object: 'Object Repository/CreditoUruguayo/Flujo 5/button_CrearContrasena' is clicked on	0,376s	PASSED
48	setText(findTestObject("CreditoUruguayo/Flujo 5/input_Contrasena"), findTestData("DatosUsuario").getValue(2, 11))  Text 'paigo123' is set on object 'Object Repository/CreditoUruguayo/Flujo 5/input_Contrasena'	0,794s	PASSED
49	setText(findTestObject("CreditoUruguayo/Flujo 5/input_ConfirmarContrasena"), findTestData("DatosUsuario").getValue(2, 11))  Text 'paigo123' is set on object 'Object Repository/CreditoUruguayo/Flujo 5/input_ConfirmarContrasena'	0,799s	PASSED
50	enhancedClick(findTestObject("CreditoUruguayo/Flujo 5/input_TyC-2"))  Object: 'Object Repository/CreditoUruguayo/Flujo 5/input_TyC-2' is clicked on	0,564s	PASSED



# CreditoUruguayo

#	Description	Elapsed	Status
51	enhancedClick(findTestObject("CreditoUruguayo/Flujo 5/button_Continuar-4"))  Object: 'Object Repository/CreditoUruguayo/Flujo 5/button_Continuar-4' is clicked on	0,581s	PASSED
52	waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen"), 0)  Object 'Object Repository/CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen' is present	5,146s	PASSED
53	enhancedClick(findTestObject("CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen"))  Object: 'Object Repository/CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen' is clicked on	0,367s	PASSED
54	waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 7/a_Finalizar"), 0)  Object 'Object Repository/CreditoUruguayo/Flujo 7/a_Finalizar' is present	0,585s	PASSED
55	enhancedClick(findTestObject("CreditoUruguayo/Flujo 7/a_Finalizar"))  Object: 'Object Repository/CreditoUruguayo/Flujo 7/a_Finalizar' is clicked on	0,968s	PASSED