# CreditoUruguayo

## Execution Environment

| | |
|---|---|
| Host name | nicolas.aquino - ip-192-168-1-7.ec2.internal |
| OS | Windows 10 64bit |
| Katalon version | 8.1.0.208 |
| Browser | Chrome 94.0.4606.81 |

## Summary

| | |
|---|---|
| ID | Test Suites/Flujo Basico/CreditoUruguayo |
| Description | |

| | | | |
|---|---|---|---|
| Total | 5 | | |
| Passed | 3 | Failed | 2 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2021-10-18 17:02:38 | End | 2021-10-18 17:05:46 |
| Elapsed | 3m - 8,539s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/0_Generales/Generar cedula random | | PASSED |
| 2 | Test Cases/CreditoUruguayo/CreditoUruguayo | | PASSED |
| 3 | Test Cases/Admin/Logueo | | PASSED |
| 4 | Test Cases/Admin/Verificación | | FAILED |
| 5 | Test Cases/Admin/Desembolso | | FAILED |

# Generar cedula random

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/0_Generales/Generar cedula random | | |
| Description | | | |
| Tag | | | |
| Start | 2021-10-18 17:02:38 | End | 2021-10-18 17:02:42 |
| Elapsed | 4,348s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("https://picandocodigo.github.io/ci_js/")<br><br>Browser is opened with url: 'https://picandocodigo.github.io/ci_js/' | 2,741s | PASSED |
| 2 | maximizeWindow()<br><br>Current window maximized | 0,174s | PASSED |
| 3 | click(findTestObject("Generador de cedulas/botonGenerar"))<br><br>Object: 'Object Repository/Generador de cedulas/botonGenerar' is clicked on | 0,510s | PASSED |
| 4 | cedulaRandom = getAttribute(findTestObject("Generador de cedulas/obtenerCedulaRandom"), "value")<br><br>Attribute 'value' of object 'Object Repository/Generador de cedulas/obtenerCedulaRandom' is: '78382858' | 0,604s | PASSED |

# CreditoUruguayo

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/CreditoUruguayo/CreditoUruguayo | | |
| Description | | | |
| Tag | | | |
| Start | 2021-10-18 17:02:42 | End | 2021-10-18 17:04:05 |
| Elapsed | 1m - 22,106s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Javascript para abrir nueva pestaña | 0,017s | PASSED |
| | Current window's url is: 'https://picandocodigo.github.io/ci_js/' | | |
| 2 | Javascript para abrir nueva pestaña | 0,020s | PASSED |
| | Current window's index is: 0 | | |
| 3 | Javascript para abrir nueva pestaña | 0,009s | PASSED |
| 4 | Javascript para abrir nueva pestaña | 0,017s | PASSED |
| 5 | Javascript para abrir nueva pestaña | 0,027s | PASSED |
| 6 | Javascript para abrir nueva pestaña | 0,041s | PASSED |
| | Switched to window with index: '1' | | |
| 7 | navigateToUrl(CreditoUruguayo) | 4,300s | PASSED |
| | Navigate to 'https://dev-www.creditouruguayo.com.uy' successfully | | |

# CreditoUruguayo

| # | Description | Elapsed | Status |
|---|---|---|---|
| 8 | waitForElementPresent(findTestObject("CreditoUruguayo/Inicio/a_InicioFlujo"), 0)<br><br>Object 'Object Repository/CreditoUruguayo/Inicio/a_InicioFlujo' is present | 0,338s | PASSED |
| 9 | enhancedClick(findTestObject("CreditoUruguayo/Inicio/a_InicioFlujo"))<br><br>Object: 'Object Repository/CreditoUruguayo/Inicio/a_InicioFlujo' is clicked on | 0,444s | PASSED |
| 10 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 1/input_Cedula"), 0)<br><br>Object 'Object Repository/CreditoUruguayo/Flujo 1/input_Cedula' is present | 0,984s | PASSED |
| 11 | setText(findTestObject("CreditoUruguayo/Flujo 1/input_Cedula"), cedulaRandom)<br><br>Text '78382858' is set on object 'Object Repository/CreditoUruguayo/Flujo 1/input_Cedula' | 1,027s | PASSED |
| 12 | setText(findTestObject("CreditoUruguayo/Flujo 1/input_Celular"), findTestData("DatosUsuario").getValue(2, 3))<br><br>Text '94040738' is set on object 'Object Repository/CreditoUruguayo/Flujo 1/input_Celular' | 0,845s | PASSED |
| 13 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 1/input_TyC"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 1/input_TyC' is clicked on | 0,577s | PASSED |
| 14 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 1/button_Continuar-1"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 1/button_Continuar-1' is clicked on | 0,490s | PASSED |
| 15 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 2/input_Nombre"), 0)<br><br>Object 'Object Repository/CreditoUruguayo/Flujo 2/input_Nombre' is present | 1,210s | PASSED |
| 16 | setText(findTestObject("CreditoUruguayo/Flujo 2/input_Nombre"), findTestData("DatosUsuario").getValue(2, 7))<br><br>Text 'Nicolas' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Nombre' | 0,935s | PASSED |

# CreditoUruguayo

| # | Description | Elapsed | Status |
|---|---|---|---|
| 17 | setText(findTestObject("CreditoUruguayo/Flujo 2/input_Apellido"), findTestData("DatosUsuario").getValue(2, 8))<br><br>Text 'Aquino' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Apellido' | 0,702s | PASSED |
| 18 | selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Dia"), "15", false)<br><br>All options with value '15' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Dia' | 0,717s | PASSED |
| 19 | selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Mes"), "10", false)<br><br>All options with value '10' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Mes' | 0,717s | PASSED |
| 20 | selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Anio"), "1970", false)<br><br>All options with value '1970' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Anio' | 0,677s | PASSED |
| 21 | delay(0.7)<br><br>Delayed 0,7 second(s) | 0,732s | PASSED |
| 22 | setText(findTestObject("CreditoUruguayo/Flujo 2/input_Email"), findTestData("DatosUsuario").getValue(2, 6))<br><br>Text 'nicolas.aquino@paigo.com.uyy' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Email' | 0,955s | PASSED |
| 23 | delay(0.7)<br><br>Delayed 0,7 second(s) | 0,705s | PASSED |
| 24 | sendKeys(findTestObject("CreditoUruguayo/Flujo 2/emailNoValidoFocus"), Keys.chord(BACK_SPACE))<br><br>Keys 'BACK_SPACE + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 2/emailNoValidoFocus' | 0,368s | PASSED |

# CreditoUruguayo

| # | Description | Elapsed | Status |
|---|---|---|---|
| 25 | sendKeys(findTestObject("CreditoUruguayo/Flujo 2/input_Email"), Keys.chord(TAB)) <br><br> Keys 'TAB + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 2/input_Email' | 0,715s | PASSED |
| 26 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 2/Departamento_1")) <br><br> Object: 'Object Repository/CreditoUruguayo/Flujo 2/Departamento_1' is clicked on | 0,479s | PASSED |
| 27 | sendKeys(findTestObject(null), Keys.chord(TAB)) <br><br> Keys 'TAB + ' sent to object: 'tempBody' | 0,541s | PASSED |
| 28 | sendKeys(findTestObject(null), Keys.chord(TAB)) <br><br> Keys 'TAB + ' sent to object: 'tempBody' | 0,323s | PASSED |
| 29 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 2/Departamento_2")) <br><br> Object: 'Object Repository/CreditoUruguayo/Flujo 2/Departamento_2' is clicked on | 0,490s | PASSED |
| 30 | setText(findTestObject("CreditoUruguayo/Flujo 2/input_Ingresos"), "12000") <br><br> Text '12000' is set on object 'Object Repository/CreditoUruguayo/Flujo 2/input_Ingresos' | 0,793s | PASSED |
| 31 | selectOptionByValue(findTestObject("CreditoUruguayo/Flujo 2/select_Genero"), "Male", false) <br><br> All options with value 'Male' are selected in object 'Object Repository/CreditoUruguayo/Flujo 2/select_Genero' | 0,670s | PASSED |
| 32 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 2/button_Continuar-2")) <br><br> Object: 'Object Repository/CreditoUruguayo/Flujo 2/button_Continuar-2' is clicked on | 0,533s | PASSED |
| 33 | if (verifyElementPresent(findTestObject("CreditoUruguayo/Flujo 3/div_SinOferta"), 0, OPTIONAL)) <br><br> Delayed 1 second(s) | 23,149s | PASSED |

# CreditoUruguayo

| # | Description | Elapsed | Status |
|---|---|---|---|
| 34 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 3/select_FechaVencimiento"), 0)<br><br>Object 'Object Repository/CreditoUruguayo/Flujo 3/select_FechaVencimiento' is present | 7,397s | PASSED |
| 35 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 3/select_FechaVencimiento"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 3/select_FechaVencimiento' is clicked on | 0,394s | PASSED |
| 36 | sendKeys(findTestObject("CreditoUruguayo/Flujo 3/select_FechaVencimiento"), Keys.chord(ARROW_DOWN, ENTER))<br><br>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 3/select_FechaVencimiento' | 0,394s | PASSED |
| 37 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 3/select_Cuotas"), 0)<br><br>Object 'Object Repository/CreditoUruguayo/Flujo 3/select_Cuotas' is present | 8,809s | PASSED |
| 38 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 3/select_Cuotas"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 3/select_Cuotas' is clicked on | 0,368s | PASSED |
| 39 | sendKeys(findTestObject("CreditoUruguayo/Flujo 3/select_Cuotas"), Keys.chord(ARROW_DOWN, ENTER))<br><br>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/CreditoUruguayo/Flujo 3/select_Cuotas' | 0,375s | PASSED |
| 40 | selectOptionByLabel(findTestObject("CreditoUruguayo/Flujo 3/select_Banco"), "Itaú", false)<br><br>All options with label 'Itaú' are selected in object 'Object Repository/CreditoUruguayo/Flujo 3/select_Banco' | 0,623s | PASSED |
| 41 | setText(findTestObject("CreditoUruguayo/Flujo 3/input_CuentaBancaria"), findTestData("DatosUsuario").getValue(2, 10))<br><br>Text '1234567' is set on object 'Object Repository/CreditoUruguayo/Flujo 3/input_CuentaBancaria' | 0,713s | PASSED |

# CreditoUruguayo

| # | Description | Elapsed | Status |
|---|---|---|---|
| 42 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 3/button_Continuar-3"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 3/button_Continuar-3' is clicked on | 0,495s | PASSED |
| 43 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 4/a_ConfirmarCredito"), 0)<br><br>Object 'Object Repository/CreditoUruguayo/Flujo 4/a_ConfirmarCredito' is present | 1,244s | PASSED |
| 44 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 4/a_ConfirmarCredito"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 4/a_ConfirmarCredito' is clicked on | 0,366s | PASSED |
| 45 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 5/input_Direccion"), 0)<br><br>Object 'Object Repository/CreditoUruguayo/Flujo 5/input_Direccion' is present | 1,143s | PASSED |
| 46 | setText(findTestObject("CreditoUruguayo/Flujo 5/input_Direccion"), findTestData("DatosUsuario").getValue(2, 9))<br><br>Text 'Calle falsa 123' is set on object 'Object Repository/CreditoUruguayo/Flujo 5/input_Direccion' | 1,032s | PASSED |
| 47 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 5/button_CrearContrasena"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 5/button_CrearContrasena' is clicked on | 0,377s | PASSED |
| 48 | setText(findTestObject("CreditoUruguayo/Flujo 5/input_Contrasena"), findTestData("DatosUsuario").getValue(2, 11))<br><br>Text 'paigo123' is set on object 'Object Repository/CreditoUruguayo/Flujo 5/input_Contrasena' | 0,831s | PASSED |
| 49 | setText(findTestObject("CreditoUruguayo/Flujo 5/input_ConfirmarContrasena"), findTestData("DatosUsuario").getValue(2, 11))<br><br>Text 'paigo123' is set on object 'Object Repository/CreditoUruguayo/Flujo 5/input_ConfirmarContrasena' | 0,800s | PASSED |
| 50 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 5/input_TyC-2"))<br><br>Object: 'Object Repository/CreditoUruguayo/Flujo 5/input_TyC-2' is clicked on | 0,576s | PASSED |

# CreditoUruguayo

| # | Description | Elapsed | Status |
|---|---|---|---|
| 51 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 5/button_Continuar-4")) | 0,599s | PASSED |
| | Object: 'Object Repository/CreditoUruguayo/Flujo 5/button_Continuar-4' is clicked on | | |
| 52 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen"), 0) | 8,051s | PASSED |
| | Object 'Object Repository/CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen' is present | | |
| 53 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen")) | 0,346s | PASSED |
| | Object: 'Object Repository/CreditoUruguayo/Flujo 6/button_QuieroQueMeLlamen' is clicked on | | |
| 54 | waitForElementPresent(findTestObject("CreditoUruguayo/Flujo 7/a_Finalizar"), 0) | 1,009s | PASSED |
| | Object 'Object Repository/CreditoUruguayo/Flujo 7/a_Finalizar' is present | | |
| 55 | enhancedClick(findTestObject("CreditoUruguayo/Flujo 7/a_Finalizar")) | 0,931s | PASSED |
| | Object: 'Object Repository/CreditoUruguayo/Flujo 7/a_Finalizar' is clicked on | | |

# Logueo

## Information

ID      Test Cases/Admin/Logueo

Description

Tag

| | | | |
|---|---|---|---|
| Start | 2021-10-18 17:04:05 | End | 2021-10-18 17:04:10 |
| Elapsed | 5,722s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Javascript para abrir nueva pestaña | 0,010s | PASSED |
| | Current window's url is: 'https://dev-www.creditouruguayo.com.uy/' | | |
| 2 | Javascript para abrir nueva pestaña | 0,009s | PASSED |
| | Current window's index is: 1 | | |
| 3 | Javascript para abrir nueva pestaña | 0,000s | PASSED |
| 4 | Javascript para abrir nueva pestaña | 0,001s | PASSED |
| 5 | Javascript para abrir nueva pestaña | 0,037s | PASSED |
| 6 | Javascript para abrir nueva pestaña | 0,027s | PASSED |
| | Switched to window with index: '2' | | |
| 7 | navigateToUrl(Admin) | 3,289s | PASSED |
| | Navigate to 'https://dev-admin-int.paigo.uy/login' successfully | | |

# Logueo

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 8 | maximizeWindow()<br><br>Current window maximized | 0,012s | PASSED |
| 9 | setText(findTestObject("Admin/Logueo/input_Usuario"), findTestData("DatosUsuario").getValue(2, 1))<br><br>Text 'gabriel.gayol@paigo.com.uy' is set on object 'Object Repository/Admin/Logueo/input_Usuario' | 0,785s | PASSED |
| 10 | setText(findTestObject("Admin/Logueo/input_Contrasena"), findTestData("DatosUsuario").getValue(2, 2))<br><br>Text '12345678' is set on object 'Object Repository/Admin/Logueo/input_Contrasena' | 0,702s | PASSED |
| 11 | enhancedClick(findTestObject("Admin/Logueo/button_Ingresar"))<br><br>Object: 'Object Repository/Admin/Logueo/button_Ingresar' is clicked on | 0,373s | PASSED |

# Verificación

## Information

| | |
|---|---|
| ID | Test Cases/Admin/Verificación |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2021-10-18 17:04:10 | End | 2021-10-18 17:05:46 |
| Elapsed | 1m - 35,735s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | waitForElementPresent(findTestObject("Admin/Verificacion/p_CreditosEnVerificacion"), 0)<br><br>Object 'Object Repository/Admin/Verificacion/p_CreditosEnVerificacion' is present | 1,502s | PASSED |
| 2 | enhancedClick(findTestObject("Admin/Verificacion/p_CreditosEnVerificacion"))<br><br>Object: 'Object Repository/Admin/Verificacion/p_CreditosEnVerificacion' is clicked on | 0,618s | PASSED |
| 3 | waitForElementVisible(findTestObject("Admin/Verificacion/select_SeleccionarMarca"), 0)<br><br>Object 'Object Repository/Admin/Verificacion/select_SeleccionarMarca' is visible | 0,567s | PASSED |
| 4 | selectOptionByLabel(findTestObject("Admin/Verificacion/select_SeleccionarMarca"), CU, false)<br><br>All options with label 'CreditoUruguayo' are selected in object 'Object Repository/Admin/Verificacion/select_SeleccionarMarca' | 0,640s | PASSED |
| 5 | enhancedClick(findTestObject("Admin/Verificacion/button_Obtener"))<br><br>Object: 'Object Repository/Admin/Verificacion/button_Obtener' is clicked on | 0,466s | PASSED |
| 6 | waitForElementVisible(findTestObject("Admin/Verificacion/input_FiltrarCI"), 0)<br><br>Object 'Object Repository/Admin/Verificacion/input_FiltrarCI' is visible | 29,501s | PASSED |

# Verificación

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | setText(findTestObject("Admin/Verificacion/input_FiltrarCI"), cedulaRandom)<br><br>Text '78382858' is set on object 'Object Repository/Admin/Verificacion/input_FiltrarCI' | 0,709s | PASSED |
| 8 | enhancedClick(findTestObject("Admin/Verificacion/button_Retomar VI"))<br><br>Object: 'Object Repository/Admin/Verificacion/button_Retomar VI' is clicked on | 1,830s | PASSED |
| 9 | waitForElementPresent(findTestObject("Admin/Verificacion/button_Subir_1"), 0)<br><br>Object 'Object Repository/Admin/Verificacion/button_Subir_1' is present | 9,932s | PASSED |
| 10 | enhancedClick(findTestObject("Admin/Verificacion/button_Subir_1"))<br><br>Object: 'Object Repository/Admin/Verificacion/button_Subir_1' is clicked on | 0,369s | PASSED |
| 11 | enhancedClick(findTestObject("Admin/Verificacion/button_CargarImagen_1"))<br><br>Object: 'Object Repository/Admin/Verificacion/button_CargarImagen_1' is clicked on | 0,475s | PASSED |
| 12 | waitForElementClickable(findTestObject("Admin/Verificacion/button_ConfirmarSubidaImagen_1"), 0)<br><br>Object 'Object Repository/Admin/Verificacion/button_ConfirmarSubidaImagen_1' is clickable | 5,003s | PASSED |
| 13 | enhancedClick(findTestObject("Admin/Verificacion/button_ConfirmarSubidaImagen_1"))<br><br>Object: 'Object Repository/Admin/Verificacion/button_ConfirmarSubidaImagen_1' is clicked on | 0,366s | PASSED |
| 14 | enhancedClick(findTestObject("Admin/Verificacion/input_ConfirmarImagen_1"))<br><br>Object: 'Object Repository/Admin/Verificacion/input_ConfirmarImagen_1' is clicked on | 30,891s | PASSED |
| 15 | waitForElementVisible(findTestObject("Admin/Verificacion/button_Subir_2"), 0)<br><br>Object 'Object Repository/Admin/Verificacion/button_Subir_2' is visible | 0,539s | PASSED |

# Verificación

| # | Description | Elapsed | Status |
|---|---|---|---|
| 16 | enhancedClick(findTestObject("Admin/Verificacion/button_Subir_2")) | 0,359s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/button_Subir_2' is clicked on | | |
| 17 | enhancedClick(findTestObject("Admin/Verificacion/button_CargarImagen_2")) | 0,557s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/button_CargarImagen_2' is clicked on | | |
| 18 | waitForElementClickable(findTestObject("Admin/Verificacion/button_ConfirmarSubidaImagen_2"), 0) | 2,370s | PASSED |
| | Object 'Object Repository/Admin/Verificacion/button_ConfirmarSubidaImagen_2' is clickable | | |
| 19 | enhancedClick(findTestObject("Admin/Verificacion/button_ConfirmarSubidaImagen_2")) | 0,612s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/button_ConfirmarSubidaImagen_2' is clicked on | | |
| 20 | enhancedClick(findTestObject("Admin/Verificacion/input_ConfirmarImagen_2")) | 1,050s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/input_ConfirmarImagen_2' is clicked on | | |
| 21 | waitForElementVisible(findTestObject("Admin/Verificacion/button_Subir_3"), 0) | 0,447s | PASSED |
| | Object 'Object Repository/Admin/Verificacion/button_Subir_3' is visible | | |
| 22 | enhancedClick(findTestObject("Admin/Verificacion/button_Subir_3")) | 0,597s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/button_Subir_3' is clicked on | | |
| 23 | enhancedClick(findTestObject("Admin/Verificacion/button_CargarImagen_3")) | 0,551s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/button_CargarImagen_3' is clicked on | | |
| 24 | waitForElementClickable(findTestObject("Admin/Verificacion/button_ConfirmarSubidaImagen_3"), 0) | 1,887s | PASSED |
| | Object 'Object Repository/Admin/Verificacion/button_ConfirmarSubidaImagen_3' is clickable | | |

# Verificación

| # | Description | Elapsed | Status |
|---|---|---|---|
| 25 | enhancedClick(findTestObject("Admin/Verificacion/button_ConfirmarSubidaImagen_3")) | 0,345s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/button_ConfirmarSubidaImagen_3' is clicked on | | |
| 26 | enhancedClick(findTestObject("Admin/Verificacion/input_ConfirmarImagen_3")) | 1,340s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/input_ConfirmarImagen_3' is clicked on | | |
| 27 | setText(findTestObject("Admin/Verificacion/input_NumeroSerieCI"), "123456") | 1,108s | PASSED |
| | Text '123456' is set on object 'Object Repository/Admin/Verificacion/input_NumeroSerieCI' | | |
| 28 | enhancedClick(findTestObject("Admin/Verificacion/button_Obtener")) | 0,360s | PASSED |
| | Object: 'Object Repository/Admin/Verificacion/button_Obtener' is clicked on | | |
| 29 | waitForPageLoad(0, STOP_ON_FAILURE) | 0,045s | PASSED |
| | Wait for page load successfully | | |
| 30 | closeWindowIndex(0) | 0,070s | PASSED |
| | Window with index 0 is closed | | |

# Verificación

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 31 | sendKeys(findTestObject("Admin/Verificacion/button_Obtener"), Keys.chord(TAB, "14021970")) | 0,105s | FAILED |

Unable to send keys '14021970' to object 'Object Repository/Admin/Verificacion/button_Obtener' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to send keys '14021970' to object 'Object Repository/Admin/Verificacion/button_Obtener'
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
 at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60)
 at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:864)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$sendKeys$11. call(Unknown Source)
 at Verificación.run(Verificación:90)
 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:430)
 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:421)
 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:400)
 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:392)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:273)
 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)
 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)
 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105)
 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
 at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
 at TempTestSuite1634587351113.run(TempTestSuite1634587351113.groovy:36)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed
from unknown error: web view not found
 (Session info: chrome=94.0.4606.81)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'NB-IT11', ip: '192.168.1.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.81, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: C:\Users\NICOLA~1.AQU\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost: 50955}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: ead4c4056d92c50cda74b12a6dc06b2e
*** Element info: {Using=xpath, value=//*[@type = 'submit' and (text() = 'Obtener' or . = 'Obtener')]}
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
 at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
 at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)
 at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)
 at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)
 at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
 at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)
 at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1 (EventFiringWebDriver.java:105)
 at com.sun.proxy.$Proxy10.findElements(Unknown Source)
 at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182)
 at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1014)
 at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:903)
 at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)
 at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:887)
 at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:883)
 at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)
 at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1363)
 at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
 at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
 at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)
 at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword$_sendKeys_closure1.call(SendKeysKeyword.groovy)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
 at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | (SendKeysKeyword.groovy:60)<br>        at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute<br>(SendKeysKeyword.groovy:38)<br>        at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys<br>(WebUiBuiltInKeywords.groovy:864)<br>        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$sendKeys$11.<br>call(Unknown Source)<br>        at Script1634220871214.run(Script1634220871214.groovy:90)<br>        ... 13 more<br>) | | |

# Desembolso

## Information

| | |
|---|---|
| ID | Test Cases/Admin/Desembolso |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2021-10-18 17:05:46 | End | 2021-10-18 17:05:46 |
| Elapsed | 0,343s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# Desembolso

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | waitForElementVisible(findTestObject("Admin/Desembolso/p_DESEMBOLSO"), 0) | 0,065s | FAILED |

Unable to wait for object 'Object Repository/Admin/Desembolso/p_DESEMBOLSO' to be visible (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to wait for object 'Object Repository/Admin/Desembolso/p_DESEMBOLSO' to be visible
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain$runKeyword.call(Unknown Source)
        at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword. waitForElementVisible(WaitForElementVisibleKeyword.groovy:98)
        at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword. execute(WaitForElementVisibleKeyword.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. waitForElementVisible(WebUiBuiltInKeywords.groovy:438)
        at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$waitForElementVisible$15.call(Unknown Source)
        at Desembolso.run(Desembolso:30)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:430)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:421)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:400)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:392)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:273)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 105)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1634587351113.run(TempTestSuite1634587351113.groovy:36)
Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed
from unknown error: web view not found
  (Session info: chrome=94.0.4606.81)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'NB-IT11', ip: '192.168.1.7', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.81, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: C:\Users\NICOLA~1.AQU\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost: 50955}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}

Session ID: ead4c4056d92c50cda74b12a6dc06b2e

*** Element info: {Using=xpath, value=//div[@id='root']/div/div/div/ul/li[5]/a/p}

    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)

    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)

    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)

    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)

    at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)

    at org.openqa.selenium.By$ByXPath.findElements(By.java:348)

    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)

    at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1 (EventFiringWebDriver.java:105)

    at com.sun.proxy.$Proxy10.findElements(Unknown Source)

    at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182)

    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1014)

    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:909)

    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)

    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:887)

    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:883)

    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)

    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1363)

    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)

    at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword$findWebElement.call(Unknown Source)

    at com.kms.katalon.core.webui.keyword.builtin. WaitForElementVisibleKeyword$_waitForElementVisible_closure1.doCall (WaitForElementVisibleKeyword.groovy:79)

    at com.kms.katalon.core.webui.keyword.builtin. WaitForElementVisibleKeyword$_waitForElementVisible_closure1.doCall (WaitForElementVisibleKeyword.groovy)

    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

# Desembolso

at com.kms.katalon.core.webui.keyword.internal.
WebUIKeywordMain$runKeyword.call(Unknown Source)
      at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword.
waitForElementVisible(WaitForElementVisibleKeyword.groovy:98)
      at com.kms.katalon.core.webui.keyword.builtin.WaitForElementVisibleKeyword.
execute(WaitForElementVisibleKeyword.groovy:68)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
waitForElementVisible(WebUiBuiltInKeywords.groovy:438)
      at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$waitForElementVisible$15.call(Unknown Source)
      at Script1633010295286.run(Script1633010295286.groovy:30)
      ... 13 more
)