

Kolortek Co., Ltd

No. 9 Haikou Road Huaian, Jiangsu, China Tel: 0086-517-83797527

Fax: 0086-517-83797529

Certificate of Analysis

Product Code: KT-8261

Trade Name: Super Bright Gold Manufacturer: Kolortek Co., Ltd.

Batch No.: #170515

Cas No.	Spec.Values	Batch Values	Method
65997-17-3	89-92%	90.60%	Kolortek
13463-67-7	8-10%	8.70%	Kolortek
18282-10-5	0-1%	0.70%	Kolortek
	confirms	confirms	laser diffraction
	130-210µm	170µm	laser diffraction
	6-9	7.2	ISO787-9
	≤0.5%	≤0.5%	ISO787-2
	≤2 ppm	≤2 ppm	Kolortek
	≤50 ppm	≤50 ppm	Kolortek
	≤3 ppm	≤3 ppm	Kolortek
	≤100 ppm	≤100 ppm	Kolortek
	≤50 ppm	≤50 ppm	Kolortek
	≤1 ppm	≤1 ppm	Kolortek
	≤10 ppm	≤10 ppm	Kolortek
	≤10 ppm	≤10 ppm	Kolortek
	≤1 ppm	≤1 ppm	Kolortek
	≤50 ppm	≤50 ppm	Kolortek
	confirms	confirms	Kolortek
	<100CFU/g	<100CFU/g	Kolortek
I	No Pathogens	No Pathogens	Kolortek
	65997-17-3 13463-67-7 18282-10-5	65997-17-3 89-92% 13463-67-7 8-10% 18282-10-5 0-1% confirms 130-210μm 6-9 ≤0.5% ≤2 ppm ≤50 ppm ≤100 ppm ≤50 ppm ≤10 ppm	65997-17-3 89-92% 90.60% 13463-67-7 8-10% 8.70% 18282-10-5 0-1% 0.70% confirms confirms 130-210μm 170μm 6-9 7.2 ≤0.5% ≤0.5% ≤2 ppm ≤2 ppm ≤50 ppm ≤50 ppm ≤3 ppm ≤100 ppm ≤100 ppm ≤100 ppm ≤10 ppm ≤50 ppm ≤50 ppm

It is hereby confirmed that the delivered goods have been examed and they are in accordance with our confirmation of order

Engineer: Xu Zhang Analytical Lab.

Date: 16th May 2017