

Visoka škola strukovnih studija za informacione i komunikacione tehnologije



Dokumentacija(<https://narandza.github.io/web-programiranje-2/>)

Student: Dimitrije Jovanović

Broj indeksa: 35/19

Smer: Internet tehnologije


Predmet: Praktikum iz PHP-a

Sadrzaj

Sajt je zamišljen kao prodavnica satova, gde se korisniku prikazuje ponuda satova koja je dinamički izvučena iz baze podataka. Za sajt su korišćena dva template-a : coza-store


(<https://colorlib.com/wp/template/coza-store/>) za izgled korisničkog dela sajta i adminLTE(<https://usebootstrap.com/theme/adminlte-v2>) za izgled admin panela , dok su sve funkcionalnosti sajta pisane po potrebi. Sajt ima jednu glavnu stranicu (index.php) preko koje se vrši navigacija kroz celokupan web sajt korišćenjem url atributa. Osmišljena je register + login forma za korisnike koji imaju ograničen pristup sajtu dok postoji samo jedan admin koji ima potpuni pristup sajtu kao što je admin-panel gde postoji opcija dodavanja proizvoda, brendova i upravljanje narudžbinama.

Dizajn baze



Stranice


1.home



SELECTED PRODUCTS



LOAD MORE



Na ovoj stranici su dinamički prikazani izabrani satovi

2.product

Dimitrije Jovanović 35/19 Dokumentacija O autoru Admin Panel Logout

WATCHESS CO. Home Shop About Contact

Filter Search

Rolex Submariner \$13699

Rolex Daytona \$37499

Rolex Sky-Dweller \$37199

Rolex GMT Master II \$15300

Rolex Day-Date \$43399

Patek Philippe Nautilus \$47999

Patek Philippe Perpetual Calendar \$48999

Patek Philippe Sky Celestial \$243999

1 2 3 4 »

CATEGORIES

- Rolex
- Patek Philippe
- Cartier
- Jaeger-LeCoultre
- Richard Mille

GET IN TOUCH

Any questions? Let us know in store at 8th floor, 379 Hudson St, New York, NY 10018 or call us on (+1) 96 716 6879


f g p

ICON-PAY ICON-PAY ICON-PAY ICON-PAY ICON-PAY

Na ovoj stranici se nalaze svi proizvodi podeljeni na vise strana paginacijom uz mogućnosti filtriranja i sortiranja.

3.Contact

The screenshot shows a contact form with two main sections. The left section, titled "Send Us A Message", contains fields for "Your Email Address" and "How Can We Help?", followed by a "SUBMIT" button. The right section, titled "Address", provides the company's address: "Coco Store Center 8th Floor, 378 Hudson St, New York, NY 10018 US". It also includes links for "Lots Talk" (+1 800 1238879) and "Sale Support" (contact@example.com).



Stranica gde neautorizovajni korisnici mogu da pošalju poruku adminu.

4.shopping-cart

The screenshot shows a shopping cart interface for a website named 'WATCHES CO.'. At the top, there's a navigation bar with links for 'Home', 'Shop', 'About', 'Contact', 'Dokumentacija', 'O autoru', 'Admin Panel', and 'Logout'. A shopping cart icon in the top right corner indicates two items. The main area is a table showing two products in the cart:

PRODUCT	NAME	PRICE	QUANTITY	UPDATE	ACTION
	Day-Date	\$ 43399	<input type="button" value="-"/> <input type="button" value="1"/> <input type="button" value="+"/>	<input type="button" value="Update"/>	<input type="button" value="Remove"/>
	Sky-Dweller	\$ 37199	<input type="button" value="-"/> <input type="button" value="1"/> <input type="button" value="+"/>	<input type="button" value="Update"/>	<input type="button" value="Remove"/>

Below the table, a box labeled 'CART TOTALS' displays the subtotal as '\$ 80598'. At the bottom, a button labeled 'PROCEED TO CHECKOUT' is visible.

CATEGORIES

- Rolex
- Patek Philippe
- Cartier
- Jaeger-LeCoultre
- Richard Mille

GET IN TOUCH

Any questions? Let us know in store at 8th floor, 379 Hudson St, New York, NY 10018 or call us on (+1) 98 766 6879

Stranica gde se prikazuju proizvodi u korpi, gde korisnik može da poveća količinu proizvoda i napravi porudžbinu

5.login/register

Dimitrije Jovanović 35/19

Dokumentacija O autoru Login

Home Shop About Contact

WATCHES C.O.

0

Log In

LOGIN

Register

REGISTER

CATEGORIES

Rolex
Patek Philippe
Cartier
Jaeger-LeCoultre
Richard Mille

GET IN TOUCH

Any questions? Let us know in store at 8th floor, 379 Hudson St, New York, NY 10018 or call us on (+1) 98 765 6879

Stranica gde se korisnici uloguju ili registruju.


6.author



Kratka Biografija

Roden sam u Pirotu. Završio sam Gimnaziju u Pirotu. Trenutno studiram Visoku školu ICT u Beogradu

[Word](#) [Excel](#) [Dokumentacija](#) [Sajt](#)



CATEGORIES

Rolex
Patek Philippe
Cartier
Jaeger-LeCoultre
Richard Mille

GET IN TOUCH

Any questions? Let us know in store at 8th floor, 379 Hudson St, New York, NY 10018 or call us on (+1) 98 716 6879

[f](#) [i](#) [p](#)

Stranica o podacima o autoru + word, excel fajlovi za download

7.admin-panel

The screenshot shows the AdminLTE control panel dashboard. On the left, there is a dark sidebar with the following navigation items:

- admin@admin.com
- Home
- Brands
- Products
- Orders
- Sign Out

The main content area is titled "Dashboard Control panel". It features several green-bordered buttons for different actions:

- ADD PRODUCTS
- ADD BRANDS
- VIEW ORDERS
- CREATE EXCEL FILE FOR PRODUCTS
- VIEW STORE

At the bottom of the main area, there is a copyright notice: "Copyright © 2014-2019 AdminLTE. All rights reserved." and a version number: "Version 2.4.18".

Stranica dozvoljena samo adminu. Ovde se upravlja sa podacima iz baze podataka kao sto je dodavanje brendova, proizvoda i uvid u porudžbine. Takođe postoji dugme za pravljenje/update-a excel fajla o proizvodima iz baze

8.product-detail

Dimitrije Jovanović 35/19

Dokumentacija O autoru Admin Panel Logout

WATCHES CO.

Home Shop About Contact

Home > men > Sky-Dweller



Rolex Sky-Dweller

\$37199

Rolex Sky-Dweller Rose Gold White Index Dial Fluted Bezel Leather Strap 326135

Brand: Rolex
Gender: men

ADD TO CART

CATEGORIES

Rolex
Patek Philippe
Cartier
Jaeger-LeCoultre
Richard Mille

GET IN TOUCH

Any questions? Let us know in store at 8th floor, 379 Hudson St, New York, NY 10018 or call us on (+1) 98 716 6879

f i p



Stranica koja prikazuje pojedinačni prikaz nekog proizvoda sa funkcijom dodavanja tog proizvoda u korpu.

STRUKTURA PROJEKTA

```
> admin
└ config
  ⚙ .env
  🐛 config.php
  🐛 connection.php
└ CSS
  # main.css
  # util.css
└ data
  📄 author.doc
  📜 products.xls
> fonts
```

- ✓ handler
 - ♫ adminlogin.php
 - ♫ brandhandler.php
 - ♫ carhandler.php
 - ♫ cartremove.php
 - ♫ cartupdate.php
 - ♫ contact.php
 - ♫ create-thumbnail.php
 - ♫ customerlogin.php
 - ♫ customerregister.php
 - ♫ customersession.php
 - ♫ delete-order.php
 - ♫ excel.php
 - ♫ functions.php
 - ♫ logout.php
 - ♫ orderhandler.php
 - ♫ prodelete.php
 - ♫ producthandler.php
 - ♫ proupdatehandler.p...
 - ♫ session.php
 - ♫ user-logout.php
- ✓ images
 - ✓ icons
 - favicon_io.zip
 - ★ favicon.ico
 - ♫ logo-01.png
 - > thumbnails\uploads
 - ♫ author-bg.jpg
 - ♫ ja.jpg

```
└── JS
    └── slide-01.jpg
        └── slide-02.jpg
            └── slide-03.jpg
        > js
        > uploads
        > vendor
    < views
    < fixed
        └── admin-aside.php
        └── admin-footer.php
        └── admin-head.php
        └── admin-header.php
        └── cart.php
        └── footer.php
        └── head.php
        └── header.php
        └── product-pagination.php
        └── slider.php
    < pages
```

```
< pages
    └── about.php
    └── admin-brand.php
    └── admin-index.php
    └── admin-login.php
    └── admin-order-show.php
    └── admin-orders.php
    └── admin-products-show.php
    └── admin-products.php
    └── author.php
    └── checkout.php
    └── contact.php
    └── customer-forms.php
    └── home.php
    └── product-detail.php
    └── product.php
    └── proshow.php
    └── proudate.php
    └── shopping-cart.php
    └── index.php
```

KODOVI

index.php

```
<?php
if(!isset($_GET['page'])){
    include "views/fixed/head.php";
    include "views/fixed/header.php";
    include "views/fixed/cart.php";
    include "views/fixed/slider.php";
    include "views/pages/home.php";
    include "views/fixed/footer.php";
}
else {
    switch($_GET['page']){
        case 'about':
            include "views/fixed/head.php";
            include "views/fixed/header.php";
            include "views/fixed/cart.php";
            include "views/pages/about.php";
            include "views/fixed/footer.php";
            break;
        case 'contact':
            include "views/fixed/head.php";
            include "views/fixed/header.php";
            include "views/fixed/cart.php";
            include "views/pages/contact.php";
            include "views/fixed/footer.php";
            break;
        case 'detail':
            include "views/fixed/head.php";
            include "views/fixed/header.php";
            include "views/fixed/cart.php";
            include "views/pages/product-detail.php";
            include "views/fixed/footer.php";
            break;
        case 'product':
            include "views/fixed/head.php";
            include "views/fixed/header.php";
            include "views/fixed/cart.php";
            include "views/pages/product.php";
            include "views/fixed/footer.php";
            break;
        case 'product-detail':
            include "views/fixed/head.php";
            include "views/fixed/header.php";
            include "views/fixed/cart.php";
            include "views/pages/product-detail.php";
            include "views/fixed/footer.php";
            break;
    }
}
```

```
case 'shopping-cart':
    include "views/fixed/head.php";
    include "views/fixed/header.php";
    include "views/fixed/cart.php";
    include "views/pages/shopping-cart.php";
    include "views/fixed/footer.php";
    break;
case 'customer-forms':
    include "views/fixed/head.php";
    include "views/fixed/header.php";
    include "views/pages/customer-forms.php";
    include "views/fixed/footer.php";
    break;
case 'checkout':
    include "views/fixed/head.php";
    include "views/fixed/header.php";
    include "views/pages/checkout.php";
    include "views/fixed/footer.php";
    break;
case 'author':
    include "views/fixed/head.php";
    include "views/pages/author.php";
    include "views/fixed/footer.php";
    break;
case 'cart-handler':
    include "config/connection.php";
    include "handler/carhandler.php";
    break;
case 'admin-panel':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/admin-index.php";
    include "views/fixed/admin-footer.php";
    break;
case 'admin-brand':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/admin-brand.php";
    include "views/fixed/admin-footer.php";
    break;
case 'admin-products':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/admin-products.php";
    include "views/fixed/admin-footer.php";
    break;
```

```
case 'admin-products-show':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/admin-products-show.php";
    include "views/fixed/admin-footer.php";
    break;
case 'admin-orders':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/admin-orders.php";
    include "views/fixed/admin-footer.php";
    break;
case 'admin-order-show':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/admin-order-show.php";
    include "views/fixed/admin-footer.php";
    break;
case 'proshow':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/proshow.php";
    include "views/fixed/admin-footer.php";
    break;
case 'proupdate':
    include "handler/session.php";
    include "views/fixed/admin-head.php";
    include "views/fixed/admin-header.php";
    include "views/fixed/admin-aside.php";
    include "views/pages/proupdate.php";
    include "views/fixed/admin-footer.php";
    break;
case 'prodelete':
    include "handler/session.php";
    include "handler/prodelete.php";
    break;
case 'admin-login':
    include "views/fixed/admin-head.php";
    include "views/pages/admin-login.php";
    break;
default:
    include "views/fixed/head.php";
    include "views/fixed/header.php";
    include "views/fixed/cart.php";
```

```

        include "views/fixed/slider.php";
        include "views/pages/home.php";
        include "views/fixed/footer.php";
        break;
    }
}
?>

```

PAGES:

about.php

```

<?php
include "config/connection.php";
?>
<section class="bg-img1 txt-center p-lr-15 p-tb-92" style="background-image:
url('images/bg-01.jpg');">
    <h2 class="ltext-105 cl0 txt-center">
        About
    </h2>
</section>
<section class="bg0 p-t-75 p-b-120">
    <div class="container">
        <div class="row p-b-148">
            <div class="col-md-7 col-lg-8">
                <div class="p-t-7 p-r-85 p-r-15-lg p-r-0-md">
                    <h3 class="mtext-111 cl2 p-b-16">
                        Our Story
                    </h3>
                    <p class="stext-113 cl6 p-b-26">
                        Lorem ipsum dolor sit amet, consectetur
adipiscing elit. Mauris consequat consequat enim, non auctor massa ultrices non. Morbi sed odio
massa. Quisque at vehicula tellus, sed tincidunt augue. Orci varius natoque penatibus et magnis dis
parturient montes, nascetur ridiculus mus. Maecenas varius egestas diam, eu sodales metus
scelerisque congue. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac
turpis egestas. Maecenas gravida justo eu arcu egestas convallis. Nullam eu erat bibendum, tempus
ipsum eget, dictum enim. Donec non neque ut enim dapibus tincidunt vitae nec augue. Suspendisse
potenti. Proin ut est diam. Donec condimentum euismod tortor, eget facilisis diam faucibus et. Morbi a
tempor elit.
                </p>
                <p class="stext-113 cl6 p-b-26">
                    Donec gravida lorem elit, quis condimentum
ex semper sit amet. Fusce eget ligula magna. Aliquam aliquam imperdiet sodales. Ut fringilla turpis in
vehicula vehicula. Pellentesque congue ac orci ut gravida. Aliquam erat volutpat. Donec iaculis lectus
a arcu facilisis, eu sodales lectus sagittis. Etiam pellentesque, magna vel dictum rutrum, neque justo
eleifend elit, vel tincidunt erat arcu ut sem. Sed rutrum, turpis ut commodo efficitur, quam velit
convallis ipsum, et maximus enim ligula ac ligula.
                </p>
                <p class="stext-113 cl6 p-b-26">
                    Any questions? Let us know in store at 8th
floor, 379 Hudson St, New York, NY 10018 or call us on (+1) 96 716 6879
                </p>
            </div>
        </div>
    </div>
</section>

```

```

        </p>
    </div>
</div>
<div class="col-11 col-md-5 col-lg-4 m-lr-auto">
    <div class="how-bor1 ">
        <div class="hov-img0">
            
        </div>
    </div>
</div>
<div class="row">
    <div class="order-md-2 col-md-7 col-lg-8 p-b-30">
        <div class="p-t-7 p-l-85 p-l-15-lg p-l-0-md">
            <h3 class="mtext-111 cl2 p-b-16">
                Our Mission
            </h3>
            <p class="stext-113 cl6 p-b-26">
                Mauris non lacinia magna. Sed nec lobortis
                dolor. Vestibulum rhoncus dignissim risus, sed consectetur erat. Pellentesque habitant morbi tristique
                senectus et netus et malesuada fames ac turpis egestas. Nullam maximus mauris sit amet odio
                convallis, in pharetra magna gravida. Praesent sed nunc fermentum mi molestie tempor. Morbi vitae
                viverra odio. Pellentesque ac velit egestas, luctus arcu non, laoreet mauris. Sed in ipsum tempor,
                consequat odio in, porttitor ante. Ut mauris ligula, volutpat in sodales in, porta non odio. Pellentesque
                tempor urna vitae mi vestibulum, nec venenatis nulla lobortis. Proin at gravida ante. Mauris auctor
                purus at lacus maximus euismod. Pellentesque vulputate massa ut nisl hendrerit, eget elementum
                libero iaculis.
            </p>
        <div class="bor16 p-l-29 p-b-9 m-t-22">
            <p class="stext-114 cl6 p-r-40 p-b-11">
                Creativity is just connecting things.
            </p>
        When you ask creative people how they did something, they feel a little guilty because they didn't
        really do it, they just saw something. It seemed obvious to them after a while.
            <p>
                <span class="stext-111 cl8">
                    - Steve Job's
                </span>
            </p>
        </div>
    </div>
    <div class="order-md-1 col-11 col-md-5 col-lg-4 m-lr-auto p-b-30">
        <div class="how-bor2">
            <div class="hov-img0">
                
            </div>
        </div>
    </div>
</div>
</section>

```

admin-brand.php

```

<?php
    include "config/connection.php";
    include "handler/functions.php";
?>
<div class="content-wrapper">
    <section class="content-header">
        <h1>
            Dashboard
            <small>Control panel</small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Dashboard</li>
        </ol>
    </section>
    <section class="content">
        <div class="row">
            <div class="col-sm-3">
                </div>
            <div class="col-sm-6">
                <form action="handler/brandhandler.php" method="POST">
                    <h1>BRANDS</h1>
                    <div class="box-body">
                        <div class="form-group">
                            <label for="category">Brand</label>
                            <input type="text" class="form-control" id="brand" placeholder="Enter Brand" name="name">
                        </div>
                    </div>
                    <div class="box-footer">
                        <button type="submit" name="submit" class="btn btn-primary">Submit</button>
                    </div>
                </form>
            </div>
        </div>
    </section>
    <div class="row">
        <div class="col-sm-3">
            </div>
        <div class="col-sm-6">
            <table class="table">
                <tr>
                    <th>No.</th>
                    <th>Name</th>
                </tr>
                <?php
                    $rb=1;
                    $brands=fetchBrands();
                    foreach($brands as $brand):
                ?>
                <tr>

```

```

<td><?=$rb?></td>
<td><?=$brand->brand?></td>
</tr>
<?php
$rb++;
foreach:
?
</table>
</div>
</section>
</div>
</div>

```

admin-index.php

```

<div class="content-wrapper">
<section class="content-header">
<h1>
  Dashboard
  <small>Control panel</small>
</h1>
<ol class="breadcrumb">
  <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
  <li class="active">Dashboard</li>
</ol>
</section>
<section class="content">
<div class="row">
<div class="col-sm-9">
<a href="index.php?page=admin-products">
  <button style="color: green">ADD PRODUCTS</button>
</a>
<hr>
</div>
<div class="col-sm-9">
<a href="index.php?page=admin-brand">
  <button style="color: green">ADD BRANDS</button>
</a>
<hr>
</div>
<div class="col-sm-9">
<a href="index.php?page=admin-orders">
  <button style="color: green">VIEW ORDERS</button>
</a>
<hr>
</div>
<div class="col-sm-9">
<a href="handler/excel.php">
  <button style="color: green">CREATE EXCEL FILE FOR PRODUCTS</button>
</a>
<hr>
</div>
<div class="col-sm-9">

```

```
<a href="index.php">
    <button style="color: green">VIEW STORE</button>
</a>
<hr>
</div>
</div>
</section>
</div>
```

admin-login.php

```
<div class="row">
    <div class="col-sm-4">
        </div>
    <div class="col-sm-4">
        <div class="box box-info">
            <div class="box-header with-border">
                <h3 class="box-title">Admin Login</h3>
            </div>
            <form class="form-horizontal" action="handler/adminlogin.php" method="POST">
                <div class="box-body">
                    <div class="form-group">
                        <label for="inputEmail3" class="col-sm-2 control-label">Email</label>
                        <div class="col-sm-10">
                            <input type="email" class="form-control" id="inputEmail3" placeholder="Email" name="email">
                        </div>
                    </div>
                    <div class="form-group">
                        <label for="inputPassword3" class="col-sm-2 control-label">Password</label>
                        <div class="col-sm-10">
                            <input type="password" class="form-control" id="inputPassword3" placeholder="Password" name="password">
                        </div>
                    </div>
                    <div class="box-footer">
                        <button type="submit" class="btn btn-info pull-right" name="login">Sign in</button>
                    </div>
                </form>
            </div>
        <div class="col-sm-4">
            </div>
    </div>
```

admin-order-show.php

```
<div class="content-wrapper">
    <section class="content-header">
        <h1>
            Dashboard
            <small>Control panel</small>
        </h1>
```

```

<ol class="breadcrumb">
    <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
    <li class="active">Dashboard</li>
</ol>
</section>
<section class="content">
<div class="row">
    <div class="col-sm-9">
        <table class="table">
            <tr>
                <th>No.</th>
                <th>Quantity</th>
                <th>Name</th>
                <th>Image</th>
            </tr>
            <?php
                include("config/connection.php");
                include("handler/functions.php");
                $id = $_GET['id'];
                $products=fetchOrderDetailsById($id);
                $rb =1;
                foreach($products as $product):
                    $i=0
                ?>
                <tr>
                    <td><?=$rb?></td>
                    <td><?=$product->quantity?></td>
                    <td><?=$product->model?></td>
                    <td>model?>"></td>
                </tr>
                <?php
                    $i++;
                    $rb++;
                endforeach;
                ?>
            </table>
        </div>

        <div class="col-sm-3">
        </div>
    </div>
    </section>
</div>
</section>
</div>

```

admin-orders.php

```

<div class="content-wrapper">
    <section class="content-header">
        <h1>

```

```

ORDERS
<small>Control panel</small>
</h1>
<ol class="breadcrumb">
<li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
<li class="active">Dashboard</li>
</ol>
</section>
<section class="content">
<div class="row">
<div class="col-sm-9">
<table class="table">
<tr>
<th>No.</th>
<th>Customer</th>
<th>Address</th>
<th>Phone</th>
<th>Total</th>
<th>Created At</th>
<th>Details</th>
<th>Delete Product</th>
</tr>
<?php
    include("config/connection.php");
    include("handler/functions.php");
    $customers=fetchCustomersOrders();
    $rb =1;
    foreach($customers as $customer):
?>
<tr>
<td><?=$rb?></td>
<td><?=$customer->username?></td>
<td><?=$customer->address?></td>
<td><?=$customer->phone?></td>
<td><?=$customer->total?></td>
<td><?=$customer->created_at?></td>
<td><a
href="index.php?page=admin-order-show&id=<?=$customer->order_id?>">Show</a></td>
        <td><a href="handler/delete-order.php?id=<?=$customer->order_id?>">Delete</a></td>
</tr>
<?php
$rb++;
endforeach;
?>
</table>
</div>
<div class="col-sm-3">
</div>
</div>
</section>
</div>
</section>

```

```
</div>
```

admin-products-show.php

```
<div class="content-wrapper">
<section class="content-header">
<h1>
  Dashboard
  <small>Control panel</small>
</h1>
<ol class="breadcrumb">
<li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
<li class="active">Dashboard</li>
</ol>
</section>
<section class="content">
<div class="row">
  <div class="col-sm-9">
    <a href="index.php?page=admin-products">
      <button class="btn btn-primary">Add New Product</button>
    </a>
    <table class="table">
      <tr>
        <th>No.</th>
        <th>Name</th>
        <th>Brand</th>
        <th>Gender</th>
        <th>Price</th>
        <th>Description</th>
        <th>Image</th>
        <th>Show Product</th>
        <th>Update Product</th>
        <th>Delete Product</th>
      </tr>
      <?php
        include("config/connection.php");
        include("handler/functions.php");
        $products=fetchProductsGenderBrand();
        $rb =1;
        foreach($products as $product):
      ?>
      <tr>
        <td><?=$rb?></td>
        <td><?=$product->model?></td>
        <td><?=$product->brand?></td>
        <td><?=$product->gender?></td>
        <td><?=$product->price?>$</td>
        <td><?=$product->description?></td>
        <td>model?>"></td>
      </tr>
      <td><a href="index.php?page=proshow&id=<?=$product->id?>">Show</a>
```

```

<td><a href="index.php?page=proupdate&id=<?=$product->id?>">Update</a>
<td><a href="index.php?page=prodelete&id=<?=$product->id?>">Delete</a>
</tr>
<?php
$rb++;
endforeach;
?>
</table>
</div>

<div class="col-sm-3">
</div>
</div>
</section>
</div>
</section>
</div>

```

admin-products.php

```

<?php
include "config/connection.php";
include "handler/functions.php";
?>
<div class="content-wrapper">
<section class="content-header">
<h1>
Dashboard
<small>Control panel</small>
</h1>
<ol class="breadcrumb">
<li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
<li class="active">Dashboard</li>
</ol>
</section>
<section class="content">
<div class="row">
<div class="col-sm-3">
</div>
<div class="col-sm-6">
<form action="handler/producthandler.php" method="POST" enctype="multipart/form-data">
<h1>Products</h1>
<div class="box-body">
<div class="form-group">
<label for="name">Name</label>
<input type="text" class="form-control" id="name" placeholder="Enter Product Name" name="name">
</div>
<div class="form-group">
<label for="price">Price</label>
<input type="text" class="form-control" id="price" placeholder="Price" name="price">
</div>

```

```

<div class="form-group">
    <label for="description">Description</label>
    <textarea id="description" class="form-control" placeholder="Enter Description"
name="desc"></textarea>
</div>
<div class="form-group">
    <label for="brand" >Brand</label>
    <select class="form-control" name="brand">
        <option value="0">Select Brand</option>
        <?php
            $brands=fetchBrands();
            foreach($brands as $brand):
        ?>
        <option value="<?=$brand->id_brand?>"><?=$brand->brand?></option>
        <?php
            endforeach;
        ?>
    </select>
</div>
<div class="form-group">
    <label for="gender" >Gender</label>
    <select class="form-control" name="gender">
        <option value="0">Select Gender</option>
        <?php
            $genders=fetchGender();
            foreach($genders as $gender):
        ?>
        <option value="<?=$gender->id_gender?>"><?=$gender->gender?></option>
        <?php
            endforeach;
        ?>
    </select>
</div>
<div class="form-group">
    <label for="image">Product Image</label>
    <input type="file" id="image" name="image">
</div>
</div>
<div class="box-footer">
    <button type="submit" name="submit" class="btn btn-primary">Submit</button>
</div>
</form>
</div>
<div class="col-sm-3">
</div>
</section>
</div>
</section>
</div>

```

author.php

```

<?php
include "config/connection.php";
if(!empty($_GET['file'])){
    $fileName= $_GET['file'];
    $filePath = "data/".$fileName;
    if(!empty($fileName)&& file_exists($filePath)){
        header("Cache-Control: public");
        header("Content-type: application/msword");
        header('Content-Disposition: attachment; filename="'. basename($fileName) . '"');
        header('Content-Transfer-Encoding: binary');
        header('Content-Length: '. filesize($filePath));
        ob_clean();
        flush();
        readfile("data/".$fileName);
        exit();
    }
    else{
        echo "This file does not exist.";
    }
}
?>
<section class="bg-img1 txt-center p-lr-15 p-tb-92" style="background-image: url('images/author-bg.jpg');">
    <h2 class="itext-105 cl0 txt-center">
        DIMITRIJE JOVANOVIC 35/19
    </h2>
</section>
<section class="bg0 p-t-75 p-b-120">
    <div class="container">
        <div class="row p-b-148">
            <div class="col-md-7 col-lg-8">
                <div class="p-t-7 p-r-85 p-r-15-lg p-r-0-md">
                    <h3 class="mtext-111 cl2 p-b-16">
                        Kratka Biografija
                    </h3>
                    <p class="stext-113 cl6 p-b-26">
                        Rođen sam u Pirotu. Završio sam Gimnaziju u Pirotu. Trenutno studiram Visoku školu ICT u Beogradu
                    </p>
                    <button class="btn btn-lg btn-primary"><a href="index.php?page=author&file=author.doc" style="color:#FFF;">Word</a></button>
                    <button class="btn btn-lg btn-success"><a href="index.php?page=author&file=products.xls" style="color:#FFF;">Excel</a></button>
                    <button class="btn btn-lg btn-danger">Dokumentacija</button>
                    <button class="btn btn-lg btn-warning"><a href="index.php" style="color:#FFF;">Sajt</a></button>
                </div>
            </div>
            <div class="col-11 col-md-5 col-lg-4 m-lr-auto">
                <div class="how-bor1 ">
                    <div class="hov-img0">
                        

```

```

                </div>
            </div>
        </div>
    </div>
</section>
```

checkout.php

```

<?php
include 'config/connection.php';
include 'handler/customersession.php';
include 'handler/functions.php';
?>
<div class="bg0 p-t-75 p-b-85">
    <div class="container">
        <div class="row">
            <div class="col-lg-10 col-xl-7 m-lr-auto m-b-50">
                <div class="m-l-25 m-r-38 m-lr-0-xl">
                    <div class="wrap-table-shopping-cart">
                        <table class="table-shopping-cart">
                            <tr class="table_head">
                                <th
class="column-1">Product</th>
                                <th
class="column-2">Name</th>
                                <th
class="column-3">Price</th>
                                <th
class="column-4">Quantity</th>
                                <th
class="column-5">Update</th>
                                <th
class="column-6">Action</th>
                            </tr>
                            <?php
                            $total=0;
                            if(isset($_SESSION['cart'])):

```

foreach(\$_SESSION['cart'] as \$key=>\$value):

```

                            $total+=$value['item_price']*$value['quantity'];
                            $id =
                            $value['item_id'];
                            $product=
                            fetchProductById($id);
                            ?>
                            <tr class="table_row">
                                <td class="column-1">
                                    <div>
```

model?>">

```

                </div>
            </td>
            <td
class="column-2"><?=$value['item_name']?></td>
<?=$value['item_price']?></td>

```

<?=\$value['item_name']?>	<?=\$value['item_price']?>
---------------------------	----------------------------

```

action="handler/cartupdate.php" method="POST">

```

```

class="wrap-num-product flex-w m-l-auto m-r-0">

```

```

class="btn-num-product-down cl8 hov-btn3 trans-04 flex-c-m">

```

```

class="btn-num-product-up cl8 hov-btn3 trans-04 flex-c-m">

```

```

class="btn btn-sm btn-outline-danger" name="update">Update</button>

```

```

type="hidden" name="item_name" value="<?=$value['item_name']?>">

```

```

action="handler/cartremove.php" method="POST">

```

```

class="btn btn-sm btn-outline-danger" name="remove">Remove</button>

```

```

?>

```

```

            </td>
            <?php
                endforeach;
                endif;
            ?>
        </table>
    </div>

```

```

        </div>
        <div class="col-sm-10 col-lg-7 col-xl-5 m-lr-auto m-b-50">
            <div class="bor10 p-lr-40 p-t-30 p-b-40 m-l-63 m-r-40
m-lr-0-xl p-lr-15-sm">
                <h4 class="mtext-109 cl2 p-b-30">
                    Cart Totals
                </h4>
                <div class="flex-w flex-t bor12 p-t-15 p-b-30">
                    <div class="size-208 w-full-ssm">
                        <span class="stext-110 cl2">
                            Shipping Adress:
                        </span>
                    </div>
                    <div class="size-209 p-r-18 p-r-0-sm
w-full-ssm">
                        <div class="p-t-15">
                            <form
action="handler/orderhandler.php" method="POST">
                                <div class="bor8 bg0
m-b-12">
                                    <input
class="stext-111 cl8 plh3 size-111 p-lr-15" type="text" name="adress" placeholder="Adress">
                                </div>
                                <div class="bor8 bg0
m-b-22">
                                    <input
class="stext-111 cl8 plh3 size-111 p-lr-15" type="text" name="phone" placeholder="Phone Number">
                                </div>
                                </div>
                                </div>
                                <div class="flex-w flex-t p-t-27 p-b-33">
                                    <div class="size-208">
                                        <span class="mtext-101 cl2">
                                            Total:
                                        </span>
                                    </div>
                                    <div class="size-209 p-t-1">
                                        <span class="mtext-110 cl2">
                                            <?=$total?>
                                        </span>
                                    </div>
                                    </div>
                                    <input type="hidden"
name="total" value="<?=$total?>">
                                    <button type="submit" name="submit"
class="flex-c-m stext-101 cl0 size-116 bg3 bor14 hov-btn3 p-lr-15 trans-04 pointer">
                                        Place Order
                                    </button>
                                </form>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    
```

```
        </div>
    </div>
</form>
```

contact.php

```
<?php
include "config/connection.php";
?>
<section class="bg-img1 txt-center p-lr-15 p-tb-92" style="background-image:
url('images/bg-01.jpg');">
    <h2 class="ltext-105 cl0 txt-center">
        Contact
    </h2>
</section>
<section class="bg0 p-t-104 p-b-116">
    <div class="container">
        <div class="flex-w flex-tr">
            <div class="size-210 bor10 p-lr-70 p-t-55 p-b-70 p-lr-15-lg
w-full-md">
                <form action="handler/contact.php" method="POST">
                    <h4 class="mtext-105 cl2 txt-center p-b-30">
                        Send Us A Message
                    </h4>
                    <div class="bor8 m-b-20 how-pos4-parent">
                        <input class="stext-111 cl2 plh3 size-116
p-l-62 p-r-30" type="text" name="email" placeholder="Your Email Address">
                    </div>
                    <div class="bor8 m-b-30">
                        <textarea class="stext-111 cl2 plh3 size-120
p-lr-28 p-tb-25" name="msg" placeholder="How Can We Help?"></textarea>
                    </div>
                    <button class="flex-c-m stext-101 cl0 size-121 bg3
bor1 hov-btn3 p-lr-15 trans-04 pointer">
                        Submit
                    </button>
                </form>
            </div>
            <div class="size-210 bor10 flex-w flex-col-m p-lr-93 p-tb-30 p-lr-15-lg
w-full-md">
                <div class="flex-w w-full p-b-42">
                    <span class="fs-18 cl5 txt-center size-211">
                        <span class="lnr lnr-map-marker"></span>
                    </span>
                    <div class="size-212 p-t-2">
                        <span class="mtext-110 cl2">
                            Address
                        </span>
                        <p class="stext-115 cl6 size-213 p-t-18">
                            Coza Store Center 8th floor, 379
                        </p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
```

Hudson St, New York, NY 10018 US

```

                </div>
            </div>
            <div class="flex-w w-full p-b-42">
                <span class="fs-18 cl5 txt-center size-211">
                    <span class="lnr
Inr-phone-handset"></span>
                </span>
                <div class="size-212 p-t-2">
                    <span class="mtext-110 cl2">
                        Lets Talk
                    </span>
                    <p class="stext-115 cl1 size-213 p-t-18">
                        +1 800 1236879
                    </p>
                </div>
            </div>
            <div class="flex-w w-full">
                <span class="fs-18 cl5 txt-center size-211">
                    <span class="lnr lnr-envelope"></span>
                </span>
                <div class="size-212 p-t-2">
                    <span class="mtext-110 cl2">
                        Sale Support
                    </span>
                    <p class="stext-115 cl1 size-213 p-t-18">
                        contact@example.com
                    </p>
                </div>
            </div>
        </div>
    </div>
</section>

```

customer-forms.php

```

<?php
include "config/connection.php";
?>
<section class="bg-img1 txt-center p-lr-15 p-tb-92" style="background-image:
url('images/bg-01.jpg');">
    <h2 class="ltext-105 cl0 txt-center">
        Customers
    </h2>
</section>
<section class="bg0 p-t-104 p-b-116">
    <div class="container">
        <div class="flex-w flex-tr">
            <div class="size-210 bor10 p-lr-70 p-t-55 p-b-70 p-lr-15-lg
w-full-md">
                <form action="handler/customerlogin.php" method="POST">

```

```

        <h4 class="mtext-105 cl2 txt-center p-b-30">
            Log In
        </h4>
        <div class="bor8 m-b-20 how-pos4-parent">
            <input class="stext-111 cl2 plh3 size-116
p-l-62 p-r-30" type="text" name="email" placeholder="Your Email Address">
        </div>
        <div class="bor8 m-b-30">
            <input class="stext-111 cl2 plh3 size-116
p-l-62 p-r-30" type="password" name="password" placeholder="Password">
        </div>
        <button name="submit" class="flex-c-m stext-101
cl0 size-121 bg3 bor1 hov-btn3 p-lr-15 trans-04 pointer">
            Login
        </button>
    </form>
</div>
<div class="size-210 bor10 p-lr-70 p-t-55 p-b-70 p-lr-15-lg
w-full-md">
    <form action="handler/customerregister.php"
method="POST">
        <h4 class="mtext-105 cl2 txt-center p-b-30">
            Register
        </h4>
        <div class="bor8 m-b-20 how-pos4-parent">
            <input class="stext-111 cl2 plh3 size-116
p-l-62 p-r-30" type="text" name="email" placeholder="Your Email Address">
        </div>
        <div class="bor8 m-b-30">
            <input class="stext-111 cl2 plh3 size-116
p-l-62 p-r-30" type="password" name="password" placeholder="Password">
        </div>
        <div class="bor8 m-b-30">
            <input class="stext-111 cl2 plh3 size-116
p-l-62 p-r-30" type="password" name="password2" placeholder="Confirm Password">
        </div>
        <button name="submit" class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15 trans-04 pointer">
            Register
        </button>
    </form>
</div>
</div>
</section>

```

home.php

```

<section class="bg0 p-t-23 p-b-140">
    <div class="container">
        <div class="p-b-10">
            <h3 class="ltext-103 cl5">

```

```

        Selected Products
    </h3>
</div>
<div class="flex-w flex-sb-m p-b-52">
</div>
<div class="row isotope-grid">
    <?php
    include "config/connection.php";
    include "handler/functions.php";
    $products= fetchProductsLimit(7,12);
    foreach($products as $product):
    ?>
    <div class="col-sm-6 col-md-4 col-lg-3 p-b-35 isotope-item women">
        <!-- Block2 -->
        <div class="block2">
            <div class="block2-pic hov-img0">
                <img src=<?=$product->image?>" alt=<?=$product->model?>" href="index.php?page=product-detail&id=<?=$product->id?>" class="block2-btn flex-c-m stext-103 cl2 size-102 bg0 bor2 hov-btn1 p-lr-15 trans-04 ">
                    <a href="index.php?page=product-detail&id=<?=$product->id?>" class="stext-104 cl4 hov-cl1 trans-04 js-name-b2 p-b-6">
                        <?=$product->model?>
                    </a>
                    <span class="stext-105 cl3" $<?=$product->price?>>
                    </span>
                </div>
            </div>
        </div>
        <?php
            endforeach;
        ?>
    </div>
    <div class="flex-c-m flex-w w-full p-t-45">
        <a href="index.php?page=product" class="flex-c-m stext-101 cl5 size-103 bg2 bor1 hov-btn1 p-lr-15 trans-04">
            Load More
        </a>
    </div>
</div>
</section>

```

```

product-detail.php
<br><br><br>
<?php
    include "config/connection.php";
    include "handler/functions.php";
    $id=$_GET['id'];
    $product=fetchProductGenderBrandById($id);
?
>

<div class="container">
    <div class="bread-crumb flex-w p-l-25 p-r-15 p-t-30 p-lr-0-lg">
        <a href="index.html" class="stext-109 cl8 hov-cl1 trans-04">
            Home
            <i class="fa fa-angle-right m-l-9 m-r-10" aria-hidden="true"></i>
        </a>
        <a href="product.html" class="stext-109 cl8 hov-cl1 trans-04">
            <?=$product->gender?>
            <i class="fa fa-angle-right m-l-9 m-r-10" aria-hidden="true"></i>
        </a>
        <span class="stext-109 cl4">
            <?=$product->model?>
        </span>
    </div>
</div>

<!-- Product Detail -->
<section class="sec-product-detail bg0 p-t-65 p-b-60">
    <div class="container">
        <div class="row">
            <div class="col-md-6 col-lg-7 p-b-30">
                <div class="p-l-25 p-r-30 p-lr-0-lg">
                    <div class="wrap-slick3 flex-sb flex-w">
                        <div class="wrap-slick3-dots"></div>
                        <div class="wrap-slick3-arrows flex-sb-m
flex-w"></div>
                        <div class="slick3 gallery-lb">
                            <div class="item-slick3"
data-thumb="<?=$product->image?>">
                                <div class="wrap-pic-w
pos-relative">
                                    model?>">
                                    <a class="flex-c-m
size-108 how-pos1 bor0 fs-16 cl10 bg0 hov-btn3 trans-04" href="<?=$product->image?>">
                                        <i class="fa
fa-expand"></i>
                                    </a>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

<div class="col-md-6 col-lg-5 p-b-30">
    <div class="p-r-50 p-t-5 p-lr-0-lg">
        <h4 class="mtext-105 cl2 js-name-detail p-b-14">
            <?=$product->brand." ".$product->model?>
        </h4>
        <span class="mtext-106 cl2">
            $<?=$product->price?>
        </span>
        <p class="stext-102 cl3 p-t-23">
            <?=$product->description?>
        </p>

        <!-- -->
        <div class="p-t-33">
            <div class="flex-w flex-r-m p-b-10">
                <div class="size-203 flex-c-m
respon6">
                    Brand:
                    </div>
                    <div class="size-204 respon6-next">
                        <?=$product->brand?>
                    </div>
                </div>
                <div class="flex-w flex-r-m p-b-10">
                    <div class="size-203 flex-c-m
respon6">
                        Gender:
                        </div>
                        <div class="size-204 respon6-next">
                            <?=$product->gender?>
                        </div>
                    </div>
                    <div class="flex-w flex-r-m p-b-10">
                        <button class="flex-c-m
stext-101 cl0 size-101 bg1 bor1 hov-btn1 p-lr-15 trans-04" name="addToCart"
onclick="location.href='index.php?page=cart-handler&id=<?=$product->id?>&cart_name=<?=$product->model?>&price=<?=$product->price?>'">
                            Add to cart
                        </button>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>

```

product.php

<?php

```

include "config/connection.php";
include "handler/functions.php";
$page=0;
$noProducts=8;
$products=displayProducts($noProducts);
?>
<br><br>
<div class="bg0 m-t-23 p-b-140">
    <div class="container">
        <div class="flex-w flex-sb-m p-b-52">
            <div class="flex-w flex-c-m m-tb-10">
                <div class="flex-c-m stext-106 cl6 size-104 bor4 pointer
hov-btn3 trans-04 m-r-8 m-tb-4 js-show-filter">
                    <i class="icon-filter cl2 m-r-6 fs-15 trans-04 zmdi
zmdi-filter-list"></i>
                    <i class="icon-close-filter cl2 m-r-6 fs-15 trans-04
zmdi zmdi-close dis-none"></i>
                    Filter
                </div>
            </div>
            <div class="dis-none panel-search w-full p-t-10 p-b-15">
                <div class="bor8 dis-flex p-l-15">
                    <button class="size-113 flex-c-m fs-16 cl2 hov-cl1
trans-04">
                        <i class="zmdi zmdi-search"></i>
                    </button>
                    <input class="mtext-107 cl2 size-114 plh2 p-r-15"
type="text" name="search-product" placeholder="Search">
                </div>
            </div>
            <div class="dis-none panel-filter w-full p-t-10">
                <div class="wrap-filter flex-w bg6 w-full p-lr-40 p-t-27
p-lr-15-sm">
                    <div class="filter-col1 p-r-15 p-b-27">
                        <div class="mtext-102 cl2 p-b-15">
                            Brand
                        </div>
                        <ul>
                            <li class="p-b-6">
                                <a
href="index.php?page=product" class="filter-link stext-106 trans-04">
                                    All
                                </a>
                            </li>
                        </ul>
                    <?php
                        $brands=fetchBrands();
                        foreach($brands as $brand):
                    ?>
                    <li class="p-b-6">
                        <a
href="index.php?page=product&brand=<?= $brand->id_brand?>" class="filter-link stext-106 trans-04">

```



```

        <a
href="index.php?page=product&gender=<?=$gender->id_gender?>" class="filter-link stext-106
trans-04">

<?=$gender->gender?>
        </a>
        </li>
        <?php
            endforeach;
        ?>
        </ul>
    </div>
</div>
</div>
</div>
<div class="row isotope-grid">
<?php
    foreach($products as $product):
?>
    <div class="col-sm-6 col-md-4 col-lg-3 p-b-35 isotope-item women">
        <div class="block2">
            <div class="block2-pic hov-img0">
                model?>">
                <a href="index.php?page=product-detail&id=<?=$product->id?>" class="block2-btn flex-c-m stext-103
cl2 size-102 bg0 bor2 hov-btn1 p-lr-15 trans-04 ">
                    View Product
                </a>
            </div>
            <div class="block2-txt flex-w flex-t p-t-14">
                <div class="block2-txt-child1 flex-col-l ">
                    <a href="product-detail.html" class="stext-104 cl4 hov-cl1 trans-04 js-name-b2 p-b-6">
                        <?=$product->brand."$<?=$product->model?>
                            </a>
                            <span class="stext-105 cl3">
                                $<?=$product->price?>
                            </span>
                    </div>
                </div>
            </div>
            <?php
                endforeach;
            ?>
        </div>
        <!-- Load more -->
        <div class="flex-c-m flex-w w-full p-t-45">
            <?php
                include "views/fixed/product-pagination.php";
            ?>
        </div>
    </div>
</div>

```

```

    ?>
  </div>
</div>
</div>

proshow.php
<div class="content-wrapper">
  <section class="content-header">
    <h1>
      Dashboard
      <small>Control panel</small>
    </h1>
    <ol class="breadcrumb">
      <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
      <li class="active">Dashboard</li>
    </ol>
  </section>
  <section class="content">
    <div class="row">
      <div class="col-sm-9">
        <?php
          include "config/connection.php";
          include "handler/functions.php";
          $id=$_GET['id'];
          $product=fetchProductGenderBrandById($id);
        ?>
        <h3>Name: <?=$product->model?></h3>
        <h4>Brand: <?=$product->brand?></h4>
        <h4>Gender: <?=$product->gender?></h4>
        <h4>Price: <?=$product->price?></h4>
        <h5>Description: <?=$product->description?></h5>
        model?>">
      </div>
      <div class="col-sm-3">
        </div>
    </div>
  </section>
  </div>
</section>
</div>
</div>
</div>
```

```

proupdate.php
<div class="content-wrapper">
  <section class="content-header">
    <h1>
      Dashboard
      <small>Control panel</small>
    </h1>
    <ol class="breadcrumb">
      <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
      <li class="active">Dashboard</li>
    </ol>
```

```

</section>
<section class="content">
<div class="row">
    <div class="col-sm-3">
    </div>
    <div class="col-sm-6">
<form action="handler/prouphandler.php" method="POST" enctype="multipart/form-data">
<?php
    $id=$_GET['id'];
    include "config/connection.php";
    include "handler/functions.php";
    $product=fetchProductById($id);
?>
<h1>Products</h1>
<div class="box-body">
    <div class="form-group">
        <label for="name">Name</label>
        <input type="text" class="form-control" id="name" placeholder="Enter Product Name" name="name" value="<?=$product->model?>">
    </div>
    <div class="form-group">
        <label for="price">Price</label>
        <input type="text" class="form-control" id="price" placeholder="Price" name="price" value="<?=$product->price?>">
    </div>
    <div class="form-group">
        <label for="description">Description</label>
        <textarea id="description" class="form-control" placeholder="Enter Description" name="desc"><?=$product->description?></textarea>
    </div>
    <div class="form-group">
        <label for="category" >Brand</label>
        <select class="form-control" name="brand" value="<?=$product->brand_id?>">
            <option value="0">Select Brand</option>
            <?php
                $brands=fetchBrands();
                foreach($brands as $brand):
            ?>
            <option value="<?=$brand->id_brand?>"><?=$brand->brand?></option>
            <?php
                endforeach;
            ?>
        </select>
    </div>
    <div class="form-group">
        <label for="gender" >Gender</label>
        <select class="form-control" name="gender" value="<?=$product->gender_id?>">
            <option value="0">Select Gender</option>
            <?php
                $genders=fetchGender();
                foreach($genders as $gender):
            ?>

```

```

<option value=<?=$gender->id_gender?>><?=$gender->gender?></option>
<?php
foreach;
?>
</select>
</div>
<div class="form-group">
    <label for="image">Product Image</label>
    <input type="file" id="image" name="image">
</div>
</div>
<div class="box-footer">
    <input type="hidden" name="form_id" value=<?=$product->id?>>
    <button type="submit" name="update" class="btn btn-primary">Update</button>
</div>
</form>
</div>
<div class="col-sm-3">
</div>
</section>
</div>
</section>
</div>

```

shopping-cart.php

```

<?php
    include "config/connection.php";
    include "handler/functions.php";
?>
<div class="bg0 p-t-75 p-b-85">
    <div class="container">
        <div class="row">
            <div class="col-lg-10 col-xl-7 m-lr-auto m-b-50">
                <div class="m-l-25 m-r-38 m-lr-0-xl">
                    <div class="wrap-table-shopping-cart">
                        <table class="table-shopping-cart">
                            <tr class="table_head">
                                <th class="column-1">Product</th>
                                <th class="column-2">Name</th>
                                <th class="column-3">Price</th>
                                <th class="column-4">Quantity</th>
                                <th class="column-5">Update</th>
                                <th class="column-6">Action</th>
                            </tr>
                            <?php
                                $total=0;
                                if(isset($_SESSION['cart'])):

```

foreach(\$_SESSION['cart'] as \$key=>\$value):

```

                                $total+=$value['item_price']*$value['quantity'];

```

```
$id =  
$value['item_id'];  
  
$product=fetchProductById($id);  
?>  
<tr class="table_row">  
    <td class="column-1">  
        <div>  
  
  
        </div>  
    </td>  
    <td  
        class="column-2"><?=$value['item_name']?></td>  
    <td class="column-3">$  
        <?=$value['item_price']?></td>  
    <td class="column-4">  
        <form  
            action="handler/cartupdate.php" method="POST">  
            <div  
                class="wrap-num-product flex-w m-l-auto m-r-0">  
                    <div  
                        class="btn-num-product-down cl8 hov-btn3 trans-04 flex-c-m">  
                            <i  
                                class="fs-16 zmdi zmdi-minus"></i>  
                        </div>  
                        <input  
                            name="quantity" class="mtext-104 cl3 txt-center num-product" type="number" name="num-product2"  
                            value="=$value['quantity']?"/>  
                    <div  
                        class="btn-num-product-up cl8 hov-btn3 trans-04 flex-c-m">  
                            <i  
                                class="fs-16 zmdi zmdi-plus"></i>  
                        </div>  
                    </div>  
                </td>  
                <td class="column-5">  
                    <button  
                        class="btn btn-sm btn-outline-danger" name="update">Update</button>  
                    <input  
                        type="hidden" name="item_name" value="=$value['item_name']?"/>  
                </td>  
                <td class="column-6">  
                    <div>  
                        <form  
                            action="handler/cartremove.php" method="POST">  
                            <button  
                                class="btn btn-sm btn-outline-danger" name="remove">Remove</button>  
                            <input  
                                type="hidden" name="item_name" value="=$value['item_name']?"/>  
                        </form>  
                    </div>  
                </td>  
            </div>  
        </form>  
    </td>  
</tr>
```

```

                </div>
            </td>
        </tr>
        <?php
            endforeach;
            endif;
        ?>
        </table>
    </div>
</div>
</div>
<div class="col-sm-10 col-lg-7 col-xl-5 m-lr-auto m-b-50">
    <div class="bor10 p-lr-40 p-t-30 p-b-40 m-l-63 m-r-40
m-lr-0-xl p-lr-15-sm">
        <h4 class="mtext-109 cl2 p-b-30">
            Cart Totals
        </h4>
        <div class="flex-w flex-t bor12 p-b-13">
            <div class="size-208">
                <span class="stext-110 cl2">
                    Subtotal:
                </span>
            </div>
            <div class="size-209">
                <span class="mtext-110 cl2">
                    $ <?=$total?>
                </span>
            </div>
        </div>
        <div>
            <button onclick='location.href="index.php?page=checkout"'>
                Proceed to Checkout
            </button>
        </div>
    </div>
</div>
</div>

```

FIXED:

admin-aside.php

```

<aside class="main-sidebar">
    <section class="sidebar">
        <div class="user-panel">

```

```

</div>
<ul class="sidebar-menu" data-widget="tree">
  <li class="header"><?=$_SESSION['email']?></li>
  <li>
    <a href="index.php?page=admin-panel">
      <i class="fa fa-th"></i> <span>Home</span>
    </a>
  </li>
  <li>
    <a href="index.php?page=admin-brand">
      <i class="fa fa-th"></i> <span>Brands</span>
    </a>
  </li>
  <li>
    <a href="index.php?page=admin-products-show">
      <i class="fa fa-th"></i> <span>Products</span>
    </a>
  </li>
  <li>
    <a href="index.php?page=admin-orders">
      <i class="fa fa-th"></i> <span>Orders</span>
    </a>
  </li>
  <li>
    <a href="handler/logout.php">
      <i class="fa fa-th"></i> <span>Sign Out</span>
    </a>
  </li>
</ul>
</section>
<!-- /.sidebar -->
</aside>

```

admin-footer.php

```

<footer class="main-footer">
  <div class="pull-right hidden-xs">
    <b>Version</b> 2.4.18
  </div>
  <strong>Copyright &copy; 2014-2019 <a href="https://adminlte.io">AdminLTE</a>. </strong> All
  rights
  reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark" style="display: none;">
  <!-- Create the tabs -->
  <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
    <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i class="fa fa-home"></i></a></li>
    <li><a href="#control-sidebar-settings-tab" data-toggle="tab"><i class="fa fa-gears"></i></a></li>
  </ul>
  <!-- Tab panes -->
  <div class="tab-content">

```

```
<!-- Home tab content -->
<div class="tab-pane" id="control-sidebar-home-tab">
  <h3 class="control-sidebar-heading">Recent Activity</h3>
  <ul class="control-sidebar-menu">
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-birthday-cake bg-red"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Langdon's Birthday</h4>

          <p>Will be 23 on April 24th</p>
        </div>
      </a>
    </li>
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-user bg-yellow"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Frodo Updated His Profile</h4>

          <p>New phone +1(800)555-1234</p>
        </div>
      </a>
    </li>
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-envelope-o bg-light-blue"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Nora Joined Mailing List</h4>

          <p>nora@example.com</p>
        </div>
      </a>
    </li>
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-file-code-o bg-green"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Cron Job 254 Executed</h4>

          <p>Execution time 5 seconds</p>
        </div>
      </a>
    </li>
  </ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
```

```
<ul class="control-sidebar-menu">
<li>
<a href="javascript:void(0)">
  <h4 class="control-sidebar-subheading">
    Custom Template Design
    <span class="label label-danger pull-right">70%</span>
  </h4>

  <div class="progress progress-xxs">
    <div class="progress-bar progress-bar-danger" style="width: 70%"></div>
  </div>
</a>
</li>
<li>
<a href="javascript:void(0)">
  <h4 class="control-sidebar-subheading">
    Update Resume
    <span class="label label-success pull-right">95%</span>
  </h4>

  <div class="progress progress-xxs">
    <div class="progress-bar progress-bar-success" style="width: 95%"></div>
  </div>
</a>
</li>
<li>
<a href="javascript:void(0)">
  <h4 class="control-sidebar-subheading">
    Laravel Integration
    <span class="label label-warning pull-right">50%</span>
  </h4>

  <div class="progress progress-xxs">
    <div class="progress-bar progress-bar-warning" style="width: 50%"></div>
  </div>
</a>
</li>
<li>
<a href="javascript:void(0)">
  <h4 class="control-sidebar-subheading">
    Back End Framework
    <span class="label label-primary pull-right">68%</span>
  </h4>

  <div class="progress progress-xxs">
    <div class="progress-bar progress-bar-primary" style="width: 68%"></div>
  </div>
</a>
</li>
</ul>
<!-- /.control-sidebar-menu -->
```

```
</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
<form method="post">
<h3 class="control-sidebar-heading">General Settings</h3>

<div class="form-group">
<label class="control-sidebar-subheading">
  Report panel usage
  <input type="checkbox" class="pull-right" checked>
</label>

<p>
  Some information about this general settings option
</p>
</div>
<!-- /.form-group -->

<div class="form-group">
<label class="control-sidebar-subheading">
  Allow mail redirect
  <input type="checkbox" class="pull-right" checked>
</label>

<p>
  Other sets of options are available
</p>
</div>
<!-- /.form-group -->

<div class="form-group">
<label class="control-sidebar-subheading">
  Expose author name in posts
  <input type="checkbox" class="pull-right" checked>
</label>

<p>
  Allow the user to show his name in blog posts
</p>
</div>
<!-- /.form-group -->

<h3 class="control-sidebar-heading">Chat Settings</h3>

<div class="form-group">
<label class="control-sidebar-subheading">
  Show me as online
  <input type="checkbox" class="pull-right" checked>
```

```

        </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
        <label class="control-sidebar-subheading">
            Turn off notifications
        </label>
        <input type="checkbox" class="pull-right">
    </div>
    <!-- /.form-group -->

    <div class="form-group">
        <label class="control-sidebar-subheading">
            Delete chat history
        <a href="javascript:void(0)" class="text-red pull-right"><i class="fa fa-trash-o"></i></a>
    </label>
    </div>
    <!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
     immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!-- jQuery 3 -->
<script src="admin/bower_components/jquery/dist/jquery.min.js"></script>
<!-- jQuery UI 1.11.4 -->
<script src="admin/bower_components/jquery-ui/jquery-ui.min.js"></script>
<!-- Resolve conflict in jQuery UI tooltip with Bootstrap tooltip -->
<script>
    $.widget.bridge('uibutton', $.ui.button);
</script>
<!-- Bootstrap 3.3.7 -->
<script src="admin/bower_components/bootstrap/dist/js/bootstrap.min.js"></script>
<!-- Morris.js charts -->
<script src="admin/bower_components/raphael/raphael.min.js"></script>
<script src="admin/bower_components/morris.js/morris.min.js"></script>
<!-- Sparkline -->
<script src="admin/bower_components/jquery-sparkline/dist/jquery.sparkline.min.js"></script>
<!-- jvectormap -->
<script src="admin/plugins/jvectormap/jquery-jvectormap-1.2.2.min.js"></script>
<script src="admin/plugins/jvectormap/jquery-jvectormap-world-mill-en.js"></script>
<!-- jQuery Knob Chart -->
<script src="admin/bower_components/jquery-knob/dist/jquery.knob.min.js"></script>
<!-- daterangepicker -->

```

```

<script src="admin/bower_components/moment/min/moment.min.js"></script>
<script src="admin/bower_components/bootstrap-daterangepicker/daterangepicker.js"></script>
<!-- datepicker -->
<script
src="admin/bower_components/bootstrap-datepicker/dist/js/bootstrap-datepicker.min.js"></script>
<!-- Bootstrap WYSIHTML5 -->
<script src="admin/plugins/bootstrap-wysihtml5/bootstrap3-wysihtml5.all.min.js"></script>
<!-- Slimscroll -->
<script src="admin/bower_components/jquery-slimscroll/jquery.slimscroll.min.js"></script>
<!-- FastClick -->
<script src="admin/bower_components/fastclick/lib/fastclick.js"></script>
<!-- AdminLTE App -->
<script src="admin/dist/js/adminlte.min.js"></script>
<!-- AdminLTE dashboard demo (This is only for demo purposes) -->
<script src="admin/dist/js/pages/dashboard.js"></script>
<!-- AdminLTE for demo purposes -->
<script src="admin/dist/js/demo.js"></script>
</body>
</html>

```

admin-head.php

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>AdminLTE 2 | Dashboard</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no"
name="viewport">
    <!-- Bootstrap 3.3.7 -->
    <link rel="stylesheet" href="admin/bower_components/bootstrap/dist/css/bootstrap.min.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="admin/bower_components/font-awesome/css/font-awesome.min.css">
    <!-- Ionicons -->
    <link rel="stylesheet" href="admin/bower_components/Ionicons/css/ionicons.min.css">
    <!-- Theme style -->
    <link rel="stylesheet" href="admin/dist/css/AdminLTE.min.css">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load. -->
    <link rel="stylesheet" href="admin/dist/css/skins/_all-skins.min.css">
    <!-- Morris chart -->
    <link rel="stylesheet" href="admin/bower_components/morris.js/morris.css">
    <!-- jvectormap -->
    <link rel="stylesheet" href="admin/bower_components/jvectormap/jquery-jvectormap.css">
    <!-- Date Picker -->
    <link rel="stylesheet"
href="admin/bower_components/bootstrap-datepicker/dist/css/bootstrap-datepicker.min.css">
    <!-- Daterange picker -->
    <link rel="stylesheet"
href="admin/bower_components/bootstrap-daterangepicker/daterangepicker.css">

```

```

<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="admin/plugins/bootstrap-wysihtml5/bootstrap3-wysihtml5.min.css">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
<!--[if lt IE 9]>
<script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
<![endif]-->

<!-- Google Font -->
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,
600italic">
</head>

```

admin-header.php

```

<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

<header class="main-header">
    <!-- Logo -->
    <a href="index.php?page=admin-panel" class="logo">
        <!-- mini logo for sidebar mini 50x50 pixels -->
        <span class="logo-mini"><b>A</b>LT</span>
        <!-- logo for regular state and mobile devices -->
        <span class="logo-lg"><b>Admin</b>LTE</span>
    </a>
    <!-- Header Navbar: style can be found in header.less -->
    <nav class="navbar navbar-static-top">
        <!-- Sidebar toggle button-->
        <a href="#" class="sidebar-toggle" data-toggle="push-menu" role="button">
            <span class="sr-only">Toggle navigation</span>
        </a>
    </nav>
</header>

```

cart.php

```

<!-- Cart -->
<div class="wrap-header-cart js-panel-cart">
    <div class="s-full js-hide-cart"></div>

    <div class="header-cart flex-col-l p-l-65 p-r-25">
        <div class="header-cart-title flex-w flex-sb-m p-b-8">
            <span class="mtext-103 cl2">
                Your Cart
            </span>
        <div class="fs-35 lh-10 cl2 p-lr-5 pointer hov-cl1 trans-04
js-hide-cart">
            <i class="zmdi zmdi-close"></i>
        </div>
    </div>

```

```
</div>
</div>

<div class="header-cart-content flex-w js-pscroll">
    <ul class="header-cart-wrapitem w-full">
        <li class="header-cart-item flex-w flex-t m-b-12">
            <div class="header-cart-item-img">
                
            </div>

            <div class="header-cart-item-txt p-t-8">
                <a href="#" class="header-cart-item-name m-b-18 hov-cl1 trans-04">
                    White Shirt Pleat
                </a>

                <span class="header-cart-item-info">
                    1 x $19.00
                </span>
            </div>
        </li>

        <li class="header-cart-item flex-w flex-t m-b-12">
            <div class="header-cart-item-img">
                
            </div>

            <div class="header-cart-item-txt p-t-8">
                <a href="#" class="header-cart-item-name m-b-18 hov-cl1 trans-04">
                    Converse All Star
                </a>

                <span class="header-cart-item-info">
                    1 x $39.00
                </span>
            </div>
        </li>

        <li class="header-cart-item flex-w flex-t m-b-12">
            <div class="header-cart-item-img">
                
            </div>

            <div class="header-cart-item-txt p-t-8">
                <a href="#" class="header-cart-item-name m-b-18 hov-cl1 trans-04">
                    Nixon Porter Leather
                </a>
            </div>
        </li>
    </ul>
</div>
```

```

        <span class="header-cart-item-info">
            1 x $17.00
        </span>
    </div>
</li>
</ul>

<div class="w-full">
    <div class="header-cart-total w-full p-tb-40">
        Total: $75.00
    </div>

    <div class="header-cart-buttons flex-w w-full">
        <a href="shoping-cart.html" class="flex-c-m
stext-101 cl0 size-107 bg3 bor2 hov-btn3 p-lr-15 trans-04 m-r-8 m-b-10">
            View Cart
        </a>

        <a href="shoping-cart.html" class="flex-c-m
stext-101 cl0 size-107 bg3 bor2 hov-btn3 p-lr-15 trans-04 m-b-10">
            Check Out
        </a>
    </div>
</div>
</div>
</div>

```

footer.php

```

<!-- Footer -->
<footer class="bg3 p-t-75 p-b-32">
    <div class="container">
        <div class="row">
            <div class="col-sm-6 col-lg-3 p-b-50">
                <h4 class="stext-301 cl0 p-b-30">
                    Categories
                </h4>

                <ul>
                    <?php
                        $query="Select * from brand LIMIT 5";
                        $categories = executeQuery($query);
                        foreach($categories as $brand):
                    ?>
                    <li class="p-b-10">
                        <a href="#" class="stext-107 cl7 hov-cl1
trans-04">
                            <?=$brand->brand?>
                        </a>
                    </li>
                <?php endforeach; ?>
            </div>
        </div>
    </div>
</footer>

```

```

        </li>
        <?php
            endforeach;
        ?>
    </ul>
</div>

<div class="col-sm-6 col-lg-3 p-b-50">
    <h4 class="stext-301 cl0 p-b-30">
        GET IN TOUCH
    </h4>

    <p class="stext-107 cl7 size-201">
        Any questions? Let us know in store at 8th floor, 379
        Hudson St, New York, NY 10018 or call us on (+1) 96 716 6879
    </p>

    <div class="p-t-27">
        <a href="#" class="fs-18 cl7 hov-cl1 trans-04
m-r-16">
            <i class="fa fa-facebook"></i>
        </a>

        <a href="#" class="fs-18 cl7 hov-cl1 trans-04
m-r-16">
            <i class="fa fa-instagram"></i>
        </a>

        <a href="#" class="fs-18 cl7 hov-cl1 trans-04
m-r-16">
            <i class="fa fa-pinterest-p"></i>
        </a>
    </div>
</div>

<div class="p-t-40">

    <p class="stext-107 cl6 txt-center">
        </p>
    </div>
</div>
</footer>

<!-- Back to top -->
<div class="btn-back-to-top" id="myBtn">
    <span class="symbol-btn-back-to-top">
        <i class="zmdi zmdi-chevron-up"></i>
    </span>
</div>
```

```
<!-- Modal1 -->
<div class="wrap-modal1 js-modal1 p-t-60 p-b-20">
    <div class="overlay-modal1 js-hide-modal1"></div>

    <div class="container">
        <div class="bg0 p-t-60 p-b-30 p-lr-15-lg how-pos3-parent">
            <button class="how-pos3 hov3 trans-04 js-hide-modal1">
                
            </button>

            <div class="row">
                <div class="col-md-6 col-lg-7 p-b-30">
                    <div class="p-l-25 p-r-30 p-lr-0-lg">
                        <div class="wrap-slick3 flex-sb flex-w">
                            <div class="wrap-slick3-dots"></div>
                            <div class="wrap-slick3-arrows
flex-sb-m flex-w"></div>

                            <div class="slick3 gallery-lb">
                                <div class="item-slick3"
data-thumb="images/product-detail-01.jpg">
                                    <div
class="wrap-pic-w pos-relative">
                                        

                                        <a
class="flex-c-m size-108 how-pos1 bor0 fs-16 cl10 bg0 hov-btn3 trans-04"
href="images/product-detail-01.jpg">
                                            <i
class="fa fa-expand"></i>
                                        </a>
                                    </div>
                                </div>
                            </div>
                        <div class="item-slick3"
data-thumb="images/product-detail-02.jpg">
                            <div
class="wrap-pic-w pos-relative">
                                

                                <a
class="flex-c-m size-108 how-pos1 bor0 fs-16 cl10 bg0 hov-btn3 trans-04"
href="images/product-detail-02.jpg">
                                    <i
class="fa fa-expand"></i>
                                </a>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

data-thumb="images/product-detail-03.jpg">

<div class="wrap-pic-w pos-relative">

<i class="fa fa-expand"></i>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<div class="col-md-6 col-lg-5 p-b-30">

<div class="p-r-50 p-t-5 p-lr-0-lg">

<h4 class="mtext-105 cl2 js-name-detail p-b-14">

Lightweight Jacket

</h4>

\$58.79

<p class="stext-102 cl3 p-t-23">

Nulla eget sem vitae eros pharetra

viverra. Nam vitae luctus ligula. Mauris consequat ornare feugiat.

</p>

<!-- -->

<div class="p-t-33">

<div class="flex-w flex-r-m p-b-10">

<div class="size-203 flex-c-m respon6">

Size

</div>

<div class="size-204 respon6-next">

<div class="rs1-select2 bor8 bg0">

<select class="js-select2" name="time">

<option>Choose an option</option>


```
<i  
class="fs-16 zmdi zmdi-minus"></i>  
</div>  
  
<input  
class="mtext-104 cl3 txt-center num-product" type="number" name="num-product" value="1">  
  
<div  
class="btn-num-product-up cl8 hov-btn3 trans-04 flex-c-m">  
<i  
class="fs-16 zmdi zmdi-plus"></i>  
</div>  
</div>  
  
<button  
class="flex-c-m stext-101 cl0 size-101 bg1 bor1 hov-btn1 p-lr-15 trans-04 js-addcart-detail">  
    Add to cart  
</button>  
</div>  
</div>  
  
<!-- -->  
<div class="flex-w flex-m p-l-100 p-t-40  
respon7">  
    <div class="flex-m bor9 p-r-10  
m-r-11">  
        <a href="#" class="fs-14 cl3  
hov-cl1 trans-04 lh-10 p-lr-5 p-tb-2 js-addwish-detail tooltip100" data-tooltip="Add to Wishlist">  
            <i class="zmdi  
zmdi-favorite"></i>  
        </a>  
    </div>  
  
    <a href="#" class="fs-14 cl3 hov-cl1  
trans-04 lh-10 p-lr-5 p-tb-2 m-r-8 tooltip100" data-tooltip="Facebook">  
        <i class="fa  
fa-facebook"></i>  
    </a>  
  
    <a href="#" class="fs-14 cl3 hov-cl1  
trans-04 lh-10 p-lr-5 p-tb-2 m-r-8 tooltip100" data-tooltip="Twitter">  
        <i class="fa fa-twitter"></i>  
    </a>  
  
    <a href="#" class="fs-14 cl3 hov-cl1  
trans-04 lh-10 p-lr-5 p-tb-2 m-r-8 tooltip100" data-tooltip="Google Plus">  
        <i class="fa  
fa-google-plus"></i>  
    </a>  
</div>  
</div>
```

```

                </div>
            </div>
        </div>
    </div>

<!--=====
=====-->
<script src="vendor/jquery/jquery-3.2.1.min.js"></script>
<!--=====
=====-->
<script src="vendor/animstion/js/animstion.min.js"></script>
<!--=====
=====-->
<script src="vendor/bootstrap/js/popper.js"></script>
<script src="vendor/bootstrap/js/bootstrap.min.js"></script>
<!--=====
=====-->
<script src="vendor/select2/select2.min.js"></script>
<script>
    $(".js-select2").each(function(){
        $(this).select2({
            minimumResultsForSearch: 20,
            dropdownParent: $(this).next('.dropDownSelect2')
        });
    })
</script>
<!--=====
=====-->
<script src="vendor/daterangepicker/moment.min.js"></script>
<script src="vendor/daterangepicker/daterangepicker.js"></script>
<!--=====
=====-->
<script src="vendor/slick/slick.min.js"></script>
<script src="js/slick-custom.js"></script>
<!--=====
=====-->
<script src="vendor/parallax100/parallax100.js"></script>
<script>
    $('.parallax100').parallax100();
</script>
<!--=====
=====-->
<script src="vendor/MagnificPopup/jquery.magnific-popup.min.js"></script>
<script>
    $('.gallery-lb').each(function() { // the containers for all your galleries
        $(this).magnificPopup({
            delegate: 'a', // the selector for gallery item
            type: 'image',
            gallery: {
                enabled:true
            },

```

```

        mainClass: 'mfp-fade'
    });
});

```

<!--=====-->

```

<script src="vendor/isotope/isotope.pkgd.min.js"></script>
<!--=====-->
```

```

<script src="vendor/sweetalert/sweetalert.min.js"></script>
<script>
    $('.js-addwish-b2').on('click', function(e){
        e.preventDefault();
    });

    $('.js-addwish-b2').each(function(){
        var nameProduct = $(this).parent().parent().find('.js-name-b2').html();
        $(this).on('click', function(){
            swal(nameProduct, "is added to wishlist !", "success");

            $(this).addClass('js-addedwish-b2');
            $(this).off('click');
        });
    });

    $('.js-addwish-detail').each(function(){
        var nameProduct =
$(this).parent().parent().parent().find('.js-name-detail').html();

        $(this).on('click', function(){
            swal(nameProduct, "is added to wishlist !", "success");

            $(this).addClass('js-addedwish-detail');
            $(this).off('click');
        });
    });

/*-----*/

```

```

$('.js-addcart-detail').each(function(){
    var nameProduct =
$(this).parent().parent().parent().parent().find('.js-name-detail').html();
    $(this).on('click', function(){
        swal(nameProduct, "is added to cart !", "success");
    });
});

```

```

</script>
<!--=====-->
```

```

<script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
<script>
```

```

$('.js-pscroll').each(function(){
    $(this).css('position','relative');
    $(this).css('overflow','hidden');
    var ps = new PerfectScrollbar(this, {
        wheelSpeed: 1,
        scrollingThreshold: 1000,
        wheelPropagation: false,
    });

    $(window).on('resize', function(){
        ps.update();
    })
});

</script>
<!--=====
=====-->
<script src="js/main.js"></script>

</body>
</html>

```

head.php

```

<?php
session_start();
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Home</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
<!--=====
=====-->
    <link rel="icon" type="image/png" href="images/icons/favicon.ico"/>
<!--=====
=====-->
    <link rel="stylesheet" type="text/css" href="vendor/bootstrap/css/bootstrap.min.css">
<!--=====
=====-->
    <link rel="stylesheet" type="text/css"
href="fonts/font-awesome-4.7.0/css/font-awesome.min.css">
<!--=====
=====-->
    <link rel="stylesheet" type="text/css"
href="fonts/iconic/css/material-design-iconic-font.min.css">
<!--=====
=====-->
    <link rel="stylesheet" type="text/css" href="fonts/linearicons-v1.0.0/icon-font.min.css">
<!--=====
=====-->
    <link rel="stylesheet" type="text/css" href="vendor/animate/animate.css">

```

```
<!--=====-->
<link rel="stylesheet" type="text/css" href="vendor/css-hamburgers/hamburgers.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css" href="vendor/animsition/css/animstion.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css" href="vendor/select2/select2.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css" href="vendor/daterangepicker/daterangepicker.css">
<!--=====-->
<link rel="stylesheet" type="text/css" href="vendor/slick/slick.css">
<!--=====-->
<link rel="stylesheet" type="text/css" href="vendor/MagnificPopup/magnific-popup.css">
<!--=====-->
<link rel="stylesheet" type="text/css" href="vendor/perfect-scrollbar/perfect-scrollbar.css">
<!--=====-->
<link rel="stylesheet" type="text/css" href="css/util.css">
<link rel="stylesheet" type="text/css" href="css/main.css">
<!--=====-->
</head>
```

header.php

```
<body class="animsition">
```

```

        if($_SESSION['role']==1):
    ?>
<a href="index.php?page=admin-panel"
class="flex-c-m trans-04 p-lr-25">
    Admin Panel
</a>
<?php
    endif;
endif;
?>
<?php
    if(!empty($_SESSION['email'])):
?>
<a href="handler/user-logout.php" class="flex-c-m
trans-04 p-lr-25">
    Logout
</a>
<?php
    else:
?>
<a href="index.php?page=customer-forms"
class="flex-c-m trans-04 p-lr-25">
    Login
</a>
<?php
    endif;
?>
</div>
</div>
</div>

<div class="wrap-menu-desktop">
    <nav class="limiter-menu-desktop container">

        <!-- Logo desktop -->
        <a href="index.php" class="logo">
            
        </a>

        <!-- Menu desktop -->
        <div class="menu-desktop">
            <ul class="main-menu">
                <li class="active-menu">
                    <a href="index.php">Home</a>
                </li>
                <li>
                    <a
href="index.php?page=product">Shop</a>
                </li>
                <li>

```

```

        <a
    href="index.php?page=about">About</a>
        </li>

        <li>
            <a
    href="index.php?page=contact">Contact</a>
            </li>
        </ul>
    </div>

        <!-- Icon header -->
    <div class="wrap-icon-header flex-w flex-r-m">
        <?php
            if(!empty($_SESSION['cart'])):
                $qty=count($_SESSION['cart']);
            ?>
            <div class="icon-header-item cl2 hov-cl1 trans-04
p-l-22 p-r-11 icon-header-noti " onclick="location.href='index.php?page=shopping-cart'" data-notify=<?= $qty ?>">
                <i class="zmdi zmdi-shopping-cart"></i>
            </div>
        <?php
            else:
            ?>
            <div class="icon-header-item cl2 hov-cl1 trans-04
p-l-22 p-r-11 icon-header-noti " onclick="location.href='index.php?page=shopping-cart'" data-notify="0">
                <i class="zmdi zmdi-shopping-cart"></i>
            </div>
        <?php
            endif;
        ?>

        </div>
    </nav>
</div>
</div>

        <!-- Header Mobile -->
    <div class="wrap-header-mobile">
        <!-- Logo moblie -->
        <div class="logo-mobile">
            <a href="index.php"></a>
        </div>

        <!-- Icon header -->
        <div class="wrap-icon-header flex-w flex-r-m m-r-15">
            <div class="icon-header-item cl2 hov-cl1 trans-04 p-r-11
js-show-modal-search">
                <i class="zmdi zmdi-search"></i>

```

```

        </div>

        <div class="icon-header-item cl2 hov-cl1 trans-04 p-r-11 p-l-10 icon-header-noti" onclick="location.href='index.php?page=shopping-cart'" data-notify="2">
            <i class="zmdi zmdi-shopping-cart"></i>
        </div>

        <a href="#" class="dis-block icon-header-item cl2 hov-cl1 trans-04 p-r-11 p-l-10 icon-header-noti" data-notify="0">
            <i class="zmdi zmdi-favorite-outline"></i>
        </a>
    </div>

    <!-- Button show menu -->
    <div class="btn-show-menu-mobile hamburger hamburger--squeeze">
        <span class="hamburger-box">
            <span class="hamburger-inner"></span>
        </span>
    </div>
</div>

<!-- Menu Mobile -->
<div class="menu-mobile">
    <ul class="main-menu-m">
        <li>
            <a href="index.php">Home</a>
            <span class="arrow-main-menu-m">
                <i class="fa fa-angle-right" aria-hidden="true"></i>
            </span>
        </li>

        <li>
            <a href="index.php?page=product">Shop</a>
        </li>
        <li>
            <a href="index.php?page=about">About</a>
        </li>

        <li>
            <a href="index.php?page=contact">Contact</a>
        </li>
    </ul>
</div>

<!-- Modal Search -->
<div class="modal-search-header flex-c-m trans-04 js-hide-modal-search">
    <div class="container-search-header">
        <button class="flex-c-m btn-hide-modal-search trans-04 js-hide-modal-search">
            
        </button>

```

```
        </div>
    </div>
</header>
```

product-pagination.php

```
<nav>
    <ul class="pagination justify-content-center">
        <?php
            if($page>1):
        ?>
            <li class="page-item">
                <a href="index.php?page=product&pg=<?=$page-1?>" aria-label="Previous"
                class="page-link">
                    <span aria-hidden="true">&laquo;</span>
                    <span class="sr-only">Previous</span>
                </a>
            </li>
        <?php
            endif;
            $totalProducts = countProducts();
            $productsPerPage = ceil($totalProducts/$noProducts);
            for($i=1;$i<=$productsPerPage;$i++):
                if(isset($page)):
                    if($i==$page):
                ?>
                    <li class="page-item active">
                        <a href="index.php?page=product&pg=<?=$i?>" class="page-link"><?=$i?></a>
                    </li>
                <?php
                    else:
                ?>
                    <li class="page-item">
                        <a href="index.php?page=product&pg=<?=$i?>" class="page-link"><?=$i?></a>
                    </li>
                <?php
                    endif;
                    endif;
                    endfor;
                if($page<$productsPerPage):
            ?>
                    <li class="page-item">
                        <a class="page-link" href="index.php?page=product&pg=<?=$i+1?>" aria-label="Next">
                            <span aria-hidden="true">&raquo;</span>
                            <span class="sr-only">Next</span>
                        </a>
                    </li>
                <?php
                    endif;
            ?>
```

```
</ul>
</nav>

slider.php
<section class="section-slide">
    <div class="wrap-slick1">
        <div class="slick1">
            <div class="item-slick1" style="background-image: url(images/slide-01.jpg);">
                <div class="container h-full">
                    <div class="flex-col-l-m h-full p-t-100 p-b-30 respon5">
                        <div class="layer-slick1 animated visible-false" data-appear="fadeInDown" data-delay="0">
                            <span class="ltext-101 cl2 respon2" style="color:#fff;">
                                Women Collection
                            </span>
                        </div>

                        <div class="layer-slick1 animated visible-false" data-appear="fadeInUp" data-delay="800">
                            <h2 class="ltext-201 cl2 p-t-19 p-b-43 respon1" style="color:#fff;">
                                NEW ARRIALS
                            </h2>
                        </div>

                        <div class="layer-slick1 animated visible-false" data-appear="zoomIn" data-delay="1600">
                            <a href="index.php?page=product&gender=2" class="flex-c-m stext-101 cl0 size-101 bg1 bor1 hov-btn1 p-lr-15 trans-04">
                                Shop Now
                            </a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>
```

```
<div class="item-slick1" style="background-image:  
url(images/slide-02.jpg);>  
    <div class="container h-full">  
        <div class="flex-col-l-m h-full p-t-100  
p-b-30 respon5">  
            <div class="layer-slick1 animated  
visible-false" data-appear="rollIn" data-delay="0">  
                <span class="ltext-101 cl2  
respon2" style="color:#fff;">  
                    Men New-Season  
                </span>  
            </div>  
  
            <div class="layer-slick1 animated  
visible-false" data-appear="lightSpeedIn" data-delay="800">  
                <h2 class="ltext-201 cl2  
p-t-19 p-b-43 respon1" style="color:#fff;">  
                    New Arrivals  
                </h2>  
            </div>  
  
            <div class="layer-slick1 animated  
visible-false" data-appear="slideInUp" data-delay="1600">  
                <a  
href="index.php?page=product&gender=2" class="flex-c-m stext-101 cl0  
size-101 bg1 bor1 hov-btn1 p-lr-15 trans-04">  
                    Shop Now  
                </a>  
            </div>  
        </div>  
    </div>  
  
<div class="item-slick1" style="background-image:  
url(images/slide-03.jpg);>  
    <div class="container h-full">  
        <div class="flex-col-l-m h-full p-t-100  
p-b-30 respon5">  
            <div class="layer-slick1 animated  
visible-false" data-appear="rotateInDownLeft" data-delay="0">
```

HANDLER:

adminlogin.php

```
<?php
    session_start();
    if(isset($_POST['login'])){
        include "..config/connection.php";
        $email=$_POST['email'];
        $password = $_POST['password'];
        $query="SELECT * from users Where username='$email' AND password= '$password'";
        $result=executeQuery($query);
```

```

$_SESSION['email']=$result[0]->username;
$_SESSION['password']=$result[0]->password;
$_SESSION['role']=$result[0]->role_id;
$_SESSION['customer_id']=$result[0]->id;

if($email==$result[0]->username&& $password==$result[0]->password &&
$result[0]->role_id==1){
    header("location: ../index.php?page=admin-panel");
}
else{
    header("location: ../index.php?page=admin-login");
}
}

?>

```

brandhandler.php

```

<?php
if(isset($_POST['submit'])){
    include "../config/connection.php";
$brand=$_POST['name'];

$result= $conn->prepare("INSERT INTO brand(brand) VALUES(?)");
$result->execute([$brand]);
if($result){
    header("location: ../index.php?page=admin-brand");
}
}
?>

```

carthandler.php

```

<?php
session_start();
if(isset($_SESSION['cart'])){
    $checker=array_column($_SESSION['cart'], 'item_name');
    if(in_array($_GET['cart_name'], $checker)){
        echo "<script>alert('Product Is Already In The
Cart');window.location.href='index.php?page=product'</script>";
    }
    else{
        $count=count($_SESSION['cart']);

$_SESSION['cart'][$count]=array('item_id'=>$_GET['id'],'item_name'=>$_GET['cart_name'],'item_pric
e'=>$_GET['price'],'quantity'=>1);
        echo "<script>alert('Product Added');window.location.href='index.php?page=product'</script>";
    }
}
else{
$_SESSION['cart'][0]=array('item_id'=>$_GET['id'],'item_name'=>$_GET['cart_name'],'item_price'=>$_GET['price'],'quantity'=>1);
}

```

```
    echo "<script>alert('Product Added');window.location.href='index.php?page=product'</script>";
}

?>
```

cartremove.php

```
<?php
session_start();
if(isset($_POST['remove'])){
    foreach($_SESSION['cart'] as $key=>$value){
        if($value['item_name']===$_POST['item_name']){
            unset($_SESSION['cart'][$key]);
            $_SESSION['cart']=array_values($_SESSION['cart']);
            echo "<script>alert('item removed');</script>";
            header("location: ../index.php?page=shopping-cart");
        }
    }
}
?>
```

cartupdate.php

```
<?php
session_start();
$qty=$_POST['quantity'];
if(isset($_POST['update'])){
    foreach($_SESSION['cart'] as $key=>$value){
        if($value['item_name']===$_POST['item_name']){
            $_SESSION['cart'][$key]['quantity']=$qty;
            echo "<script>alert('Item Updated');</script>";
            header("location: ../index.php?page=shopping-cart");
        }
    }
}
?>
```

contact.php

```
<?php
include "../config/connection.php";
$email=$_POST['email'];
$msg = $_POST['msg'];

$result= $conn->prepare("INSERT INTO contact(email,message) VALUES(?, ?)");
$result->execute([$email, $msg]);
if($result){
    header("location: ../index.php");
}
?>
```

customer-login.php

```
<?php
```

```

session_start();
include("../config/connection.php");

if(isset($_POST['submit'])){
    $email=$_POST['email'];
    $password=$_POST['password'];

    $query="SELECT * FROM users WHERE username= '$email' AND password = '$password'";
    $result= executeQuery($query);
    $user= $result[0];
    $_SESSION['email']= $user->username;
    $_SESSION['password']= $user->password;
    $_SESSION['customer_id']=$user->id;
    $_SESSION['role']=$user->role_id;
    if($email==$user->username&& $password==$user->password){
        header("location: ../index.php");
    }
    else{
        echo "<script>alert('Credentials are
wrong');window.location.href='..../index.php?page=customer-forms';</script>";
    }
}
?>

```

customerregister.php

```

<?php
include("../config/connection.php");

if(isset($_POST['submit'])){
    $email=$_POST['email'];
    $password=$_POST['password'];
    $password2 = $_POST['password2'];

    if($password==$password2){
        $result= $conn->prepare("INSERT INTO users(username,password,role_id) VALUES(?, ?, ?)");
        $result->execute([$email,$password]);
        echo "<script>alert('Registration
Successfull!');window.location.href='..../index.php?page=customer-forms';</script>";
    }
    else{
        echo "<script>alert('Passwords do not
match');window.location.href='..../index.php?page=customer-forms';</script>";
    }
}
?>

```

customersession.php

```

<?php
if(empty($_SESSION['email'])&& $_SESSION['password']){
    echo "<script>alert('You must be logged in to continue')";
}
```

```
        window.location.href='index.php?page=customer-forms';</script>";
    }
?>
```

excel.php

```
<?php
    include "../config/connection.php";
    include "functions.php";
    $path= "C:\Users\dimitrije\Desktop\products1.xls";
    $products = fetchProductsGenderBrand();
    if(!file_exists($path)){
        $excel_app = new COM("Excel.application") or Die("Connection with Excel failed.");
        $workbook = $excel_app->Workbooks->Add();
        $worksheet = $workbook->Worksheets("Sheet1");

        $field=$worksheet->Range("A1");
        $field->activate;
        $field->Value = "Product Id";
        $field=$worksheet->Range("B1");
        $field->activate;
        $field->Value = "Brand";
        $field=$worksheet->Range("C1");
        $field->activate;
        $field->Value = "Model";
        $field=$worksheet->Range("D1");
        $field->activate;
        $field->Value = "Gender";
        $field=$worksheet->Range("E1");
        $field->activate;
        $field->Value = "Price";
        $i=2;
        foreach($products as $product){
            $field=$worksheet->Range("A".$i);
            $field->activate;
            $field->Value = $product->id;
            $field=$worksheet->Range("B".$i);
            $field->activate;
            $field->Value = $product->brand;
            $field=$worksheet->Range("C".$i);
            $field->activate;
            $field->Value = $product->model;
            $field=$worksheet->Range("D".$i);
            $field->activate;
            $field->Value = $product->gender;
            $field=$worksheet->Range("E".$i);
            $field->activate;
            $field->Value = $product->price;
            $i++;
        }
        $field=$worksheet->Range("F1");
        $field->activate;
        $field->Value = $i;
```

```

$workbook->_SaveAs($path,-4143);
$workbook->Save();
$workbook->Close;

unset($worksheet);
unset($workbook);

$excel_app->Workbooks->Close();
$excel_app->Quit();
unset($excel_app);
}
else{
    $excel_app = new COM("Excel.application") or Die("Connection with Excel failed.");
    $workbook = $excel_app->Workbooks->Open($path);
    $worksheet = $workbook->Worksheets("Sheet1");
    $worksheet->activate;
    $row_number=$worksheet->Range("F1");
    $row_number->activate;
    $i=$row_number->Value;
    $i+=1;
    foreach($products as $product){
        if($product->id >= $i){
            $field=$worksheet->Range("A".$i);
            $field->activate;
            $field->Value = $product->id;
            $field=$worksheet->Range("B".$i);
            $field->activate;
            $field->Value = $product->brand;
            $field=$worksheet->Range("C".$i);
            $field->activate;
            $field->Value = $product->model;
            $field=$worksheet->Range("D".$i);
            $field->activate;
            $field->Value = $product->gender;
            $field=$worksheet->Range("E".$i);
            $field->activate;
            $field->Value = $product->price;
            $i++;
        }
    }
    $field=$worksheet->Range("F1");
    $field->activate;
    $field->Value = $i;

$workbook->_SaveAs($path,-4143);
$workbook->Save();
$workbook->Close;

unset($worksheet);
unset($workbook);

```

```

$excel_app->Workbooks->Close();
$excel_app->Quit();
unset($excel_app);
}
header("location: index.php?page=admin-panel");
?>

```

functions.php

```

<?php
function createThumbnail($img,$type,$path){
    list($width, $height) = getimagesize($img);
    $new_width=150;
    $height_percentage=$width/$new_width;
    $new_height=$height/$height_percentage;

    if($type=="image/jpeg"){
        $image=imagecreatefromjpeg($img);
    }
    elseif($type=="image/png"){
        $image=imagecreatefrompng($img);
    }
    $canvas=imagecreatetruecolor($new_width,$new_height);
    imagecopyresampled($canvas,$image,0,0,0,0,$new_width,$new_height,$width,$height);
    $new_image=$canvas;
    if($type=="image/jpeg"){
        imagejpeg($new_image,"..../images/thumbnails/".$path);
    }
    elseif($type=="image/png")
    {
        imagepng($new_image,"..../images/thumbnails/".$path);
    }
}

function fetchBrands(){
    $query = "SELECT * FROM brand";
    $result= executeQuery($query);
    return $result;
}

function fetchGender(){
    $query1 = ("SELECT * FROM gender") ;
    $result = executeQuery($query1);
    return $result;
}

function fetchOrderDetailsById($id){
    $query= ("SELECT * FROM order_details od JOIN product p ON od.product_id = p.id WHERE
od.order_id=$id");
    $result=executeQuery($query);
    return $result;
}

function fetchProductsGenderBrand(){
    $query= ("SELECT * FROM product p JOIN gender g ON p.gender_id = g.id_gender JOIN brand
b ON p.brand_id = b.id_brand ");
    $result=executeQuery($query);
}

```

```

        return $result;
    }
    function fetchCustomersOrders(){
        $query= ("SELECT * FROM orders o JOIN users u ON o.customer_id = u.id JOIN order_details
od ON o.id = od.order_id");
        $result=executeQuery($query);
        return $result;
    }
    function fetchProductsLimit($a ,$b){
        $query = "SELECT * FROM product p JOIN brand b ON p.brand_id=b.id_brand LIMIT $a,$b";
        $result=executeQuery($query);
        return $result;
    }
    function fetchProuctsByBrand($brand_id){
        $query= ("SELECT * FROM product p JOIN brand b ON p.brand_id=b.id_brand where
p.brand_id=$brand_id");
        $result=executeQuery($query);
        return $result;
    }
    function fetchProuctsByPrice($price){
        if($price=="asc"){
            $query= ("SELECT * FROM product p JOIN brand b ON p.brand_id=b.id_brand ORDER BY
price ");
        }
        elseif($price=="desc"){
            $query= ("SELECT * FROM product p JOIN brand b ON p.brand_id=b.id_brand ORDER BY
price DESC ");
        }
        $result=executeQuery($query);
        return $result;
    }
    function fetchProductById($id){
        $query="select * from product where id = $id";
        $result=executeQuery($query);
        $product= $result[0];
        return $product;
    }
    function fetchProductGenderBrandById($id){
        $query= "SELECT * FROM product p JOIN brand b ON p.brand_id = b.id_brand JOIN gender g
ON p.gender_id = g.id_gender WHERE id=$id";
        $result=executeQuery($query);
        $product=$result[0];
        return $product;
    }
    function fetchProuctsByGender($gender){
        $query= ("SELECT * FROM product p JOIN brand b ON p.brand_id=b.id_brand where
p.gender_id=$gender");
        $result=executeQuery($query);
        return $result;
    }
    function displayProducts($noProducts){
        if(isset($_GET['pg'])){

```

```

$page=$_GET['pg'];
if($page==0||$page<1){
    $showProduct = 0;
}
$showProduct = ($page*$noProducts)-$noProducts;
$product = fetchProductsLimit($showProduct,$noProducts);
}
elseif(isset($_GET['brand'])){
    $brand_id=$_GET['brand'];
    $product=fetchProuctsByBrand($brand_id);
}
elseif(isset($_GET['price'])){
    $price = $_GET['price'];
    $product =fetchProuctsByPrice($price);
}
elseif(isset($_GET['gender'])){
    $gender = $_GET['gender'];
    $product =fetchProuctsByGender($gender);
}
else{
    $product=fetchProductsLimit(0,$noProducts);
}
return $product;
}
function countProducts(){
    $query="SELECT COUNT(*) AS total FROM product ";
    $result=executeQuery($query);
    return $result[0]->total;
}
?>

```

logout.php

```

<?php
session_start();
session_destroy();

header('location: ../index.php?page=admin-login');
?>

```

orderhandler.php

```

<?php
session_start();
include "../config/connection.php";
if(isset($_POST['submit'])){
    $total=$_POST['total'];
    $phone=$_POST['phone'];
    $adress=$_POST['adress'];
    $customer_id = $_SESSION['customer_id'];
    $result= $conn->prepare("INSERT INTO orders(customer_id, address, phone, total) VALUES(?, ?, ?)");
    $result->execute([$customer_id, $adress, $phone, $total]);
    if($result){

```

```

$query = ("SELECT id FROM orders ORDER BY id DESC limit 1");
$order = executeQuery($query);
$order_id= $order[0]->id;
foreach ($_SESSION['cart'] as $key=>$value){
    $product_id=$value['item_id'];
    $quantity=$value['quantity'];
    $order_details=$conn->prepare("INSERT INTO order_details(order_id,product_id,quantity)
VALUES (?, ?, ?)");
    $order_details->execute([$order_id, $product_id, $quantity]);
    if($result){
        echo "<script>alert('Order Is Placed');window.location.href='..../index.php'</script>";
        unset($_SESSION['cart']);
    }
}
}
}

?>

```

prodelete.php

```

<?php
include "config/connection.php";
$id=$_GET['id'];

$result= $conn->prepare("DELETE FROM product WHERE id =?");
$result->execute([$id]);
if($result){
    header("location: index.php?page=admin-products-show");
}
else{
    echo "An error has accured";
}
?>

```

producthandler.php

```

<?php
if(isset($_POST['submit'])){
    include "../config/connection.php";
    include "functions.php";
    $name = $_POST['name'];
    $price = $_POST['price'];
    $desc = $_POST['desc'];
    $brand = $_POST['brand'];
    $gender = $_POST['gender'];

    $target="uploads/";
    $file_path = $target.basename($_FILES['image']['name']);
    $file_name = $_FILES['image']['name'];
}

```

```

$file_tmp=$_FILES['image']['tmp_name'];
$file_type=$_FILES['image']['type'];
$file_store=("../uploads/".$file_name);
createThumbnail($file_tmp,$file_type,$file_path);
move_uploaded_file($file_tmp,$file_store);
$result= $conn->prepare("INSERT INTO
product(model,price,image,description,brand_id,gender_id) VALUES(?, ?, ?, ?
, ?, ?)");
$result->execute([$name, $price, $file_path , $desc, $brand, $gender]);

if($result){
    header("location: ../index.php?page=admin-products-show");
}
?>

```

prouptdatehandler.php

```

<?php
include "../config/connection.php";
include "functions.php";
if(isset($_POST['update'])){
    $id = $_POST['form_id'];
    $name= $_POST['name'];
    $price= $_POST['price'];
    $desc= $_POST['desc'];
    $brand= $_POST['brand'];
    $gender= $_POST['gender'];
    $target="uploads/";
    $file_path =$target.basename($_FILES['image']['name']);
    $file_name = $_FILES['image']['name'];
    $file_tmp=$_FILES['image']['tmp_name'];
    $file_type=$_FILES['image']['type'];
    $file_store=("../uploads/".$file_name);
    createThumbnail($file_tmp,$file_type,$file_path);
    move_uploaded_file($file_tmp,$file_store);

    $result= $conn->prepare("UPDATE product set model = ? , price = ? , image= ? , description = ? ,
brand_id = ? , gender_id = ? WHERE id = ?");
    $result->execute([$name, $price, $file_path , $desc, $brand,$gender, $id]);

    if($result){
        header("location: ../index.php?page=admin-products-show");
    }
    else{
        header("location: ../index.php?page=admin-panel");
    }
}

```

```
}
```

```
?>
```

```
session.php
```

```
<?php
    session_start();
    if(empty($_SESSION['email'])&& $_SESSION['password'])||$_SESSION['role']!=1){
        header('location: index.php?page=admin-login');
    }
?>
```

```
user-logout.php
```

```
<?php
    session_start();
    session_destroy();
    header('location: ../index.php');
?>
```

CONFIG:

```
.env
```

```
DBNAME=phpstore
SERVER=localhost
USERNAME=root
PASSWORD=
```

```
config.php
```

```
<?php
define("ABSOLUTE_PATH", $_SERVER["DOCUMENT_ROOT"]."/pphp_sajt/phpstore");
define("ENV_FAJL", ABSOLUTE_PATH."/config/.env");
define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($naziv){
    $podaci = file(ENV_FAJL);
    $vrednost = "";
    foreach($podaci as $key=>$value){
        $konfig = explode("=", $value);
        if($konfig[0]==$naziv){
            $vrednost = trim($konfig[1]);
        }
    }
    return $vrednost;
}
```

```
connection.php
```

```
<?php
```

```
require_once "config.php";
try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}

function executeQuery($query){
    global $conn;
    return $conn->query($query)->fetchAll();
}
```