KASANE API Specification

Brief API for managing long-term goals via phases and daily tasks. RESTful JSON over HTTPS with JWT auth.

Overview

- Purpose: Manage goals → phases → daily tasks; track progress by date.
- Base URL: https://api.kasane.app
- Auth: Bearer JWT in Authorization header.

Authentication Endpoints

POST /api/auth/register

- Headers: Content-Type: application/json
- Body:

```
{"email":"user@example.com","password":"StrongPass123","name":"Aya"}
```

- 201:

```
{"user":{"id":"u1","email":"user@example.com","name":"Aya"},"token":"<jwt>"}
```

- 400/500: see Error Handling.

POST /api/auth/login

- Headers: Content-Type: application/json
- Body:

```
{"email":"user@example.com","password":"StrongPass123"}
```

- 200:

```
{"user":{"id":"u1","email":"user@example.com","name":"Aya"},"token":"<jwt>"}
```

- 401/400/500.

POST /api/auth/logout

- Headers: Authorization: Bearer
- 200: `{"message":"logged out"}`

Task Management Endpoints

POST /api/tasks

- Headers: Authorization, Content-Type: application/json
- Body:

```
{"title":"Thesis","goalDate":"2026-06-30","phases":[{"title":"Research","startDate":"2026-01-01","endDate":"2026-02-15","dailyTasks":[{"title":"Read 2 papers"}]}]}
```

- 201:

```
{"id":"t1",...}
```

- 400/401/500.

GET /api/tasks

- Headers: Authorization
- 200: `[{"id":"t1",...}]`

GET /api/tasks/:id

- Headers: Authorization
- 200: `{"id":"t1",...}`
- 404/401.

PATCH /api/tasks/:id

- Headers: Authorization, Content-Type
- Body (partial):

```
{"title":"Thesis Rev","phases":[...],"completed":false}
```

- 200: updated task
- 400/401/404.

DELETE /api/tasks/:id

- Headers: Authorization
- 204
- 401/404.

Daily Checklist Endpoints

PATCH /api/tasks/:id/check

- Headers: Authorization, Content-Type
- Body:

`{"phaseId":"p1","dailyTaskId":"d1","date":"2026-04-10","done":true}`

- 200: task with updated daily status
- 400/401/404.

GET /api/tasks/today

- Headers: Authorization
- 200: `[{"taskId":"t1","phaseId":"p1","dailyTaskId":"d1","title":"Read 2 papers"}]`

Search Endpoint

GET /api/tasks/search?q={keyword}

- Headers: Authorization
- 200: `[{"id":"t1","title":"Thesis"}]`
- 400/401.

Data Models

- User: `{id, email, name, passwordHash, createdAt, updatedAt}`
- Task: `{id, userId, title, goalDate, phases[], createdAt, updatedAt, completed}`
- Phase: `{id, title, startDate, endDate, dailyTasks[]}`
- DailyTask: `{id, title, occurrences:[{date, done}]}`

Status Codes Reference

- 200 OK, 201 Created, 204 No Content, 400 Bad Request, 401 Unauthorized, 404 Not Found, 500 Internal Server Error

Error Handling Format

`{"error":{"code":<int>,"message":"string","details":{}}}`

Notes

- Dates: ISO 8601 (UTC).
- JWT: short-lived access, refresh recommended.
- Rate limiting: 100 req/min/user; backoff on 429.
- CORS: allow https://app.kasane.app; Authorization, Content-Type headers.