

Oracle Transportation Management 6.3

Basic Functional Course

By Israel Simas Oliveira Sobrinho

Table of Contents

1. Introduction	4
2. Scope and Intended Audience	5
3. Business Analysis & Requirements.....	7
4. Implementation.....	11
4.1. Creating the domain.....	12
4.2. Creating Bevy Logistics Supervisor account	13
5. Master Data.....	14
5.1. Corporations.....	14
5.2. Calendar	16
5.3. Locations	18
5.4. Regions	21
5.5. Extra: Editing Multiple Objects At The Same Time	22
5.6. Contacts.....	23
5.7. Extra: Notification Through Agents.....	25
5.8. Ship Units	27
5.9. Commodities	28
5.10. Items.....	29
5.11. Packaged Item	30
5.12. Equipment Groups	31
5.13. Equipment Group Profile	33
5.14. Fleet Service Provider.....	35
5.15. Rate Offering	37
5.16. Extra: Copying OTM Objects	39
5.17. Driver Type	41
5.18. Power Units and Equipments.....	42
5.19. Fleet Drivers	46
5.20. Rate Record	48
5.21. Itinerary	53
5.22. Extra: Using Ask Oracle.....	55
5.23. Planning Parameter Set.....	57
6. Execution.....	59
6.1. Order Release Creation	59
6.2. Extra: Show Routing Options	62

OTM 6.3 Basic Functional Course

6.3.	Bulk Plan.....	64
7.	Conclusion & About the Author & Contact Info.....	67
8.	Appendices	68
8.1.	Appendix A: Tracking & Diagnostics: Solving Planning Problems	68

1. Introduction

Hello and welcome to a basic Oracle Transportation Management functional course. Please read section 2 to find out more about the topics we are going to cover on this course and the recommended audience for it.

I have no affiliation with Oracle and this is not an official material. Please check www.oracle.com for official documentation on OTM. All company names and information used in this course are fictional, and were made up just to illustrate OTM functionalities and features.

Not only you are free to use, distribute and improve upon this document, you are encouraged to do so. But since this was put together with the intention of helping newcomers, please consider making your improvements available as well.

There are many topics that are not going to be covered here, but there are other sources you can check out before or during this course, most of them are listed on OTM Wiki:

[http://www.otmwiki.com/wiki/index.php?title=Learning_OTM -
Resources, Materials and Courses](http://www.otmwiki.com/wiki/index.php?title=Learning_OTM_-_Resources,_Materials_and_Courses)

I do encourage you to watch every MavenWire podcast on YouTube for in-depth information about many specific OTM topics:

<http://www.youtube.com/playlist?list=PLDA58AC7B31EE9779>

If you don't have an OTM environment to play with, you can easily create one by following the guides linked below:

[http://www.otmwiki.com/wiki/index.php?title=OTM_6.3_Linux_OEL_RHEL_CentOS_Test_Envi
ronment_Installation_Guide](http://www.otmwiki.com/wiki/index.php?title=OTM_6.3_Linux_OEL_RHEL_CentOS_Test_Environment_Installation_Guide)

[http://www.otmwiki.com/wiki/index.php?title=OTM_6.3_Windows_Server_Test_Environment
_Installation_Guide](http://www.otmwiki.com/wiki/index.php?title=OTM_6.3_Windows_Server_Test_Environment_Installation_Guide)

2. Scope and Intended Audience

OTM looks deceitfully simple, but it is a very complex software. I have no intention of covering everything there is to cover on a basic course, it would not be feasible. What I present here is an extremely streamlined (you could also call it unrealistically simple) business scenario and very limited OTM implementation scope.

This is designed to be a “first contact with OTM” type of course. If you are already a systems analyst or IT staff of any description and aspire to be an OTM consultant, or perhaps the company you work for is implementing or did implement OTM and you need to be involved in it somehow, be it support, maintenance, tuning, development, troubleshooting, etc, then this course is for you.

Please don't try to apply this setup to any real world company, it wouldn't work. Don't think for a moment that having completed this basic training qualifies you to handle a real OTM implementation project by yourself. This is but a first step on a thousand miles journey. In time you'll come to notice that the configurations I used are overly simplified, and in many cases (bulk plan for example) if you deviate a little from the path it suddenly looks a lot less kosher. My goal is simple: provide the knowledge I wish someone had provided me when I first started, before I attended my first OTM training.

With all that in mind, I must say that I reckon this course would be particularly useful if you are new to OTM and have an in-class training coming up. Finish this before you get to the training, and I guarantee you'll arrive there with many questions you wouldn't think of otherwise, and will get much more off the instructor's time.

Our starting point is a fresh OTM instance. Our final destination is executing a bulk plan and checking out how the shipments were built.

We are not going to track and settle shipments, we are not going to explore different transport modes, we are not using any integration, no dock and yard management, no spot bids, no tender, no refnums, no branding, no number generators, no business monitors, no saved queries, etc.

That means that we will really just be seeing the basics, and everything that would most certainly be present in any real world scenario will have to be studied on your own, on the job, or with Oracle, MavenWire or other OTM training provider.

But hopefully this course will be able to expose you to the fundamental concepts and get you in the “OTM mindset” that will make much easier for you to figure out your specific needs on your own.

OTM 6.3 Basic Functional Course

I do, however, envision this implementation as a platform for future in-depth guides. Later on, I'll probably use it to make videos on how to debug and find planning errors, how to send and receive integrations, how to create agents, change screen sets, and many other common questions an aspiring OTM consultant would probably have.

3. Business Analysis & Requirements

We are going to implement a transportation solution for Bevy, a Brazilian beverage company located at Curitiba, state of Paraná, in the southern part of Brazil.

Note: You are encouraged to replace the city and DC/Store locations with ones more familiar to you. Just as I picked 4 random places in the city I live in to be my DC and stores, you can use Google Maps to find latitude/longitude coordinates in your area.



Currently, Bevy's transportation processes are all done manually, using nothing but spreadsheets. You were hired to understand and translate Bevy's processes to OTM processes, and make it as automated as possible given their constraints, which you gathered in interview sessions, and are described below:

Bevy has one Distribution Center (DC), in Curitiba, PR, Brazil.

Bevy has 3 retail stores, all in Curitiba:

- 1. Curitiba - Centro
- 2. Curitiba - Bairro Alto
- 3. Curitiba - Santa Cândida

OTM 6.3 Basic Functional Course



OTM 6.3 Basic Functional Course

Bevy only uses its own fleet. It is composed by 4 trucks, 4 vans and 8 drivers.

There is no need for special equipment or special trucks for Bevy's products. They do not ship refrigerated or hazardous products.

Bevy does not sell transportation services. Its fleet executes only Bevy's own shipments.

Currently Bevy only produces and ships one commodity: Soda Can.

Orders are received by DC staff via fax or e-mail from stores. Instead of manually consolidating orders and checking truck/driver availability, DC staff will input the orders on OTM as they arrive throughout the day, and the bulk plan will be executed and the resulting shipments reviewed at the end of the day.

Planners must have the ability to indicate orders that must be shipped together.

Bevy's standard shipping unit is a pallet. Shipments are created based on pallets and no item can be shipped in a quantity that does not compose at least one pallet.

During the interviews, you defined the following naming conventions to be adopted during OTM implementation:

Prefix of three letters and underscore identifying the object type:

Agent - AGT_

Calendar - CLD_

Contact - CON_

Commodity - CMD_

Corporation - CRP_

Driver - DRV_

Equipment - EQP_

Equipment Group = EQG_

Equipment Group Profile - EGP_

Equipment Type - EQT_

Fleet Driver Type - FDT_

Item - ITM_

Itinerary - ITN_

Lane - LAN_

Location - LOC_

Logic Configuration - LGC_

Packaged Item - PKI_

OTM 6.3 Basic Functional Course

Parameter Set - PRM_

Power Unit - PRU_

Power Unit Type - PUT_

Rate Offering - ROF_

Rate Preference - RPF_

Rate Record - RRC_

Rate Service - RSV_

Region - REG_

Service Provider - SRP_

Ship Unity Specification - SUS_


Solution Improvement - SIM_

Further conventions may apply for specific types of objects, such as DC locations must contain the "_DC" suffix.

4. Implementation

The very first thing we need to achieve our goals is to create a domain where all of Bevy operations will take place.

I do recommend that every new screen you see in OTM you click on the “help” link on the upper right corner of the screen, and read up about the topic of that particular screen. Try it on the next step, when you are in the domain creation screen, click “help” and it will take you to the help page associated with the screen you were using at the moment. Read about domains before you create them, and make a habit of doing so for every new screen you find along the way.



4.1. Creating the domain

4.1.1. Login to OTM as DBA.ADMIN user (password is CHANGEME)

4.1.2. Menu: Configuration and Administration> Domain Management > Add domain

4.1.3. Enter the following information:

Domain Name	BEVY
-------------	------

4.1.4. Click Add Domain

Add Domain

Current Domain

DBA

Enter Domain to Add:

* Domain Name

BEVY

Default User Role



Default Document Use Profile



Creating Lite Domain

Reference Domain



Copy Domain

Copy-From Domain



Add Domain

Copy Domain

4.2. Creating Bevy Logistics Supervisor account

We identified that we need just one account that will handle every activity in OTM. The account will be created in our new domain, BEVY.

When the BEVY domain was created, an administrator account was automatically created for it, with the default password of CHANGEME. We are going to use this admin account to carry out this task.

Don't forget to look at the help page associated with this page!

4.2.1. Login to OTM as BEVY.ADMIN user (password is CHANGEME)

4.2.2. Menu: Configuration and Administration > User Management > User Manager

4.2.3. Click New and enter the following:

User Name	BEVYLOG
Password	123456
Retype Password	123456
User Role ID	ADMIN (Not DBA.ADMIN!)

4.2.4. Click Finished

[Users Finder](#) > User

User 1 of 1 [New](#) [Finished](#)

* User Name BEVYLOG	Nickname 	Domain Name BEVY
* Password *****	* Retype Password *****	
* User Role ID ADMIN	External User ☐	
Account Policy ID 	Last Login Date 	Password Expiration Date
Document Use Profile 	Transportation Intelligence Role NO ACCESS	Approval Rule Profile
		Account Lockout Time
		Unsuccessful Login Attempts
☐ Access Control List		
* Access Control 	Granted ☐	Save

[Top](#)

5. Master Data

Note: From now on, every task will be carried out using BEVY.BEVYLOG user (password is 123456).

Now that the basic setup has been made, we can go ahead and create the master data, which is basically translating the business reality in terms of OTM objects. In a more complex environment we probably would have had to create multiple users, user profiles, set VPD profiles, set more domains and perhaps subdomains, but luckily our needs are quite simple, so let's continue.

5.1. Corporations

The Corporation OTM object is used mainly to group locations together. You need to specify a corporation when creating a location.

You can also assign a corporation to a Service Provider, but since we are not using any external logistics company, we are not going to do that. From the business analysis we reached the conclusion that only one corporation is needed: Bevy.

Note: It's no coincidence that locations and service providers behave similarly. If you take a look at OTM data model, they are basically the same thing.

Do remember that from this point all tasks are to be carried out by BEVY.BEVYLOG user account.

5.1.1. Menu: Shipment Management > Power Data > Location > Corporations

5.1.2. Click New and enter the following

Corporation ID	CRP_BEVY
Corporation Name	Bevy Corp
Domain Name	BEVY
Domain Master	Yes

5.1.3. Click Finished

OTM 6.3 Basic Functional Course

Corporation 1 of 1 [New](#) [Finished](#)

* Corporation ID CRP_BEVY	Corporation Name BEVY CORPORATION	Domain Name BEVY	Domain Master ☒
Pickup Routing Sequence ID 	Dropoff Routing Sequence ID 		
☐ Involved Parties			
* Involved Party Contact 	Communication Method 	* Involved Party Qualifier 	Save
☐ Involved Parties			
* Involved Party Location 	Communication Method 	* Involved Party Qualifier 	Save
* VAT Registration ID 	Country Code ID 	Primary Registration ☐	Save
Shipping Agents Active ☐	Allow House Collect ☐	Max House Collect Amount USD	
* Country Code ID 	* Province Code 	* VAT Provincial Registration ID 	Save

OTM 6.3 Basic Functional Course

5.2. Calendar

Calendars are basically a description of the activities a location (or equipment, driver, itinerary, etc.) can perform, and at what time and day of the week it can perform them. From the business requirements, we have identified that all locations work the same hours, from Monday to Friday, from 9 in the morning to 6 in the afternoon, so we just need to create one calendar with those times and the load and receive activities, because that's all our locations will perform.

5.2.1. Menu: Shipment Management > Power Data > Calendar > Calendar Definitions

5.2.2. Click New and enter the following:

Calendar ID	CLD_REG_WRK_HOURS
Calendar Name	REGULAR WORKING HOURS
I would like this calendar's cycle to be X days long	7
Begin at 12 midnight GMT, the morning of	<enter the date of Monday of current week>

5.2.3. Click Next and enter the following (click save for each individual line):

Day	Start Time	End Time	Activity	Perform
1	9 AM	6 PM	LOAD	Perform
1	9 AM	6 PM	RECEIVE	Perform
2	9 AM	6 PM	LOAD	Perform
2	9 AM	6 PM	RECEIVE	Perform
3	9 AM	6 PM	LOAD	Perform
3	9 AM	6 PM	RECEIVE	Perform
4	9 AM	6 PM	LOAD	Perform
4	9 AM	6 PM	RECEIVE	Perform
5	9 AM	6 PM	LOAD	Perform
5	9 AM	6 PM	RECEIVE	Perform
6	9 AM	6 PM	LOAD	Don't Perform
6	9 AM	6 PM	RECEIVE	Don't Perform
7	9 AM	6 PM	LOAD	Don't Perform
7	9 AM	6 PM	RECEIVE	Don't Perform

5.2.4. Click Calendar Overrides

5.2.5. Click Finished

OTM 6.3 Basic Functional Course

[Calendar Definitions Finder](#) > Calendar

Calendar

*** Calendar ID**

Calendar Name

Calendar Notes

☒ I would like this calendar's cycle to be days long
and begin at 12 midnight GMT, the morning of

☐ I would like this calendar to be an annual calendar with non-cyclical activities.

[Top](#) [Next](#)

[Calendar Definitions Finder](#) > Calendar

1 of 1

Calendar

Calendar ID			Calendar Name			
CLD_REG_WRK_HOURS			REGULAR WORKING HOURS			
* Day	Start Time	End Time	* Activity	☒ Perform ☐ Don't Perform	Activity Time Factor	Save
Day1	09:00 AM	06:00 PM	LOAD	Perform		
Day1	09:00 AM	06:00 PM	RECEIVE	Perform		
Day2	09:00 AM	06:00 PM	LOAD	Perform		
Day2	09:00 AM	06:00 PM	RECEIVE	Perform		
Day3	09:00 AM	09:00 AM	LOAD	Perform		
Day3	09:00 AM	06:00 PM	RECEIVE	Perform		
Day4	09:00 AM	06:00 PM	LOAD	Perform		
Day4	09:00 AM	06:00 PM	RECEIVE	Perform		
Day5	09:00 AM	06:00 PM	LOAD	Perform		
Day5	09:00 AM	06:00 PM	RECEIVE	Perform		
Day6	09:00 AM	06:00 PM	RECEIVE	Don't Perform		
Day6	06:00 PM	06:00 PM	LOAD	Don't Perform		
Day7	09:00 AM	06:00 PM	LOAD	Don't Perform		
Day7	09:00 AM	06:00 PM	RECEIVE	Don't Perform		

[Top](#) [Activity Calendar Overrides](#)

5.3. Locations

Locations are pretty straightforward to understand, but make sure you read the help anyway before creating them. Basically they are an address plus a corporation. By address I mean they need to be geographically defined, not that you need an actual address. And from OTM planning point of view, locations are places where goods can be picked up from or delivered to.

According to our business requirements, these are the locations we need to create:

- Distribution Center:
 - Bevy Curitiba DC
- Retail stores
 - Store 1 - Curitiba - Centro
 - Store 2 - Curitiba - Bairro Alto
 - Store 3 - Curitiba - Santa Cândida

5.3.1. Menu: Shipment Management > Location Manager

5.3.2. Click New button and enter the following

Location ID	LOC_CURITIBA_DC
Location Name	Curitiba DC
Corporation ID	CRP_BEVY
City	Curitiba
Province Code	PR
Country Code	BRA
Time Zone	America/Sao_Paulo
Province	Parana
Latitude	-25.4287
Longitude	-49.2241

5.3.3. Click Roles

5.3.4. Click New Location Role Profile and enter:

Location Role	Ship From/Ship To
Calendar ID	CLD_REG_WRK_HOURS

5.3.5. Click Save

5.3.6. Click Finished

5.3.7. Click Create Another and enter the following to create Store 1 – Centro

Location ID	LOC_STR_1_CENTRO
Location Name	Store 1 Centro
Corporation ID	CRP_BEVY
City	Curitiba

OTM 6.3 Basic Functional Course

Province Code	PR
Country Code	BRA
Time Zone	America/Sao_Paulo
Province	Parana
Latitude	-25.4375
Longitude	-49.2701

5.3.8. Click Roles

5.3.9. Click New Location Role Profile and enter:

Location Role	Ship From/Ship To
Calendar ID	CLD_REG_WRK_HOURS

5.3.10. Click Save

5.3.11. Click Finished and then go ahead and create the two remaining stores, just like the one we created, using the details below:

Location ID	LOC_STR_2_BAIRRO_ALTO
Location Name	Store 2 Bairro Alto
Corporation ID	CRP_BEVY
City	Curitiba
Province Code	PR
Country Code	BRA
Time Zone	America/Sao_Paulo
Province	Parana
Latitude	-25.4135
Longitude	-49.2058

Location Role	Ship From/Ship To
Calendar ID	CLD_REG_WRK_HOURS

Location ID	LOC_STR_3_SANTA_CANDIDA
Location Name	Store 3 Santa Candida
Corporation ID	CRP_BEVY
City	Curitiba
Province Code	PR
Country Code	BRA
Time Zone	America/Sao_Paulo
Province	Parana
Latitude	-25.3730
Longitude	-49.2270

Location Role	Ship From/Ship To
Calendar ID	CLD_REG_WRK_HOURS

OTM 6.3 Basic Functional Course

[Locations Finder](#) > Location

1 of 1

Location

Identification				Roles				Routing				Communication and Remarks				Load/Unload Points				Resource			
Location ID LOC_CURITIBA_DC				Location Name CURITIBA DC				Corporation ID CRP_BEVY				Location Description											
Domain Name BEVY				Use As A Template ☐				Known Shipper ☐				Temporary ☐											
Exclude From Route Execution ☐				Region ID				LTL Split ☐															
Reference Numbers																							
* Reference Number Qualifier ID												* Reference Number				Save							
Address																							
Address Lines																							
Address Line Number																							
Address Fixed																							
Address Valid																							
City CURITIBA																							
Province Code PR																							
Postal Code																							
County Qualifier																							
* Country Code BRA																							
Time Zone America/Sao_Paulo																							
Province PARANA																							
Postal SPLC																							
Rail SPLC																							
Rail Junction Code																							
ERPC																							
Zone 1																							
Zone 2																							
Zone 3																							
Zone 4																							
Latitude -25.4287																							
Longitude -49.2241																							
Top Roles																							

Role

* Location Role SHIPFROM/SHIPTO				Calendar ID CLD_REG_WRK_HOURS				Percentage Activity Before Location Open				Percentage Activity After Location Close																									
Max Freight Idle Time D H M				Allow Mixed Freight ☐				THU Profile ID																													
Location Activity Time Definitions																																					
* Activity Time Definition ID				Special Service ID				Flex Commodity Profile ID				Transport Handling Unit Profile ID				Fixed Stop Time				Variable Stop Time				Ship Units				Weight				Volume				Save	
Location Transport Handling Unit Capacity																																					
* Transport Handling Unit				Max Width				Max Length				Max Height				Max Weight				Max Volume																	
				FT				FT				FT				LB																					
Top Save Cancel																																					

5.4. Regions

Region is a way of grouping locations. It doesn't need to be a geographical region. It could be any kind of grouping the company needs. You could for example create a region for alcoholic beverages DCs and another for non-alcoholic, if there were such a thing, or a region for high priority stores and another for low priority, so on and so forth. This will help you set the rates and itineraries according to the needs of the company. From the business requirements, we identified that we are going to need just one region, Curitiba, because that's the only city Bevy operates in, and there are no meaningful distinctions between the three stores that suggests we need to separate them in different regions.

5.4.1. Menu: Shipment Management > Power Data > Geography > Regions

5.4.2. Click New button and enter the following:

Region ID	REG_Curitiba
Region Name	Curitiba

5.4.3. Click New Region Detail and enter the following:

Geo Hierarchy ID	City
Country Code ID	BRA
Province Code	PR
City	Curitiba

5.4.4. Click Save

5.4.5. Click Finished

[Regions Finder](#) > Region

Region

1 of 1 [New](#) [Finished](#)

* Region ID		Loaded		Domain Name				
REG_CURITIBA				BEVY				
Region Name		Representative Location						
CURITIBA		CURITIBA						
☐ Region Details								
Geo Hierarchy ID	Location ID	City	Province Code	Postal Code	Country Code ID	Low Range Value	High Range Value	
CITY		CURITIBA	PR		BRA			 
New Region Detail								

[Top](#)

[Regions Finder](#) > Region


Region Details

* Geo Hierarchy ID					
CITY					
Country Code ID		Province Code		City	
BRA		PR		CURITIBA	
Top Save					

5.5. Extra: Editing Multiple Objects At The Same Time

As said earlier, a region can group several locations together. When we created Bevy's locations we didn't have a region yet, but now we do, and that's a good opportunity to learn how to edit multiple locations in one go. It won't make much of a difference for our implementation, but it will keep it tidy, and easier to maintain if in the future we ever need to add more regions.

- 5.5.1. Menu: Shipment Management > Location Manager
- 5.5.2. Click the search button without filling any of the fields
- 5.5.3. On the search results page, select the four locations we've created before and click the Edit button



ID	Location ID	Location Name	Location Description	City	Province
☐	DUMMY.LOCATION	DUMMY LOCATION			
☒	BEVY.LOC_CURITIBA_DC	LOC_CURITIBA_DC	CURITIBA DC	CURITIBA	PARANA
☒	BEVY.LOC_STR_3_SANTA_CANDIDA	LOC_STR_3_SANTA_CAN...	STORE 3 SANTA CANDIDA	CURITIBA	PARANA
☒	BEVY.LOC_STR_2_BAIRRO_ALTO	LOC_STR_2_BAIRRO_ALTO	STORE 2 BAIRRO ALTO	CURITIBA	PARANA
☒	BEVY.LOC_STR_1_CENTRO	LOC_STR_1_CENTRO	STORE 1 CENTRO	CURITIBA	PARANA


- 5.5.4. Notice that at the top of the screen there will be a "1 of 4" and a Next button

1 of 4 [Next](#) [Finished](#) [Actions](#)

- 5.5.5. Now, on this screen, enter the Region ID "REG_CURITIBA" for the first location and click the Next button. Repeat the process for the second and third locations
- 5.5.6. Notice on the fourth location there's no Next button anymore, just Previous. Enter the Region ID and click finished.

[Locations Result](#) > Results

Results



Success

You successfully modified the following records:

☐ BEVY.LOC_CURITIBA_DC	View	Edit	View Log
☐ BEVY.LOC_STR_3_SANTA_CANDIDA	View	Edit	View Log
☐ BEVY.LOC_STR_2_BAIRRO_ALTO	View	Edit	View Log
☐ BEVY.LOC_STR_1_CENTRO	View	Edit	View Log

[Create Another](#) [Modify Another](#) [Actions](#)

5.6. Contacts

Contacts are notification targets in OTM. Most of the time when you create a contact in OTM, you are basically creating a way to notify someone. You may need to send an e-mail to a service provider when an event happens, maybe you need to notify the logistics manager when there are too many orders without planning, maybe you want to get notified when a shipment is changed in some particular way... Whatever the notification may be, OTM sends it to a contact.

In most cases we would need a contact for each of the locations and planners, but at Bevy we are going to use the same account for everything, so just one contact will suffice. After the contact has been created, we will associate it with Bevy's DC.

5.6.1. Menu: Business Process Automation > Communications Management > Contacts

5.6.2. Click New and enter the following:

Contact ID	CON_BEVYLOG
First Name	<your first name>
Last Name	<your last name>
Job Title	Logistics Supervisor
Language Spoken	English
User ID	BEVYLOG
Location	LOC_CURITIBA_DC
Time Zone	America/Sao_Paulo

The screenshot shows the 'Contact' form in OTM. The 'Contact ID' field is populated with 'CON_BEVYLOG'. The 'First Name' field contains 'I.S.' and the 'Last Name' field contains 'OLIVEIRA'. The 'Job Title' field is 'Logistics Supervisor'. The 'Language Spoken' dropdown is set to 'English'. The 'User ID' field is 'BEVYLOG'. The 'Location' dropdown is 'LOC_CURITIBA_DC'. The 'Time Zone' dropdown is 'America/Sao_Paulo'. The 'Notification On' checkbox is checked. The 'Save' button is visible at the bottom right.

5.6.3. Click Contact Notification and enter:

Com Method ID	MESSAGE CENTER
Rank	1
Response Time	4h

OTM 6.3 Basic Functional Course

Calendar ID	CLD_REG_WRK_HOURS
-------------	-------------------

* Com Method ID * Rank Response Time D H M Calendar ID

MESSAGE CENTER 1 4H 0M CLD_REG_WRK_HOURS

* Transactional Event Acting As Com Method Stylesheet Domain Name BEVY

* Subject Restrictions Acting As Com Method Stylesheet Domain Name BEVY Consolidation

- 5.6.4. Click Save on the Com Method line
- 5.6.5. Click Finished
- 5.6.6. Menu: Shipment Management > Location Manager
- 5.6.7. Search and edit BEVY.LOC_CURITIBA_DC
- 5.6.8. Click the Communications and Remarks tab and enter:

Communication Method	Message Center
User ID	BEVYLOG
Language Spoken	English

[Locations Result](#) > Location

Location 1 of 1

Communication Method MESSAGE CENTER

Email Address Fax Phone 1

Language Spoken English

External System ID User ID BEVYLOG

Phone 2

* Preference * Value

Contact ID	First Name	Last Name	Email Address	Phone 1	Save
CON_BEVYLOG	I.S.	OLIVEIRA			Delete

* Remark Qualifier ID * Remark Text

- 5.6.9. Note that CON_BEVYLOG is already under Additional Contacts. That's because when creating the contact we informed LOC_CURITIBA_DC as its location. Click Save
- 5.6.10. Click Finished

5.7. Extra: Notification Through Agents

Now that we have a contact for the logistics supervisor, we may want to notify him when there are new orders to be planned. That is achievable with automation agents. Let's create one now.

We will not test it right away, but near the end of the course we will see if it's working properly.

5.7.1. Menu: Business Process Automation > Agents and Milestones > Automation Agents

5.7.2. Click new and enter:

Agent ID	AGT_NOTIFY_NEW_OR
Agent Type	ORDER RELEASE
Description	Notify logistics supervisor when a new OR is created
Active	Yes
Event	ORDER - CREATED
Restrictions	INTEGRATION OR INTERNAL OR USER

Agent Header 1 of 1 New Finished Actions

Agent Header Actions Error Handler

* Agent ID AGT_NOTIFY_NEW_OR Agent Type ORDER RELEASE * Domain Name BEVY

Description NOTIFY LOGISTICS SUPERVISOR WHEN A NEW OR IS CREATED Active ☒ Allow Lock ☐

Agent Events

* Event ORDER - CREATED Restrictions INTEGRATION or INTERNAL or USER Save

Saved Condition

Threshold ID

Run As USER ROLE User Role Domain Query

5.7.3. Click Save under Agent Events

5.7.4. Click View/Enter Actions

5.7.5. Click Add Action and on the window that opened enter:

Action	Notify Contact
Contact	CON_BEVYLOG
Communication Method	MESSAGE CENTER
Subject	A new Order Release has been created
Stylesheet Profile	ORDER_RELEASE_STATUS_BY_MESSAGE CENTER

Agent Action Selection For AGT_NOTIFY_NEW_OR - Mozilla Firefox

otm-server:7777/GC3/glog.webserver.agent.ActionSelectionServlet/1389273545369

Agent Action Selection For AGT_NOTIFY_NEW_OR

Data Type Association

* Action

* Contact

Communication Method

Subject

Stylesheet Profile

Top Save

5.7.6. Click Save

5.7.7. Click Finished

Agent Header 1 of 1 New Finished

Agent Header Actions Error Handler

Top +

NOTIFY CONTACT: CON_BEVYLOG, A new Order Release has been created

Top Error Handler

5.8. Ship Units

Since Bevy only ships pallets, we only need to create one ship unit, and it will be configured as both transport handling unit and packaging unit. We are going to use the dimensions 0.914m X 0.914m (Volume = 0,763 CU M), which is more or less the standard pallet for beverage industry.

5.8.1. Menu: Shipment Management > Power Data > General > Ship Unit Specifications

5.8.2. Click New and enter the following:

Ship Unit Spec ID	SUS_BEVY_PALLET
Ship unit Spec Name	Standard Bevy Pallet
Domain	Bevy
Unit Type	Both
Effective Volume	0.76 CU M
Length per Ship Unit	0.91 M
Width per Ship Unit	0.91 M
Height per Ship Unit	0.91 M

5.8.3. Click Finished

Ship Unit Spec 1 of 1 [New](#) [Finished](#)

* Ship Unit Spec ID SUS_BEVY_PALLET * Unit Type Both Max Length for On Mode FT Tare Weight LB Max Weight LB Length per Ship Unit 0.91 M Diameter per Ship Unit FT Packaging Form Code ID fbl Nestable ☐	Ship Unit Spec Name STANDARD BEVY PALL In/On/Max On Max Width for On Mode FT Effective Volume 0.76 CU M Max Volume CU FT Width per Ship Unit 0.91 M Core Diameter per Ship Unit FT Maximum Nesting Count 	* Domain Name BEVY Max Height for On Mode FT Height per Ship Unit 0.91 M Cylindrical ☐ Nesting Volume CU FT
---	---	---

[Reference Numbers](#)
[Consumption in Equipment Reference Units](#)
[Capacity in Package Reference Units](#)

[Top](#)

5.9. Commodities

Commodities are sort of a family of products that have similar characteristics. For example, you could have a commodity called soap bar, and it would include several items, each describing a specific variety of soap.

Bevy conveniently has just one product, so our OTM implementation will need just one commodity.

5.9.1. Menu: Order Management > Material Management > Commodity

5.9.2. Click New and enter the following:

Commodity ID	CMD_SODA_CAN
Commodity Name	Soda Can

5.9.3. Click Finished

Commodity 1 of 1 [New](#) [Finished](#)

Commodity

* Commodity ID CMD_SODA_CAN	Commodity Name SODA CAN	Temperature Control ☐
Temperature Control ID 	Mode Profile 	
Equipment Group Profile ID 	Domain Name BEVY	

☐ Commodity Incompatibilities

* Commodity Incompatibilities 	Save
---	----------------------

OTM 6.3 Basic Functional Course

5.10. Items

Items are the most granular level of product you'll have to input in OTM. Typically there would be hundreds of items to be loaded into OTM database, but Bevy has just one, Soda Can - 12 pack

5.10.1. Menu: Order Management > Material Management > Item

5.10.2. Click New and enter:

Item ID	ITM_SODA_CAN
Item Name	Soda Can
Domain Name	Bevy
Commodity ID	CMD_SODA_CAN

5.10.3. Click Finished

Item 1 of 1 [New](#) [Finished](#)

Header	Accessories	Remarks	Features
* Item ID ITM_SODA_CAN	Item Name SODA CAN	Domain Name BEVY	Description
Effective Date 	Expiration Date 	Superseded by Item ID 	IATA SCR Code
Commodity ID CMD_SODA_CAN	NMFC Article ID 	STCC ID 	User-defined Commodity List ID
SITC ID 	NMFC Class ID 	User-defined Commodity ID 	Drawback ☐
HTS ID 	Brand Name 	Manufactured Country Code 	
Packaged Items			
Packaged Item ID		Hazmat Package Type ID	

[Top](#) [Accessories](#)

5.11. Packaged Item

Packaged Item is a way to group items, and serves as a relationship between items and packaging units, in our case a pallet. So we need to create one, because we just have one item.

5.11.1. Menu: Order Management > Material Management > Packaged Item

5.11.2. Click New and enter:

Package Item ID	PKI_SODA_CAN
Item ID	ITM_SODA_CAN
Packaging Unit	SUS_BEVY_PALLET
Package Weight	100 KG
Unit Volume	0.76 CU M
Default Packaging	Yes
Unit Length	0.91 M
Unit Width	0.91 M
Unit Height	0.91 M

5.11.3. Click New Ti/High and enter:

Transport Handling Unit	SUS_BEVY_PALLET
Number Of Layers	1
Quantity Per Layer	1

5.11.4. Click Save

5.11.5. Click Finished

Packaged Item 1 of 1 [New](#) [Finished](#)

* Packaged Item ID PKI_SODA_CAN	Description 	Hazardous ☐
* Item ID ITM_SODA_CAN	Packaging Unit SUS_BEVY_PALLET	Mixable ☐
Hazmat Package Type ID 	Unit Volume 0.76 CU M	Default Packaging ☒
Package Weight 100.00 KG	Unit Width 0.91 M	Unit Height 0.91 FT
Unit Length 0.91 M	Core Diameter FT	Load Config Rule Rank
Diameter per Ship Unit FT	THU Profile ID 	Inner Pack Size UOM Code
Packaged Item Type ID 	Inner Pack Size 	
Inner Pack Packaging Unit 		

Reference Numbers

* Equipment Reference Units Equipment Reference Unit ID 	Number of Reference Units 	Save
---	---	----------------------

Ti / High

Transport Handling Unit	Number Of Layers	Quantity per Layer
SUS_BEVY_PALLET	1	1

[New Ti/High](#)

5.12. Equipment Groups

Equipment groups are used to identify types of vehicles, examples: dry van, refrigerated truck, etc. Besides type, each group is usually associated with a weight or volume capacity. They are linked to equipment group profiles and those can be tied to specific itineraries and legs. That setup is useful for many things, including setting up the rates.

From the business requirements we inferred that we need two types of equipment groups, because Bevy uses only vans and trucks without any special need. So, a group for dry truck and dry van should suffice.

5.12.1. Menu: Shipment Management > Equipment Management > Equipment Group

5.12.2. Click New and enter:

Equipment Group ID	EQG_DRY_VAN_1TON
Equipment Group Name	Dry Van 1.2 Ton
Domain Name	BEVY
Effective Volume	12 CU M
Effective Weight	1200 KG
Length	6 M
Width	2 M
Height	1 M

[Equipment Groups Result](#) > [Equipment Group](#) > Equipment Group

1 of 1 [New](#) [Finished](#)

Equipment Group

* Equipment Group ID EQG_DRY_VAN_1TON * Effective Volume 12.00 CU M Length 6 M Height 1 M Temperature Control ID f n Max Left Side Weight LB Max Length per Ship Unit FT Exterior Length FT	Equipment Group Name DRY VAN 1.2 TON * Effective Weight 1200 KG Width 2 M Door Height FT TEU Equivalents f n Max Right Side Weight LB Max Width per Ship Unit FT Exterior Width FT	* Domain Name BEVY Container ☐ Allow LIFO Only ☐ Curve ID f n FEU Equivalents f n Max Side Difference Weight LB Max Height per Ship Unit FT Exterior Height FT
---	--	--

5.12.3. Click Finished

5.12.4. Click Create Another and create a new equipment group for dry truck:

Equipment Group ID	EQG_DRY_TRUCK_5TON
Equipment Group Name	Dry Truck 5.2 Ton
Domain Name	BEVY
Effective Volume	52 CU M

OTM 6.3 Basic Functional Course

Effective Weight	5200 KG
Length	13 M
Width	2 M
Height	2 M

[Equipment Groups Result](#) > Equipment Group

Equipment Group

1 of 1 [New](#) [Finished](#)

* Equipment Group ID EQG_DRY_TRUCK_5TON	Equipment Group Name DRY TRUCK 5.2 TON	* Domain Name BEVY
* Effective Volume 52.00 CU M	* Effective Weight 5200 KG	Container ☐
Length 13 M	Width 2 M	Allow LIFO Only ☐
Height 2 M	Door Height FT	Curve ID f n
Temperature Control ID f n	TEU Equivalents 	FEU Equivalents
Max Left Side Weight LB	Max Right Side Weight LB	Max Side Difference Weight LB
Max Length per Ship Unit FT	Max Width per Ship Unit FT	Max Height per Ship Unit FT
Exterior Length FT	Exterior Width FT	Exterior Height FT

5.12.5. Click Finished

5.13. Equipment Group Profile

An equipment group profile is a way to group together multiple equipment groups that share the same characteristics, usually type, capacity, volume, door type, etc. Bevy has two types of equipment that are largely the same, except for capacity, so let's create one group profile for each capacity (1 ton and 5 ton).

5.13.1. Menu: Shipment Management > Equipment Management > Equipment Group Profile

5.13.2. Click New and enter:

Equipment Group Profile ID	EGP_DRY_1TON
Equipment Group Profile Name	Bevy standard beverage 1 ton equipments
Equipment Group ID	EQG_DRY_VAN_1TON (save)
Compatible	Yes

[Equipment Group Profile Finder](#) > Equipment Group Profile

Equipment Group Profile 1 of 1 [New](#) [Finished](#)

Equipment Group Profile

* Equipment Group Profile ID
EGP_DRY_1TON

* Domain Name
BEVY

Equipment Group Profile Name
BEVY STANDARD BEVERAGE 1 TON EQUIPMENTS

Compatible
☒

* Equipment Group ID
EQG_DRY_VAN_1TON [Save](#)

[EQG_DRY_VAN_1TON](#)

[Top](#)

5.13.3. Click Finished

5.13.4. Click Create Another and enter:

Equipment Group Profile ID	EGP_DRY_5TON
Equipment Group Profile Name	Bevy standard beverage 5 ton equipments
Equipment Group ID	EQG_DRY_TRUCK_5TON (save)
Compatible	Yes

[Equipment Group Profile Finder](#) > Equipment Group Profile

Equipment Group Profile 1 of 1 [New](#) [Finished](#)

Equipment Group Profile

* Equipment Group Profile ID
EGP_DRY_5TON

* Domain Name
BEVY

Equipment Group Profile Name
BEVY STANDARD BEVERAGE 5 TON EQUIPMENTS

Compatible
☒

* Equipment Group ID
EQG_DRY_TRUCK_5TON [Save](#)

[EQG_DRY_TRUCK_5TON](#)

[Top](#)

5.13.5. Click Finished

OTM 6.3 Basic Functional Course

5.14. Fleet Service Provider

Bevy told us that they only use their own fleet, so we will not have any external provider. That's not typical. Usually we would have a fleet and several service providers to take care of. But for Bevy's needs, just one service provider will suffice, and it will be marked as fleet.

5.14.1. Menu: Contract and Rate Management > Service Provider Manager

5.14.2. Click New and enter:

Service Provider/Location ID	SRP_BEVY_FLEET
Service Provider/Location Name	Bevy Corp Fleet
Corporation ID	CRP_BEVY
Domain Name	BEVY
Mode Profile	LAND
Rate Service ID	TL-SIM
Fleet	Yes
City	Curitiba
Province Code	PR
Country Code	BRA
Province	Parana
Time Zone	America/Sao_Paulo

Service Providers Finder > Service Provider ID

1 of 1 | New | Finished

Service Provider ID

Service Provider ID: SRP_BEVY_FLEET

Service Provider/Location Name: BEVY CORP FLEET

Corporation ID: CRP_BEVY

Domain Name: BEVY

SCAC:

Temporary: ☐

Reference Numbers

Mode Profile: LAND

Rate Service ID: TL-SIM

Equipment Mark List:

Broadcast Spot Contact ID:

Accept Spot Bids: ☐

Accept Broadcast Tenders: ☐

Allow Tender: ☒

Localize Broadcast Spot Contact: ☐

Spot Rate Adjustment Factor:

Perform Conditional Accepts: ☐

Allow Accept By Ship Unit: ☐

Internal NVOCC: ☐

NVOCC Domain:

Out XML Profile ID:

Dispatch By Region: ☐

Fleet: ☒

Settlement

Service Provider Alias

Conditional Booking Profiles

Address Lines

City: CURITIBA

Province Code: PR

Postal Code:

County Qualifier:

Country Code: BRA

Time Zone: America/Sao_Paulo

Province: PARANA

Address Valid:

Top | Communication and Remarks

5.14.3. Click Communications and Remarks and enter:

Communication Method	MESSAGE CENTER
User ID	BEVYLOG

OTM 6.3 Basic Functional Course

[Service Providers Finder](#) > Service Provider ID

Service Provider ID

1 of 1 [New](#) [Finished](#)

Service Provider ID	Communication and Remarks
Primary Contact & Preferences	
Communication Method MESSAGE CENTER	Email Address
Language Spoken	External System ID
	User ID BEVYLOG
	Phone 1

5.14.4. Click Finished and then Edit, and then the Communication and Remarks tab to come back to the same screen

5.14.5. Click Details (Button to the right of User ID)

5.14.6. Click Edit button at the top of the Contact Manager screen and enter:

Language spoken: English	
--------------------------	--

5.14.7. Click Contact Notification at the bottom of the Contact Manager screen

5.14.8. Click the Pencil Icon Next to MESSAGE CENTER Com Method ID and enter:

Response Time	4 H
Calendar ID	CLD_REGULAR_WORK_HOURS

5.14.9. Click Save on the Com Method grid, then click Finished and close the results screen

5.14.10. Click Finished on the Service Provider screen

OTM 6.3 Basic Functional Course

5.15. Rate Offering

Rate offering is the OTM object in which we are going to plug the rate records. You can think of it as transportation service contract header and each rate record would be a clause in the contract (price per km per itinerary/city, price per weight, price per number of stops, accessorial costs, etc).

5.15.1. Menu: Contract and Rate Management > Contract Management > Rate Offering

5.15.2. Click New and enter:

Offering ID	ROF_BEVY_FLEET_LTL
Offering Type	LTL
Service Provider ID	SRP_BEVY_FLEET
Rate Service ID	TL-SIM
Transport Mode	LTL

Rate Offering 1 of 1

Rate Header	Attributes	Accessorial	Special Services	Involved Parties	Comments	Remarks	Rules and Terms
Offering ID	ROF_BEVY_FLEET_LTL	Service Provider ID	SRP_BEVY_FLEET	Rate Service ID	Version		
* Offering ID	ROF_BEVY_FLEET_LTL	* Offering Type	LTL	Service Provider ID	SRP_BEVY_FLEET	Region Group ID	Domain Profile ID
* Rate Service ID	TL-SIM	Rate Group ID		* Transport Mode	LTL	* Perspective	All
* Version	ROF_BEVY_FLEET_LTL	Equipment Group Profile ID		Corporation Profile ID		* Exchange Rate ID	DEFAULT
User Description One		User Description Two		User Description Three		User Description Four	
Sourcing Template							Expiration Mark ID
Active	☒	Recalculate Cost	☐	Capacity Group ID		Track Capacity Usage	☒
Applies to Direct Shipments Only	☐	Route Execution Rate	☐	Hazardous Rate Type	Allows Hazardous Materials	Max Num Of Shipment Segments	
						Contract Rate	☐
						Sequence Number	

5.15.3. Click n on the Version power field and enter the following in the creation screen:

Rate Version ID	ROF_BEVY_FLEET_LTL_V2014
Rate Version Name	ROF_BEVY_FLEET_LTL_V2014
Effective Date	<TODAY>
Expiration Date	<One year after effective date>

Rate Version 1 of 1 New Finished

* Rate Version ID	ROF_BEVY_FLEET_LTL	Rate Version Name	ROF_BEVY_FLEET_LTL
* Effective Date	2014-01-09	* Expiration Date	2015-01-08
Domain Name	BEVY		

Top

OTM 6.3 Basic Functional Course

- 5.15.4. Click Finished
- 5.15.5. Deselect Applies to Direct Shipments only
- 5.15.6. Click Attributes and enter:

Rate Distance ID	LOOKUP ELSE ESTIMATE
------------------	----------------------

Rate Offering 1 of 1 [New](#) [Finished](#)

Rate Header	Attributes	Accessorial	Special Services	Involved Parties	Comments	Remarks	Rules and Terms
Offering ID ROF_BEVY_FLEET_LTL	Service Provider ID SRP_BEVY_FLEET	Rate Service ID TL-SIM	Version ROF_BEVY_FLEET_LTL_V2014				
Total All Stops	Pickup Stops	Delivery Stops					
Rate Classification	Minimum Charge	USD	* Rate Distance ID	Quality Rating ID			
			LOOKUP ELSE ESTIMATE				

- 5.15.7. Click Finished

5.16. Extra: Copying OTM Objects

You can copy most OTM objects, such as Order Releases, Rates, Items, etc. This is very useful to reduce the amount of input needed when creating new objects, especially very complex ones such as planning parameter sets, rate records and order releases.


For testing, this is a must have knowledge. You don't want to create a new Order Release every time you are testing bulk plan, simply copy one that suits your needs. Same for rate records, sometimes you don't want to edit an existing rate, but you want to test it with a minor change. Copy it and just change that minor detail you want, much easier than creating one from scratch.

Let's copy the rate offering we just created, instead of creating the TL rate from scratch.

5.16.1. Menu: Contract and Rate Management > Contract Management > Rate Offering

5.16.2. Click the search button without any filters

5.16.3. On the results screen, select ROF_BEVY_FLEET_LTL, click the Actions button and select Copy Rate Offering



5.16.4. A new window will open with a rate offering in edit mode. All the information in here is a copy of what was in the original rate offering. Use ROF_BEVY_FLEET_TL as Rate Offering ID and change Offering Type from LTL to TL

OTM 6.3 Basic Functional Course

[Rate Offering Result](#) > Rate Offering

1 of 1 [New](#) [Finished](#) [Actions](#)

Rate Offering

[Rate Header](#) [Attributes](#) [Accessorials](#) [Special Services](#) [Involved Parties](#) [Comments](#) [Remarks](#) [Rules and Terms](#) [CM Rule Data](#)

Offering ID ROF_BEVY_FLEET_TL Service Provider ID SRP_BEVY_FLEET Rate Service ID TL-SIM Version ROF_BEVY_FLEET_TL_V2014

* Offering ID ROF_BEVY_FLEET_TL	* Offering Type TL	Service Provider ID SRP_BEVY_FLEET	Region Group ID	Domain Profile ID
* Rate Service ID TL-SIM	Rate Group ID	* Transport Mode TL	* Perspective All	* Currency USD
* Version ROF_BEVY_FLEET_TL	Equipment Group Profile ID	Corporation Profile ID	* Exchange Rate ID DEFAULT	
User Description One	User Description Two	User Description Three	User Description Four	Expiration Mark ID
Sourcing Template ☐	Sourcing Rate 			
Active ☒	Recalculate Cost ☐	Capacity Group ID	Track Capacity Usage ☐	Contract Rate ☐
Applies to Direct Shipments Only ☐	Route Execution Rate ☐	Hazardous Rate Type Allows Hazardous Materials	Max Num Of Shipment Segments 2	Sequence Number 2
Effective Date 2014-01-09	Expiration Date 2015-01-08	Domain Name BEVY	Description	Depot Applicable ☐
Weight Minimum LB	Weight Maximum LB	Volume Minimum CU FT	Volume Maximum CU FT	
Length Minimum FT	Length Maximum FT	Width Minimum FT	Width Maximum FT	
Height Minimum FT	Height Maximum FT	Dimensional Girth Minimum FT	Dimensional Girth Maximum FT	
Distance Minimum	Distance Maximum	Shin Unit Weight Maximum	Shin Unit Line Weight Maximum	

[Top](#) [Attributes](#)

5.16.5. Click Attributes

5.16.6. Click Finished

5.17. Driver Type

Driver Type is kind of a driver profile that is common to many drivers. In our case, just one will be needed.

5.17.1. Menu: Fleet Management > Driver Management > Driver Type Manager

5.17.2. Click New and enter:

Driver Type ID	FDT_BEVY_STD_DRIVER
Home Location ID	LOC_CURITIBA_DC
Activity Calendar	CLD_REGULAR_WORKING_HOURS
Effective Date	<Today>
Expiration Date	<1 year from today>

[Driver Type Finder](#) > Driver Type

Driver Type 1 of 1 [New](#) [Finished](#)

Driver Type [Special Services](#) [Remarks](#)

* Driver Type ID: FDT_BEVY_STD_DRIVE

Domain Name: BEVY

Description:

Driver Configuration ID:  

Rate Offering ID:  

Dedicated Account Location Profile ID:  

Rate Distance ID:  

☐ Work Profile

* Home Location ID:  

* Activity Calendar:  

* Effective Date: 

* Expiration Date: 

LOC_CURITIBA_DC CLD_REG_WRK_HOURS 2014-01-09 2015-01-08 [Save](#)  

[Top](#) [Special Services](#)

5.17.3. Click Save

5.17.4. Click Finished

5.18. Power Units and Equipments

Power unit is the part of the vehicle that has the engine, and it can “carry” one or more equipments, which usually is the part of the vehicle where you load the goods you are shipping, but technically can be any method of storage or transport. To all intents and purposes, though, at Bevy one power unit relates to only one equipment, and that’s about it. That being the case, in Bevy’s context we can refer to the power unit or equipment interchangeably, and both will mean the same thing: the vehicle that will execute the transportation.

5.18.1. Fleet Management > Power Unit Management > Power Unit Manager

5.18.2. Click New and enter:

Power Unit ID	PRU_VAN_0001
Power Unit Number	PRU_VAN_0001
Active	Yes
Corporation ID	CRP_BEVY
Park Location ID	LOC_CURITIBA_DC

5.18.3. Click n on Power Unit Type ID power field and enter:

Power Unit Type ID	PUT_VAN
Description	Van

Power Unit Type 1 of 1 [New](#) [Finished](#)

Power Unit Type	Special Services	Remarks
-----------------	------------------	---------

* Power Unit Type ID

PUT_VAN

Domain Name

BEVY

Description

VAN

[Top](#) [Special Services](#)

5.18.4. Click Finished

5.18.5. Click n on Equipment ID power field and enter:

Equipment ID	EQP_VAN_0001
--------------	--------------

OTM 6.3 Basic Functional Course

Equipment 1 of 1 [New](#) [Finished](#)

* Equipment ID EQP_VAN_0001	Equipment Name 	* Domain Name BEVY
Equipment Type ID 	Equipment Initial 	Equipment Number
Tare Weight LB	AAR Car Type 	AAR Mechanical Des
Ownership Code 	Owner Name 	Owner Type
Tag 1 	Tag 2 	Tag 3
Date Built 	Purchase Date 	Registered Mileage C
Registration Number 	Registration Date 	License Plate

5.18.6. Click n on Equipment Type ID and enter:

Equipment Type ID	EQT_VAN
Max Gross Weight	1.2 TON
Interior Volume	9 CU M
Interior Width	2 M
Interior Length	3 M
Interior Height	1.5 M

5.18.7. Click Finished on Equipment Type screen

5.18.8. Click Finished on Equipment Screen

5.18.9. Back on the Power Unit screen, enter:

Effective Date	<Today>
Expiration Date under Equipment	< One year from today>

Power Unit Finder > Power Unit

Power Unit 1 of 1 [New](#) [Finished](#)


Power Unit ID PRU_VAN_0001	Domain Name BEVY	Description
* Power Unit Number PRU_VAN_0001	Active ☒	Date of Build
Home Country ID 	Corporation ID 	Park Location ID
* Power Unit Type ID PUT_VAN	Tare Weight LB	

Equipment		
* Equipment ID EQP_VAN_0001	* Effective Date 2014-01-09 09:00:00	* Expiration Date 2015-01-08 18:00:00
Reference Numbers		
* Reference Number Qualifier ID 	* Reference Number 	

[Top](#) [Special Services](#)

OTM 6.3 Basic Functional Course

- 5.18.10. Click Save under Equipment
- 5.18.11. Click Finished
- 5.18.12. Now, let's save us some time by copying PRU_VAN_0001 instead of creating the other three from scratch. On the results screen, select PRU_VAN_0001, click the actions button and select Copy Power Unit



- 5.18.13. Use PRU_VAN_0002 as Power Unit ID
- 5.18.14. Change Power Unit Number to PRU_VAN_0002
- 5.18.15. Click on the bin icon next to EQP_VAN_0001 to delete the row, then click n on the Equipment ID power field
- 5.18.16. Enter EQP_VAN_0002 on Equipment ID
- 5.18.17. Use the previously created EQT_VAN for Equipment Type ID
- 5.18.18. Click Finished on the Equipment screen
- 5.18.19. Enter effective and expiration dates and click Save

Power Unit 1 of 1 [New](#) [Finished](#)

Power Unit [Special Services](#) [Remarks](#) [Tracking](#)

Power Unit ID PRU_VAN_0002	Domain Name BEVY	Description
* Power Unit Number PRU_VAN_0002	Active ☒	Date of Build
Home Country ID 	Corporation ID 	Park Location ID
* Power Unit Type ID PUT_VAN	Tare Weight LB	

Equipment

* Equipment ID 	* Effective Date 	* Expiration Date 	Save
EQP_VAN_0002	2014-01-09 09:00:00	2015-01-08 18:00:00	Edit Delete

Reference Numbers

* Reference Number Qualifier ID 	* Reference Number 	Save
---	--	----------------------

[Top](#) [Special Services](#)

- 5.18.20. Click Finished

OTM 6.3 Basic Functional Course

- 5.18.21. Close the result screen (you should have two of them open now), and do the same thing twice again, and create PRU_VAN_0003 and PRU_VAN_0004
- 5.18.22. After creating all four vans, click the Create Another button, to start creating power unit and equipment for the four trucks
- 5.18.23. On the power unit creation screen, enter:

Power Unit ID	PRU_TRUCK_0001
Power Unit Number	PRU_TRUCK_0001
Active	Yes
Corporation ID	CRP_BEVY
Park Location ID	LOC_CURITIBA_DC

- 5.18.24. Click n on Power Unit Type ID power field and enter:

Power Unit Type ID	PUT_TRUCK
Description	Truck

- 5.18.25. Click Finished
- 5.18.26. Click n on Equipment ID power field and enter:

Equipment ID	EQP_TRUCK_0001
--------------	----------------

- 5.18.27. Click n on Equipment Type ID and enter:

Equipment Type ID	EQT_TRUCK
Max Gross Weight	5.2 TON
Interior Volume	26 CU M
Interior Width	2 M
Interior Length	13 M
Interior Height	1 M

- 5.18.28. Click Finished on Equipment Type screen
- 5.18.29. Click Finished on Equipment Screen
- 5.18.30. Back on the Power Unit screen, enter:

Effective Date	<Today>
Expiration Date under Equipment	< One year from today>

- 5.18.31. Click Save under Equipment
- 5.18.32. Click Finished
- 5.18.33. Now, create three more truck power unit/equipment combinations using the same equipment type EQT_TRUCK, just as we did for the vans

5.19. Fleet Drivers

Now it is time to create the drivers. According to our business requirements, Bevy has four of them. I don't think an extended explanation is really necessary here, because driver objects work as you'd normally expect. I do have to mention that they are included for the sake of introducing you to them. We are not going to use them because we are ending our training just after bulk planning, and are not really going to make use of OTM's fleet management capabilities for now.

5.19.1. Menu: Fleet Management > Driver Management > Driver Manager

5.19.2. Click New and enter:

Driver ID	DRV_0001
Active	Yes
Default Home Location ID	LOC_CURITIBA_DC
Work Region ID	REG_CURITIBA
Driver Type ID	FDT_BEVY_STD_DRIVER
Resource Type	Employee
Home Location ID	LOC_CURITIBA_DC
Activity Calendar	CLD_REGULAR_WORK_HOURS
Effective Date	<Today>
Expiration Date	<1 year from today>

Driver Finder > Driver

1 of 1 [New](#) [Finished](#)

Driver | Licenses | Special Services | Remarks | Involved Parties | Tracking

*** Driver ID** **Domain Name** **First Name** **Last Name**

Date of Birth **Adjusted Hire Date** **Active** ☒

Default Home Location ID **Work Region ID** **Contact ID** *** Driver Type ID**

Resource Type **Use HOS History** ☐ **Driver Configuration ID** **Rate Offering ID**

Rate Distance ID **End Date**

☐ **Work Profile**

*** Home Location ID** *** Activity Calendar** *** Effective Date** *** Expiration Date** [Save](#)

☐ **Power Units**

*** Power Unit ID** **Calendar ID** *** Effective Date** *** Expiration Date** [Save](#)

☐ **Reference Numbers**

*** Reference Number Qualifier ID** *** Reference Number** [Save](#)

[Top](#) [Licenses](#)

5.19.3. Click Save

5.19.4. Click Finished

- 5.19.5. On the result screen, use the Copy Driver action to create three additional drivers, changing only the Driver ID.

5.20. Rate Record

As mentioned before, the rate records are sort of the details of the transportation service contract. It is linked to a rate offering, and is used to describe the costs in minute detail. The rate record “inherits” details from the rate offering it is associated with, but it can override some of them. You can model into the rate record all real world conditions and restrictions a contract would have, such as discounts, surcharges, maximums, minimums, etc.

I think it will be easier to understand as you implement them, so let’s get to it.

5.20.1. Menu: Contract and Rate Management > Contract Management > Rate Record

5.20.2. Click New

5.20.3. Click Search

5.20.4. Select BEVY.ROF_BEVY_FLEET_LTL

5.20.5. Click Finish and enter:

Rate Record ID	RRC_BEVY_VAN_LTL_RATE
Rate Service ID	TL-SIM
Source Region	REG_CURITIBA
Destination Region	REG_CURITIBA

[Rate Records Finder](#) > Rate Record

Rate Record 1 of 1

Rate Record ID RRC_BEVY_VAN_LTL_RATE	Rate Offering ID ROF_BEVY_FLEET_LTL	Effective Date	Expiration Date
Domain BEVY	Domain Profile ID	Rate Service ID TL-SIM	Expiration Mark ID
Rate Record ID RRC_BEVY_VAN_LTL_	Rate Offering ID ROF_BEVY_FLEET_LTL	Quote ☐	Active ☒
Effective Date	Expiration Date	Hazardous Rate Type Allows Hazardous Materials	Payment Method Code ID
Sequence Number			

Reference Numbers

Reference Number Qualifier ID	Reference Number	Description	Save

Source Geo Hierarchy

* OR

Source Region REG_CURITIBA

VIA Source Location ID

VIA Source Location Profile ID

Destination Geo Hierarchy

* OR

Destination Region REG_CURITIBA

VIA Dest Location ID

VIA Dest Location Profile ID

Rounding Type **Rounding Interval** **Rounding Fields Level** **Rounding Application** **Deficit Calculations Type**

[Top](#) [Attributes](#)

5.20.6. Click Attributes

5.20.7. Click Rate Costs

5.20.8. Click Add A Cost and enter:

Basis/Operator/Value	Source Location ID = LOC_CURITIBA_DC
----------------------	--------------------------------------

OTM 6.3 Basic Functional Course

Basis/Operator/Value	Shipment Total Number of Stops <= 4
Basis/Operator/Value	Equipment Group ID = EQG_DRY_VAN_1TON
Cost Type	Charge
Amount	333
Basis	Shipment Total Weight
Unit	100 KG

Rates

Conditions

Basis: Source Location ID, Operator: =, Value(s): LOC_CURITIBA_DC

AND Shipment Total Number of Stops <= 4

AND Equipment Group ID = EQG_DRY_VAN_1TON

Effective Date, Expiration Date, Calendar ID, Calendar Activity

Charge

Cost Type

Charge

Amount: 333.0000, USD, Basis: Shipment Total Weight, Unit: 100, KG

Minimum Charge, Maximum Charge

Rate Record 1 of 1 | New | Finished | Actions

Rate Record ID: RRC_BEVY_VAN_LTL_RATE, Rate Offering ID: ROF_BEVY_FLEET_LTL, Effective Date, Expiration Date

Multi-Costs Rule: Add

Costs

Effective Date	Expiration Date	Description
		Source Location ID = BEVY.LOC_CURITIBA_DC AND Shipment Total Number of Stops <= 4 AND Equipment Group ID = BEVY.EQG_DRY_VAN_1TON CHARGE 333.00 USD PER 100 KG OF Shipment Total Weight

Add A Cost

Top | Accessorials

5.20.9. Click Save

5.20.10. Click Finished

5.20.11. Use the Copy Rate Record action to create another LTL Rate, for the 5.2 Ton truck. Click Search, select BEVY.ROF_BEVY_FLEET_LTL. Use RRC_BEVY_TRUCK_LTL_RATE as Rate Record ID, add a new condition (Shipment Total Weight >= 3000 KG), change the Equipment Group ID condition to EQG_DRY_TRUCK_5TON and change the amount charged in the Rate Costs tab to 222. This will make using a truck cheaper than the van pound per pound, but will avoid the undesirable situation of sending the truck with too few ship units.

OTM 6.3 Basic Functional Course

[Rate Records Finder](#) > Results

Results

Success

You successfully created the following records:

☒ BEVY.RRC_BEVY_VAN_LTL_RATE [View](#) [Edit](#) [View Log](#)

[Create Another](#) [Modify Another](#) [Actions](#)

Actions

- ☐ Contract and Rate
 - ☐ Change Rates
 - Create Another Rate Record on Same Offer
 - Expire Rate Record
 - Mark for Expiration
 - ☐ Utilities
 - [Copy Rate Record](#)
 - Send Interface Transmission
 - ☐ View
 - Audit Trail

Rate Record

1 of 1

Lane InfoAttributesRate CostsAccessorialSpecial ServicesRemarks

Rate Record IDRate Offering IDROF_BEVY_FLEET_LTLEffective DateExpiration Date

Rate Record ID

RRC_BEVY_TRUCK_LT

Effective Date

Payment Method Code ID

Sequence Number

Rate Offering ID

ROF_BEVY_FLEET_LTL

Expiration Date

Hazardous Rate Type

Allows Hazardous Materials

Domain

BEVY

Rate Service ID

TL-SIM

Quote

☐

Domain Profile ID

Expiration Mark ID

Active

☒

☐ Reference Numbers

Reference Number Qualifier ID

Reference Number

Description

Save

Source Geo Hierarchy

* OR

Source Region

REG_CURITIBA

VIA Source Location ID

VIA Source Location Profile ID

Destination Geo Hierarchy

* OR

Destination Region

REG_CURITIBA

VIA Dest Location ID

VIA Dest Location Profile ID

Rounding Type

Rounding Interval

Rounding Fields Level

Rounding Application

Deficit Calculations Type

[Top](#) [Attributes](#)

Rates

Conditions

BasisOperatorValue(s)

AND

Source Location ID

=

LOC_CURITIBA_DC

AND

Shipment Total Number of Stops

<=

4

AND

Equipment Group ID

=

EQG_DRY_TRUCK_5TON

AND

Shipment Total Weight

>=

3 TON

Effective Date

Expiration Date

Calendar ID

Calendar Activity

Charge

* Cost Type

Charge

Amount

222.0000

USD

Basis

Shipment Total Weight

Unit

100 KG

Minimum Charge

USD

Maximum Charge

USD

Rate Record

1 of 1 [New](#) [Finished](#) [Actions](#)

Lane InfoAttributesRate CostsAccessorialSpecial ServicesRemarks

Rate Record IDRate Offering IDROF_BEVY_FLEET_LTLEffective DateExpiration Date

Rate Record ID

RRC_BEVY_TRUCK_LTL_RATE

Rate Offering ID

ROF_BEVY_FLEET_LTL

Effective Date

Expiration Date

Multi-Costs Rule

Add

☐ Costs

Effective Date

Expiration Date

Description

Source Location ID = BEVY.LOC_CURITIBA_DC
AND Shipment Total Number of Stops <= 4
AND Equipment Group ID = BEVY.EQG_DRY_TRUCK_5TON
AND Shipment Total Weight >= 3 TON
CHARGE 222.00 USD PER 100 KG OF Shipment Total Weight

[Add A Cost](#)

[Top](#) [Accessorial](#)

V 1.1 - April/2014

Page 50

OTM 6.3 Basic Functional Course

- 5.20.12. Click Save
5.20.13. Click Finished
5.20.14. Click Create Another, and let's create a TL rate for the VAN group (Use BEVY.ROF_BEVY_FLEET_TL rate offering):

Rate Record ID	RRC_BEVY_VAN_TL_RATE
Rate Service ID	TL-SIM
Source Region	REG_CURITIBA
Destination Region	REG_CURITIBA

- 5.20.15. Click Attributes
5.20.16. Click Rate Costs
5.20.17. Click Add A Cost and enter:

Basis/Operator/Value (condition)	Source Location ID = LOC_CURITIBA_DC
Basis/Operator/Value	Shipment Total Number of Stops <= 4
Basis/Operator/Value	Shipment Total Weight >= 1 TON
Basis/Operator/Value	Equipment Group ID = EQG_DRY_VAN_1TON
Cost Type	Charge
Amount	3000
Basis	Shipment

Description	
Source Location ID = BEVY.LOC_CURITIBA_DC	 
AND Shipment Total Number of Stops <= 4	
AND Shipment Total Weight >= 1 TON	
AND Equipment Group ID = BEVY.EQG_DRY_VAN_1TON	
CHARGE 3000.00 USD PER Buy Shipment	

- 5.20.18. Save this rate record and create another, for Truck TL (name it RRC_BEVY_TRUCK_TL_RATE), using BEVY.ROF_BEVY_FLEET_TL rate offering. Charge \$ 10,000.00 per shipment, only if weight is equal to or greater than 5 TON and equipment group is EQG_DRY_TRUCK_5TON.

OTM 6.3 Basic Functional Course

Rate Record 1 of 1

Tab: Lane Info | Attributes | Rate Costs | Accessorials | Special Services | Remarks

Rate Record ID RRC_BEVY_TRUCK_TL_RATE	Rate Offering ID ROF_BEVY_FLEET_TL	Effective Date	Expiration Date
Rate Record ID RRC_BEVY_TRUCK_TL	Rate Offering ID ROF_BEVY_FLEET_TL	Domain BEVY	Domain Profile ID
Effective Date 	Expiration Date 	Rate Service ID 	Expiration Mark ID
Payment Method Code ID 	Hazardous Rate Type Allows Hazardous Materials	Quote ☐	Active ☒
Sequence Number			

Reference Numbers

Reference Number Qualifier ID	Reference Number	Description	Save

Source Geo Hierarchy

Destination Geo Hierarchy

* OR

Source Region
REG_CURITIBA

Destination Region
REG_CURITIBA

[Rate Records Result](#) > Rate Record

Rates

Conditions

Basis	Operator	Value(s)
Source Location ID	=	LOC_CURITIBA_DC
AND		
Shipment Total Number of Stops	<=	4
AND		
Shipment Total Weight	>=	5.00 TON
AND		
Equipment Group ID	=	EQG_DRY_TRUCK_5TC

Effective Date

Expiration Date

Calendar ID

Calendar Activity

Charge

Cost Type

Charge

Amount	Basis	Unit
10000.0000 USD	Shipment	1

Minimum Charge
 USD

Maximum Charge
 USD

5.20.19. After you've entered all the information needed, save the Rate Record

5.21. Itinerary

Itineraries define a route a shipment can take, and it also enforces requirements such as weight limit, type of vehicle, time range, etc. An itinerary is a collection of legs. In our example each itinerary will have just one leg, but in the real world a classic case of multi-leg itinerary would be exporting goods. A shipment from Brazil to US would normally involve a truck leg from source DC to airport, then an airplane leg from local airport to foreign airport, and a third leg from foreign airport to destination DC/store.

5.21.1. Menu: Shipment Management > Itinerary Management > Itinerary Manager

5.21.2. Click New and enter:

Itinerary ID	ITN_CURITIBA_VAN_MULTISTOP
Itinerary Name	Curitiba Van Multi-Stop Itinerary
Perspective	Buy
Source Region	REG_CURITIBA
Destination Region	REG_CURITIBA
Multi-Stop Itinerary	Yes

[Itinerary Finder](#) > Itinerary

Itinerary 1 of 1

Parameters Lane Definitions List Legs

Itinerary ID: ITN_CURITIBA_VAN_MU Itinerary Name: CURITIBA VAN MULTI-S Perspective: Buy Itinerary Type: Active

Source Geo Hierarchy: Source Region: REG_CURITIBA Destination Geo Hierarchy: Destination Region: REG_CURITIBA

Minimum Weight: Maximum Weight: Minimum Volume: Maximum Volume:

Multi-Stop Itinerary: ☒ Corporation Profile: Calendar ID: Hazardous Transport Mode ID:

Payment Method Profile ID: INCO Term Profile ID: Depot Profile ID:

Description:

5.21.3. Click Lane Definitions

5.21.4. Click List Legs

5.21.5. Click New Leg and enter:

Sequence Number	1
Primary	Yes
Equipment Assignment Type	Optimize Equipment
Auto Consolidation Type:	MULTISTOP INTO ONE EQUIP
Mode Profile ID (under Compatibility)	LAND
Equipment Group Profile ID	EGP_DRY_1TON

OTM 6.3 Basic Functional Course

[Itinerary Finder](#) > Itinerary

Leg

* Sequence Number 1	Leg Name 	Primary ☒	Rate Offering ID 	Rate Record ID 	Leg Classification
Hazmat Region ID 	Intermediary Corporation ID 	Network ID 	Cross Dock Location ID 	* Equipment Assignment Type Optimize Equipment	
Create Single Shipment ☐	Payment Method Code ID 	Auto Consolidation Type MULTISTOP INTO ONE EQUIP	Use Consol ☐	Leg Consolidation Group ID 	
VIA Source Location ID 	VIA Source Location Profile ID 	VIA Dest Location ID 	VIA Dest Location Profile ID 	Trans-shipment Arbitraries Search Type 	Depot Profile ID
+ Designate the role of the Destination Location: If a value is entered for location role, it must be used in conjunction with a value for steps 2, 3, and/or 4.					
+ Designate a single Location ID to be evaluated by OTM and/or to be used as the centerpoint for the radius method: Step 2					
+ Use the radius method to find all locations within a given distance around a particular point: Step 3					
+ Location Radius Emphasis: Step 4					
+ Assign a compatible profile to either add a specific list of locations or assign an incompatible profile to make sure certain destination locations are not evaluated for this leg.					
+ Leg Interim Points					
* Interim Point Sequence Number 	* Interim Point Location ID 	Special Service ID 	Save		
- Cost/Service					
Calculate Contracted Rate ☒	Expected Cost 	USD	Calculate Service Time ☒	Expected Transit Time D H M	Service Provider Assignment Type Optimize Service Provider
- Compatibility					
* Mode Profile ID LAND	Service Provider Profile ID 	Rate Service Profile ID 	Equipment Group Profile ID EGP_DRY_1TON	* Or Multi-Modal Equipment Sets 	
- Involved Parties					
Top Save					

5.21.6. Click Save

5.21.7. Click Finished

5.21.8. Create a second itinerary, name it ITN_CURITIBA_TRUCK_MULTISTOP and use EGP_DRY_5TON Equipment Group Profile

5.22. Extra: Using Ask Oracle

OTM has a neat feature called Ask Oracle that allows you to simulate costs, discover itineraries between two locations/cities/region/countries in any combination, check airports schedule, among other things.

You can access it through the links in the lower frame of the screen:

[Main Page](#) | [Container Optimization](#) | [Air Schedules](#) | [Vessel Schedules](#) | [Ground Schedules](#) | [Rates](#) | [International Rates](#) | [Airports](#) | [Ports](#) | [Time Zones](#) | [Currency](#) | [Distance/Time](#) | [Logistics Guide](#) | [Routing Rule](#)

Now that we have our master data setup ready, let's check if it is working properly:

5.22.1. Click "Rates" in the Ask Oracle frame in the lower part of the window

5.22.2. On the Ask Oracle About Rates screen, enter the following:

Find	Rate and Route
Ship From Location ID	LOC_CURITIBA_DC
Ship To Location ID	LOC_STR_3_SANTA_CANDIDA
Transport Handling Unit	SUS_BEVY_PALLET
Ship Unit Count	2
Weight	100 KG

Ask Oracle About Rates

Find: Rate And Route (dropdown), Request Type: All (dropdown), Rate Group: (dropdown), Perspective: Buy (dropdown), Date Available By: 2014-02-11 17:55:02, Date Deliver By: (dropdown)

* Ship From

Location Role: (dropdown), Location ID: LOC_CURITIBA_DC, City: (text), Province Code: (text), County Qualifier: (text), Postal Code: (text), Zone 1: (text), Zone 2: (text), Zone 3: (text), Zone 4: (text), Rail SPLC: (text), Location Profile ID: (text)

* Ship To

Location Role: (dropdown), Location ID: LOC_STR_3_SANTA_CANDIDA, City: (text), Province Code: (text), County Qualifier: (text), Postal Code: (text), Zone 1: (text), Zone 2: (text), Zone 3: (text), Zone 4: (text), Rail SPLC: (text), Location Profile ID: (text)

Additional Constraints

Domain: BEVY (dropdown), Customer: (text), Equipment Group Profile ID: (text)

ty Qualifier: (dropdown), Commodity Code: (text), Transport Handling Unit: SUS_BEVY_PALLET, Ship Unit Count: 2, Hazardous: (dropdown), Packaged Item ID: (text), Hazmat Item ID: (text), Weight: 100 KG

5.22.3. Click the Search Button. With an order this small, we should expect OTM to select the Van for this transportation, and the LTL rate should cost \$333 per 100 KG. As we can see below, OTM behave just as expected:

OTM 6.3 Basic Functional Course

Ask Oracle About Rates

Legend: Optimal Rate Meets Service Time Will not meet Service Time

Itineraries

	Total Actual Cost	Cost Per (LB)	Total Weighted Cost	Weighted Cost Per (LB)	Ship From	Ship To	Transport Mode	Service Provider ID	Transit Time	Start Time	End Time	Route Code	Origin	Destination
	666.00 USD	1.51 USD	666.00 USD	1.51 USD	LOC_CURITIBA_DC	LOC_STR_3_SANTA_CANDIDA	LTL	SRP_BEVY_FLEET	15H 4M	2014-02-11 17:55 America/Sao_Paulo	2014-02-12 09:00 America/Sao_Paulo			

Cost	Weighted Cost	Origin	Destination	Mode	Service Provider ID	Transit Time	Start Time	End Time	Route Code	Distance	Weight	Volume	Rate
666.00 USD	666.00 USD	LOC_CURITIBA_DC	LOC_STR_3_SANTA_CANDIDA	LTL	SRP_BEVY_FLEET	15H 4M	2014-02-11 17:55 America/Sao_Paulo	2014-02-12 09:00 America/Sao_Paulo		5.78 MI	440.92452	53.67829338399999	RO

[Top](#) [Refine Inquiry](#) [New Inquiry](#) [View Log](#)

- 5.22.4. Click Refine Inquiry, add an extra commodity, this time 9 units of SUS_BEVY_PALLET, save this line and click Search again. This should result in a TL rate for the Van equipment, because TL (\$3,000.00 per shipment) is cheaper than LTL (\$333.00 per 100KG)

Commodity Code	Transport Handling Unit	Ship Unit Count	Hazardous	Packaged Item ID	Hazmat Item ID	Weight	Volume
	SUS_BEVY_PALLET	9				100 KG	0.76
	SUS_BEVY_PALLET	2				220.46 LB	26.84 CUFT

Ask Oracle About Rates

Legend: Optimal Rate Meets Service Time Will not meet Service Time

Itineraries

	Total Actual Cost	Cost Per (LB)	Total Weighted Cost	Weighted Cost Per (LB)	Ship From	Ship To	Transport Mode	Service Provider ID	Transit Time	Start Time	End Time	Route Code	Origin	Destination
	3,000.00 USD	1.24 USD	3,000.00 USD	1.24 USD	LOC_CURITIBA_DC	LOC_STR_3_SANTA_CANDIDA	TL	SRP_BEVY_FLEET	15H 4M	2014-02-11 17:55 America/Sao_Paulo	2014-02-12 09:00 America/Sao_Paulo			

Cost	Weighted Cost	Origin	Destination	Mode	Service Provider ID	Transit Time	Start Time	End Time	Route Code	Distance	Weight	Volume	Rate
3,000.00 USD	3,000.00 USD	LOC_CURITIBA_DC	LOC_STR_3_SANTA_CANDIDA	TL	SRP_BEVY_FLEET	15H 4M	2014-02-11 17:55 America/Sao_Paulo	2014-02-12 09:00 America/Sao_Paulo		5.78 MI	2425.08034	295.232320228	RO

[Top](#) [Refine Inquiry](#) [New Inquiry](#) [View Log](#)

5.23. Planning Parameter Set

OTM has a powerful planning engine. While we can't modify the engine itself to suit our needs, we can provide some input on how it behaves through the Planning Parameter Sets.


Planning Parameter Sets are just what the name implies, a set of parameters that the planning process will use to make some decisions. There are a great number of parameters that you can use to dictate the planning behavior. We are not going to use many of them, but I do encourage you to read all of them, and get a general idea of what can be achieved through parameters.

Note: Some planning parameters instead of having a value you can change, have a Logic Configuration ID you can change. One example of this is the CONTAINER OPT CONFIG ID. You can create a new Logic Configuration that governs the behavior of planning regarding how it will optimize the containers. Do you want planning to optimize cost or container utilization? You want the container calculations to be in volume, weight or both? You make those choices in the Logic Configuration, then via Parameter Set you tell planning which Logic Configuration it should use.

To save us some trouble, we are going to copy an existing parameter set and just change some of it.

5.24. Menu: Shipment Management > Power Data > General > Parameter Sets

5.25. Click Search



5.26. In the search results screen, select DEFAULT then click the Actions button, select Copy Parameter Set and enter:

Parameter Set ID	PRM_BEVY_STD_PRM_SET
Description	Bevy standard planning parameter set
ALLOW BULK PLAN TO FAIL (under Bulk Plan)	TRUE
MAXIMUM VOLUME PER BUNDLE (under Order Management)	52 CU M
MAXIMUM WEIGHT PER BUNDLE (under Order Management)	5200 KG

BULK PLAN		
Parameter	Default Value	Parameter Value
ALLOW BULK PLAN TO FAIL	FALSE	TRUE

ORDER MANAGEMENT		
Parameter	Default Value	Parameter Value
BUNDLE MAX NUM OF DAYS	0D	0 D 0 H 0 M
MAXIMUM VOLUME PER BUNDLE	50,000.00 CUFT	52 CU M
MAXIMUM WEIGHT PER BUNDLE	50,000.00 LB	5200 KG

OTM 6.3 Basic Functional Course

- 5.27. Click Finished and close the window. Now we are going to make our newly created parameter set the default for BEVY domain
- 5.28. Menu: Configuration and Administration > Domain Management > Domain Settings
- 5.29. Click Search
- 5.30. Select BEVY and click Edit
- 5.31. Change Parameter Set ID to PRM_BEVY_STD_PRM_SET and click Finished

[Domain Setting Result](#) > Domain Setting

Domain Setting

1 of 1 **Finished**

Domain Name	
BEVY	
* Parameter Set ID	
PRM_BEVY_STD_PRM_SET  	
Use Parameter Set on Shipment	
☒	
Postal Code Validate Type	
None 	
Conditional Booking Profile ID	
 	
Compare Engine Threshold Profile ID	
 	
Conditional Booking Threshold Profile ID	
 	
From Address Contact ID	
	
Functional Currency	
 	

[Top](#)

6. Execution

Now that we translated Bevy's business reality into OTM data and settings, we can move on to the execution phase. We will create orders and see them becoming the shipments that will replenish the stock of Bevy's stores.

6.1. Order Release Creation

We are going to create a few order releases now, but it is worth mentioning that in the real world this is not usually handled within OTM boundaries. Normally an ERP system (EBS, SAP, etc) would handle order input and send them over to OTM via integration, usually XML through web services.

Note: Refnums usually play a big role in Order Release creation and how they are going to be planned. They are custom fields that you can use for a variety of purposes. Our scenario doesn't need them, but it's a worthwhile topic to research on your own.

6.1.1. Menu: Order Management > Order Release > Order Release

6.1.2. Click New and enter:

Order Release ID	<Leave this blank! Check the Business Number Generator help page to understand how it works>
Release Attribute	PURCHASE ORDER
Early Pickup Date	Next Monday 10 AM
Late Delivery Date	Next Tuesday 4 PM
Source Location ID	LOC_CURITIBA_DC
Destination Location ID	LOC_STR_1_CENTRO
Order Configuration	AUTO_CALC

[Order Releases Finder](#) > Order Release

1 of 1

Order Manager

Order Release	Ship Unit	Line Item	Constraints	Involved Parties	Other Attributes	Services	Remarks
Order Release ID Use as a Template ☐ Early Pickup Date 2014-02-17 10:00:00 Early Delivery Date Latest Estimated Delivery Date * Source Location ID LOC_CURITIBA_DC Plan From Location ID Primary Leg Source Location ID Port of Load ID 		Order Release Name Template Type Late Pickup Date Late Delivery Date 2014-02-18 16:00:00 * Order Configuration AUTO_CALC	Release Attribute PURCHASE_ORDER Priority Pickup Appointment ☐ Delivery Appointment ☐ Pre-entered Pickup Order ☐	Destination Location ID LOC_STR_1_CENTRO Plan To Location ID Primary Leg Destination Location ID Port of Discharge ID 	Splittable ☒ Domain Name BEVY Quote ID Payment Method Commercial Payment Terms 	Set Load/Unload Points	

OTM 6.3 Basic Functional Course

6.1.3. Click Ship Unit

6.1.4. Click New Line Item and enter:

Packaged Item ID	PKI_SODA_CAN
Item ID	ITM_SODA_CAN
Total Package Count	6
Packaging Unit	SUS_BEVY_PALLET

[Order Releases Finder](#) > Order Release

Line Item

Order Release Line ID	Packaged Item ID	Packaged Item Description	Item ID
	PKI_SODA_CAN		ITM_SODA_CAN
Total Package Count	Packaging Unit Count	Packaging Unit	Splittable
6		SUS_BEVY_PALLET	☒
Weight	Volume	Declared Value	

6.1.5. Click Save

6.1.6. Click Finished

6.1.7. Now, create another Order Release from scratch, identical to the one we just created with the exception of the package count, the new one should be 50. And then use the Copy Order Release action to create all the extra order releases below, changing just the destination location. It may be necessary to re-enter the dates. Copy from the 6 or 50 pallet order releases as needed to create the rest:

Destination	Total Package Count
LOC_STR_1_CENTRO	6
LOC_STR_2_BAIRRO_ALTO	6
LOC_STR_2_BAIRRO_ALTO	6
LOC_STR_2_BAIRRO_ALTO	50
LOC_STR_3_SANTA_CANDIDA	6
LOC_STR_3_SANTA_CANDIDA	6
LOC_STR_3_SANTA_CANDIDA	50

OTM 6.3 Basic Functional Course

[Order Releases Finder](#) > Results

Results

Success

You successfully created the following records:

☒ BEVY.20140211-0001 [View](#) [Edit](#) [View Log](#)

[Create Another](#) [Modify Another](#) [Actions](#)

Actions

- [+ Brokerage and Forwarding](#)
- [+ Business Process Automation](#)
- [+ Financials](#)
- [+ Global Trade Management](#)
- [+ Operational Planning](#)
- [+ Order Management](#)
 - [+ Calculate Best Direct Cost](#)
 - [+ Change Order](#)
 - [+ Events](#)
 - [+ Manage Buy Order Movement](#)
 - [+ Manage Sell Order Movement](#)
 - [+ Map](#)
 - [+ Unassign Order Release](#)
- [+ Utilities](#)
 - [Change External Status](#)
 - [Compose and Send Message](#)
 - [Confirm To Ship](#)
 - [Copy Order Release](#)
 - [Mark for Purge](#)
 - [Modification Acknowledged](#)
 - [Send Interface Transmission](#)
 - [Set Image](#)
 - [Set Indicator](#)
- [+ View](#)

6.1.8. In total we just created 9 order releases. If you list them it should look something like this:

Order Releases		Total Found: 9		New	View	Edit	Delete	Actions	Replace Current Window		
Pages 1 Selected Page: 0 Total: 0											
☒	+ ID	Late Delivery Date	Status	Total Gross Weight	Total Gross Volume						
☐	+ BEVY.20140219-0001	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	1,322.77 LB	161.03						
☐	+ BEVY.20140219-0002	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	1,322.77 LB	161.03						
☐	+ BEVY.20140219-0003	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	11,023.11 LB	1,341.96						
☐	+ BEVY.20140219-0004	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	1,322.77 LB	161.03						
☐	+ BEVY.20140219-0005	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	1,322.77 LB	161.03						
☐	+ BEVY.20140219-0006	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	11,023.11 LB	1,341.96						
☐	+ BEVY.20140219-0007	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	1,322.77 LB	161.03						
☐	+ BEVY.20140219-0008	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	11,023.11 LB	1,341.96						
☐	+ BEVY.20140219-0009	2014-02-25 16:00 America/Sao_Paulo	PLANNING_NEW	1,322.77 LB	161.03						

6.1.9. You may remember we configured an agent to notify us whenever a new Order Release was created. Check the message center (click the link on the upper right corner of the screen) and you'll see several messages that look like this:

[Messages Result](#) > Message

Message

[Actions](#) 1 of 1

Instruction
You are registered to receive notifications regarding order status information. This email contains order information and the current status update.

Event
Order Release 20140225-0001 - A new Order Release has been created

Message Severity
Informational

[Order ID and Reference Number](#)

ID
BEVY.20140225-0001

Reference Number
Reference Number Qualifier
GLOG BEVY.20140225-0001

[Order Information](#)

Origin Name
CREDITIRA DO

6.2. Extra: Show Routing Options

There is a very useful action in OTM called Show Routing Options. It basically runs the planning process without creating the shipments, and it also lets you change some constraints without changing the order release. If you need to debug, test or otherwise just wish to confirm your expectations before actually planning, this feature is your best option. There are some caveats though, we won't be able to use this action on orders that have different destinations and all orders we select will be treated as a single bundle, which means that if you happen to have a limit on your bundle weight/volume (we do!) you won't be able to select more orders than your bundle configuration can handle, unless the ship units inside the orders are splittable (this also means that no line item can be bigger/heavier than your bundle limit).

- 6.2.1. Menu: Order Management > Order Release > Order Release
- 6.2.2. Click Search and select the two 6 pallet orders we just created that have LOC_STR_1_CENTRO as destination
- 6.2.3. Click the Actions button, then select the action Operational Planning > Create Buy Shipment > Show Routing Options

The screenshot shows the 'Order Releases' table with 9 rows. The first two rows are selected. The 'Actions' dropdown menu is open, showing the path: Operational Planning > Create Buy Shipment > Show Routing Options.

Pages 1	Selected Page: 2	Total: 2
☒	BEVY.20140219-0001	20140219-4
☒	BEVY.20140219-0002	20140219-4
☐	BEVY.20140219-0003	20140219-4
☐	BEVY.20140219-0004	20140219-4
☐	BEVY.20140219-0005	20140219-4
☐	BEVY.20140219-0006	20140219-4
☐	BEVY.20140219-0007	20140219-4
☐	BEVY.20140219-0008	20140219-4
☐	BEVY.20140219-0009	20140219-4

Actions

- Brokerage and Forwarding
- Business Process Automation
- Financials
- Global Trade Management
- Operational Planning
 - Create Buy Shipment
 - Build Buy Shipment On Primary Leg
 - Build Buy Shipment On Primary Leg Show Options
 - Bulk Plan - Buy
 - Direct
 - Manual
 - Manually Assign to Existing Shipment
 - Move Order to Existing Shipment
 - Multi-stop
 - Show Network Routing Options
 - Show Routing Options
 - Create Sell Shipment
- Order Management

- 6.2.4. OTM will show some constraint options, but right now we don't want to change anything, so just click the Show Options button
- 6.2.5. Now OTM will show the itineraries compatible with your orders, so you can, if you wish, select one. Let's select both and let the planning choose what's best

Valid Itineraries

☒	Itinerary ID	Itinerary Name	Corporation Profile	Maximum Weight	Maximum Volume
☒	ITN_CURITIBA_VAN_MULTISTOP	CURITIBA VAN MULTI-STOP ITINERARY			
☒	ITN_CURITIBA_TRUCK_MULTISTOP	CURITIBA TRUCK MULTI-STOP ITINERARY			

[Optimize](#) [Show Options](#) [Refine Constraints](#)

OTM 6.3 Basic Functional Course

- 6.2.6. And after some processing OTM will show you the results. This is what the shipment would look like if we planned via bulk plan. If you are happy with them you can even commit the shipment by clicking the OK button. If you do that a shipment will be created just like you see on the results screen. But don't do that yet, instead just close this window. We will plan those orders via bulk plan

The screenshot shows the 'Show Routing Options' window in Mozilla Firefox. The browser address bar shows the URL: `otm-server:7777/GC3/glog.webservlet.finder.WindowOpenFramesetServlet/1392832933735?bcKey=MTM5MjgzMjk`. The Oracle logo is visible in the top left corner. The main content area displays a table with the following data:

Itinerary						Total Actual Cost	Transit Time
ITN_CURITIBA VAN MULTISTOP						3,000.00 USD	4M

Source Location ID	Source Arbitrary	Port Of Load	Port Of Discharge	Destination Arbitrary	Destination Location ID	Total Actual Cost	Transit Time	Transport Mode ID	Service Provider ID
LOC_CURITIBA_DC					LOC_STR_1_CENTRO	3,000.00 USD	4M	TL	SRP_BEVY_FLEE

At the bottom of the window, there is a legend: Meets Service Time Will not meet Service Time. The 'OK' button is highlighted with a red box.

6.3. Bulk Plan

Now that we have all the master data set up and some orders from the stores, we can let OTM do its thing and plan the shipments. Bulk Plan is the OTM action that processes multiple orders and optimizes the transportation execution. It will behave according to the parameter set we tell it to use, so we can make it work more or less the way we want.

The bulk plan process can be executed ad hoc or scheduled to run automatically at any given time. Bevy has a small operation, so we will execute the bulk plan process manually and review the resulting shipments as needed.

- 6.3.1. Menu: Order Management > Order Release > Order Release
- 6.3.2. Click Search and select all 9 orders we created
- 6.3.3. Click the Actions button and select Operational Planning > Create Buy Shipment > Bulk Plan – Buy. On the next screen, leave everything unchanged, and click OK to start the planning process. Notice that our parameter set is already selected, because we’ve set it as default for the domain

The screenshot displays the 'Order Releases' window. At the top, it says 'Total Found: 9'. Below this, there's a table with 9 rows, each representing an order. The first column has a checkbox (all are checked), the second has a '+' icon, and the third has the order ID. The order IDs are: BEVY.20140219-0001, BEVY.20140219-0002, BEVY.20140219-0003, BEVY.20140219-0004, BEVY.20140219-0005, BEVY.20140219-0006, BEVY.20140219-0007, BEVY.20140219-0008, and BEVY.20140219-0009. To the right of the table is an 'Actions' menu. The menu is open, showing a list of options. The 'Operational Planning' option is selected, and its sub-menu is visible, showing 'Create Buy Shipment' as the selected option. Other options in the 'Operational Planning' sub-menu include 'Build Buy Shipment On Primary Leg', 'Build Buy Shipment On Primary Leg Show', 'Bulk Plan - Buy', 'Direct', 'Manual', 'Manually Assign to Existing Shipment', 'Move Order to Existing Shipment', 'Multi-stop', 'Show Network Routing Options', and 'Show Routing Options'. Other main menu options include 'Brokerage and Forwarding', 'Business Process Automation', 'Financials', 'Global Trade Management', 'Create Sell Shipment', and 'Order Management'.

Pages 1	Selected Page: 9	Total: 9
☒	+	ID
☒	+	BEVY.20140219-0001
☒	+	BEVY.20140219-0002
☒	+	BEVY.20140219-0003
☒	+	BEVY.20140219-0004
☒	+	BEVY.20140219-0005
☒	+	BEVY.20140219-0006
☒	+	BEVY.20140219-0007
☒	+	BEVY.20140219-0008
☒	+	BEVY.20140219-0009

- Actions
 - Brokerage and Forwarding
 - Business Process Automation
 - Financials
 - Global Trade Management
 - Operational Planning
 - Create Buy Shipment
 - Build Buy Shipment On Primary Leg
 - Build Buy Shipment On Primary Leg Show
 - Bulk Plan - Buy
 - Direct
 - Manual
 - Manually Assign to Existing Shipment
 - Move Order to Existing Shipment
 - Multi-stop
 - Show Network Routing Options
 - Show Routing Options
 - Create Sell Shipment
 - Order Management

OTM 6.3 Basic Functional Course

Shi

otm-server:7777/GC3/glog.webserver

ORACLE®

Shipment Planning

Parameter Set ID

PRM_BEVY_STD_PRM_SET

Description

Scenario Group

What-If Scenario

☐

OK

- 6.3.4. OTM will open a window where you can keep an eye on the planning process. Depending on how many orders are being planned, it could take hours. You can however hit the refresh button to see how up-to-date information about the bulk plan:

Bulk Plan - Mozilla Firefox

otm-server:7777/GC3/glog.webserver.finder.WindowOpenFramesetServlet/1392832933735?bcKey=MTM5MjgzMjk

ORACLE®

Bulk Plan

1 of 1 Actions

Bulk Plan ID Domain Name Query Name Parameter Set ID View Overrides Perspective

20140219-0002 BEVY PRM_BEVY_STD_PRM_SET PRM_BEVY_STD_PRM_SET Buy

Description Scenario Group What-If Scenario

△

Results Metrics Performance

Status

Status	Since
RUNNING	2014-02-19 15:44:05

Totals

Start Time	Orders Selected	Orders Unassigned	Shipments Built	Total Number of Stops
2014-02-19 15:44:05	0	0	0	
End Time	Orders Planned	Orders Failed to Plan	Orders Sent thru Pools	Orders Sent thru Cross Docks
	0	0		
Order Movements Created	Order Movements Planned	Order Movements Failed	Total Weighted Cost	Total Actual Cost
Total Weight	Total Volume	Total Distance		

Top Refresh View Log

OTM 6.3 Basic Functional Course

- 6.3.5. Keep clicking the refresh button until the status changes to COMPLETED. You will then be presented with the result:

Bulk Plan 1 of 1 [Actions](#)

Bulk Plan ID: 20140219-0002 Domain Name: BEVY Query Name: PRM_BEVY_STD_PRM_SET Parameter Set ID: PRM_BEVY_STD_PRM_SET [View Overrides](#) Perspective: Buy

Description: Scenario Group: What-If Scenario:

Results Metrics Performance

Status

Status: COMPLETED Since: 2014-02-19 15:44:51

Totals

Start Time	Orders Selected	Orders Unassigned	Shipments Built	Total Number of Stops
2014-02-19 15:44:05	9	0	6	12
End Time	Orders Planned	Orders Failed to Plan	Orders Sent thru Pools	Orders Sent thru Cross Docks
2014-02-19 15:44:51	9	0		
Order Movements Created	Order Movements Planned	Order Movements Failed	Total Weighted Cost	Total Actual Cost
9	9	0	39000.00 USD	39000.00 USD
Total Weight	Total Volume	Total Distance		
41005.98 LB	4992.08 CUFT	25.02 MI		

☐ Bulk Plan By Mode

Transport Mode ID	Number of Orders Planned	Number of Shipments Built	Total Number of Stops	Total Actual Cost	Total Weight	Total Volume	Total Distance
TL	9	6	12	39,000.00 USD	41,005.98 LB	4,992.08 CUFT	25.02 MI

☐ Bulk Plan By Service Provider

Service Provider ID	Number of Orders Planned	Number of Shipments Built	Total Number of Stops	Total Actual Cost	Total Weight	Total Volume	Total Distance
SRP_BEVY_FLEET	9	6	12	39,000.00 USD	41,005.98 LB	4,992.08 CUFT	25.02 MI

[Top](#) [Refresh](#) [View Log](#)

- 6.3.6. As we can see, OTM planned the orders as we would expect. 6 shipments, all via TL transport mode. 3 trucks at \$10,000.00 each and 3 vans at \$3,000.00 each, total \$39,000.00. Notice that this result screen has various links. From here you can check the shipments created, the service provider selected, the orders that were planned, etc. Don't worry if you close this window. You can always reopen it in Operational Planning > Planning Results > Shipment Planning

7. Conclusion & About the Author & Contact Info

As stated in the scope section, bulk planning is as far as we are going to go, for now. If you made it this far, congratulations! I sincerely hope this basic training was helpful and worth your time and effort.

This course was made by me, Israel Simas Oliveira Sobrinho, with two goals: first, to help newcomers who just like me have a hard time finding training and materials to study, and second, to study OTM myself. I figured if I could put a basic course together, I would benefit just as much or even more than any potential user of this. A huge inspiration was the MavenWire podcasts on Youtube, which are similar in concept (I assume), but on a much bigger scale and much better than I could ever do.

I am an OTM Consultant with about 3 years of OTM experience, as of Feb/2014 and live in Curitiba, Paraná, Brazil. If you wish to reach me, here's my e-mail:

israelsimas@yahoo.com.br

But please don't send me functional/technical questions about this course, instead use this thread on OTM FAQ forums:

<http://www.otmfaq.com/forums/f63/otm-6-3-basic-functional-course-self-study-free-7428/>

I won't reply to any question in private, because I think it works best for everyone if questions and answers are made available publicly. Besides that, people who use this course can discuss among themselves, and there are plenty of knowledgeable people at OTM FAQ who might reply before I do.

8. Appendices

Below you will find information about specific topics and procedures that I find useful or worth exploring further.

8.1. Appendix A: Tracking & Diagnostics: Solving Planning Problems


One very useful feature OTM has is the ability to enable tracking, which in turn enables diagnostic information for your session. If you are experiencing problems with your Bulk Plan, you can use this feature to discover what is happening in the background.

This is most useful when the orders you are trying to plan have infeasible dates, the weight/volume exceeds the equipment capacity, there are no itinerary that serves the source/destination combination, your rates are configured in a way that there's no possibility of getting a price on the shipment (cost based on destination location that hasn't been configured in the rate costs for instance), incompatibility between commodities and equipment, etc. Pretty much all common issues can be quickly diagnosed using tracking.


The most used way of troubleshooting this kind of issues is enabling log files (I'll cover that later), but those are domain wide, and have a huge impact on server performance. The most attractive advantage of tracking over logs is that when you enable it, it just tracks your session, so it can be acceptable to use in production servers. The caveat is that it doesn't have the same flexibility and level of detail you can get from logs.

I will walk you through the process of diagnosing a very common problem, infeasible dates, to show you how to enable tracking and analyze diagnostic information:

8.1.1. Click on the "Information" link on the top right corner of the screen



8.1.2. On the pop-up window, click one of the "change" links and then change Mode from NONE to ALL, Severity from NONE to ALL and Diagnostic from OFF to ON, then click the Update button and Close Window



Information - Mozilla Firefox

otm-server:7777/GC3/glog.webserver.info.Info?ct=113; ☆

Information

User	BEVY.BEVYLOG	
User Role	ADMIN	
Tracking Mode	NONE	Change
Tracking Level	NONE	Change
Tracking Diagnostic	OFF	Change
Software Version	Otmv630	
Software Build Number	6.3 (201212051839)	
Software Patch Version	OTMv6.3	
Database Patch Version	OTMv63	
URL	http://OTM-SERVER:7777	
Web Server	OTM-SERVER	
Application Server	t3://OTM-SERVER:7001	
Database Server	127.0.0.1	
Database SID	otmdb	
Javascript:	Enabled	

[Close Window](#)

Tracking Selection

Mode

Severity

Diagnostic

[Update](#)

- 8.1.3. Menu: Order Management > Order Release > Order Release
- 8.1.4. Select any of the order releases we planned successfully before, and use the “Copy Order Release” action to create a copy of it
- 8.1.5. On the Order Release Manager screen, name your order release something relevant, like TEST-INVALID-DATE, and change the late delivery date to any date in the past

OTM 6.3 Basic Functional Course

Order Release - Order Release - Mozilla Firefox

otm-server:7777/GC3/glog.webserver.finder.WindowOpenFramesetServlet/1397005145372?bcKey=MTM5NzAwNTI

ORACLE

Order Manager 1 of 1

Order Release Ship Unit Line Item Constraints Involved Parties Other Attributes Services Remarks

Order Release ID: TEST-INVALID_DATE

Order Release Name:

Release Attribute: PURCHASE_ORDER

Splittable: ☒

Use as a Template: ☐

Template Type:

Priority: 1

Domain Name: BEVY

Early Pickup Date:

Late Pickup Date:

Pickup Appointment: ☐

Quote ID:

Early Delivery Date:

Late Delivery Date:

Delivery Appointment: ☐

Payment Method:

Latest Estimated Delivery Date:

Source Location ID: LOC_CURITIBA_DC

Destination Location ID: LOC_STR_1_CENTRO

Plan From Location ID:

Plan To Location ID:

Primary Leg Source Location ID:

Primary Leg Destination Location ID:

Calendar: April 2014

22 05

Top Ship Unit

- 8.1.6. Click the Ship Unit button, then Finished
- 8.1.7. Now, back on the Order Release results screen, search for the order release you just created, select it, and use the "Bulk Plan – Buy" action then click OK to start the planning process
- 8.1.8. Keep clicking the refresh button until the status changes to COMPLETED. You will then notice a new button on the bottom of the screen, called "View Diagnostics". Click it

OTM 6.3 Basic Functional Course

Bulk Plan 1 of 1 **Actions**

Bulk Plan ID: 20140408-0001 Domain Name: BEVY Query Name: PRM BEVY STD PRM SET Parameter Set ID: View Overrides Perspective: Buy

Description: Scenario Group: What-If Scenario:

Results Metrics Performance

Status

Status: COMPLETED Since: 2014-04-08 22:13:26

Totals

Start Time	Orders Selected	Orders Unassigned	Shipments Built	Total Number of Stops
2014-04-08 22:12:48	1	0	0	
End Time	Orders Planned	Orders Failed to Plan	Orders Sent thru Pools	Orders Sent thru Cross Docks
2014-04-08 22:13:26	0	1		
Order Movements Created	Order Movements Planned	Order Movements Failed	Total Weighted Cost	Total Actual Cost
Total Weight	Total Volume	Total Distance		

Top Refresh View Log View Diagnostics

8.1.9. A new window will open with details of what OTM has been doing when trying to plan your order

Diagnostic Log Viewer

Process Step	Entities	Duration	Status
Bulk Plan	BULK_PLAN: 20140408-0001 ORDER_RELEASE: TEST-INVALID-DATE-002 FROM_UI: true PERSPECTIVE: B PLAN_WITH_PARTITION: false	38.65S	Success
Make Bundles - Assign Itineraries		14.65S	Item Success = 2 1 Order Releases, 1 Order Bundles. Found 2 Itineraries for 1 Order Bundles.
Build Shipments		14.70S	Number of order bundle using PoolXDock logics: 2 Number of shipments generated from PoolXDock: 0 Number of order bundle using Direct logics: 0 Number of order bundle that didn't match any itinerary: 0
Solution Improve		0.00S	None of the improvement steps is selected or number of iterations is 0.
Multi-leg Consolidation		0.00S	Number of Shipments before MultiLeg Consolidation: 0 End makeConsolidatedShipmentGraphs ForMultiLegItineraries 0 created
Consolidate Shipment Graph		0.00S	Success Before Consolidate Shipment Graph: 0 shipments in 0 shipment graphs. 0 shipment graphs are organized to 0 itinerary groups.

Diagnostic Log File ID: 20140408-0001 436228

Top Refresh Expand All Collapse All Export Filter

OTM 6.3 Basic Functional Course

- 8.1.10. If you scroll down a bit you will see where it all fell apart. In our scenario, it was when evaluating the Rate Service. And with that, in a real world situation, you'd know exactly what is wrong with the order and what you'd have to do to fix it!

Diagnostic Log Viewer - Mozilla Firefox

otm-server:7777/GC3/glog.webserver.finder.WindowOpenFramesetServlet/1397005145372?ct=1137747578&url=ç

ORACLE®

Diagnostic Log Viewer

			valid rate.
☒ ALLOCATE_TS_SHIPUNITS_TO_TS_EQUIPMENT	EQUIPMENT_GROUP: EOG DRY TRUCK 5TON TOTAL ROLLING WEIGHT: 5000.0 KG TOTAL ROLLING VOLUME: 5000.0 KG PERFORM_LOAD_CONFIG: true	0.10S	Success
Calculate Shipment Display Rates		0.16S	
☒ Evaluate Rate Service	RATE_SERVICE_TYPE: SIMULATION RATE_SERVICE: TL-SIM ORDER_RELEASE: TEST-INVALID-DATE-002	2.15S	Failure Shipment 437708927 (BEVY.LOC_CURITIBA_DC->BEVY.LO C_STR_2_BAIRRO_ALTO) is regular shipment with single rate service. Rate service infeasibility is: Service time is infeasible. Stop number 1 infeasibility is: Late infeasible. Stop number 2 infeasibility is: Late infeasible.
☒ Simulation Drive		0.22S	Failure Driving with Hold As Late As Possible set to: false Earliest start time to attempt: 2014-04-08

[Bulk Plan](#) > [Build Shipments](#) > Evaluate Rate Service

Diagnostic Log File ID
[20140408-0001_436228](#)

[Top](#) [Refresh](#) [Expand All](#) [Collapse All](#) [Export](#) [Filter](#)