Upsizing Wizard Report

Database

Microsoft Access Database: D:\Bernard Files\Bernard\TAS HR System\JCIData.mdb

SQL Server Database: HRAndPayroll

Errors

Table: HREmployeesTraining

Table was skipped, or export failed

Upsizing Parameters

Table Attributes to Export

- ☑ **Indexes**
- ☑ **Validation rules**
- ☑ **Defaults**
- ☐ **Structure only, no data**

Table relationships:

Upsized using DRI

Timestamp fields added:

Some tables

Modifications to Existing Database

- ☐ **Attach newly created SQL Server tables**
- ☐ **Save password and user ID with attached tables**

Client/Server Modifications

- ☐ **Create a new Access client/server application.**
- ☐ **Save password and user ID with application**

Tables

Table: BilledTrans

	Microsoft Access	SQL Server
Table Name:	BilledTrans	BilledTrans
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	EmployeeName	EmployeeName
Data Type:	Text(40)	nvarchar(40)
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	DaysPresent	DaysPresent
Data Type:	Number (Double)	float
Field Name:	DaysPresent2	DaysPresent2
Data Type:	Number (Double)	float
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	DailyRate	DailyRate
Data Type:	Number (Double)	float
Field Name:	DailyRate2	DailyRate2
Data Type:	Number (Double)	float
Field Name:	OTHours	OTHours
Data Type:	Number (Double)	float
Field Name:	OTHours2	OTHours2
Data Type:	Number (Double)	float

Field Name:	OTPay	OTPay
Data Type:	Number (Double)	float
Field Name:	ExcessOTHours	ExcessOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessOTHours2	ExcessOTHours2
Data Type:	Number (Double)	float
Field Name:	ExcessOTPay	ExcessOTPay
Data Type:	Number (Double)	float
Field Name:	NightDiffOT	NightDiffOT
Data Type:	Number (Double)	float
Field Name:	NightDiffOT2	NightDiffOT2
Data Type:	Number (Double)	float
Field Name:	NightDiffPay	NightDiffPay
Data Type:	Number (Double)	float
Field Name:	RestdayOTHrs	RestdayOTHrs
Data Type:	Number (Double)	float
Field Name:	RestdayOTHrs2	RestdayOTHrs2
Data Type:	Number (Double)	float
Field Name:	RestdayOTPay	RestdayOTPay
Data Type:	Number (Double)	float
Field Name:	SundayOT	SundayOT
Data Type:	Number (Double)	float
Field Name:	SundayOT2	SundayOT2
Data Type:	Number (Double)	float
Field Name:	SundayOTPay	SundayOTPay
Data Type:	Number (Double)	float
Field Name:	NoSplHoliday	NoSplHoliday
Data Type:	Number (Double)	float
Field Name:	NoSplHoliday2	NoSplHoliday2
Data Type:	Number (Double)	float
Field Name:	SplHolidayPay	SplHolidayPay
Data Type:	Number (Double)	float

Field Name:	SplHolidayOTHours	SplHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTHours2	SplHolidayOTHours2
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTPay	SplHolidayOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTHours	ExcessSplHolOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTHours2	ExcessSplHolOTHours2
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTPay	ExcessSplHolOTPay
Data Type:	Number (Double)	float
Field Name:	NoLglHoliday	NoLglHoliday
Data Type:	Number (Double)	float
Field Name:	NoLglHoliday2	NoLglHoliday2
Data Type:	Number (Double)	float
Field Name:	LglHolidayPay	LglHolidayPay
Data Type:	Number (Double)	float
Field Name:	LglHolidayPay2	LglHolidayPay2
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTHours	LglHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTHours2	LglHolidayOTHours2
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTPay	LglHolidayOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessLglHolOTHours	ExcessLglHolOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessLglHolOTHours2	ExcessLglHolOTHours2
Data Type:	Number (Double)	float
Field Name:	ExcessLglHolOTPay	ExcessLglHolOTPay
Data Type:	Number (Double)	float

Field Name:	ExcessOTSunLegalHrs	ExcessOTSunLegalHrs
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalHrs2	ExcessOTSunLegalHrs2
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalPay	ExcessOTSunLegalPay
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremium	OTWithoutPremium
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremium2	OTWithoutPremium2
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremiumPay	OTWithoutPremiumPay
Data Type:	Number (Double)	float
Field Name:	NoVacationLeave	NoVacationLeave
Data Type:	Number (Double)	float
Field Name:	VacationLeavePay	VacationLeavePay
Data Type:	Number (Double)	float
Field Name:	NoSickLeave	NoSickLeave
Data Type:	Number (Double)	float
Field Name:	SickLeavePay	SickLeavePay
Data Type:	Number (Double)	float
Field Name:	SalaryAdjust	SalaryAdjust
Data Type:	Number (Double)	float
Field Name:	SalaryAdjust2	SalaryAdjust2
Data Type:	Number (Double)	float
Field Name:	IncentivePay	IncentivePay
Data Type:	Number (Double)	float
Field Name:	IncentivePay2	IncentivePay2
Data Type:	Number (Double)	float
Field Name:	IncentiveRemarks	IncentiveRemarks
Data Type:	Text(10)	nvarchar(10)
Field Name:	EcolaPay	EcolaPay
Data Type:	Number (Double)	float

Field Name:	Month13Rate	Month13Rate
Data Type:	Number (Double)	float
Field Name:	Month13Payment	Month13Payment
Data Type:	Number (Double)	float
Field Name:	GrossPay	GrossPay
Data Type:	Number (Double)	float
Field Name:	DaysAbsent	DaysAbsent
Data Type:	Number (Double)	float
Field Name:	DaysAbsent2	DaysAbsent2
Data Type:	Number (Double)	float
Field Name:	AbsentDeduction	AbsentDeduction
Data Type:	Number (Double)	float
Field Name:	HoursTardiness	HoursTardiness
Data Type:	Number (Double)	float
Field Name:	HoursTardiness2	HoursTardiness2
Data Type:	Number (Double)	float
Field Name:	TardinessDeduction	TardinessDeduction
Data Type:	Number (Double)	float
Field Name:	CashBond	CashBond
Data Type:	Number (Double)	float
Field Name:	CardTransFee	CardTransFee
Data Type:	Number (Double)	float
Field Name:	ValewithClient	ValewithClient
Data Type:	Number (Double)	float
Field Name:	PlacementFee	PlacementFee
Data Type:	Number (Double)	float
Field Name:	MiscFee	MiscFee
Data Type:	Number (Double)	float
Field Name:	AgencyCharge	AgencyCharge
Data Type:	Number (Double)	float
Field Name:	GrossBill	GrossBill
Data Type:	Number (Double)	float

Field Name:	VATRate	VATRate
Data Type:	Number (Double)	float
Field Name:	PHRate	PHRate
Data Type:	Number (Double)	float
Field Name:	SSSRate	SSSRate
Data Type:	Number (Double)	float
Field Name:	OverUnderPay	OverUnderPay
Data Type:	Number (Double)	float
Field Name:	Vale_IOU	Vale_IOU
Data Type:	Number (Double)	float
Field Name:	Uniform	Uniform
Data Type:	Number (Double)	float
Field Name:	Medical	Medical
Data Type:	Number (Double)	float
Field Name:	Variances	Variances
Data Type:	Number (Double)	float
Field Name:	SalaryLoan	SalaryLoan
Data Type:	Number (Double)	float
Field Name:	SSSEmployee	SSSEmployee
Data Type:	Number (Double)	float
Field Name:	SSSEmployer	SSSEmployer
Data Type:	Number (Double)	float
Field Name:	ECCEmployer	ECCEmployer
Data Type:	Number (Double)	float
Field Name:	PHealthEmployee	PHealthEmployee
Data Type:	Number (Double)	float
Field Name:	PHealthEmployer	PHealthEmployer
Data Type:	Number (Double)	float
Field Name:	PagibigEmployee	PagibigEmployee
Data Type:	Number (Double)	float
Field Name:	PagibigEmployer	PagibigEmployer
Data Type:	Number (Double)	float

Field Name:	WTaxAmount	WTaxAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoan	SSSLoan
Data Type:	Number (Double)	float
Field Name:	PagibigLoan	PagibigLoan
Data Type:	Number (Double)	float
Field Name:	OtherLoan	OtherLoan
Data Type:	Number (Double)	float
Field Name:	Deductions	Deductions
Data Type:	Number (Double)	float
Field Name:	NetPay	NetPay
Data Type:	Number (Double)	float
Field Name:	StartPayDate	StartPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndPayDate	EndPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	MonthNo	MonthNo
Data Type:	Number (Double)	float
Field Name:	CutOffNo	CutOffNo
Data Type:	Number (Integer)	smallint
Field Name:	ExcludedFlag	ExcludedFlag
Data Type:	Yes/No	bit
Field Name:	PayFlag2	PayFlag2
Data Type:	Yes/No	bit
Field Name:	SOANo	SOANo
Data Type:	Text(30)	nvarchar(30)
Field Name:	PayText2	PayText2
Data Type:	Text(10)	nvarchar(10)
Field Name:	Entryby	Entryby
Data Type:	Text(15)	nvarchar(15)
Field Name:	EntryDate	EntryDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	CO_CODE	CO_CODE
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Table: BillingCutoffTable

	Microsoft Access	SQL Server
Table Name:	BillingCutoffTable	BillingCutoffTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	FortheMonth	FortheMonth
Data Type:	Number (Long)	int
Field Name:	StartCutoffDate	StartCutoffDate
Data Type:	Date/Time	datetime
Field Name:	EndCutoffDate	EndCutoffDate
Data Type:	Date/Time	datetime
Field Name:	CutOffNo	CutOffNo
Data Type:	Number (Long)	int
Field Name:	ViewFlag	ViewFlag
Data Type:	Yes/No	bit
Field Name:	FortheYear	FortheYear
Data Type:	Number (Long)	int
Field Name:	StartCutoffText	StartCutoffText
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndCutoffText	EndCutoffText
Data Type:	Text(10)	nvarchar(10)
Field Name:	Processedby	Processedby
Data Type:	Text(20)	nvarchar(20)

Field Name:	SOANo	SOANo
Data Type:	Text(25)	nvarchar(25)
Field Name:	SelectedFlag	SelectedFlag
Data Type:	Yes/No	bit
Field Name:	PaidFlag	PaidFlag
Data Type:	Yes/No	bit
Field Name:	PaidDate	PaidDate
Data Type:	Date/Time	datetime
Field Name:	PaidBy	PaidBy
Data Type:	Text(20)	nvarchar(20)
Field Name:	CutoffSeqNo	CutoffSeqNo
Data Type:	Number (Long)	int
Field Name:	EntryDate	EntryDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	**SQL Server**
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK

Table: ClientBillTable

	Microsoft Access	SQL Server
Table Name:	ClientBillTable	ClientBillTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	ClientAddress	ClientAddress
Data Type:	Text(80)	nvarchar(80)
Field Name:	ClientTelNo	ClientTelNo
Data Type:	Text(25)	nvarchar(25)
Field Name:	ClientTeleFax	ClientTeleFax
Data Type:	Text(25)	nvarchar(25)
Field Name:	ClientOwner	ClientOwner
Data Type:	Text(40)	nvarchar(40)
Field Name:	ClientContactPerson	ClientContactPerson
Data Type:	Text(40)	nvarchar(40)
Field Name:	ClientContactPosition	ClientContactPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	ClientAssistant	ClientAssistant
Data Type:	Text(40)	nvarchar(40)
Field Name:	ClientAssistantPosition	ClientAssistantPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	ClientPermitNo	ClientPermitNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientBankName	ClientBankName
Data Type:	Text(40)	nvarchar(40)

Field Name:	ClientBankAccountNo	ClientBankAccountNo
Data Type:	Text(30)	nvarchar(30)
Field Name:	ClientSSSNo	ClientSSSNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientPagibig	ClientPagibig
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientPhilHealth	ClientPhilHealth
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientTaxNumber	ClientTaxNumber
Data Type:	Text(11)	nvarchar(11)
Field Name:	ClientStatus	ClientStatus
Data Type:	Yes/No	bit
Field Name:	ClientAgencyFlag	ClientAgencyFlag
Data Type:	Yes/No	bit
Field Name:	ClientAgencyRate	ClientAgencyRate
Data Type:	Number (Double)	float
Field Name:	ClientChargeperDay	ClientChargeperDay
Data Type:	Number (Double)	float
Field Name:	VATRate	VATRate
Data Type:	Number (Double)	float
Field Name:	ClientSSSFlag	ClientSSSFlag
Data Type:	Yes/No	bit
Field Name:	ClientSSSRate	ClientSSSRate
Data Type:	Number (Double)	float
Field Name:	ClientPagibigFlag	ClientPagibigFlag
Data Type:	Yes/No	bit
Field Name:	ClientPagibigRate	ClientPagibigRate
Data Type:	Number (Double)	float
Field Name:	PagibigPayments	PagibigPayments
Data Type:	Number (Double)	float
Field Name:	ClientPhilHealthFlag	ClientPhilHealthFlag
Data Type:	Yes/No	bit

Field Name:	ClientPHRateperDay	ClientPHRateperDay
Data Type:	Number (Double)	float
Field Name:	ClientTaxFlag	ClientTaxFlag
Data Type:	Yes/No	bit
Field Name:	ClientEditTaxFlag	ClientEditTaxFlag
Data Type:	Yes/No	bit
Field Name:	ClientTaxPercentFlag	ClientTaxPercentFlag
Data Type:	Yes/No	bit
Field Name:	ClientTaxPercentage	ClientTaxPercentage
Data Type:	Number (Double)	float
Field Name:	ClientEcolaFlag	ClientEcolaFlag
Data Type:	Yes/No	bit
Field Name:	ClientEcolaTaxFlag	ClientEcolaTaxFlag
Data Type:	Yes/No	bit
Field Name:	EcolawLateDeduction	EcolawLateDeduction
Data Type:	Yes/No	bit
Field Name:	EcolaDoubleonLegal	EcolaDoubleonLegal
Data Type:	Yes/No	bit
Field Name:	EcolaDoubleonSpl	EcolaDoubleonSpl
Data Type:	Yes/No	bit
Field Name:	EcolaPayonRestDay	EcolaPayonRestDay
Data Type:	Yes/No	bit
Field Name:	EcolaPayonHolidays	EcolaPayonHolidays
Data Type:	Yes/No	bit
Field Name:	WorkHrsperDay	WorkHrsperDay
Data Type:	Number (Double)	float
Field Name:	NoofDaysperMonth	NoofDaysperMonth
Data Type:	Number (Double)	float
Field Name:	WorkingDaysperYear	WorkingDaysperYear
Data Type:	Number (Double)	float
Field Name:	ClientCutoff	ClientCutoff
Data Type:	Text(15)	nvarchar(15)

Field Name:	ClientCutoffDates	ClientCutoffDates
Data Type:	Text(5)	nvarchar(5)
Field Name:	CutOffPeriod	CutOffPeriod
Data Type:	Text(60)	nvarchar(60)
Field Name:	PickUpofDTR	PickUpofDTR
Data Type:	Text(100)	nvarchar(100)
Field Name:	SalaryRelease	SalaryRelease
Data Type:	Text(100)	nvarchar(100)
Field Name:	BillingSchedule	BillingSchedule
Data Type:	Text(100)	nvarchar(100)
Field Name:	With13MonthPay	With13MonthPay
Data Type:	Yes/No	bit
Field Name:	Display13MonthPay	Display13MonthPay
Data Type:	Yes/No	bit
Field Name:	Month13RateperDay	Month13RateperDay
Data Type:	Number (Double)	float
Field Name:	WithVATCharges	WithVATCharges
Data Type:	Yes/No	bit
Field Name:	VATPercentRate	VATPercentRate
Data Type:	Number (Double)	float
Field Name:	OvertimeRate	OvertimeRate
Data Type:	Number (Double)	float
Field Name:	SundayRate	SundayRate
Data Type:	Number (Double)	float
Field Name:	TardinessRate	TardinessRate
Data Type:	Number (Double)	float
Field Name:	NDiffRate	NDiffRate
Data Type:	Number (Double)	float
Field Name:	SpecialHolidayRate	SpecialHolidayRate
Data Type:	Number (Double)	float
Field Name:	LegalHolidayRate	LegalHolidayRate
Data Type:	Number (Double)	float

Field Name:	SplHolidayOTRate	SplHolidayOTRate
Data Type:	Number (Double)	float
Field Name:	LegalHolidayOTRate	LegalHolidayOTRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTRegDayRate	ExcessOTRegDayRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTSplSunRate	ExcessOTSplSunRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLglRate	ExcessOTSunLglRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTLegalRate	ExcessOTLegalRate
Data Type:	Number (Double)	float
Field Name:	OTwoPremiumRate	OTwoPremiumRate
Data Type:	Number (Double)	float
Field Name:	MinimumPay	MinimumPay
Data Type:	Number (Double)	float
Field Name:	EcolaRate	EcolaRate
Data Type:	Number (Double)	float
Field Name:	RestDayRate	RestDayRate
Data Type:	Number (Double)	float
Field Name:	LateChargesinMin	LateChargesinMin
Data Type:	Number (Double)	float
Field Name:	SOANoCode	SOANoCode
Data Type:	Text(25)	nvarchar(25)
Field Name:	SOANo	SOANo
Data Type:	Number (Long)	int
Field Name:	ClientFlag1	ClientFlag1
Data Type:	Yes/No	bit
Field Name:	ClientFlag2	ClientFlag2
Data Type:	Yes/No	bit
Field Name:	ClientFlag3	ClientFlag3
Data Type:	Yes/No	bit

Field Name:	ClientFlag4	ClientFlag4
Data Type:	Yes/No	bit
Field Name:	ClientCode1	ClientCode1
Data Type:	Text(10)	nvarchar(10)
Field Name:	ClientCode2	ClientCode2
Data Type:	Text(10)	nvarchar(10)
Field Name:	Createdby	Createdby
Data Type:	Text(20)	nvarchar(20)
Field Name:	CreatedDate	CreatedDate
Data Type:	Date/Time	datetime
Field Name:	Updatedby	Updatedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	DateUpdated	DateUpdated
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	SOANoCode	SOANoCode
Fields:	SOANoCode	SOANoCode
Type:	DuplicatesOK	DuplicatesOK

Table: ClientTable

	Microsoft Access	SQL Server
Table Name:	ClientTable	ClientTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	ClientAddress	ClientAddress
Data Type:	Text(80)	nvarchar(80)
Field Name:	ClientTelNo	ClientTelNo
Data Type:	Text(25)	nvarchar(25)
Field Name:	ClientTeleFax	ClientTeleFax
Data Type:	Text(25)	nvarchar(25)
Field Name:	ClientOwner	ClientOwner
Data Type:	Text(40)	nvarchar(40)
Field Name:	ClientContactPerson	ClientContactPerson
Data Type:	Text(40)	nvarchar(40)
Field Name:	ClientContactPosition	ClientContactPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	ClientAssistant	ClientAssistant
Data Type:	Text(40)	nvarchar(40)
Field Name:	ClientAssistantPosition	ClientAssistantPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	ClientPermitNo	ClientPermitNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientBankName	ClientBankName
Data Type:	Text(40)	nvarchar(40)

Field Name:	ClientBankAccountNo	ClientBankAccountNo
Data Type:	Text(30)	nvarchar(30)
Field Name:	ClientSSSNo	ClientSSSNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientPagibig	ClientPagibig
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientPhilHealth	ClientPhilHealth
Data Type:	Text(20)	nvarchar(20)
Field Name:	ClientTaxNumber	ClientTaxNumber
Data Type:	Text(11)	nvarchar(11)
Field Name:	ClientStatus	ClientStatus
Data Type:	Yes/No	bit
Field Name:	ClientAgencyFlag	ClientAgencyFlag
Data Type:	Yes/No	bit
Field Name:	ClientAgencyRate	ClientAgencyRate
Data Type:	Number (Double)	float
Field Name:	ClientChargeperDay	ClientChargeperDay
Data Type:	Number (Double)	float
Field Name:	ClientSSSFlag	ClientSSSFlag
Data Type:	Yes/No	bit
Field Name:	ClientSSSRate	ClientSSSRate
Data Type:	Number (Double)	float
Field Name:	ClientPagibigFlag	ClientPagibigFlag
Data Type:	Yes/No	bit
Field Name:	ClientPagibigRate	ClientPagibigRate
Data Type:	Number (Double)	float
Field Name:	PagibigPayments	PagibigPayments
Data Type:	Number (Double)	float
Field Name:	ClientPhilHealthFlag	ClientPhilHealthFlag
Data Type:	Yes/No	bit
Field Name:	ClientPHRateperDay	ClientPHRateperDay
Data Type:	Number (Double)	float

Field Name:	ClientTaxFlag	ClientTaxFlag
Data Type:	Yes/No	bit
Field Name:	ClientEditTaxFlag	ClientEditTaxFlag
Data Type:	Yes/No	bit
Field Name:	ClientTaxPercentFlag	ClientTaxPercentFlag
Data Type:	Yes/No	bit
Field Name:	ClientTaxPercentage	ClientTaxPercentage
Data Type:	Number (Double)	float
Field Name:	ClientEcolaFlag	ClientEcolaFlag
Data Type:	Yes/No	bit
Field Name:	ClientEcolaTaxFlag	ClientEcolaTaxFlag
Data Type:	Yes/No	bit
Field Name:	EcolawLateDeduction	EcolawLateDeduction
Data Type:	Yes/No	bit
Field Name:	EcolaDoubleonLegal	EcolaDoubleonLegal
Data Type:	Yes/No	bit
Field Name:	EcolaDoubleonSpl	EcolaDoubleonSpl
Data Type:	Yes/No	bit
Field Name:	EcolaPayonRestDay	EcolaPayonRestDay
Data Type:	Yes/No	bit
Field Name:	EcolaPayonHolidays	EcolaPayonHolidays
Data Type:	Yes/No	bit
Field Name:	WorkHrsperDay	WorkHrsperDay
Data Type:	Number (Double)	float
Field Name:	NoofDaysperMonth	NoofDaysperMonth
Data Type:	Number (Double)	float
Field Name:	WorkingDaysperYear	WorkingDaysperYear
Data Type:	Number (Double)	float
Field Name:	ClientCutoff	ClientCutoff
Data Type:	Text(15)	nvarchar(15)
Field Name:	ClientCutoffDates	ClientCutoffDates
Data Type:	Text(5)	nvarchar(5)

Field Name:	CutOffPeriod	CutOffPeriod
Data Type:	Text(60)	nvarchar(60)
Field Name:	PickUpofDTR	PickUpofDTR
Data Type:	Text(100)	nvarchar(100)
Field Name:	SalaryRelease	SalaryRelease
Data Type:	Text(100)	nvarchar(100)
Field Name:	BillingSchedule	BillingSchedule
Data Type:	Text(100)	nvarchar(100)
Field Name:	With13MonthPay	With13MonthPay
Data Type:	Yes/No	bit
Field Name:	Display13MonthPay	Display13MonthPay
Data Type:	Yes/No	bit
Field Name:	Month13RateperDay	Month13RateperDay
Data Type:	Number (Double)	float
Field Name:	WithVATCharges	WithVATCharges
Data Type:	Yes/No	bit
Field Name:	VATPercentRate	VATPercentRate
Data Type:	Number (Double)	float
Field Name:	OvertimeRate	OvertimeRate
Data Type:	Number (Double)	float
Field Name:	SundayRate	SundayRate
Data Type:	Number (Double)	float
Field Name:	TardinessRate	TardinessRate
Data Type:	Number (Double)	float
Field Name:	NDiffRate	NDiffRate
Data Type:	Number (Double)	float
Field Name:	SpecialHolidayRate	SpecialHolidayRate
Data Type:	Number (Double)	float
Field Name:	LegalHolidayRate	LegalHolidayRate
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTRate	SplHolidayOTRate
Data Type:	Number (Double)	float

Field Name:	LegalHolidayOTRate	LegalHolidayOTRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTRegDayRate	ExcessOTRegDayRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTSplSunRate	ExcessOTSplSunRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLglRate	ExcessOTSunLglRate
Data Type:	Number (Double)	float
Field Name:	ExcessOTLegalRate	ExcessOTLegalRate
Data Type:	Number (Double)	float
Field Name:	OTwoPremiumRate	OTwoPremiumRate
Data Type:	Number (Double)	float
Field Name:	MinimumPay	MinimumPay
Data Type:	Number (Double)	float
Field Name:	EcolaRate	EcolaRate
Data Type:	Number (Double)	float
Field Name:	RestDayRate	RestDayRate
Data Type:	Number (Double)	float
Field Name:	LateChargesinMin	LateChargesinMin
Data Type:	Number (Double)	float
Field Name:	ClientSeriesNo	ClientSeriesNo
Data Type:	Number (Long)	int
Field Name:	SOANoCode	SOANoCode
Data Type:	Text(25)	nvarchar(25)
Field Name:	SOANo	SOANo
Data Type:	Number (Long)	int
Field Name:	BillingTemplate	BillingTemplate
Data Type:	Text(50)	nvarchar(50)
Field Name:	ClientFlag1	ClientFlag1
Data Type:	Yes/No	bit
Field Name:	ClientFlag2	ClientFlag2
Data Type:	Yes/No	bit

Field Name:	ClientFlag3	ClientFlag3
Data Type:	Yes/No	bit
Field Name:	ClientFlag4	ClientFlag4
Data Type:	Yes/No	bit
Field Name:	ClientCode1	ClientCode1
Data Type:	Text(10)	nvarchar(10)
Field Name:	ClientCode2	ClientCode2
Data Type:	Text(10)	nvarchar(10)
Field Name:	Createdby	Createdby
Data Type:	Text(20)	nvarchar(20)
Field Name:	CreatedDate	CreatedDate
Data Type:	Date/Time	datetime
Field Name:	Updatedby	Updatedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	DateUpdated	DateUpdated
Data Type:	Date/Time	datetime
Field Name:	PHAddOnFlag	PHAddOnFlag
Data Type:	Yes/No	bit
Field Name:	SSSAddOnFLag	SSSAddOnFLag
Data Type:	Yes/No	bit
Field Name:	SSSAddOnRate	SSSAddOnRate
Data Type:	Number (Double)	float
Field Name:	PHAddOnRate	PHAddOnRate
Data Type:	Number (Double)	float
Field Name:	BillingReportType	BillingReportType
Data Type:	Text(50)	nvarchar(50)

Indexes

	Microsoft Access	**SQL Server**
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	SOANoCode	SOANoCode
Fields:	SOANoCode	SOANoCode
Type:	DuplicatesOK	DuplicatesOK

Table: CompanyTable

	Microsoft Access	SQL Server
Table Name:	CompanyTable	CompanyTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	AgencyName	AgencyName
Data Type:	Text(50)	nvarchar(50)
Field Name:	AgencyAddress	AgencyAddress
Data Type:	Text(100)	nvarchar(100)
Field Name:	AgencyTelNo	AgencyTelNo
Data Type:	Text(25)	nvarchar(25)
Field Name:	AgencyTelefax	AgencyTelefax
Data Type:	Text(25)	nvarchar(25)
Field Name:	AgencyOwner	AgencyOwner
Data Type:	Text(40)	nvarchar(40)
Field Name:	AgencyContactPerson	AgencyContactPerson
Data Type:	Text(40)	nvarchar(40)
Field Name:	AgencyContactPosition	AgencyContactPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	AgencyAssistant	AgencyAssistant
Data Type:	Text(40)	nvarchar(40)
Field Name:	AgencyAssitantPosition	AgencyAssitantPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	AgencyPermitNo	AgencyPermitNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	AgencyBankName	AgencyBankName
Data Type:	Text(40)	nvarchar(40)

Field Name:	AgencyBankAccountNo	AgencyBankAccountNo
Data Type:	Text(30)	nvarchar(30)
Field Name:	AgencySSSNo	AgencySSSNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	AgencyPagibigNo	AgencyPagibigNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	AgencyPhilHealthNo	AgencyPhilHealthNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	AgencyTaxNumber	AgencyTaxNumber
Data Type:	Text(11)	nvarchar(11)
Field Name:	AgencyStatus	AgencyStatus
Data Type:	Yes/No	bit
Field Name:	AgencySSSFlag	AgencySSSFlag
Data Type:	Yes/No	bit
Field Name:	AgencyPagibigFlag	AgencyPagibigFlag
Data Type:	Yes/No	bit
Field Name:	AgencyPhilHealthFlag	AgencyPhilHealthFlag
Data Type:	Yes/No	bit
Field Name:	AgencyTaxFlag	AgencyTaxFlag
Data Type:	Yes/No	bit
Field Name:	AgencyEditTaxFlag	AgencyEditTaxFlag
Data Type:	Yes/No	bit
Field Name:	AgencyEcolaFlag	AgencyEcolaFlag
Data Type:	Yes/No	bit
Field Name:	AgencyEcolaRate	AgencyEcolaRate
Data Type:	Number (Double)	float
Field Name:	AgencyWorkHrsperDay	AgencyWorkHrsperDay
Data Type:	Number (Double)	float
Field Name:	AgencyCutoff	AgencyCutoff
Data Type:	Text(15)	nvarchar(15)
Field Name:	AgencyCutoffDates	AgencyCutoffDates
Data Type:	Text(50)	nvarchar(50)

Field Name:	AgencyWith13MonthFlag	AgencyWith13MonthFlag
Data Type:	Yes/No	bit
Field Name:	SOAControlNo	SOAControlNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	AgencyLogo	AgencyLogo
Data Type:	OLE Object	image
Field Name:	AgencyFlag1	AgencyFlag1
Data Type:	Yes/No	bit
Field Name:	AgencyFlag2	AgencyFlag2
Data Type:	Yes/No	bit
Field Name:	AgencyCode1	AgencyCode1
Data Type:	Text(10)	nvarchar(10)
Field Name:	AgencyCode2	AgencyCode2
Data Type:	Text(10)	nvarchar(10)
Field Name:	Createdby	Createdby
Data Type:	Text(20)	nvarchar(20)
Field Name:	CreatedDate	CreatedDate
Data Type:	Date/Time	datetime
Field Name:	Updatedby	Updatedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	DateUpdated	DateUpdated
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	**SQL Server**
Name:	CompanyCode	CompanyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK

Table: CutoffTable

	Microsoft Access	SQL Server
Table Name:	CutoffTable	CutoffTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	RecNo	RecNo
Data Type:	Number (Long)	int
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	FortheMonth	FortheMonth
Data Type:	Number (Long)	int
Field Name:	StartCutoffDate	StartCutoffDate
Data Type:	Date/Time	datetime
Field Name:	EndCutoffDate	EndCutoffDate
Data Type:	Date/Time	datetime
Field Name:	CutOffNo	CutOffNo
Data Type:	Number (Long)	int
Field Name:	BilledFlag	BilledFlag
Data Type:	Yes/No	bit
Field Name:	ViewFlag	ViewFlag
Data Type:	Yes/No	bit
Field Name:	TotalEmployee	TotalEmployee
Data Type:	Number (Long)	int
Field Name:	FortheYear	FortheYear
Data Type:	Number (Long)	int

Field Name:	StartCutoffText	StartCutoffText
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndCutoffText	EndCutoffText
Data Type:	Text(10)	nvarchar(10)
Field Name:	ClientSeriesNo	ClientSeriesNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	Processedby	Processedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	ProcessDate	ProcessDate
Data Type:	Date/Time	datetime
Field Name:	SOANo	SOANo
Data Type:	Text(25)	nvarchar(25)
Field Name:	SelectedFlag	SelectedFlag
Data Type:	Yes/No	bit
Field Name:	PaidFlag	PaidFlag
Data Type:	Yes/No	bit
Field Name:	PaidDate	PaidDate
Data Type:	Date/Time	datetime
Field Name:	PaidBy	PaidBy
Data Type:	Text(20)	nvarchar(20)
Field Name:	CutOffSeqNo	CutOffSeqNo
Data Type:	Number (Long)	int

Indexes

	Microsoft Access	**SQL Server**
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	CompanyCode	CompanyCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK

Table: DailyTaxTable

	Microsoft Access	SQL Server
Table Name:	DailyTaxTable	DailyTaxTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	TaxCode	TaxCode
Data Type:	Text(5)	nvarchar(5)
Field Name:	SalRate2	SalRate2
Data Type:	Number (Double)	float
Field Name:	PerOver	PerOver
Data Type:	Number (Double)	float
Field Name:	BaseTax	BaseTax
Data Type:	Number (Double)	float
Field Name:	Bracket	Bracket
Data Type:	Number (Double)	float
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	SQL Server
Name:	TaxCode	TaxCode
Fields:	TaxCode	TaxCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: EmpContributions

	Microsoft Access	SQL Server
Table Name:	EmpContributions	EmpContributions
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	ContriCode	ContriCode
Data Type:	Text(10)	nvarchar(10)
Field Name:	PHealthSSSNo	PHealthSSSNo
Data Type:	Text(30)	nvarchar(30)
Field Name:	ActualEmployeeDed	ActualEmployeeDed
Data Type:	Number (Double)	float
Field Name:	ActualEmployerDed	ActualEmployerDed
Data Type:	Number (Double)	float
Field Name:	ActualECC	ActualECC
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployeeDed	AdjustedEmployeeDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployerDed	AdjustedEmployerDed
Data Type:	Number (Double)	float
Field Name:	AdjustedECC	AdjustedECC
Data Type:	Number (Double)	float

Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)
Field Name:	ApplicableMonth	ApplicableMonth
Data Type:	Text(20)	nvarchar(20)
Field Name:	ApplicableYear	ApplicableYear
Data Type:	Number (Long)	int
Field Name:	ProcessedDate	ProcessedDate
Data Type:	Date/Time	datetime
Field Name:	ProcessedBy	ProcessedBy
Data Type:	Text(20)	nvarchar(20)

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ContriCode	ContriCode
Fields:	ContriCode	ContriCode
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	ProcessedBy	ProcessedBy
Type:	DuplicatesOK	DuplicatesOK

Table: EmployeeBasicSalary

	Microsoft Access	SQL Server
Table Name:	EmployeeBasicSalary	EmployeeBasicSalary
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	EmployeeStatus	EmployeeStatus
Data Type:	Yes/No	bit
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EndContract	EndContract
Data Type:	Date/Time	datetime
Field Name:	NoofMonthsHired	NoofMonthsHired
Data Type:	Number (Integer)	smallint
Field Name:	MonthlyRate	MonthlyRate
Data Type:	Number (Double)	float
Field Name:	DailyRate	DailyRate
Data Type:	Number (Double)	float
Field Name:	HourlyRate	HourlyRate
Data Type:	Number (Double)	float
Field Name:	AppliedDate	AppliedDate
Data Type:	Date/Time	datetime

Field Name:	PaymentBasis	PaymentBasis
Data Type:	Text(10)	nvarchar(10)
Field Name:	PaymentSystem	PaymentSystem
Data Type:	Text(10)	nvarchar(10)
Field Name:	WithSSSDeduction	WithSSSDeduction
Data Type:	Yes/No	bit
Field Name:	SSSRateperDay	SSSRateperDay
Data Type:	Number (Double)	float
Field Name:	WithPbigDeduction	WithPbigDeduction
Data Type:	Yes/No	bit
Field Name:	PagibigRateperDay	PagibigRateperDay
Data Type:	Number (Double)	float
Field Name:	WithPHealthDeduction	WithPHealthDeduction
Data Type:	Yes/No	bit
Field Name:	PHealthRateperday	PHealthRateperday
Data Type:	Number (Double)	float
Field Name:	WithTaxDeduction	WithTaxDeduction
Data Type:	Yes/No	bit
Field Name:	WithEcolaPay	WithEcolaPay
Data Type:	Yes/No	bit
Field Name:	AgencyFee	AgencyFee
Data Type:	Number (Double)	float
Field Name:	EcolaAmount	EcolaAmount
Data Type:	Number (Double)	float
Field Name:	With13thMonthPay	With13thMonthPay
Data Type:	Yes/No	bit
Field Name:	Hourly13thMonthRate	Hourly13thMonthRate
Data Type:	Number (Double)	float
Field Name:	TaxBasefromGross	TaxBasefromGross
Data Type:	Yes/No	bit
Field Name:	PagibigPayments	PagibigPayments
Data Type:	Number (Double)	float

Field Name:	AgencyBDOCardFee	AgencyBDOCardFee
Data Type:	Number (Double)	float
Field Name:	AgencyCashBond	AgencyCashBond
Data Type:	Number (Double)	float
Field Name:	SSSLoanAmount	SSSLoanAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoanPayment	SSSLoanPayment
Data Type:	Number (Double)	float
Field Name:	StartSSSPayment	StartSSSPayment
Data Type:	Date/Time	datetime
Field Name:	LastSSSPayment	LastSSSPayment
Data Type:	Date/Time	datetime
Field Name:	PbigLoanAmount	PbigLoanAmount
Data Type:	Number (Double)	float
Field Name:	PbigLoanPayment	PbigLoanPayment
Data Type:	Number (Double)	float
Field Name:	StartPbigPayment	StartPbigPayment
Data Type:	Date/Time	datetime
Field Name:	LastPbigPayment	LastPbigPayment
Data Type:	Date/Time	datetime
Field Name:	ValeLoanAmount	ValeLoanAmount
Data Type:	Number (Double)	float
Field Name:	ValeLoanPayment	ValeLoanPayment
Data Type:	Number (Double)	float
Field Name:	StartValePayment	StartValePayment
Data Type:	Date/Time	datetime
Field Name:	LastValePayment	LastValePayment
Data Type:	Date/Time	datetime
Field Name:	ClientwServiceContract	ClientwServiceContract
Data Type:	Yes/No	bit
Field Name:	ClientwCompPackage	ClientwCompPackage
Data Type:	Yes/No	bit

Field Name:	IfNoCompensationPackage	IfNoCompensationPackage
Data Type:	Text(50)	nvarchar(50)
Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)
Field Name:	ProcessedFlag	ProcessedFlag
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag1	BasicSalaryFlag1
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag2	BasicSalaryFlag2
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag3	BasicSalaryFlag3
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag4	BasicSalaryFlag4
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag5	BasicSalaryFlag5
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag6	BasicSalaryFlag6
Data Type:	Yes/No	bit
Field Name:	EmpTaxCode	EmpTaxCode
Data Type:	Text(10)	nvarchar(10)
Field Name:	Processedby	Processedby
Data Type:	Text(25)	nvarchar(25)
Field Name:	QuitclaimProcessedby	QuitclaimProcessedby
Data Type:	Text(25)	nvarchar(25)
Field Name:	Notedby	Notedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	EntryBy	EntryBy
Data Type:	Text(20)	nvarchar(20)
Field Name:	EntryDate	EntryDate
Data Type:	Date/Time	datetime
Field Name:	UpdatedBy	UpdatedBy
Data Type:	Text(20)	nvarchar(20)

Field Name:	DateUpdated	DateUpdated
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	CompanyCode	CompanyCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	Employee Num	"Employee Num"
Fields:	EmployeeNum	EmployeeNum
Type:	Unique	Unique
Name:	EmpTaxCode	EmpTaxCode
Fields:	EmpTaxCode	EmpTaxCode
Type:	DuplicatesOK	DuplicatesOK
Name:	TaxExemptionCode	TaxExemptionCode
Fields:	PagibigPayments	PagibigPayments
Type:	DuplicatesOK	DuplicatesOK

Table: HDMFContributions

	Microsoft Access	SQL Server
Table Name:	HDMFContributions	HDMFContributions
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	Surname	Surname
Data Type:	Text(50)	nvarchar(50)
Field Name:	FirstName	FirstName
Data Type:	Text(50)	nvarchar(50)
Field Name:	MiddleName	MiddleName
Data Type:	Text(50)	nvarchar(50)
Field Name:	ContriCode	ContriCode
Data Type:	Text(10)	nvarchar(10)
Field Name:	PHealthSSSNo	PHealthSSSNo
Data Type:	Text(30)	nvarchar(30)
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	SalaryBracket	SalaryBracket
Data Type:	Text(10)	nvarchar(10)

Field Name:	ActualEmployeeDed	ActualEmployeeDed
Data Type:	Number (Double)	float
Field Name:	ActualEmployerDed	ActualEmployerDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployeeDed	AdjustedEmployeeDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployerDed	AdjustedEmployerDed
Data Type:	Number (Double)	float
Field Name:	AmtDifference	AmtDifference
Data Type:	Number (Double)	float
Field Name:	SBRNo	SBRNo
Data Type:	Text(50)	nvarchar(50)
Field Name:	AmountPaid	AmountPaid
Data Type:	Number (Double)	float
Field Name:	DatePaid	DatePaid
Data Type:	Date/Time	datetime
Field Name:	DatePosted	DatePosted
Data Type:	Date/Time	datetime
Field Name:	GroupCode	GroupCode
Data Type:	Text(50)	nvarchar(50)
Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)
Field Name:	ExcludedFlag	ExcludedFlag
Data Type:	Yes/No	bit
Field Name:	ApplicableMonth	ApplicableMonth
Data Type:	Text(20)	nvarchar(20)
Field Name:	ApplicableYear	ApplicableYear
Data Type:	Number (Long)	int
Field Name:	ProcessedDate	ProcessedDate
Data Type:	Date/Time	datetime
Field Name:	ProcessedBy	ProcessedBy
Data Type:	Text(20)	nvarchar(20)

Field Name:	RemittedAmt	RemittedAmt
Data Type:	Number (Double)	float
Field Name:	LastPrintingDate	LastPrintingDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	AmountPaid	AmountPaid
Fields:	AmountPaid	AmountPaid
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ContriCode	ContriCode
Fields:	ContriCode	ContriCode
Type:	DuplicatesOK	DuplicatesOK
Name:	DatePaid	DatePaid
Fields:	DatePaid	DatePaid
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	GroupCode	GroupCode
Fields:	GroupCode	GroupCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	ProcessedBy	ProcessedBy
Type:	DuplicatesOK	DuplicatesOK

Table: HRActionType

	Microsoft Access	SQL Server
Table Name:	HRActionType	HRActionType
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ActionType	ActionType
Data Type:	Text(1)	nvarchar(1)
Field Name:	ActionTypeDesc	ActionTypeDesc
Data Type:	Text(30)	nvarchar(30)
Field Name:	UserID	UserID
Data Type:	Text(6)	nvarchar(6)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	ActionTypeDesc	ActionTypeDesc
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HRAppraisalActionTaken

	Microsoft Access	SQL Server
Table Name:	HRAppraisalActionTaken	HRAppraisalActionTaken
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ActionTaken	ActionTaken
Data Type:	Text(1)	nvarchar(1)
Field Name:	ActionTakenDesc	ActionTakenDesc
Data Type:	Text(50)	nvarchar(50)

Table: HRArea

	Microsoft Access	SQL Server
Table Name:	HRArea	HRArea
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AreaCode	AreaCode
Data Type:	Number (Long)	int
Field Name:	AreaName	AreaName
Data Type:	Text(50)	nvarchar(50)
Field Name:	AreaDesc	AreaDesc
Data Type:	Text(50)	nvarchar(50)
Field Name:	AreaFlag	AreaFlag
Data Type:	Yes/No	bit

Indexes

	Microsoft Access	SQL Server
Name:	AreaCode	AreaCode
Fields:	AreaCode	AreaCode
Type:	Unique	Unique

Table: HRBenefits

	Microsoft Access	SQL Server
Table Name:	HRBenefits	HRBenefits
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	BenefitNum	BenefitNum
Data Type:	Number (Long)	int
Field Name:	Benefit	Benefit
Data Type:	Text(30)	nvarchar(30)
Field Name:	BenefitEligibility	BenefitEligibility
Data Type:	Text(50)	nvarchar(50)
Field Name:	BenefitRemarks	BenefitRemarks
Data Type:	Text(100)	nvarchar(100)
Field Name:	BenefitDateAdded	BenefitDateAdded
Data Type:	Date/Time	datetime
Field Name:	UserID	UserID
Data Type:	Text(6)	nvarchar(6)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	Benefit	Benefit
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HRBranch

	Microsoft Access	SQL Server
Table Name:	HRBranch	HRBranch
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	BrCode	BrCode
Data Type:	Number (Long)	int
Field Name:	BrName	BrName
Data Type:	Text(50)	nvarchar(50)
Field Name:	BrDesc	BrDesc
Data Type:	Text(50)	nvarchar(50)
Field Name:	AreaCode	AreaCode
Data Type:	Number (Long)	int
Field Name:	BrDescJCI	BrDescJCI
Data Type:	Text(50)	nvarchar(50)
Field Name:	brCodeCSPI	brCodeCSPI
Data Type:	Number (Long)	int
Field Name:	BrNameCSPI	BrNameCSPI
Data Type:	Text(50)	nvarchar(50)
Field Name:	BrDescCSPI	BrDescCSPI
Data Type:	Text(100)	nvarchar(100)
Field Name:	BrStatus	BrStatus
Data Type:	Yes/No	bit

Indexes

	Microsoft Access	SQL Server
Name:	AreaCode	AreaCode
Fields:	AreaCode	AreaCode
Type:	DuplicatesOK	DuplicatesOK
Name:	BrCode	BrCode
Fields:	BrCode	BrCode
Type:	Unique	Unique

Name:	brname	brname
Fields:	BrName	BrName
Type:	Unique	Unique

Table: HRCharReference

	Microsoft Access	SQL Server
Table Name:	HRCharReference	HRCharReference
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	ApplicantNum	ApplicantNum
Data Type:	Number (Long)	int
Field Name:	Name	Name
Data Type:	Text(100)	nvarchar(100)
Field Name:	Occupation	Occupation
Data Type:	Text(100)	nvarchar(100)
Field Name:	Address	Address
Data Type:	Text(100)	nvarchar(100)
Field Name:	TelNum	TelNum
Data Type:	Text(100)	nvarchar(100)
Field Name:	Relation	Relation
Data Type:	Text(100)	nvarchar(100)
Field Name:	Name1	Name1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Occupation1	Occupation1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Address1	Address1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Telnum1	Telnum1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Relation1	Relation1
Data Type:	Text(100)	nvarchar(100)

Field Name:	Name2	Name2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Address2	Address2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Occupation2	Occupation2
Data Type:	Text(100)	nvarchar(100)
Field Name:	TelNum2	TelNum2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Relation2	Relation2
Data Type:	Text(100)	nvarchar(100)

Indexes

	Microsoft Access	**SQL Server**
Name:	ApplicantNum	ApplicantNum
Fields:	ApplicantNum	ApplicantNum
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	TelNum	TelNum
Fields:	TelNum	TelNum
Type:	DuplicatesOK	DuplicatesOK

Table: HRCivilStatus

	Microsoft Access	SQL Server
Table Name:	HRCivilStatus	HRCivilStatus
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	CivilStatus	CivilStatus
Data Type:	Text(2)	nvarchar(2)
Field Name:	CivilStatusDesc	CivilStatusDesc
Data Type:	Text(50)	nvarchar(50)

Table: HRDept

	Microsoft Access	SQL Server
Table Name:	HRDept	HRDept
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	DeptCode	DeptCode
Data Type:	Number (Long)	int
Field Name:	DeptName	DeptName
Data Type:	Text(50)	nvarchar(50)
Field Name:	DeptDesc	DeptDesc
Data Type:	Text(50)	nvarchar(50)
Field Name:	DeptEntryDate	DeptEntryDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	DeptCode	DeptCode
Fields:	DeptCode	DeptCode
Type:	DuplicatesOK	DuplicatesOK

Table: HRDetails

	Microsoft Access	SQL Server
Table Name:	HRDetails	HRDetails
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	ApplicantNum	ApplicantNum
Data Type:	Number (Long)	int
Field Name:	SpouseName	SpouseName
Data Type:	Text(100)	nvarchar(100)
Field Name:	SpouseAddress	SpouseAddress
Data Type:	Text(100)	nvarchar(100)
Field Name:	SpouseWork	SpouseWork
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dependents	Dependents
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dep1Name	Dep1Name
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dep2Name	Dep2Name
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dep3Name	Dep3Name
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dep4name	Dep4name
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dep5name	Dep5name
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dep1Bdate	Dep1Bdate
Data Type:	Date/Time	datetime

Field Name:	Dep2Bdate	Dep2Bdate
Data Type:	Date/Time	datetime
Field Name:	Dep3Bdate	Dep3Bdate
Data Type:	Date/Time	datetime
Field Name:	Dep4Bdate	Dep4Bdate
Data Type:	Date/Time	datetime
Field Name:	Dep5Bdate	Dep5Bdate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	ApplicantNum	ApplicantNum
Fields:	ApplicantNum	ApplicantNum
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Table: HRDialects

	Microsoft Access	SQL Server
Table Name:	HRDialects	HRDialects
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	ApplicantNum	ApplicantNum
Data Type:	Number (Long)	int
Field Name:	Dialect1	Dialect1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dialect2	Dialect2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Dialect3	Dialect3
Data Type:	Text(100)	nvarchar(100)

Indexes

	Microsoft Access	SQL Server
Name:	ApplicantNum	ApplicantNum
Fields:	ApplicantNum	ApplicantNum
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Table: HREmployeeBenefits

	Microsoft Access	SQL Server
Table Name:	HREmployeeBenefits	HREmployeeBenefits
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	Employeename	Employeename
Data Type:	Text(50)	nvarchar(50)
Field Name:	BenefitNum	BenefitNum
Data Type:	Number (Long)	int
Field Name:	BenefitAcquireDate	BenefitAcquireDate
Data Type:	Date/Time	datetime
Field Name:	BenefitRemarks	BenefitRemarks
Data Type:	Text(100)	nvarchar(100)
Field Name:	BenefitAmount	BenefitAmount
Data Type:	Text(50)	nvarchar(50)
Field Name:	entitlement	entitlement
Data Type:	Text(50)	nvarchar(50)
Field Name:	UserID	UserID
Data Type:	Text(6)	nvarchar(6)

Indexes

	Microsoft Access	SQL Server
Name:	Benefit Num	"Benefit Num"
Fields:	BenefitNum	BenefitNum
Type:	DuplicatesOK	DuplicatesOK
Name:	Employee Num	"Employee Num"
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HREmployees

	Microsoft Access	SQL Server
Table Name:	HREmployees	HREmployees
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	FirstName	FirstName
Data Type:	Text(40)	nvarchar(40)
Field Name:	Middlename	Middlename
Data Type:	Text(40)	nvarchar(40)
Field Name:	Surname	Surname
Data Type:	Text(40)	nvarchar(40)
Field Name:	NickName	NickName
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmpPosition	EmpPosition
Data Type:	Text(50)	nvarchar(50)
Field Name:	Age	Age
Data Type:	Number (Long)	int
Field Name:	ApplicationDate	ApplicationDate
Data Type:	Text(50)	nvarchar(50)
Field Name:	ApplicantStatus	ApplicantStatus
Data Type:	Text(50)	nvarchar(50)

Field Name:	BirthDate	BirthDate
Data Type:	Date/Time	datetime
Field Name:	Address1	Address1
Data Type:	Text(150)	nvarchar(150)
Field Name:	HouseNo	HouseNo
Data Type:	Text(50)	nvarchar(50)
Field Name:	Street	Street
Data Type:	Text(50)	nvarchar(50)
Field Name:	Barangay	Barangay
Data Type:	Text(50)	nvarchar(50)
Field Name:	District	District
Data Type:	Text(50)	nvarchar(50)
Field Name:	City	City
Data Type:	Text(100)	nvarchar(100)
Field Name:	Address2	Address2
Data Type:	Text(150)	nvarchar(150)
Field Name:	Town	Town
Data Type:	Text(20)	nvarchar(20)
Field Name:	Province1	Province1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Province	Province
Data Type:	Text(250)	nvarchar(250)
Field Name:	Contact	Contact
Data Type:	Text(50)	nvarchar(50)
Field Name:	Cphone	Cphone
Data Type:	Text(50)	nvarchar(50)
Field Name:	CAddress	CAddress
Data Type:	Text(150)	nvarchar(150)
Field Name:	Gender	Gender
Data Type:	Text(1)	nvarchar(1)
Field Name:	Weight	Weight
Data Type:	Text(50)	nvarchar(50)

Field Name:	Height	Height
Data Type:	Text(50)	nvarchar(50)
Field Name:	ExamGrade	ExamGrade
Data Type:	Text(50)	nvarchar(50)
Field Name:	InterviewGrade	InterviewGrade
Data Type:	Text(50)	nvarchar(50)
Field Name:	TelNum1	TelNum1
Data Type:	Text(50)	nvarchar(50)
Field Name:	TelNum2	TelNum2
Data Type:	Text(30)	nvarchar(30)
Field Name:	CivilStatus	CivilStatus
Data Type:	Text(25)	nvarchar(25)
Field Name:	DateHired	DateHired
Data Type:	Date/Time	datetime
Field Name:	DateResign	DateResign
Data Type:	Date/Time	datetime
Field Name:	SSS	SSS
Data Type:	Text(20)	nvarchar(20)
Field Name:	Philhealth	Philhealth
Data Type:	Text(15)	nvarchar(15)
Field Name:	PHCode	PHCode
Data Type:	Text(5)	nvarchar(5)
Field Name:	Pagibig	Pagibig
Data Type:	Text(20)	nvarchar(20)
Field Name:	EmploymentStatus	EmploymentStatus
Data Type:	Text(50)	nvarchar(50)
Field Name:	AcctNo	AcctNo
Data Type:	Text(25)	nvarchar(25)
Field Name:	Citizen	Citizen
Data Type:	Text(15)	nvarchar(15)
Field Name:	Birthplace	Birthplace
Data Type:	Text(50)	nvarchar(50)

Field Name:	HairColor	HairColor
Data Type:	Text(20)	nvarchar(20)
Field Name:	EyeColor	EyeColor
Data Type:	Text(15)	nvarchar(15)
Field Name:	Religion	Religion
Data Type:	Text(50)	nvarchar(50)
Field Name:	DateRegular	DateRegular
Data Type:	Date/Time	datetime
Field Name:	DateProb	DateProb
Data Type:	Date/Time	datetime
Field Name:	TaxID	TaxID
Data Type:	Text(50)	nvarchar(50)
Field Name:	MedicalGrade	MedicalGrade
Data Type:	Text(50)	nvarchar(50)
Field Name:	Primary	"Primary"
Data Type:	Text(100)	nvarchar(100)
Field Name:	DatePrimary	DatePrimary
Data Type:	Text(100)	nvarchar(100)
Field Name:	Secondary	Secondary
Data Type:	Text(100)	nvarchar(100)
Field Name:	DateSecondary	DateSecondary
Data Type:	Text(100)	nvarchar(100)
Field Name:	College	College
Data Type:	Text(100)	nvarchar(100)
Field Name:	DateCollege	DateCollege
Data Type:	Text(100)	nvarchar(100)
Field Name:	Degree	Degree
Data Type:	Text(100)	nvarchar(100)
Field Name:	Major	Major
Data Type:	Text(100)	nvarchar(100)
Field Name:	PostGraduate	PostGraduate
Data Type:	Text(100)	nvarchar(100)

Field Name:	DatePostGraduate	DatePostGraduate
Data Type:	Text(100)	nvarchar(100)
Field Name:	PostGraduateCourse	PostGraduateCourse
Data Type:	Text(100)	nvarchar(100)
Field Name:	FatherName	FatherName
Data Type:	Text(100)	nvarchar(100)
Field Name:	Faddress	Faddress
Data Type:	Text(100)	nvarchar(100)
Field Name:	FWork	FWork
Data Type:	Text(100)	nvarchar(100)
Field Name:	MotherName	MotherName
Data Type:	Text(100)	nvarchar(100)
Field Name:	Maddress	Maddress
Data Type:	Text(100)	nvarchar(100)
Field Name:	MWork	MWork
Data Type:	Text(100)	nvarchar(100)
Field Name:	NBI	NBI
Data Type:	Text(15)	nvarchar(15)
Field Name:	ResCer	ResCer
Data Type:	Text(20)	nvarchar(20)
Field Name:	IssueAt	IssueAt
Data Type:	Text(20)	nvarchar(20)
Field Name:	IssueOn	IssueOn
Data Type:	Text(50)	nvarchar(50)
Field Name:	Supervisor	Supervisor
Data Type:	Text(50)	nvarchar(50)
Field Name:	ReasonRes	ReasonRes
Data Type:	Text(50)	nvarchar(50)
Field Name:	Dept_No	Dept_No
Data Type:	Number (Long)	int
Field Name:	Confi	Confi
Data Type:	Text(50)	nvarchar(50)

Field Name:	Picture	Picture
Data Type:	Text(50)	nvarchar(50)
Field Name:	EndOfContract	EndOfContract
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmploymentType	EmploymentType
Data Type:	Text(2)	nvarchar(2)
Field Name:	DeptCode	DeptCode
Data Type:	Number (Long)	int
Field Name:	BrCode	BrCode
Data Type:	Number (Long)	int
Field Name:	JobCode	JobCode
Data Type:	Text(2)	nvarchar(2)
Field Name:	JobClass	JobClass
Data Type:	Text(2)	nvarchar(2)
Field Name:	Paymentbasis	Paymentbasis
Data Type:	Text(10)	nvarchar(10)
Field Name:	MonthlyRate	MonthlyRate
Data Type:	Number (Double)	float
Field Name:	DailyRate	DailyRate
Data Type:	Number (Double)	float
Field Name:	HourlyRate	HourlyRate
Data Type:	Number (Double)	float
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EndContract	EndContract
Data Type:	Date/Time	datetime
Field Name:	NoOfMonthsHired	NoOfMonthsHired
Data Type:	Number (Integer)	smallint
Field Name:	WithEcolaPay	WithEcolaPay
Data Type:	Yes/No	bit
Field Name:	EcolaAmount	EcolaAmount
Data Type:	Number (Double)	float

Field Name:	CBamount	CBamount
Data Type:	Number (Double)	float
Field Name:	CBpayment	CBpayment
Data Type:	Number (Double)	float
Field Name:	CBstartpayment	CBstartpayment
Data Type:	Date/Time	datetime
Field Name:	CBendpayment	CBendpayment
Data Type:	Date/Time	datetime
Field Name:	MiscFee	MiscFee
Data Type:	Number (Double)	float
Field Name:	MFAmount	MFAmount
Data Type:	Number (Long)	int
Field Name:	MFpayment	MFpayment
Data Type:	Number (Long)	int
Field Name:	MFStartPayment	MFStartPayment
Data Type:	Date/Time	datetime
Field Name:	MFEndPayment	MFEndPayment
Data Type:	Date/Time	datetime
Field Name:	PlacementFee	PlacementFee
Data Type:	Number (Double)	float
Field Name:	PFAmount	PFAmount
Data Type:	Number (Long)	int
Field Name:	PFPayment	PFPayment
Data Type:	Number (Long)	int
Field Name:	PFStartPayment	PFStartPayment
Data Type:	Date/Time	datetime
Field Name:	PFEndPayment	PFEndPayment
Data Type:	Date/Time	datetime
Field Name:	Remarks	Remarks
Data Type:	Text(25)	nvarchar(25)
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Field Name:	LastUpdate	LastUpdate
Data Type:	Date/Time	datetime
Field Name:	OldEmpNo	OldEmpNo
Data Type:	Number (Long)	int
Field Name:	BillingRate	BillingRate
Data Type:	Number (Double)	float

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	BrCode	BrCode
Fields:	BrCode	BrCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	DeptCode	DeptCode
Fields:	DeptCode	DeptCode
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	JobCode	JobCode
Fields:	JobCode	JobCode
Type:	DuplicatesOK	DuplicatesOK
Name:	PHCode	PHCode
Fields:	PHCode	PHCode
Type:	DuplicatesOK	DuplicatesOK
Name:	TaxID	TaxID
Fields:	TaxID	TaxID
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HREmployeesAppraisal

	Microsoft Access	SQL Server
Table Name:	HREmployeesAppraisal	HREmployeesAppraisal
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AppraisalNum	AppraisalNum
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	Employeename	Employeename
Data Type:	Text(50)	nvarchar(50)
Field Name:	AppraisalDate	AppraisalDate
Data Type:	Date/Time	datetime
Field Name:	EvalBy	EvalBy
Data Type:	Text(30)	nvarchar(30)
Field Name:	Evaluate	Evaluate
Data Type:	Text(50)	nvarchar(50)
Field Name:	appraisalsched	appraisalsched
Data Type:	Text(50)	nvarchar(50)
Field Name:	PerformanceFactor	PerformanceFactor
Data Type:	Text(50)	nvarchar(50)
Field Name:	PersonalFactor	PersonalFactor
Data Type:	Text(50)	nvarchar(50)
Field Name:	Total	Total
Data Type:	Text(50)	nvarchar(50)
Field Name:	ActionTaken	ActionTaken
Data Type:	Text(50)	nvarchar(50)
Field Name:	actiontype	actiontype
Data Type:	Text(50)	nvarchar(50)

Field Name:	UserID	UserID
Data Type:	Text(6)	nvarchar(6)

Indexes

	Microsoft Access	SQL Server
Name:	Appraisal Num	"Appraisal Num"
Fields:	AppraisalNum	AppraisalNum
Type:	DuplicatesOK	DuplicatesOK
Name:	Employee Num	"Employee Num"
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HREmployeesAssignment

	Microsoft Access	SQL Server
Table Name:	HREmployeesAssignment	HREmployeesAssignment
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AssignmentNum	AssignmentNum
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	Employeename	Employeename
Data Type:	Text(50)	nvarchar(50)
Field Name:	AssignDate	AssignDate
Data Type:	Date/Time	datetime
Field Name:	AssignType	AssignType
Data Type:	Text(100)	nvarchar(100)
Field Name:	AssignRemarks	AssignRemarks
Data Type:	Memo	text
Field Name:	EndAssignDate	EndAssignDate
Data Type:	Date/Time	datetime
Field Name:	ShiftSched	ShiftSched
Data Type:	Text(1)	nvarchar(1)
Field Name:	UserID	UserID
Data Type:	Text(6)	nvarchar(6)

Indexes

	Microsoft Access	SQL Server
Name:	AssignmentNum	AssignmentNum
Fields:	AssignmentNum	AssignmentNum
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HREmployeesLeaves

	Microsoft Access	SQL Server
Table Name:	HREmployeesLeaves	HREmployeesLeaves
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	LeaveNum	LeaveNum
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	Employeename	Employeename
Data Type:	Text(50)	nvarchar(50)
Field Name:	LeaveType	LeaveType
Data Type:	Text(1)	nvarchar(1)
Field Name:	LeaveDateFr	LeaveDateFr
Data Type:	Date/Time	datetime
Field Name:	LeaveDateTo	LeaveDateTo
Data Type:	Date/Time	datetime
Field Name:	LeaveRsn	LeaveRsn
Data Type:	Text(255)	nvarchar(255)
Field Name:	LeaveApprovedBy	LeaveApprovedBy
Data Type:	Text(100)	nvarchar(100)
Field Name:	Notedby	Notedby
Data Type:	Text(100)	nvarchar(100)
Field Name:	Remarks	Remarks
Data Type:	Text(255)	nvarchar(255)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Name:	Leave Num	"Leave Num"
Fields:	LeaveNum	LeaveNum
Type:	DuplicatesOK	DuplicatesOK

Table: HREmployeesOffenses

	Microsoft Access	SQL Server
Table Name:	HREmployeesOffenses	HREmployeesOffenses
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	OffenseNum	OffenseNum
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	Employeename	Employeename
Data Type:	Text(50)	nvarchar(50)
Field Name:	OffenseMade	OffenseMade
Data Type:	Text(250)	nvarchar(250)
Field Name:	OffenseType	OffenseType
Data Type:	Text(1)	nvarchar(1)
Field Name:	OffenseDate	OffenseDate
Data Type:	Date/Time	datetime
Field Name:	DisciplinaryAction	DisciplinaryAction
Data Type:	Text(100)	nvarchar(100)
Field Name:	ActionType	ActionType
Data Type:	Text(1)	nvarchar(1)
Field Name:	DateServed	DateServed
Data Type:	Date/Time	datetime
Field Name:	CounselingDate	CounselingDate
Data Type:	Text(50)	nvarchar(50)
Field Name:	CounselingFacilitator	CounselingFacilitator
Data Type:	Text(30)	nvarchar(30)
Field Name:	CounselingInfo	CounselingInfo
Data Type:	Text(250)	nvarchar(250)

Field Name:	Remarks	Remarks
Data Type:	Text(100)	nvarchar(100)
Field Name:	UserID	UserID
Data Type:	Text(6)	nvarchar(6)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	Offense Num	"Offense Num"
Fields:	OffenseNum	OffenseNum
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HREmployeesTraining

	Microsoft Access	SQL Server
Table Name:	HREmployeesTraining	
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Skipping table 'HREmployeesTraining'...

Table: HREmploymentHistory

	Microsoft Access	SQL Server
Table Name:	HREmploymentHistory	HREmploymentHistory
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	CompanyID	CompanyID
Data Type:	Text(255)	nvarchar(255)
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	FirstName	FirstName
Data Type:	Text(40)	nvarchar(40)
Field Name:	Middlename	Middlename
Data Type:	Text(40)	nvarchar(40)
Field Name:	Surname	Surname
Data Type:	Text(40)	nvarchar(40)
Field Name:	EmpPosition	EmpPosition
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmploymentStatus	EmploymentStatus
Data Type:	Text(50)	nvarchar(50)
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	DeptCode	DeptCode
Data Type:	Number (Long)	int

Field Name:	DeptName	DeptName
Data Type:	Text(50)	nvarchar(50)
Field Name:	BrName	BrName
Data Type:	Text(50)	nvarchar(50)
Field Name:	BrCode	BrCode
Data Type:	Number (Long)	int
Field Name:	Paymentbasis	Paymentbasis
Data Type:	Text(10)	nvarchar(10)
Field Name:	MonthlyRate	MonthlyRate
Data Type:	Number (Double)	float
Field Name:	DailyRate	DailyRate
Data Type:	Number (Double)	float
Field Name:	HourlyRate	HourlyRate
Data Type:	Number (Double)	float
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EndContract	EndContract
Data Type:	Date/Time	datetime
Field Name:	ExtraField1	ExtraField1
Data Type:	Text(50)	nvarchar(50)
Field Name:	ExtraField2	ExtraField2
Data Type:	Text(50)	nvarchar(50)
Field Name:	DateAdded	DateAdded
Data Type:	Date/Time	datetime
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)
Field Name:	BillingRate	BillingRate
Data Type:	Number (Double)	float

Indexes

	Microsoft Access	SQL Server
Name:	BrCode	BrCode
Fields:	BrCode	BrCode
Type:	DuplicatesOK	DuplicatesOK

Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	CompanyID	CompanyID
Fields:	CompanyID	CompanyID
Type:	DuplicatesOK	DuplicatesOK
Name:	DeptCode	DeptCode
Fields:	DeptCode	DeptCode
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	ID	ID
Fields:	ID	ID
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: HREmploymentRecord

	Microsoft Access	SQL Server
Table Name:	HREmploymentRecord	HREmploymentRecord
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	ApplicantNum	ApplicantNum
Data Type:	Number (Long)	int
Field Name:	Company	Company
Data Type:	Text(100)	nvarchar(100)
Field Name:	From	"From"
Data Type:	Text(100)	nvarchar(100)
Field Name:	To	"To"
Data Type:	Text(100)	nvarchar(100)
Field Name:	Position	Position
Data Type:	Text(100)	nvarchar(100)
Field Name:	Reason	Reason
Data Type:	Text(100)	nvarchar(100)
Field Name:	Superior	Superior
Data Type:	Text(100)	nvarchar(100)
Field Name:	Company1	Company1
Data Type:	Text(100)	nvarchar(100)
Field Name:	From1	From1
Data Type:	Text(100)	nvarchar(100)
Field Name:	To1	To1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Position1	Position1
Data Type:	Text(100)	nvarchar(100)

Field Name:	Reason1	Reason1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Superior1	Superior1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Company2	Company2
Data Type:	Text(100)	nvarchar(100)
Field Name:	From2	From2
Data Type:	Text(100)	nvarchar(100)
Field Name:	To2	To2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Position2	Position2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Reason2	Reason2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Superior2	Superior2
Data Type:	Text(100)	nvarchar(100)

Indexes

	Microsoft Access	**SQL Server**
Name:	ApplicantNum	ApplicantNum
Fields:	ApplicantNum	ApplicantNum
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNUm	EmployeeNUm
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Table: HREmploymentStatus

	Microsoft Access	SQL Server
Table Name:	HREmploymentStatus	HREmploymentStatus
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmploymentStatus	EmploymentStatus
Data Type:	Text(1)	nvarchar(1)
Field Name:	EmploymentStatusDesc	EmploymentStatusDesc
Data Type:	Text(30)	nvarchar(30)

Table: HREmploymentType

	Microsoft Access	SQL Server
Table Name:	HREmploymentType	HREmploymentType
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmploymentType	EmploymentType
Data Type:	Text(2)	nvarchar(2)
Field Name:	EmploymentTyhpesDesc	EmploymentTyhpesDesc
Data Type:	Text(30)	nvarchar(30)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	EmploymentTyhpesDesc	EmploymentTyhpesDesc
Type:	DuplicatesOK	DuplicatesOK

Table: HRLeaveBank

	Microsoft Access	SQL Server
Table Name:	HRLeaveBank	HRLeaveBank
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	LeaveBankNum	LeaveBankNum
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(6)	nvarchar(6)
Field Name:	DateRun	DateRun
Data Type:	Date/Time	datetime
Field Name:	LeavesEarned	LeavesEarned
Data Type:	Number (Long)	int
Field Name:	LeavesUsed	LeavesUsed
Data Type:	Number (Long)	int
Field Name:	LeavesBal	LeavesBal
Data Type:	Number (Long)	int

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	Leave Num	"Leave Num"
Fields:	LeaveBankNum	LeaveBankNum
Type:	DuplicatesOK	DuplicatesOK

Table: HRLeaveType

	Microsoft Access	SQL Server
Table Name:	HRLeaveType	HRLeaveType
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	LeaveType	LeaveType
Data Type:	Text(1)	nvarchar(1)
Field Name:	LeaveTypeDesc	LeaveTypeDesc
Data Type:	Text(30)	nvarchar(30)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	LeaveTypeDesc	LeaveTypeDesc
Type:	DuplicatesOK	DuplicatesOK

Table: HRMovementType

	Microsoft Access	SQL Server
Table Name:	HRMovementType	HRMovementType
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	MovementType	MovementType
Data Type:	Text(1)	nvarchar(1)
Field Name:	MovementTypeDesc	MovementTypeDesc
Data Type:	Text(30)	nvarchar(30)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	MovementTypeDesc	MovementTypeDesc
Type:	DuplicatesOK	DuplicatesOK

Table: HROffenseType

	Microsoft Access	SQL Server
Table Name:	HROffenseType	HROffenseType
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	OffenseType	OffenseType
Data Type:	Text(1)	nvarchar(1)
Field Name:	OffenseTypeDesc	OffenseTypeDesc
Data Type:	Text(30)	nvarchar(30)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	OffenseTypeDesc	OffenseTypeDesc
Type:	DuplicatesOK	DuplicatesOK

Table: HRSeminar

	Microsoft Access	SQL Server
Table Name:	HRSeminar	HRSeminar
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Text(15)	nvarchar(15)
Field Name:	Applicantnum	Applicantnum
Data Type:	Number (Long)	int
Field Name:	Seminar1	Seminar1
Data Type:	Text(100)	nvarchar(100)
Field Name:	Seminar1Date	Seminar1Date
Data Type:	Text(100)	nvarchar(100)
Field Name:	Seminar2	Seminar2
Data Type:	Text(100)	nvarchar(100)
Field Name:	Seminar2Date	Seminar2Date
Data Type:	Text(100)	nvarchar(100)
Field Name:	Seminar3	Seminar3
Data Type:	Text(100)	nvarchar(100)
Field Name:	Seminar3Date	Seminar3Date
Data Type:	Text(100)	nvarchar(100)

Indexes

	Microsoft Access	SQL Server
Name:	Applicantnum	Applicantnum
Fields:	Applicantnum	Applicantnum
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Table: HRShiftSched

	Microsoft Access	SQL Server
Table Name:	HRShiftSched	HRShiftSched
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ShiftSched	ShiftSched
Data Type:	Number (Long)	int
Field Name:	Shiftscheddesc	Shiftscheddesc
Data Type:	Text(50)	nvarchar(50)

Table: HRTrainingDuration

	Microsoft Access	SQL Server
Table Name:	HRTrainingDuration	HRTrainingDuration
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	TrainingType	TrainingType
Data Type:	Number (Long)	int
Field Name:	TrainingTypeDesc	TrainingTypeDesc
Data Type:	Text(100)	nvarchar(100)

Table: HRTrainingType

	Microsoft Access	SQL Server
Table Name:	HRTrainingType	HRTrainingType
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	TrainingType	TrainingType
Data Type:	Text(1)	nvarchar(1)
Field Name:	TrainingTypeDesc	TrainingTypeDesc
Data Type:	Text(30)	nvarchar(30)

Indexes

	Microsoft Access	SQL Server
Name:	Employee Num	"Employee Num"
Fields:	TrainingTypeDesc	TrainingTypeDesc
Type:	DuplicatesOK	DuplicatesOK

Table: MonthlyTaxTable

	Microsoft Access	SQL Server
Table Name:	MonthlyTaxTable	MonthlyTaxTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	TaxCode	TaxCode
Data Type:	Text(5)	nvarchar(5)
Field Name:	SalRate2	SalRate2
Data Type:	Number (Double)	float
Field Name:	PerOver	PerOver
Data Type:	Number (Double)	float
Field Name:	BaseTax	BaseTax
Data Type:	Number (Double)	float
Field Name:	Bracket	Bracket
Data Type:	Number (Double)	float

Indexes

	Microsoft Access	SQL Server
Name:	TaxCode	TaxCode
Fields:	TaxCode	TaxCode
Type:	DuplicatesOK	DuplicatesOK

Table: PagibigTable

	Microsoft Access	SQL Server
Table Name:	PagibigTable	PagibigTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	MinWage	MinWage
Data Type:	Number (Double)	float
Field Name:	MaxWage	MaxWage
Data Type:	Number (Double)	float
Field Name:	PagibigEE	PagibigEE
Data Type:	Number (Double)	float
Field Name:	PagibigER	PagibigER
Data Type:	Number (Double)	float
Field Name:	PagibigTotal	PagibigTotal
Data Type:	Number (Double)	float
Field Name:	PagibigMax	PagibigMax
Data Type:	Number (Double)	float
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	SQL Server
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: PayrollMaster

	Microsoft Access	SQL Server
Table Name:	PayrollMaster	PayrollMaster
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	EmployeeName	EmployeeName
Data Type:	Text(40)	nvarchar(40)
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	DaysPresent	DaysPresent
Data Type:	Number (Double)	float
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	OTHours	OTHours
Data Type:	Number (Double)	float
Field Name:	OTPay	OTPay
Data Type:	Number (Double)	float
Field Name:	ExcessOTHours	ExcessOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessOTPay	ExcessOTPay
Data Type:	Number (Double)	float
Field Name:	NightDiffOT	NightDiffOT
Data Type:	Number (Double)	float

Field Name:	NightDiffPay	NightDiffPay
Data Type:	Number (Double)	float
Field Name:	RestdayOTHrs	RestdayOTHrs
Data Type:	Number (Double)	float
Field Name:	RestdayOTPay	RestdayOTPay
Data Type:	Number (Double)	float
Field Name:	SundayOT	SundayOT
Data Type:	Number (Double)	float
Field Name:	SundayOTPay	SundayOTPay
Data Type:	Number (Double)	float
Field Name:	NoSplHoliday	NoSplHoliday
Data Type:	Number (Double)	float
Field Name:	SplHolidayPay	SplHolidayPay
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTHours	SplHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTPay	SplHolidayOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTHours	ExcessSplHolOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTPay	ExcessSplHolOTPay
Data Type:	Number (Double)	float
Field Name:	NoLglHoliday	NoLglHoliday
Data Type:	Number (Double)	float
Field Name:	LglHolidayPay	LglHolidayPay
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTHours	LglHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTPay	LglHolidayOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessLglHolOTHours	ExcessLglHolOTHours
Data Type:	Number (Double)	float

Field Name:	ExcessLglHolOTPay	ExcessLglHolOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalHrs	ExcessOTSunLegalHrs
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalPay	ExcessOTSunLegalPay
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremium	OTWithoutPremium
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremiumPay	OTWithoutPremiumPay
Data Type:	Number (Double)	float
Field Name:	NoVacationLeave	NoVacationLeave
Data Type:	Number (Double)	float
Field Name:	VacationLeavePay	VacationLeavePay
Data Type:	Number (Double)	float
Field Name:	NoSickLeave	NoSickLeave
Data Type:	Number (Double)	float
Field Name:	SickLeavePay	SickLeavePay
Data Type:	Number (Double)	float
Field Name:	SalaryAdjust	SalaryAdjust
Data Type:	Number (Double)	float
Field Name:	IncentivePay	IncentivePay
Data Type:	Number (Double)	float
Field Name:	IncentiveRemarks	IncentiveRemarks
Data Type:	Text(10)	nvarchar(10)
Field Name:	EcolaPay	EcolaPay
Data Type:	Number (Double)	float
Field Name:	Month13Rate	Month13Rate
Data Type:	Number (Double)	float
Field Name:	Month13Payment	Month13Payment
Data Type:	Number (Double)	float
Field Name:	GrossPay	GrossPay
Data Type:	Number (Double)	float

Field Name:	DaysAbsent	DaysAbsent
Data Type:	Number (Double)	float
Field Name:	AbsentDeduction	AbsentDeduction
Data Type:	Number (Double)	float
Field Name:	HoursTardiness	HoursTardiness
Data Type:	Number (Double)	float
Field Name:	TardinessDeduction	TardinessDeduction
Data Type:	Number (Double)	float
Field Name:	CashBond	CashBond
Data Type:	Number (Double)	float
Field Name:	CardTransFee	CardTransFee
Data Type:	Number (Double)	float
Field Name:	ValewithClient	ValewithClient
Data Type:	Number (Double)	float
Field Name:	PlacementFee	PlacementFee
Data Type:	Number (Double)	float
Field Name:	MiscFee	MiscFee
Data Type:	Number (Double)	float
Field Name:	AgencyCharge	AgencyCharge
Data Type:	Number (Double)	float
Field Name:	OverUnderPay	OverUnderPay
Data Type:	Number (Double)	float
Field Name:	Vale_IOU	Vale_IOU
Data Type:	Number (Double)	float
Field Name:	Uniform	Uniform
Data Type:	Number (Double)	float
Field Name:	Medical	Medical
Data Type:	Number (Double)	float
Field Name:	Variances	Variances
Data Type:	Number (Double)	float
Field Name:	SalaryLoan	SalaryLoan
Data Type:	Number (Double)	float

Field Name:	SSSEmployee	SSSEmployee
Data Type:	Number (Double)	float
Field Name:	SSSEmployer	SSSEmployer
Data Type:	Number (Double)	float
Field Name:	ECCEmployer	ECCEmployer
Data Type:	Number (Double)	float
Field Name:	PHealthEmployee	PHealthEmployee
Data Type:	Number (Double)	float
Field Name:	PHealthEmployer	PHealthEmployer
Data Type:	Number (Double)	float
Field Name:	PagibigEmployee	PagibigEmployee
Data Type:	Number (Double)	float
Field Name:	PagibigEmployer	PagibigEmployer
Data Type:	Number (Double)	float
Field Name:	WTaxAmount	WTaxAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoan	SSSLoan
Data Type:	Number (Double)	float
Field Name:	PagibigLoan	PagibigLoan
Data Type:	Number (Double)	float
Field Name:	OtherLoan	OtherLoan
Data Type:	Number (Double)	float
Field Name:	Deductions	Deductions
Data Type:	Number (Double)	float
Field Name:	NetPay	NetPay
Data Type:	Number (Double)	float
Field Name:	StartPayDate	StartPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndPayDate	EndPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	MonthNo	MonthNo
Data Type:	Number (Double)	float

Field Name:	CutOffNo	CutOffNo
Data Type:	Number (Integer)	smallint
Field Name:	PayFlag1	PayFlag1
Data Type:	Yes/No	bit
Field Name:	PayFlag2	PayFlag2
Data Type:	Yes/No	bit
Field Name:	PayText1	PayText1
Data Type:	Text(10)	nvarchar(10)
Field Name:	PayText2	PayText2
Data Type:	Text(10)	nvarchar(10)
Field Name:	Entryby	Entryby
Data Type:	Text(15)	nvarchar(15)
Field Name:	EntryDate	EntryDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	**SQL Server**
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	CO_CODE	CO_CODE
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Table: PayrollTrans

	Microsoft Access	SQL Server
Table Name:	PayrollTrans	PayrollTrans
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	EmployeeName	EmployeeName
Data Type:	Text(40)	nvarchar(40)
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	DaysPresent	DaysPresent
Data Type:	Number (Double)	float
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	OTHours	OTHours
Data Type:	Number (Double)	float
Field Name:	OTPay	OTPay
Data Type:	Number (Double)	float
Field Name:	ExcessOTHours	ExcessOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessOTPay	ExcessOTPay
Data Type:	Number (Double)	float
Field Name:	NightDiffOT	NightDiffOT
Data Type:	Number (Double)	float

Field Name:	NightDiffPay	NightDiffPay
Data Type:	Number (Double)	float
Field Name:	RestdayOTHrs	RestdayOTHrs
Data Type:	Number (Double)	float
Field Name:	RestdayOTPay	RestdayOTPay
Data Type:	Number (Double)	float
Field Name:	SundayOT	SundayOT
Data Type:	Number (Double)	float
Field Name:	SundayOTPay	SundayOTPay
Data Type:	Number (Double)	float
Field Name:	NoSplHoliday	NoSplHoliday
Data Type:	Number (Double)	float
Field Name:	SplHolidayPay	SplHolidayPay
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTHours	SplHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTPay	SplHolidayOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTHours	ExcessSplHolOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTPay	ExcessSplHolOTPay
Data Type:	Number (Double)	float
Field Name:	NoLglHoliday	NoLglHoliday
Data Type:	Number (Double)	float
Field Name:	LglHolidayPay	LglHolidayPay
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTHours	LglHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTPay	LglHolidayOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessLglHolOTHours	ExcessLglHolOTHours
Data Type:	Number (Double)	float

Field Name:	ExcessLglHolOTPay	ExcessLglHolOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalHrs	ExcessOTSunLegalHrs
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalPay	ExcessOTSunLegalPay
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremium	OTWithoutPremium
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremiumPay	OTWithoutPremiumPay
Data Type:	Number (Double)	float
Field Name:	NoVacationLeave	NoVacationLeave
Data Type:	Number (Double)	float
Field Name:	VacationLeavePay	VacationLeavePay
Data Type:	Number (Double)	float
Field Name:	NoSickLeave	NoSickLeave
Data Type:	Number (Double)	float
Field Name:	SickLeavePay	SickLeavePay
Data Type:	Number (Double)	float
Field Name:	SalaryAdjust	SalaryAdjust
Data Type:	Number (Double)	float
Field Name:	IncentivePay	IncentivePay
Data Type:	Number (Double)	float
Field Name:	IncentiveRemarks	IncentiveRemarks
Data Type:	Text(10)	nvarchar(10)
Field Name:	EcolaPay	EcolaPay
Data Type:	Number (Double)	float
Field Name:	Month13Rate	Month13Rate
Data Type:	Number (Double)	float
Field Name:	Month13Payment	Month13Payment
Data Type:	Number (Double)	float
Field Name:	GrossPay	GrossPay
Data Type:	Number (Double)	float

Field Name:	DaysAbsent	DaysAbsent
Data Type:	Number (Double)	float
Field Name:	AbsentDeduction	AbsentDeduction
Data Type:	Number (Double)	float
Field Name:	HoursTardiness	HoursTardiness
Data Type:	Number (Double)	float
Field Name:	TardinessDeduction	TardinessDeduction
Data Type:	Number (Double)	float
Field Name:	CashBond	CashBond
Data Type:	Number (Double)	float
Field Name:	CardTransFee	CardTransFee
Data Type:	Number (Double)	float
Field Name:	ValewithClient	ValewithClient
Data Type:	Number (Double)	float
Field Name:	PlacementFee	PlacementFee
Data Type:	Number (Double)	float
Field Name:	MiscFee	MiscFee
Data Type:	Number (Double)	float
Field Name:	AgencyCharge	AgencyCharge
Data Type:	Number (Double)	float
Field Name:	OverUnderPay	OverUnderPay
Data Type:	Number (Double)	float
Field Name:	Vale_IOU	Vale_IOU
Data Type:	Number (Double)	float
Field Name:	Uniform	Uniform
Data Type:	Number (Double)	float
Field Name:	Medical	Medical
Data Type:	Number (Double)	float
Field Name:	Variances	Variances
Data Type:	Number (Double)	float
Field Name:	SalaryLoan	SalaryLoan
Data Type:	Number (Double)	float

Field Name:	SSSEmployee	SSSEmployee
Data Type:	Number (Double)	float
Field Name:	SSSEmployer	SSSEmployer
Data Type:	Number (Double)	float
Field Name:	ECCEmployer	ECCEmployer
Data Type:	Number (Double)	float
Field Name:	PHealthEmployee	PHealthEmployee
Data Type:	Number (Double)	float
Field Name:	PHealthEmployer	PHealthEmployer
Data Type:	Number (Double)	float
Field Name:	PagibigEmployee	PagibigEmployee
Data Type:	Number (Double)	float
Field Name:	PagibigEmployer	PagibigEmployer
Data Type:	Number (Double)	float
Field Name:	WTaxAmount	WTaxAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoan	SSSLoan
Data Type:	Number (Double)	float
Field Name:	PagibigLoan	PagibigLoan
Data Type:	Number (Double)	float
Field Name:	OtherLoan	OtherLoan
Data Type:	Number (Double)	float
Field Name:	Deductions	Deductions
Data Type:	Number (Double)	float
Field Name:	NetPay	NetPay
Data Type:	Number (Double)	float
Field Name:	StartPayDate	StartPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndPayDate	EndPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	MonthNo	MonthNo
Data Type:	Number (Double)	float

Field Name:	CutOffNo	CutOffNo
Data Type:	Number (Integer)	smallint
Field Name:	PayFlag1	PayFlag1
Data Type:	Yes/No	bit
Field Name:	PayFlag2	PayFlag2
Data Type:	Yes/No	bit
Field Name:	PayText1	PayText1
Data Type:	Text(10)	nvarchar(10)
Field Name:	PayText2	PayText2
Data Type:	Text(10)	nvarchar(10)
Field Name:	Entryby	Entryby
Data Type:	Text(15)	nvarchar(15)
Field Name:	EntryDate	EntryDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	**SQL Server**
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	CO_CODE	CO_CODE
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Table: PHContributions

	Microsoft Access	SQL Server
Table Name:	PHContributions	PHContributions
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	Surname	Surname
Data Type:	Text(50)	nvarchar(50)
Field Name:	FirstName	FirstName
Data Type:	Text(50)	nvarchar(50)
Field Name:	MiddleName	MiddleName
Data Type:	Text(50)	nvarchar(50)
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EmpPosition	EmpPosition
Data Type:	Text(50)	nvarchar(50)
Field Name:	ContriCode	ContriCode
Data Type:	Text(10)	nvarchar(10)
Field Name:	PHealthSSSNo	PHealthSSSNo
Data Type:	Text(30)	nvarchar(30)

Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	SalaryBracket	SalaryBracket
Data Type:	Text(10)	nvarchar(10)
Field Name:	ActualEmployeeDed	ActualEmployeeDed
Data Type:	Number (Double)	float
Field Name:	ActualEmployerDed	ActualEmployerDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployeeDed	AdjustedEmployeeDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployerDed	AdjustedEmployerDed
Data Type:	Number (Double)	float
Field Name:	AmtDifference	AmtDifference
Data Type:	Number (Double)	float
Field Name:	SBRNo	SBRNo
Data Type:	Text(50)	nvarchar(50)
Field Name:	AmountPaid	AmountPaid
Data Type:	Number (Double)	float
Field Name:	DatePaid	DatePaid
Data Type:	Date/Time	datetime
Field Name:	DatePosted	DatePosted
Data Type:	Date/Time	datetime
Field Name:	GroupCode	GroupCode
Data Type:	Text(50)	nvarchar(50)
Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)
Field Name:	ExcludedFlag	ExcludedFlag
Data Type:	Yes/No	bit
Field Name:	ApplicableMonth	ApplicableMonth
Data Type:	Text(20)	nvarchar(20)
Field Name:	ApplicableYear	ApplicableYear
Data Type:	Number (Long)	int

Field Name:	ProcessedDate	ProcessedDate
Data Type:	Date/Time	datetime
Field Name:	ProcessedBy	ProcessedBy
Data Type:	Text(20)	nvarchar(20)
Field Name:	RemittedAmt	RemittedAmt
Data Type:	Number (Double)	float
Field Name:	LastPrintingDate	LastPrintingDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	AmountPaid	AmountPaid
Fields:	AmountPaid	AmountPaid
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ContriCode	ContriCode
Fields:	ContriCode	ContriCode
Type:	DuplicatesOK	DuplicatesOK
Name:	DatePaid	DatePaid
Fields:	DatePaid	DatePaid
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	GroupCode	GroupCode
Fields:	GroupCode	GroupCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	ProcessedBy	ProcessedBy
Type:	DuplicatesOK	DuplicatesOK

Table: PhilhealthTable

	Microsoft Access	SQL Server
Table Name:	PhilhealthTable	PhilhealthTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	CODE	CODE
Data Type:	Text(5)	nvarchar(5)
Field Name:	MINWAGE	MINWAGE
Data Type:	Number (Double)	float
Field Name:	MAXWAGE	MAXWAGE
Data Type:	Number (Double)	float
Field Name:	SALARY	SALARY
Data Type:	Number (Double)	float
Field Name:	PH_ER	PH_ER
Data Type:	Number (Double)	float
Field Name:	PH_EE	PH_EE
Data Type:	Number (Double)	float
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	SQL Server
Name:	CODE	CODE
Fields:	CODE	CODE
Type:	DuplicatesOK	DuplicatesOK
Name:	ID	ID
Fields:	ID	ID
Type:	DuplicatesOK	DuplicatesOK

Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: PositionTable

	Microsoft Access	SQL Server
Table Name:	PositionTable	PositionTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	POSITION	POSITION
Data Type:	Text(5)	nvarchar(5)
Field Name:	DESC	"DESC"
Data Type:	Text(30)	nvarchar(30)
Field Name:	MINSALARY	MINSALARY
Data Type:	Number (Double)	float
Field Name:	MAXSALARY	MAXSALARY
Data Type:	Number (Double)	float

Table: R1AContributions

	Microsoft Access	SQL Server
Table Name:	R1AContributions	R1AContributions
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	Surname	Surname
Data Type:	Text(50)	nvarchar(50)
Field Name:	FirstName	FirstName
Data Type:	Text(50)	nvarchar(50)
Field Name:	MiddleName	MiddleName
Data Type:	Text(50)	nvarchar(50)
Field Name:	ContriCode	ContriCode
Data Type:	Text(10)	nvarchar(10)
Field Name:	PHealthSSSNo	PHealthSSSNo
Data Type:	Text(30)	nvarchar(30)
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	MonthlyRate	MonthlyRate
Data Type:	Number (Double)	float

Field Name:	EmpPosition	EmpPosition
Data Type:	Text(50)	nvarchar(50)
Field Name:	BirthDate	BirthDate
Data Type:	Date/Time	datetime
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EndContract	EndContract
Data Type:	Date/Time	datetime
Field Name:	SalaryBracket	SalaryBracket
Data Type:	Text(10)	nvarchar(10)
Field Name:	ActualEmployeeDed	ActualEmployeeDed
Data Type:	Number (Double)	float
Field Name:	ActualEmployerDed	ActualEmployerDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployeeDed	AdjustedEmployeeDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployerDed	AdjustedEmployerDed
Data Type:	Number (Double)	float
Field Name:	AmtDifference	AmtDifference
Data Type:	Number (Double)	float
Field Name:	SBRNo	SBRNo
Data Type:	Text(50)	nvarchar(50)
Field Name:	AmountPaid	AmountPaid
Data Type:	Number (Double)	float
Field Name:	DatePaid	DatePaid
Data Type:	Date/Time	datetime
Field Name:	DatePosted	DatePosted
Data Type:	Date/Time	datetime
Field Name:	GroupCode	GroupCode
Data Type:	Text(50)	nvarchar(50)
Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)

Field Name:	ExcludedFlag	ExcludedFlag
Data Type:	Yes/No	bit
Field Name:	ApplicableMonth	ApplicableMonth
Data Type:	Text(20)	nvarchar(20)
Field Name:	ApplicableYear	ApplicableYear
Data Type:	Number (Long)	int
Field Name:	ProcessedDate	ProcessedDate
Data Type:	Date/Time	datetime
Field Name:	ProcessedBy	ProcessedBy
Data Type:	Text(20)	nvarchar(20)

Indexes

	Microsoft Access	**SQL Server**
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	AmountPaid	AmountPaid
Fields:	AmountPaid	AmountPaid
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ContriCode	ContriCode
Fields:	ContriCode	ContriCode
Type:	DuplicatesOK	DuplicatesOK
Name:	DatePaid	DatePaid
Fields:	DatePaid	DatePaid
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	GroupCode	GroupCode
Fields:	GroupCode	GroupCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	ProcessedBy	ProcessedBy
Type:	DuplicatesOK	DuplicatesOK

Table: SemiMonthlyTaxTable

	Microsoft Access	SQL Server
Table Name:	SemiMonthlyTaxTable	SemiMonthlyTaxTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	TaxCode	TaxCode
Data Type:	Text(5)	nvarchar(5)
Field Name:	SalRate2	SalRate2
Data Type:	Number (Double)	float
Field Name:	PerOver	PerOver
Data Type:	Number (Double)	float
Field Name:	BaseTax	BaseTax
Data Type:	Number (Double)	float
Field Name:	Bracket	Bracket
Data Type:	Number (Double)	float
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	SQL Server
Name:	TaxCode	TaxCode
Fields:	TaxCode	TaxCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: SSSContributions

	Microsoft Access	SQL Server
Table Name:	SSSContributions	SSSContributions
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	SurName	SurName
Data Type:	Text(50)	nvarchar(50)
Field Name:	Firstname	Firstname
Data Type:	Text(50)	nvarchar(50)
Field Name:	Middlename	Middlename
Data Type:	Text(50)	nvarchar(50)
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	SalaryBracket	SalaryBracket
Data Type:	Text(20)	nvarchar(20)
Field Name:	ControlNo	ControlNo
Data Type:	Text(15)	nvarchar(15)
Field Name:	ContriCode	ContriCode
Data Type:	Text(10)	nvarchar(10)
Field Name:	PHealthSSSNo	PHealthSSSNo
Data Type:	Text(30)	nvarchar(30)

Field Name:	ActualEmployeeDed	ActualEmployeeDed
Data Type:	Number (Double)	float
Field Name:	ActualEmployerDed	ActualEmployerDed
Data Type:	Number (Double)	float
Field Name:	ActualECC	ActualECC
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployeeDed	AdjustedEmployeeDed
Data Type:	Number (Double)	float
Field Name:	AdjustedEmployerDed	AdjustedEmployerDed
Data Type:	Number (Double)	float
Field Name:	AdjustedECC	AdjustedECC
Data Type:	Number (Double)	float
Field Name:	Amtdifference	Amtdifference
Data Type:	Number (Double)	float
Field Name:	TableBasedEE	TableBasedEE
Data Type:	Number (Double)	float
Field Name:	TableBasedER	TableBasedER
Data Type:	Number (Double)	float
Field Name:	SBRNo	SBRNo
Data Type:	Text(50)	nvarchar(50)
Field Name:	AmountPaid	AmountPaid
Data Type:	Number (Double)	float
Field Name:	DatePaid	DatePaid
Data Type:	Date/Time	datetime
Field Name:	DatePosted	DatePosted
Data Type:	Date/Time	datetime
Field Name:	GroupCode	GroupCode
Data Type:	Text(50)	nvarchar(50)
Field Name:	ExcludedFlag	ExcludedFlag
Data Type:	Yes/No	bit
Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)

Field Name:	HoldFlag	HoldFlag
Data Type:	Yes/No	bit
Field Name:	ApplicableMonth	ApplicableMonth
Data Type:	Text(20)	nvarchar(20)
Field Name:	ApplicableYear	ApplicableYear
Data Type:	Number (Long)	int
Field Name:	ProcessedFlag	ProcessedFlag
Data Type:	Yes/No	bit
Field Name:	ProcessedDate	ProcessedDate
Data Type:	Date/Time	datetime
Field Name:	ProcessedBy	ProcessedBy
Data Type:	Text(20)	nvarchar(20)
Field Name:	RemittedAmt	RemittedAmt
Data Type:	Number (Double)	float
Field Name:	LastPrintingDate	LastPrintingDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	**SQL Server**
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	AmountPaid	AmountPaid
Fields:	AmountPaid	AmountPaid
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ContriCode	ContriCode
Fields:	ContriCode	ContriCode
Type:	DuplicatesOK	DuplicatesOK
Name:	DatePaid	DatePaid
Fields:	DatePaid	DatePaid
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK

Name:	GroupCode	GroupCode
Fields:	GroupCode	GroupCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	ProcessedBy	ProcessedBy
Type:	DuplicatesOK	DuplicatesOK

Table: SSSTable

	Microsoft Access	SQL Server
Table Name:	SSSTable	SSSTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	Bracket	Bracket
Data Type:	Text(10)	nvarchar(10)
Field Name:	MinWage	MinWage
Data Type:	Number (Double)	float
Field Name:	MaxWage	MaxWage
Data Type:	Number (Double)	float
Field Name:	Credit	Credit
Data Type:	Number (Double)	float
Field Name:	ER_Share	ER_Share
Data Type:	Number (Double)	float
Field Name:	Med_ER	Med_ER
Data Type:	Number (Double)	float
Field Name:	EC_Share	EC_Share
Data Type:	Number (Double)	float
Field Name:	ER_Total	ER_Total
Data Type:	Number (Double)	float
Field Name:	EE_Share	EE_Share
Data Type:	Number (Double)	float
Field Name:	Med_EE	Med_EE
Data Type:	Number (Double)	float
Field Name:	EE_Total	EE_Total
Data Type:	Number (Double)	float

Field Name:	GrandTotal	GrandTotal
Data Type:	Number (Double)	float
Field Name:	AppliedYear	AppliedYear
Data Type:	Text(5)	nvarchar(5)
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	**SQL Server**
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: StatementofAcct

	Microsoft Access	SQL Server
Table Name:	StatementofAcct	StatementofAcct
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	SOADate	SOADate
Data Type:	Date/Time	datetime
Field Name:	SOAControlNo	SOAControlNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	SOADueDate	SOADueDate
Data Type:	Date/Time	datetime
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	ClientContactPerson	ClientContactPerson
Data Type:	Text(40)	nvarchar(40)
Field Name:	ClientContactPosition	ClientContactPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	TotalBilling	TotalBilling
Data Type:	Number (Double)	float
Field Name:	PayrollAssistant	PayrollAssistant
Data Type:	Text(40)	nvarchar(40)
Field Name:	PayrollAssistantPosition	PayrollAssistantPosition
Data Type:	Text(30)	nvarchar(30)
Field Name:	ManagingOfficer	ManagingOfficer
Data Type:	Text(40)	nvarchar(40)
Field Name:	ManagingPosition	ManagingPosition
Data Type:	Text(40)	nvarchar(40)

Field Name:	Createdby	Createdby
Data Type:	Text(20)	nvarchar(20)
Field Name:	CreatedDate	CreatedDate
Data Type:	Date/Time	datetime

Indexes

	Microsoft Access	SQL Server
Name:	CompanyCode	CompanyCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK

Table: TaxExemptionCode

	Microsoft Access	SQL Server
Table Name:	TaxExemptionCode	TaxExemptionCode
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	TaxExemptionCode	TaxExemptionCode
Data Type:	Text(3)	nvarchar(3)
Field Name:	Description	Description
Data Type:	Text(40)	nvarchar(40)
Field Name:	ExemptionAmount	ExemptionAmount
Data Type:	Number (Double)	float
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	SQL Server
Name:	ID	ID
Fields:	ID	ID
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK
Name:	WTaxCode	WTaxCode
Fields:	TaxExemptionCode	TaxExemptionCode
Type:	DuplicatesOK	DuplicatesOK

Table: TblBank

	Microsoft Access	SQL Server
Table Name:	TblBank	TblBank
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	BankID	BankID
Data Type:	Number (Long)	int
Field Name:	BankName	BankName
Data Type:	Text(50)	nvarchar(50)
Field Name:	Address	Address
Data Type:	Text(200)	nvarchar(200)
Field Name:	ContactPerson	ContactPerson
Data Type:	Text(50)	nvarchar(50)
Field Name:	Position	Position
Data Type:	Text(50)	nvarchar(50)
Field Name:	Telno	Telno
Data Type:	Text(50)	nvarchar(50)
Field Name:	Faxno	Faxno
Data Type:	Text(50)	nvarchar(50)

Indexes

	Microsoft Access	SQL Server
Name:	BankID	BankID
Fields:	BankID	BankID
Type:	DuplicatesOK	DuplicatesOK

Table: tblCustomized

	Microsoft Access	SQL Server
Table Name:	tblCustomized	tblCustomized
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	FieldName	FieldName
Data Type:	Text(50)	nvarchar(50)
Field Name:	FieldObject1	FieldObject1
Data Type:	Text(50)	nvarchar(50)

Indexes

	Microsoft Access	SQL Server
Name:	ID	ID
Fields:	ID	ID
Type:	DuplicatesOK	DuplicatesOK

Table: tmpHRCount

	Microsoft Access	SQL Server
Table Name:	tmpHRCount	tmpHRCount
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	EmpCount	EmpCount
Data Type:	Number (Long)	int
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EndContract	EndContract
Data Type:	Date/Time	datetime
Field Name:	HeadCount	HeadCount
Data Type:	Number (Long)	int
Field Name:	StartPayDate	StartPayDate
Data Type:	Date/Time	datetime
Field Name:	UserID	UserID
Data Type:	Text(20)	nvarchar(20)
Field Name:	PayMonth	PayMonth
Data Type:	Text(50)	nvarchar(50)
Field Name:	PayYear	PayYear
Data Type:	Number (Long)	int

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode

Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: tmpPayReport

	Microsoft Access	SQL Server
Table Name:	tmpPayReport	tmpPayReport
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	ControlNo	ControlNo
Data Type:	Text(20)	nvarchar(20)
Field Name:	FirstName	FirstName
Data Type:	Text(50)	nvarchar(50)
Field Name:	MiddleName	MiddleName
Data Type:	Text(50)	nvarchar(50)
Field Name:	Surname	Surname
Data Type:	Text(50)	nvarchar(50)
Field Name:	SSS	SSS
Data Type:	Text(50)	nvarchar(50)
Field Name:	PhilHealth	PhilHealth
Data Type:	Text(50)	nvarchar(50)
Field Name:	Pagibig	Pagibig
Data Type:	Text(50)	nvarchar(50)
Field Name:	TaxID	TaxID
Data Type:	Text(50)	nvarchar(50)
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int

Field Name:	Month13Payment	Month13Payment
Data Type:	Number (Double)	float
Field Name:	CashBond	CashBond
Data Type:	Number (Double)	float
Field Name:	CardTransFee	CardTransFee
Data Type:	Number (Double)	float
Field Name:	ValewithClient	ValewithClient
Data Type:	Number (Double)	float
Field Name:	PlacementFee	PlacementFee
Data Type:	Number (Double)	float
Field Name:	MiscFee	MiscFee
Data Type:	Number (Double)	float
Field Name:	AgencyCharge	AgencyCharge
Data Type:	Number (Double)	float
Field Name:	OverUnderPay	OverUnderPay
Data Type:	Number (Double)	float
Field Name:	Vale_IOU	Vale_IOU
Data Type:	Number (Double)	float
Field Name:	Uniform	Uniform
Data Type:	Number (Double)	float
Field Name:	Medical	Medical
Data Type:	Number (Double)	float
Field Name:	Variances	Variances
Data Type:	Number (Double)	float
Field Name:	SalaryLoan	SalaryLoan
Data Type:	Number (Double)	float
Field Name:	SSSEmployee	SSSEmployee
Data Type:	Number (Double)	float
Field Name:	SSSEmployer	SSSEmployer
Data Type:	Number (Double)	float
Field Name:	ECCEmployer	ECCEmployer
Data Type:	Number (Double)	float

Field Name:	PHealthEmployee	PHealthEmployee
Data Type:	Number (Double)	float
Field Name:	PHealthEmployer	PHealthEmployer
Data Type:	Number (Double)	float
Field Name:	PagibigEmployee	PagibigEmployee
Data Type:	Number (Double)	float
Field Name:	PagibigEmployer	PagibigEmployer
Data Type:	Number (Double)	float
Field Name:	WTaxAmount	WTaxAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoan	SSSLoan
Data Type:	Number (Double)	float
Field Name:	PagibigLoan	PagibigLoan
Data Type:	Number (Double)	float
Field Name:	OtherLoan	OtherLoan
Data Type:	Number (Double)	float
Field Name:	StartPayDate	StartPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndPayDate	EndPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	MonthNo	MonthNo
Data Type:	Number (Double)	float
Field Name:	CutOffNo	CutOffNo
Data Type:	Number (Integer)	smallint
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	MonthOf	MonthOf
Data Type:	Text(50)	nvarchar(50)
Field Name:	UserID	UserID
Data Type:	Text(10)	nvarchar(10)
Field Name:	BirthDate	BirthDate
Data Type:	Date/Time	datetime

Field Name:	CutOffDate	CutOffDate
Data Type:	Text(50)	nvarchar(50)
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EmpPosition	EmpPosition
Data Type:	Text(50)	nvarchar(50)

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	CO_CODE	CO_CODE
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	EmployeeNum1	EmployeeNum1
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	TaxID	TaxID
Fields:	TaxID	TaxID
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: tmpPayrollChecklist

	Microsoft Access	SQL Server
Table Name:	tmpPayrollChecklist	tmpPayrollChecklist
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	EmployeeNum	EmployeeNum
Data Type:	Number (Long)	int
Field Name:	AgencyBDOCardFee	AgencyBDOCardFee
Data Type:	Number (Double)	float
Field Name:	SSSLoanAmount	SSSLoanAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoanPayment	SSSLoanPayment
Data Type:	Number (Double)	float
Field Name:	StartSSSPayment	StartSSSPayment
Data Type:	Date/Time	datetime
Field Name:	LastSSSPayment	LastSSSPayment
Data Type:	Date/Time	datetime
Field Name:	PbigLoanAmount	PbigLoanAmount
Data Type:	Number (Long)	int
Field Name:	PbigLoanPayment	PbigLoanPayment
Data Type:	Number (Long)	int
Field Name:	StartPbigPayment	StartPbigPayment
Data Type:	Date/Time	datetime
Field Name:	LastPbigPayment	LastPbigPayment
Data Type:	Date/Time	datetime

Field Name:	ValeLoanAmount	ValeLoanAmount
Data Type:	Number (Double)	float
Field Name:	ValeLoanPayment	ValeLoanPayment
Data Type:	Number (Double)	float
Field Name:	StartValePayment	StartValePayment
Data Type:	Date/Time	datetime
Field Name:	lastValePayment	lastValePayment
Data Type:	Date/Time	datetime
Field Name:	Updatedby	Updatedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	DateUpdated	DateUpdated
Data Type:	Date/Time	datetime
Field Name:	ControlNo	ControlNo
Data Type:	Text(25)	nvarchar(25)
Field Name:	EmpName	EmpName
Data Type:	Text(60)	nvarchar(60)
Field Name:	DailyRate	DailyRate
Data Type:	Number (Double)	float
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EndContract	EndContract
Data Type:	Date/Time	datetime
Field Name:	cbamount	cbamount
Data Type:	Number (Double)	float
Field Name:	cbPayment	cbPayment
Data Type:	Number (Double)	float
Field Name:	cbStartPayment	cbStartPayment
Data Type:	Date/Time	datetime
Field Name:	CBEndpayment	CBEndpayment
Data Type:	Date/Time	datetime
Field Name:	MiscFee	MiscFee
Data Type:	Number (Double)	float

Field Name:	MFPayment	MFPayment
Data Type:	Number (Long)	int
Field Name:	MFStartPayment	MFStartPayment
Data Type:	Date/Time	datetime
Field Name:	MFEndPayment	MFEndPayment
Data Type:	Date/Time	datetime
Field Name:	PlacementFee	PlacementFee
Data Type:	Number (Double)	float
Field Name:	PFPayment	PFPayment
Data Type:	Number (Long)	int
Field Name:	PFStartPayment	PFStartPayment
Data Type:	Date/Time	datetime
Field Name:	PFEndPayment	PFEndPayment
Data Type:	Date/Time	datetime
Field Name:	LastUpdate	LastUpdate
Data Type:	Date/Time	datetime
Field Name:	UserID	UserID
Data Type:	Text(20)	nvarchar(20)
Field Name:	AccountNo	AccountNo
Data Type:	Text(30)	nvarchar(30)
Field Name:	CutOffPeriod	CutOffPeriod
Data Type:	Text(50)	nvarchar(50)
Field Name:	SalaryRelease	SalaryRelease
Data Type:	Text(50)	nvarchar(50)
Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)

Indexes

	Microsoft Access	**SQL Server**
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK

Name:	EmployeeNum	EmployeeNum
Fields:	EmployeeNum	EmployeeNum
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: tmpPayrollCount

	Microsoft Access	SQL Server
Table Name:	tmpPayrollCount	tmpPayrollCount
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	AgencyCode	AgencyCode
Data Type:	Number (Long)	int
Field Name:	ClientCode	ClientCode
Data Type:	Number (Long)	int
Field Name:	HeadCount	HeadCount
Data Type:	Number (Long)	int
Field Name:	StartPayDate	StartPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndPayDate	EndPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	UserID	UserID
Data Type:	Text(20)	nvarchar(20)
Field Name:	PayMonth	PayMonth
Data Type:	Text(50)	nvarchar(50)
Field Name:	PayYear	PayYear
Data Type:	Number (Long)	int

Indexes

	Microsoft Access	SQL Server
Name:	AgencyCode	AgencyCode
Fields:	AgencyCode	AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	ClientCode	ClientCode
Fields:	ClientCode	ClientCode
Type:	DuplicatesOK	DuplicatesOK

Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: tmpPayrollSummary

	Microsoft Access	SQL Server
Table Name:	tmpPayrollSummary	tmpPayrollSummary
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	controlnum	controlnum
Data Type:	Text(20)	nvarchar(20)
Field Name:	qrypayrollsummary_a_Employeenum	qrypayrollsummary_a_Employeenum
Data Type:	Number (Long)	int
Field Name:	qrypayrollsummary_a_Controlno	qrypayrollsummary_a_Controlno
Data Type:	Text(20)	nvarchar(20)
Field Name:	EmployeeName	EmployeeName
Data Type:	Text(40)	nvarchar(40)
Field Name:	qrypayrollsummary_a_AgencyCode	qrypayrollsummary_a_AgencyCode
Data Type:	Number (Long)	int
Field Name:	qrypayrollsummary_a_ClientCode	qrypayrollsummary_a_ClientCode
Data Type:	Number (Long)	int
Field Name:	DaysPresent	DaysPresent
Data Type:	Number (Double)	float
Field Name:	BasicPay	BasicPay
Data Type:	Number (Double)	float
Field Name:	OTHours	OTHours
Data Type:	Number (Double)	float
Field Name:	OTPay	OTPay
Data Type:	Number (Double)	float
Field Name:	ExcessOTHours	ExcessOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessOTPay	ExcessOTPay
Data Type:	Number (Double)	float

Field Name:	NightDiffOT	NightDiffOT
Data Type:	Number (Double)	float
Field Name:	NightDiffPay	NightDiffPay
Data Type:	Number (Double)	float
Field Name:	RestdayOTHrs	RestdayOTHrs
Data Type:	Number (Double)	float
Field Name:	RestdayOTPay	RestdayOTPay
Data Type:	Number (Double)	float
Field Name:	SundayOT	SundayOT
Data Type:	Number (Double)	float
Field Name:	SundayOTPay	SundayOTPay
Data Type:	Number (Double)	float
Field Name:	NoSplHoliday	NoSplHoliday
Data Type:	Number (Double)	float
Field Name:	SplHolidayPay	SplHolidayPay
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTHours	SplHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	SplHolidayOTPay	SplHolidayOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTHours	ExcessSplHolOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessSplHolOTPay	ExcessSplHolOTPay
Data Type:	Number (Double)	float
Field Name:	NoLglHoliday	NoLglHoliday
Data Type:	Number (Double)	float
Field Name:	LglHolidayPay	LglHolidayPay
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTHours	LglHolidayOTHours
Data Type:	Number (Double)	float
Field Name:	LglHolidayOTPay	LglHolidayOTPay
Data Type:	Number (Double)	float

Field Name:	ExcessLglHolOTHours	ExcessLglHolOTHours
Data Type:	Number (Double)	float
Field Name:	ExcessLglHolOTPay	ExcessLglHolOTPay
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalHrs	ExcessOTSunLegalHrs
Data Type:	Number (Double)	float
Field Name:	ExcessOTSunLegalPay	ExcessOTSunLegalPay
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremium	OTWithoutPremium
Data Type:	Number (Double)	float
Field Name:	OTWithoutPremiumPay	OTWithoutPremiumPay
Data Type:	Number (Double)	float
Field Name:	NoVacationLeave	NoVacationLeave
Data Type:	Number (Double)	float
Field Name:	VacationLeavePay	VacationLeavePay
Data Type:	Number (Double)	float
Field Name:	NoSickLeave	NoSickLeave
Data Type:	Number (Double)	float
Field Name:	SickLeavePay	SickLeavePay
Data Type:	Number (Double)	float
Field Name:	SalaryAdjust	SalaryAdjust
Data Type:	Number (Double)	float
Field Name:	IncentivePay	IncentivePay
Data Type:	Number (Double)	float
Field Name:	IncentiveRemarks	IncentiveRemarks
Data Type:	Text(10)	nvarchar(10)
Field Name:	EcolaPay	EcolaPay
Data Type:	Number (Double)	float
Field Name:	Month13Rate	Month13Rate
Data Type:	Number (Double)	float
Field Name:	Month13Payment	Month13Payment
Data Type:	Number (Double)	float

Field Name:	GrossPay	GrossPay
Data Type:	Number (Double)	float
Field Name:	DaysAbsent	DaysAbsent
Data Type:	Number (Double)	float
Field Name:	AbsentDeduction	AbsentDeduction
Data Type:	Number (Double)	float
Field Name:	HoursTardiness	HoursTardiness
Data Type:	Number (Double)	float
Field Name:	TardinessDeduction	TardinessDeduction
Data Type:	Number (Double)	float
Field Name:	CashBond	CashBond
Data Type:	Number (Double)	float
Field Name:	CardTransFee	CardTransFee
Data Type:	Number (Double)	float
Field Name:	ValewithClient	ValewithClient
Data Type:	Number (Double)	float
Field Name:	PlacementFee	PlacementFee
Data Type:	Number (Double)	float
Field Name:	MiscFee	MiscFee
Data Type:	Number (Double)	float
Field Name:	AgencyCharge	AgencyCharge
Data Type:	Number (Double)	float
Field Name:	OverUnderPay	OverUnderPay
Data Type:	Number (Double)	float
Field Name:	Vale_IOU	Vale_IOU
Data Type:	Number (Double)	float
Field Name:	Uniform	Uniform
Data Type:	Number (Double)	float
Field Name:	Medical	Medical
Data Type:	Number (Double)	float
Field Name:	Variances	Variances
Data Type:	Number (Double)	float

Field Name:	SalaryLoan	SalaryLoan
Data Type:	Number (Double)	float
Field Name:	SSSEmployee	SSSEmployee
Data Type:	Number (Double)	float
Field Name:	SSSEmployer	SSSEmployer
Data Type:	Number (Double)	float
Field Name:	ECCEmployer	ECCEmployer
Data Type:	Number (Double)	float
Field Name:	PHealthEmployee	PHealthEmployee
Data Type:	Number (Double)	float
Field Name:	PHealthEmployer	PHealthEmployer
Data Type:	Number (Double)	float
Field Name:	PagibigEmployee	PagibigEmployee
Data Type:	Number (Double)	float
Field Name:	PagibigEmployer	PagibigEmployer
Data Type:	Number (Double)	float
Field Name:	WTaxAmount	WTaxAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoan	SSSLoan
Data Type:	Number (Double)	float
Field Name:	PagibigLoan	PagibigLoan
Data Type:	Number (Double)	float
Field Name:	OtherLoan	OtherLoan
Data Type:	Number (Double)	float
Field Name:	Deductions	Deductions
Data Type:	Number (Double)	float
Field Name:	NetPay	NetPay
Data Type:	Number (Double)	float
Field Name:	StartPayDate	StartPayDate
Data Type:	Text(10)	nvarchar(10)
Field Name:	EndPayDate	EndPayDate
Data Type:	Text(10)	nvarchar(10)

Field Name:	MonthNo	MonthNo
Data Type:	Number (Double)	float
Field Name:	CutOffNo	CutOffNo
Data Type:	Number (Integer)	smallint
Field Name:	PayFlag1	PayFlag1
Data Type:	Yes/No	bit
Field Name:	PayFlag2	PayFlag2
Data Type:	Yes/No	bit
Field Name:	PayText1	PayText1
Data Type:	Text(10)	nvarchar(10)
Field Name:	PayText2	PayText2
Data Type:	Text(10)	nvarchar(10)
Field Name:	qrypayrollsummary_a_EntryBy	qrypayrollsummary_a_EntryBy
Data Type:	Text(15)	nvarchar(15)
Field Name:	qrypayrollsummary_a_EntryDate	qrypayrollsummary_a_EntryDate
Data Type:	Date/Time	datetime
Field Name:	acctno	acctno
Data Type:	Text(25)	nvarchar(25)
Field Name:	c_Employeenum	c_Employeenum
Data Type:	Number (Long)	int
Field Name:	c_Controlno	c_Controlno
Data Type:	Text(15)	nvarchar(15)
Field Name:	c_AgencyCode	c_AgencyCode
Data Type:	Number (Long)	int
Field Name:	c_ClientCode	c_ClientCode
Data Type:	Number (Long)	int
Field Name:	EmployeeStatus	EmployeeStatus
Data Type:	Yes/No	bit
Field Name:	PaymentSystem	PaymentSystem
Data Type:	Text(10)	nvarchar(10)
Field Name:	WithSSSDeduction	WithSSSDeduction
Data Type:	Yes/No	bit

Field Name:	SSSRateperDay	SSSRateperDay
Data Type:	Number (Double)	float
Field Name:	WithPbigDeduction	WithPbigDeduction
Data Type:	Yes/No	bit
Field Name:	PagibigRateperDay	PagibigRateperDay
Data Type:	Number (Double)	float
Field Name:	WithPHealthDeduction	WithPHealthDeduction
Data Type:	Yes/No	bit
Field Name:	PHealthRateperday	PHealthRateperday
Data Type:	Number (Double)	float
Field Name:	WithTaxDeduction	WithTaxDeduction
Data Type:	Yes/No	bit
Field Name:	WithEcolaPay	WithEcolaPay
Data Type:	Yes/No	bit
Field Name:	AgencyFee	AgencyFee
Data Type:	Number (Double)	float
Field Name:	With13thMonthPay	With13thMonthPay
Data Type:	Yes/No	bit
Field Name:	Hourly13thMonthRate	Hourly13thMonthRate
Data Type:	Number (Double)	float
Field Name:	TaxBasefromGross	TaxBasefromGross
Data Type:	Yes/No	bit
Field Name:	PagibigPayments	PagibigPayments
Data Type:	Number (Double)	float
Field Name:	AgencyBDOCardFee	AgencyBDOCardFee
Data Type:	Number (Double)	float
Field Name:	SSSLoanAmount	SSSLoanAmount
Data Type:	Number (Double)	float
Field Name:	SSSLoanPayment	SSSLoanPayment
Data Type:	Number (Double)	float
Field Name:	StartSSSPayment	StartSSSPayment
Data Type:	Date/Time	datetime

Field Name:	LastSSSPayment	LastSSSPayment
Data Type:	Date/Time	datetime
Field Name:	PbigLoanAmount	PbigLoanAmount
Data Type:	Number (Long)	int
Field Name:	PbigLoanPayment	PbigLoanPayment
Data Type:	Number (Long)	int
Field Name:	StartPbigPayment	StartPbigPayment
Data Type:	Date/Time	datetime
Field Name:	LastPbigPayment	LastPbigPayment
Data Type:	Date/Time	datetime
Field Name:	ValeLoanAmount	ValeLoanAmount
Data Type:	Number (Double)	float
Field Name:	ValeLoanPayment	ValeLoanPayment
Data Type:	Number (Double)	float
Field Name:	StartValePayment	StartValePayment
Data Type:	Date/Time	datetime
Field Name:	LastValePayment	LastValePayment
Data Type:	Date/Time	datetime
Field Name:	ClientwServiceContract	ClientwServiceContract
Data Type:	Yes/No	bit
Field Name:	ClientwCompPackage	ClientwCompPackage
Data Type:	Yes/No	bit
Field Name:	IfNoCompensationPackage	IfNoCompensationPackage
Data Type:	Text(50)	nvarchar(50)
Field Name:	Remarks	Remarks
Data Type:	Text(50)	nvarchar(50)
Field Name:	ProcessedFlag	ProcessedFlag
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag1	BasicSalaryFlag1
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag2	BasicSalaryFlag2
Data Type:	Yes/No	bit

Field Name:	BasicSalaryFlag3	BasicSalaryFlag3
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag4	BasicSalaryFlag4
Data Type:	Yes/No	bit
Field Name:	BasicSalaryFlag5	BasicSalaryFlag5
Data Type:	Yes/No	bit
Field Name:	Processedby	Processedby
Data Type:	Text(25)	nvarchar(25)
Field Name:	QuitclaimProcessedby	QuitclaimProcessedby
Data Type:	Text(25)	nvarchar(25)
Field Name:	Notedby	Notedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	c_EntryBy	c_EntryBy
Data Type:	Text(20)	nvarchar(20)
Field Name:	c_EntryDate	c_EntryDate
Data Type:	Date/Time	datetime
Field Name:	UpdatedBy	UpdatedBy
Data Type:	Text(20)	nvarchar(20)
Field Name:	DateUpdated	DateUpdated
Data Type:	Date/Time	datetime
Field Name:	Paymentbasis	Paymentbasis
Data Type:	Text(10)	nvarchar(10)
Field Name:	MonthlyRate	MonthlyRate
Data Type:	Number (Double)	float
Field Name:	DailyRate	DailyRate
Data Type:	Number (Double)	float
Field Name:	HourlyRate	HourlyRate
Data Type:	Number (Double)	float
Field Name:	StartContract	StartContract
Data Type:	Date/Time	datetime
Field Name:	EndContract	EndContract
Data Type:	Date/Time	datetime

Field Name:	NoOfMonthsHired	NoOfMonthsHired
Data Type:	Number (Integer)	smallint
Field Name:	EcolaAmount	EcolaAmount
Data Type:	Number (Double)	float
Field Name:	CBamount	CBamount
Data Type:	Number (Double)	float
Field Name:	agencycashbond	agencycashbond
Data Type:	Number (Double)	float
Field Name:	CBstartpayment	CBstartpayment
Data Type:	Date/Time	datetime
Field Name:	CBendpayment	CBendpayment
Data Type:	Date/Time	datetime
Field Name:	fullname	fullname
Data Type:	Text(255)	nvarchar(255)
Field Name:	emptaxcode	emptaxcode
Data Type:	Text(25)	nvarchar(25)
Field Name:	MFAmount	MFAmount
Data Type:	Number (Long)	int
Field Name:	MFPayment	MFPayment
Data Type:	Number (Long)	int
Field Name:	MFStartPayment	MFStartPayment
Data Type:	Date/Time	datetime
Field Name:	MFEndPayment	MFEndPayment
Data Type:	Date/Time	datetime
Field Name:	pfAmount	pfAmount
Data Type:	Number (Long)	int
Field Name:	PFPayment	PFPayment
Data Type:	Number (Long)	int
Field Name:	PFStartPayment	PFStartPayment
Data Type:	Date/Time	datetime
Field Name:	PFEndPayment	PFEndPayment
Data Type:	Date/Time	datetime

Field Name:	PayrollStatus	PayrollStatus
Data Type:	Text(50)	nvarchar(50)
Field Name:	ClientName	ClientName
Data Type:	Text(50)	nvarchar(50)
Field Name:	ClientSeriesNo	ClientSeriesNo
Data Type:	Number (Long)	int

Indexes

	Microsoft Access	SQL Server
Name:	c_AgencyCode	c_AgencyCode
Fields:	c_AgencyCode	c_AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	c_ClientCode	c_ClientCode
Fields:	c_ClientCode	c_ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	c_Employeenum	c_Employeenum
Fields:	c_Employeenum	c_Employeenum
Type:	DuplicatesOK	DuplicatesOK
Name:	controlnum	controlnum
Fields:	controlnum	controlnum
Type:	DuplicatesOK	DuplicatesOK
Name:	emptaxcode	emptaxcode
Fields:	emptaxcode	emptaxcode
Type:	DuplicatesOK	DuplicatesOK
Name:	qrypayrollsummary_a_AgencyCode	qrypayrollsummary_a_AgencyCode
Fields:	qrypayrollsummary_a_AgencyCode	qrypayrollsummary_a_AgencyCode
Type:	DuplicatesOK	DuplicatesOK
Name:	qrypayrollsummary_a_ClientCode	qrypayrollsummary_a_ClientCode
Fields:	qrypayrollsummary_a_ClientCode	qrypayrollsummary_a_ClientCode
Type:	DuplicatesOK	DuplicatesOK
Name:	qrypayrollsummary_a_Employeenum	qrypayrollsummary_a_Employeenum
Fields:	qrypayrollsummary_a_Employeenum	qrypayrollsummary_a_Employeenum
Type:	DuplicatesOK	DuplicatesOK

Table: UsersList

	Microsoft Access	SQL Server
Table Name:	UsersList	UsersList
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	OperatorID	OperatorID
Data Type:	Number (Long)	int
Field Name:	Username	Username
Data Type:	Text(20)	nvarchar(20)
Field Name:	Password	Password
Data Type:	Text(20)	nvarchar(20)
Field Name:	LoginStatus	LoginStatus
Data Type:	Yes/No	bit
Field Name:	Operator_name	Operator_name
Data Type:	Text(20)	nvarchar(20)
Field Name:	Superuser	Superuser
Data Type:	Yes/No	bit
Field Name:	AdministrativeRights	AdministrativeRights
Data Type:	Yes/No	bit
Field Name:	PayrollRights	PayrollRights
Data Type:	Yes/No	bit
Field Name:	EmployeeInfoRights	EmployeeInfoRights
Data Type:	Yes/No	bit
Field Name:	ClientMaster	ClientMaster
Data Type:	Yes/No	bit
Field Name:	EmployeeMaster	EmployeeMaster
Data Type:	Yes/No	bit
Field Name:	UserAccounts	UserAccounts
Data Type:	Yes/No	bit

Field Name:	ConnectionSettings	ConnectionSettings
Data Type:	Yes/No	bit
Field Name:	ReportRights	ReportRights
Data Type:	Yes/No	bit
Field Name:	MaintenanceRights	MaintenanceRights
Data Type:	Yes/No	bit
Field Name:	BillingRights	BillingRights
Data Type:	Yes/No	bit
Field Name:	AddRight	AddRight
Data Type:	Yes/No	bit
Field Name:	EditRight	EditRight
Data Type:	Yes/No	bit
Field Name:	DeleteRight	DeleteRight
Data Type:	Yes/No	bit
Field Name:	Createdby	Createdby
Data Type:	Text(20)	nvarchar(20)
Field Name:	CreatedDate	CreatedDate
Data Type:	Date/Time	datetime
Field Name:	Editedby	Editedby
Data Type:	Text(20)	nvarchar(20)
Field Name:	EditedDate	EditedDate
Data Type:	Date/Time	datetime
Field Name:	AccountType	AccountType
Data Type:	Text(20)	nvarchar(20)

Indexes

	Microsoft Access	**SQL Server**
Name:	OperatorID	OperatorID
Fields:	OperatorID	OperatorID
Type:	DuplicatesOK	DuplicatesOK

Table: WeeklyTaxTable

	Microsoft Access	SQL Server
Table Name:	WeeklyTaxTable	WeeklyTaxTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Timestamp field added to SQL Server table.

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	TaxCode	TaxCode
Data Type:	Text(5)	nvarchar(5)
Field Name:	SalRate2	SalRate2
Data Type:	Number (Double)	float
Field Name:	PerOver	PerOver
Data Type:	Number (Double)	float
Field Name:	BaseTax	BaseTax
Data Type:	Number (Double)	float
Field Name:	Bracket	Bracket
Data Type:	Number (Double)	float
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	SQL Server
Name:	TaxCode	TaxCode
Fields:	TaxCode	TaxCode
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK

Table: YearlyTaxTable

	Microsoft Access	SQL Server
Table Name:	YearlyTaxTable	YearlyTaxTable
Attached Table Name:		
Aliasing Query:		
Validation Rule:		

Fields

	Microsoft Access	SQL Server
Field Name:	ID	ID
Data Type:	Number (Long)	int
Field Name:	SALRATE1	SALRATE1
Data Type:	Number (Double)	float
Field Name:	SALRATE2	SALRATE2
Data Type:	Number (Double)	float
Field Name:	BASETAX	BASETAX
Data Type:	Number (Double)	float
Field Name:	PEROVER	PEROVER
Data Type:	Number (Double)	float
Field Name:	UserID	UserID
Data Type:	Text(4)	nvarchar(4)

Indexes

	Microsoft Access	SQL Server
Name:	ID	ID
Fields:	ID	ID
Type:	DuplicatesOK	DuplicatesOK
Name:	UserID	UserID
Fields:	UserID	UserID
Type:	DuplicatesOK	DuplicatesOK