

HUMAN FLAG ASSOCIATION

Purpose

Bellinzona, Switzerland · UNGM Partner No. 6126 · humanflag.org

HF SIGNAL 01 — Architecture Note

Nota di allineamento sull'architettura

29 July 2026 · Giovanni Nardacci, Human Flag Association

This note states, in one place, the architecture of HF SIGNAL 01 as the Association has published it. It amends no deposited document, alters no identifier, and asserts no obligation. It is issued because the working paper of July 2026 specifies one modality of the protocol in detail while describing the others in terms that no longer match the published architecture, and a reader coming to the corpus from either direction is entitled to know which is current.

One protective function, two modalities

HF SIGNAL 01 is a single protective function expressed through modalities of differing accessibility. Its immediate operational consequence is the same in every case — do not engage; suspend and verify — while its legal significance depends on the circumstances. It does not replace the white flag; it translates it. What changed is not the gesture but its recipient: a machine does not see a surrender, it detects or fails to detect a signal, and with the white flag it shares no code. This note addresses the physical protocol only; two modalities are in issue:

The passive visual modality — a white disc on a red field. Elementary geometry and strong chromatic contrast, designed for low-resolution detection and rotational invariance, requiring no power, no equipment, no licence and no emission. It is the modality available to a person who has nothing.

The active electronic modality — the emission specified in the working paper: a pulsating white light at 7 Hz together with a continuous FM tone. It presupposes equipment, and with it the training to judge when emission is prudent.

The modalities are alternative expressions of the same meaning, not a conjunction. Requiring all of them would exclude precisely those least equipped to signal. The visual symbol is accordingly a current element of the protocol and not a superseded design iteration.

Legal effect, unchanged

The rule stated in the working paper governs every modality without exception. A confirmed signal is sufficient to trigger immediate attack inhibition and status verification; it is never a necessary condition of protection, and it is not by itself a conclusive determination of status. Its legal significance depends on the circumstances: for a civilian it communicates or reinforces a protected status which

exists independently of the signal; for a combatant it may constitute a manifestation of the intention to surrender, subject to the conditions governing hors de combat status. In either case the absence of the signal permits no adverse inference, and the full repertoire of human-legible expressions of surrender retains its entire legal force. Any implementation treating non-emission as an indicator of targetability would be inconsistent with applicable international humanitarian law — including the rules protecting civilians, and Article 41 where surrender or hors de combat status is in issue. The protocol is not a recognised emblem, sign or signal within the meaning of Article 38 of Additional Protocol I, and no such status is claimed for it.

Open questions

Carrier frequency. The designated frequency and channel width require re-examination against the allocated amateur band and its bandplan, and against national licensing requirements.

Emission risk. A periodic radio emission is a direction-finding opportunity. The conditions under which emission is advisable, and the restriction of the radio modality to equipped and trained emitters, require statement.

Separability. The visual symbol must be shown to be reliably distinguishable, by machine and at low resolution, from the protective emblems of the Geneva Conventions.

Symbol parameters. Chromaticity, disc-to-field ratio, minimum size, viewing angle and infrared behaviour remain to be specified.

Category payload. Whether a printable fiducial marker carrying a category — and no personal identifier — should be defined within the symbol.

A printed marker is forgeable. So is the white flag, and the law responded by prohibiting perfidy rather than by abandoning the sign. No claim of unforgeability is made here.

Status

Working document of the Human Flag Association. It supplements, and does not amend, the HF SIGNAL 01 working paper (July 2026) or any deposited item of the corpus. Its contents are intended for the next revision of that paper.

Scopo

Questa nota enuncia in un solo luogo l'architettura di HF SIGNAL 01 come l'Associazione l'ha pubblicata. Non modifica alcun documento depositato, non altera alcun identificativo e non afferma alcun obbligo. È emessa perché il working paper del luglio 2026 specifica in dettaglio una sola delle modalità del protocollo, descrivendo le altre in termini che non corrispondono più all'architettura pubblicata;

chi arriva al corpus dall'una o dall'altra parte ha diritto di sapere quale sia quella corrente.

Una sola funzione protettiva, due modalità

HF SIGNAL 01 è un'unica funzione protettiva espressa attraverso modalità di accessibilità diversa. La conseguenza operativa immediata è la stessa in ogni caso — non ingaggiare; sospendere e verificare — mentre il significato giuridico dipende dalle circostanze. Non sostituisce la bandiera bianca: la traduce. Non è cambiato il gesto, è cambiato il destinatario — una macchina non vede una resa, rileva o non rileva un segnale, e con la bandiera bianca non condivide alcun codice. Questa nota riguarda il solo protocollo fisico; le modalità in questione sono due:

La modalità visiva passiva — un disco bianco su campo rosso. Geometria elementare e forte contrasto cromatico, progettati per la rilevazione a bassa risoluzione e l'invarianza alla rotazione, senza alimentazione, strumenti, licenze né emissione. È la modalità disponibile a chi non ha nulla.

La modalità elettronica attiva — l'emissione specificata nel working paper: luce bianca pulsante a 7 Hz e tono FM continuo. Presuppone strumenti, e con essi la capacità di valutare quando emettere sia prudente.

Le modalità sono espressioni alternative del medesimo significato, non una congiunzione. Richiederle tutte escluderebbe proprio chi ha meno mezzi per segnalare. Il simbolo visivo è pertanto un elemento corrente del protocollo, non un'iterazione di progetto superata.

Effetto giuridico, invariato

La regola enunciata nel working paper vale per ogni modalità senza eccezione. Un segnale confermato è sufficiente a determinare l'immediata inibizione dell'attacco e la verifica dello status; non è mai condizione necessaria della protezione, e non costituisce di per sé un accertamento definitivo dello status. Il suo significato giuridico dipende dalle circostanze: per il civile comunica o rafforza uno status protetto che esiste indipendentemente dal segnale; per il combattente può costituire manifestazione dell'intenzione di arrendersi, alle condizioni che governano lo status di fuori combattimento. In entrambi i casi l'assenza del segnale non consente alcuna inferenza sfavorevole, e l'intero repertorio delle espressioni di resa leggibili dall'uomo conserva piena efficacia giuridica. Qualunque implementazione che trattasse la non emissione come indicatore di attaccabilità sarebbe incompatibile con il diritto internazionale umanitario applicabile — comprese le norme che proteggono i civili, e l'Articolo 41 ove sia in questione la resa o lo status di fuori combattimento. Il protocollo non è un emblema, segno o segnale riconosciuto ai sensi dell'Articolo 38 del I Protocollo Aggiuntivo, e nessuno status di quel genere è rivendicato.

Questioni aperte

Frequenza portante. La frequenza designata e la larghezza di canale vanno riesaminate rispetto alla banda amatoriale allocata e al relativo bandplan, nonché ai requisiti nazionali di licenza.

Rischio da emissione. Un'emissione radio periodica è un'occasione di radiogoniometria. Vanno enunciate le condizioni in cui l'emissione è consigliabile e la riserva della modalità radio a emittenti dotati e addestrati.

Separabilità. Il simbolo visivo deve essere dimostrato distinguibile in modo affidabile, da una macchina e a bassa risoluzione, dagli emblemi protettivi delle Convenzioni di Ginevra.

Parametri del simbolo. Cromaticità, rapporto disco-campo, dimensione minima, angolo di vista e comportamento in infrarosso restano da specificare.

Carico di categoria. Se debba essere definito, all'interno del simbolo, un marcatore fiduciale stampabile recante una categoria — e nessun identificativo personale.

Un marcatore stampato è falsificabile. Lo è anche la bandiera bianca, e il diritto ha risposto vietando la perfidia anziché rinunciare al segno. Nessuna pretesa di infalsificabilità è avanzata qui.

Stato

Documento di lavoro dell'Human Flag Association. Integra, e non emenda, il working paper HF SIGNAL 01 (luglio 2026) né alcun elemento depositato del corpus. I suoi contenuti sono destinati alla prossima revisione di quel paper.